



UP & DOWN INDUSTRIES, INC.

STAIR



LOOK BOOK

(479) 925-1318


Sales@udi-inc.com



Table of Contents

- 01** **Treads & Landing Tread**
- 04** **Wood Handrails**
- 05** **Rosettes & Brackets**
- 06** **Box Newels & Tops**
- 08** **Imported Newels**
- 09** **Wood Balusters**
- 10** **Iron Balusters**
- 20** **Iron Balusters & Newel Shoes**
- 22** **Horizontal Rail & Custom Options**






Treads & End Caps

*Available in Red Oak, White Oak, Maple, or other species upon request

*Available with traditional Bull Nose (as shown) and Modern Square nose




TPLAIN
(Plain Tread)




TMR
(Tread Mitered Return)

*Available in lengths of 48", 54", 60", 72", or Custom.

*Width/depth: Bull Nose - 11.5", Square Nose - 11.25"



TLHMREC/TRHMREC
(Left or Right Hand
Mitered Return End Cap)



TWALLEC
(Wall End Cap)


Landing Tread

*Available in Red Oak, White Oak, Maple, or other species upon request
(to match treads/end caps)

*Available with traditional Bull Nose (as shown) and Modern Square nose
(to match tread/end cap nosing)



Bull Nose Landing Tread



Square Nose Landing Tread

*Width options: 5.5" or 6.5"

*Thickness options: 3/4" or 1/2"

Trim Cove

*Available in Red Oak, White Oak, Maple, or other species upon request
(to match treads/end caps)



Standard Trim Cove

*For Bull Nose Treads

5/8" x 5/8"

(goes under tread/landing tread)



Modern Trim Cove

*For Square Nose Treads

3/4" x 3/8" (thick) OR

3/4" x 9/16" (thick)

(goes under tread/landing tread)

Skirts & Risers

Available in Stain Grade and Paint Grade options

*Red Oak, White Oak, Maple, Poplar, MDF or other species upon request



RISERS

Risers: Vertical piece on the surface of the stairs
(where your toe touches)




SKIRT BOARD

Skirt Board: Piece along the inside and outside wall of the staircase
(People typically match the color of their trim to the Skirt Board)


S4S, Trims & Roundover

*Available in Red Oak, White Oak, Maple, Poplar or other species upon request




S4S - 3/4" Thick

Available Widths: 4-9/16", 6-9/16", 7-1/2", 11-1/4"



2 Side Round Over
3/4" x 6-1/4"




4 Side Round Over
3/4" x 7-1/2"




Base Shoe Trim
11/16" x 11/16"


Wood Handrails



6210
Traditional Hand Rail
HT. 2-3/8"
W. 2-5/8"



6010
Colonial Hand Rail
HT. 2-3/8"
W. 2-1/4"



6002
*Not code compliant on rake



6040
Round Wall Rail
Diameter: 1-5/8"
*Wall rail only



7700
Prestige Hand Rail
HT. 2-3/4"
W. 2-5/8"




6310
HT. 2 1/4"
W. 2 5/8"



6048
HT. 3 1/2"
W. 1 9/16"



84200
HT. 1 3/4"
W. 2 5/8"



Rosettes & Wall Brackets



Modern Adjustable Wall Bracket
Satin Black, Stainless Steel



Modern Fixed Wall Bracket
Satin Black



Standard Wall Bracket
Satin Black, Oil Rubbed
Bronze, Bright Brass, Nickel

M7090



*Behind Rail Returns

M7085



*Behind Wall Bracket

M7095



*Behind Rail Returns
*Behind Wall Bracket

M7037



*Behind Rail Returns

M7017




*Behind Wall Bracket

Box Newels Domestic

Plain Series

Available in 4 1/2", 6", and 7 1/2"




With Trim*

With Trim, Step Out and Iron Medallions*

Mission Series


Available in 4 1/2" and 6"



With 131 Trim and Step Out*

Routed Panel Series

Available in 4 1/2" and 6"



With Trim*

With 816 Trim and Step Out*

Modern Step Out and Neck Trim:

Eased Edge Trim
1" x 9/16" thick

Eased Edge Trim
3/4" x 9/16" thick

Standard Step Out and Neck Trim:



#134
1/2 x 1"
Used with 4"
Box Newel

#816
13/16 x 2"
Step Out Trim

#131
3/4 x 1 1/8"
Step Out Trim

#133
11/16 x 1 3/4"
Used with 6"
Box Newel

*Step Out & Trim are sent unattached from the box newel to be assembled on site.

Box Newel Tops

Wood Tops

*Available for 3", 4.5", and 6"



Flat Top



Upset Top




"A" Top

Iron Tops


Finish options: Satin Black, Oil Rubbed Bronze, Satin Clear



3" Box Top will have a 1" band for Smooth or Hammered



4.5" or 6" Smooth Box Top (1" Band)



4.5" or 6" Hammered Box Top (1.5" Band)

*Hammered style is shown

Post to Post Newels Imported



4040/4042 4540/4542 4550/4555 4001/4002 4004/4005 4070 4240/4242 4074/4076 4840/4845 4172/4175 4179 4280/4280L 4282/4282L 4440/4442 3040/3042
 4045/4046 4545/4546 4556 4003/4007 4008 4245 4840/4845 4176 4179 4285 4287 4445/4448 3045/3046
 4055 4547/4548 4008/4009

*Most newels have a matching baluster. See our store for details.

Over the Post Newels Imported



4010/4011 4014 4019 4030/4035 4065 4210/4215 4662 4810/4815 4862 4111/4115 4270/4275 4272/4277 4410/4415 4419 3015
 4015/4017

Box Newels Imported










4075 4290 4291-ADJ 4091 4077 4695/4691 4095 4891-FP 4891-RP 4090 4690 4790 4890









*Domestic options are available in a variety of species. Custom newels are also available. See our store for more details.

Wood Balusters

1-3/16" Turned Wood Balusters

5015	5040 Tapered	5045	5141	5200	5205	S4S
						
* 5015-31 5015-34 5015-36 5015-39 5015-41 5015-43 option: octagon	* 5040-31 5040-36 5040-39 5040-41 option: octagon	5045-31 5045-34 5045-36 5045-39 5045-41 options: fluted or octagon	* 5141-31 5141-34 5141-36 5141-39 5141-41 option: octagon	* 5200-31 5200-34 5200-36/B 5200-39/B 5200-41/B option: octagon	5205-31 5205-34 5205-36 5205-39 5205-41 option: octagon	* 1.25" 1.50" 1.75"

1-3/4" Turned Wood Balusters

2005	2015	2318	5077	5300	5305	5545	3019
				* 			
2005-31 2005-34 2005-36 2005-39 2005-41 options: fluted, octagon, twist, rope	2015-31 2015-34 2015-36 2015-39 2015-41 options: fluted, octagon, twist, rope	2318-36 2318-41 options: fluted or octagon	5077-31 5077-36 5077-39 5077-41	* 5300-31 5300-34 5300-36/B 5300-39/B 5300-41/B option: octagon	5305-31 5305-36 5305-39 5305-41 option: octagon	5545-34 5545-36 5545-39 5545-41 options: fluted or octagon	3019-36 3019-39 3019-41 option: fluted

Available in all stain grade wood species

*Available Primed

*For more options, visit our store

Iron Balusters

Soho Collection


Satin Black



Brass



Stainless Steel



configuration options for your style



Iron Balusters

Foundation Collection

**No
Collars or
Shoes
Required



Top : 1/2" Square
Base : 1" Square
Height : 44"



Bottom pin for
quick installation!



HFSTB 16.5.8-FOUNDATION-SLEEVE
Use with 16.5.8 Satin Black newel







Iron Balusters

Harmony Collection

ALL SHOWN:
 1/2" SQ
 HEIGHT: 44"
 TUBULAR

Satin Black

Ash Grey



Iron Balusters

Aalto Collection




ALL SHOWN:
1/2" SQ
HEIGHT: 44"
TUBULAR

Satin Black



Ash Grey



Dorado Gold



HF 16.6.1
Ends : 1/2" Sq.
Height: 44"
Wt. 1.2 lbs.
TUBULAR



HF 16.6.3
Ends : 1/2" Sq.
Height: 44"
Wt. 1.7 lbs.
TUBULAR



HF 16.6.9
Ends : 1/2" Sq.
Height: 44"
Wt. 1.6 lbs.
TUBULAR



HF 16.6.8
Ends : 1/2" Sq.
Height: 44"
Wt. 1.75 lbs.
TUBULAR



HF 16.2.1-T
Ends: 1/2" Sq.
Height: 44"
Weight: 1.2 lbs.
TUBULAR

Iron Balusters

Aalto Collection

ALL SHOWN:
 1/2" SQ
 HEIGHT: 44"
 TUBULAR



HF 16.6.2
 Ends : 1/2" Sq.
 Height: 44"
 Wt. 1.6 lbs.
 TUBULAR



HF 16.6.7
 Ends : 1/2" Sq.
 Height: 44"
 Wt. 1.6 lbs.
 TUBULAR



HF 16.6.4
 Ends : 1/2" Sq.
 Height: 44"
 Wt. 1.7 lbs.
 TUBULAR



HF 16.6.5
 Ends : 1/2" Sq.
 Height: 44"
 Wt. 1.8 lbs.
 TUBULAR



16.1.31-T
 Two Ring
 Ends: 1/2" Sq.
 Height: 44"
 Wt. 1.75 lbs.



HF 16.1.30-T
 Ends : 1/2" Sq.
 Height: 44"
 Wt. 1.6 lbs.
 TUBULAR



9.4.11
 Rake Panel
 Ends: 1/2" Sq.
 Height: 46"
 Wt. 4.5 lbs.




HF 16.1.32-T
 Ends : 1/2" Sq.
 Height: 44"
 Wt. 4.2 lbs.

Iron Balusters

Heights Collection

ALL SHOWN:
1/2" SQ
HEIGHT: 44"
TUBULAR



Iron Balusters

Designer Square



HF 16.8.9
Ends: 5/8" Sq.
Height: 44"
Wt. 4 lbs.



Ends: 5/8" Sq.
Height: 44"
Wt. 2 lbs.



HF 16.8.6
Ends: 5/8" Sq.
Height: 44"
Wt. 2 lbs.

ORB



Satin Black



Designer Round



Ends: 5/8" Rd.
Height: 44"
Wt. 1.3 lbs.
TUBULAR



Ends: 5/8" Rd.
Height: 44"
Wt. 2 lbs.
TUBULAR



Plain Bar
Ends: 5/8" Rd.
Height: 44"
Wt. 2 lbs.



*For more options, visit our store

Iron Balusters

Wentworth Collection



HF 3.1.1
Ends : 5/8" Rd.
Height: 44"
Wt. 3.6 lbs.
SOLID



HF 3.1.2
Ends : 5/8" Rd
Height: 44"
Wt. 3.58 lbs.
SOLID




HF 3.2.1
Ends : 5/8" Sq.
Height: 44"
Wt. 4.28 lbs.
SOLID




HF 3.2.2
Ends : 5/8" Sq.
Height: 44"
Wt. 5.2 lbs.
SOLID

Satin Clear



ORB



Satin Black



Contemporary Collection



HF 16.1.25-T
Ends: 1/2" Sq.
Height: 44"
Weight: 3.85 lbs.
TUBULAR



HF 16.1.34-T
Ends: 1/2" Sq.
Height: 44"
Weight: 1.35 lbs.
TUBULAR



HF 16.1.35-T
Ends: 1/2" Sq.
Height: 44"
Weight: 1.5 lbs.
TUBULAR



HF 16.1.45-T
Ends: 1/2" Sq.
Height: 44"
Weight: 1.55 lbs.
TUBULAR




HF 16.2.1-T
Ends: 1/2" Sq.
Height: 44"
Weight: 1.2 lbs.
TUBULAR

Iron Balusters

Tuscan Round Hammered Collection

ALL SHOWN:
9/16" RD
HEIGHT:44"
SOLID



HF 2.1.11
Ends: 9/16" Rd.
Height: 44"
Wt. 3 lbs.

HF 2.1.9
Ends: 9/16" Rd.
Height: 44"
Wt. 3 lbs.


HF 2.1.8
Ends: 9/16" Rd.
Height: 44"
Wt. 4.2 lbs.

HF 2.10.3
Ends: 9/16" Rd.
Height: 44"
Wt. 3.6 lbs.

HF 2.10.2
Ends: 9/16" Rd.
Height: 44"
Wt. 3.2 lbs.

HF 2.10.4
Ends: 9/16" Rd.
Height: 44"
Wt. 4.2 lbs.

HF 2.9.21
Ends: 9/16" Rd.
Height: 44"
Wt. 2.4 lbs.



HF 2.1.7
Ends: 9/16" Rd.
Height: 44"
Wt. 3 lbs.

HF 2.1.5
Ends: 9/16" Rd.
Height: 44"
Wt. 2.5 lbs.


HF 2.1.6
Ends: 9/16" Rd.
Height: 44"
Wt. 4.2 lbs.

2.6.7
Single Tapered Knuckle
Ends: 9/16" Rd.
Height: 44"


2.6.9
Single Tapered Knuckle Scroll
Ends: 9/16" Rd.
Height: 44"

2.6.8
Plain Tapered Bar
Ends: 9/16" Rd.
Height: 44"

ORB



Satin Black



*For more options, visit our store

Iron Balusters

Tuscan Square Hammered Collection

ALL SHOWN:
9/16" SQ
HEIGHT:44"
SOLID



HF 2.1.1
Ends: 9/16" Sq.
Height: 44"
Wt. 4.5 lbs.



HF 2.1.1
Ends: 9/16" Sq.
Height: 44"
Wt. 4.5 lbs.



HF 2.9.4
Ends: 9/16" Sq.
Height: 44"
Wt. 3.8 lbs.



HF 2.9.3
Ends: 9/16" Sq.
Height: 44"
Wt. 3.4 lbs.



HF 2.9.37
Ends: 9/16" Sq.
Height: 44"
Wt. 3.4 lbs.



HF 2.9.29
Ends: 9/16" Sq.
Height: 44"
Wt. 2.8 lbs.



HF 2.9.36
Ends: 9/16" Sq.
Height: 44"
Wt. 4.2 lbs.



HF 2.9.20
Ends: 9/16" Sq.
Height: 44"
Wt. 3 lbs.
SOLID



HF 2.9.13
Ends: 9/16" Sq.
Height: 44"
Wt. 5.5 lbs.



HF 2.9.12
Ends: 9/16" Sq.
Height: 44"
Wt. 3.8 lbs.



HF 2.9.11
Ends: 9/16" Sq.
Height: 44"
Wt. 5 lbs.



HF 2.9.6
Ends: 9/16" Sq.
Height: 44"
Wt. 3.8 lbs.



HF 2.9.5
Ends: 9/16" Sq.
Height: 44"
Wt. 3.5 lbs.



HF 2.9.26
Ends: 9/16" Sq.
Height: 44"
Wt. 3.8 lbs.



HF 2.9.28
Ends: 9/16" Sq.
Height: 44"
Wt. 3.2 lbs.




HF 2.9.27
Ends: 9/16" Sq.
Height: 44"
Wt. 4.2 lbs.


Iron Baluster & Newel Shoes

Fits 1/2" Square Balusters

Level Base Shoes:



Angled Base Shoes:



Fits 9/16" Square Balusters

Level Base Shoes:




Angled Base Shoes:



Fits 9/16" Round Balusters

Level Base Shoes:




Angled Base Shoes:



Iron Baluster & Newel Shoes

Fits 5/8" Square Balusters

Level Base Shoes:



Angled Base Shoes:



Fits 5/8" Round Balusters


Level Base Shoes:



Angled Base Shoes:



Newel Mounting Kits/ Shoes



Horizontal Rail Options

Stainless Steel Cable or Round Bars

Choose your method:

1. Material only kits, for field installation
2. Turn-key, with UDI installation provided

1. Material only kits, for field installation



Stainless Steel Cable Rail Kits

*For level and/or rake with iron and/or wood newels

- 1x19 Stainless Steel cable
- Pre-attached swaging stud / Hanger Bolt / Pre-attached threaded stud
- Pull-Lock fitting with cap / Push-Lock Lag / Push-Lock threaded eye
- Stainless Steel washers / Beveled washers / SC-6 Screws / brass locknut
- Invisiware Receiver / Pre-attached swaing ferrule

Horizontal Bars - Powder Coated:

*For level and/or rake with iron and/or wood newels



Horizontal Rail Options

Stainless Steel Cable or Round Bars

***Contact our Sales Team for further information & details.*

2. Turn-key, with UDI installation provided

Stainless Steel Cable Railing System:

*For level and/or rake with iron and/or wood newels

- 1x19 Stainless Steel cable
- Pre-attached swaging stud / Hanger Bolt / Pre-attached threaded stud
- Pull-Lock fitting with cap / Push-Lock Lag / Push-Lock threaded eye
- Stainless Steel washers / Beveled washers / SC-6 Screws / brass locknut
- Invisiware Receiver / Pre-attached swaing ferrule

Horizontal Bars Railing System:

Our Horizontal Railing system can be done in 3 ways.

It is a non-welded railing system with concealed fasteners. Includes installation by UDI and finishing of iron only.

- 3/4" round horizontal bars with
- 1-3/4" square iron newels



*For more options, visit our store

Custom:

We are equipped to customize and collaborate on projects of all shapes, sizes, and budgets—offering premium value above and beyond cookie-cutter solutions.

Bring us your vision, and we'll bring it to life. Because building dreams is our family business.

- Curved Stairways
- Free Standing Stairways
- Mortised Stairways
- Wedge Stairways
- Ornament Iron Stairway Designs
- Wood Stairway Designs
- Specialty Iron Stairway Designs





UDI, INC

Contact Us



479-925-1318



Sales@udi-inc.com



1508 N 2nd St. Rogers, AR 72756

