### 1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Tradename: Tru-Alpha Urethane WB Part A
- $\cdot$  1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:

Coatings Solutions 3150 County Line Rd, STE 4 Lakeland, FL 33811 Phone: 863-450-2192

· 1.4 Emergency telephone number:

Chemtrec (800)424-9300 CCN1023108

#### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to GHS regulations.

The product is not classified as hazardous according to the CLP regulation.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Not Regulated
- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard-determining components of labelling: None.
- · Hazard statements Not Regulated
- · Additional information:

Safety data sheet available on request.

- Hazard description:
- · WHMIS-symbols: Not hazardous under WHMIS.

(Contd. on page 2)

### Tradename: Tru-Alpha Urethane WB Part A

· NFPA ratings (scale 0 - 4)

(Contd. of page 1)



Health = 0 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



· HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.

### 3 Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- Dangerous components:

None in reportable quantities.

CAS: 102-71-6 EINECS: 203-049-8	2,2',2"-nitrilotriethanol substance with a Community workplace exposure limit	≤ 2,5%
CAS: 7664-41-7 EINECS: 231-635-3 Index number: 007-001-00-5	■ T R23; 🔁 Č R34; 👺 N R50	≤ 2,5%

• Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After eye contact: Remove contact lenses if worn.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

#### Tradename: Tru-Alpha Urethane WB Part A

(Contd. of page 2)

- · Hazards No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

### 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Tradename: Tru-Alpha Urethane WB Part A

(Contd. of page 3)

· 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

### 102-71-6 2,2',2"-nitrilotriethanol

TLV (USA) Long-term value: 5 mg/m³ EL (Canada) Long-term value: 5 mg/m³

EV (Canada) Long-term value: 3,1 mg/m³, 0,5 ppm

- **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: No further relevant information available.
- · Respiratory protection: Not required under normal conditions of use.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Not required.
- · Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

#### 9 Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid Clear Odour: Mild

Odour threshold: Not determined.pH-value: Not determined.

(Contd. on page 5)

Tradename: Tru-Alpha Urethane WB Part A

(Contd. of page 4)

· Change in condition

Melting point/Melting range: Not Determined.

Boiling point/Boiling range: 100 °C

Flash point: Not applicable.
 Flammability (solid, gaseous): Not applicable.
 Auto/Self-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **Self-igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

**Lower:** Not determined. **Upper:** Not determined.

· Vapour pressure at 20 °C: 23 hPa

Density: Not determined.
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 1,2 % Water: 59,9 %

• 9.2 Other information No further relevant information available.

### 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

Tradename: Tru-Alpha Urethane WB Part A

(Contd. of page 5)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

### 12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- $\cdot$  **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

Tradename: Tru-Alpha Urethane WB Part A

(Contd. of page 6)

### **14 Transport information**

· 14.1 UN-Number

· DOT, ADR, ADN, IMDG, IATA Not Regulated

· 14.2 UN proper shipping name

· DOT, ADR, ADN, IMDG, IATA Not Regulated

· 14.3 Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class Not Regulated

· 14.4 Packing group

· DOT, ADR, IMDG, IATA Not Regulated

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

### 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 355 (extremely hazardous substances):

7664-41-7 ammonia, anhydrous

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic Categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 8)

Tradename: Tru-Alpha Urethane WB Part A

(Contd. of page 7)

#### IARC (International Agency for Research on Cancer)

102-71-6 2,2',2"-nitrilotriethanol

3

#### TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Canada

#### Canadian Domestic Substances List (DSL)

All ingredients are listed.

#### · Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

#### · Canadian Ingredient Disclosure list (limit 1%)

102-71-6 2,2',2"-nitrilotriethanol

#### · Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H221 Flammable gas.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

R10 Flammable.

R23 Toxic by inhalation.

R34 Causes burns.

R50 Very toxic to aquatic organisms.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

### Tradename: Tru-Alpha Urethane WB Part A

(Contd. of page 8)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) Flam. Gas 2: Flammable gases, Hazard Category 2 Press. Gas: Gases under pressure: Compressed gas Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox 3: Acute toxicity, Hazard Category 3

Acute Tox. 3: Acute toxicity, Hazard Category 3
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

· Sources

SDS Prepared by:

Chemtrec

(800)424-9300 CCN1023108

### 1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Tradename: Tru-Alpha Urethane WB Part B
- · Article number: 224801, 226801
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:

Coatings Solutions 3150 County Line Rd, STE 4

Lakeland, FL 33811 Phone : 863-450-2192

· 1.4 Emergency telephone number:

Chemtrec

(800)424-9300 CCN1023108

#### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R20: Harmful by inhalation.

Xi; Irritant

R37: Irritating to respiratory system.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

(Contd. on page 2)

Tradename: Tru-Alpha Urethane WB Part B

(Contd. of page 1)

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

Hexane, 1,6-diisocyanato-, homopolymer

hexamethylene-di-isocyanate

Hazard statements

H332 Harmful if inhaled.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements

P280 Wear protective clothing / eye protection.

P271 Use only outdoors or in a well-ventilated area.

P261 Avoid breathing mist/vapours/spray.

P312 Call a POISON CENTER/doctor if you feel unwell.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information:

Contains isocyanates. May produce an allergic reaction.

- · Hazard description:
- · WHMIS-symbols:

D2B - Toxic material causing other toxic effects



· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



#### HMIS Long Term Health Hazard Substances

822-06-0 hexamethylene-di-isocyanate

(Contd. on page 3)

Tradename: Tru-Alpha Urethane WB Part B

(Contd. of page 2)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 28182-81-2 NLP: 500-060-2	Hexane, 1,6-diisocyanato-, homopolymer  Xn R20; Xi R37; Xi R43  ♦ Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335	50-100%
CAS: 822-06-0 EINECS: 212-485-8 Index number: 615-011-00-1	hexamethylene-di-isocyanate  ☐ T R23;	< 1%

Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

#### · 4.1 Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

#### After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### · After eye contact:

Immediately remove contact lenses if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

#### · 4.2 Most important symptoms and effects, both acute and delayed

Asthma attacks

Allergic reactions

Coughing

Breathing difficulty

(Contd. on page 4)

#### Tradename: Tru-Alpha Urethane WB Part B

(Contd. of page 3)

Profuse sweating

Gastric or intestinal disorders when ingested.

- · Hazards Danger of impaired breathing.
- 4.3 Indication of any immediate medical attention and special treatment needed

Treat skin and mucous membrane with antihistamine and corticoid preparations. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

Contains isocyanates. May produce an allergic reaction.

### 5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

#### 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Keep receptacles tightly sealed.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 5)

Tradename: Tru-Alpha Urethane WB Part B

(Contd. of page 4)

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Protect from humidity and water.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Store away from water.

Do not store together with acids.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients v	Ingredients with limit values that require monitoring at the workplace:				
822-06-0 hexamethylene-di-isocyanate					
REL (USA)	Long-term value: 0,035 mg/m³, 0,005 ppm Ceiling limit: 0,14* mg/m³, 0,02* ppm *10-min				
TLV (USA)	Long-term value: 0,034 mg/m³, 0,005 ppm				
EL (Canada)	Short-term value: C 0,01 ppm Long-term value: 0,005 ppm S				
EV (Canada)	Long-term value: 0,005 ppm				

- **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

(Contd. on page 6)

Tradename: Tru-Alpha Urethane WB Part B

· Protection of hands:

(Contd. of page 5)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- **Body protection:** Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information. No further relevant information available.

#### 9 Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Colour: Clear

Odour: Nearly odourlessOdour threshold: Not determined.pH-value: Not determined.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.

Flash point:
Flammability (solid, gaseous):
Not applicable.

Not applicable.

Not applicable.

(Contd. on page 7)

Tradename: Tru-Alpha Urethane WB Part B

(Contd. of page 6)

• **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

Vapour pressure at 20 °C:
Density at 20 °C:
Relative density
Vapour density
Vapour density
Evaporation rate
Not determined.
Not determined.
Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic at 23 °C:** 726 mPas **Kinematic:** Not determined.

• 9.2 Other information No further relevant information available.

### 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Contact with acids releases toxic gases.

Toxic fumes may be released if heated above the decomposition point.

Exothermic polymerization.

Reacts with catalysts, oxidizing agents and strong alkali.

10.4 Conditions to avoid

Store away from oxidizing agents.

Moisture.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Isocyanate

(Contd. on page 8)

Tradename: Tru-Alpha Urethane WB Part B

(Contd. of page 7)

### 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

· LD/LC5	· LD/LC50 values relevant for classification:				
28182-8	28182-81-2 Hexane, 1,6-diisocyanato-, homopolymer				
Oral	LD50	>5000 mg/kg (rat) Estimated Value			
Dermal	LD50	>5000 mg/kg (rabbit)			
<b> </b>	822-06-0 hexamethylene-di-isocyanate				
Oral	LD50	738 mg/kg (rat)			
		593 mg/kg (rat)			
Dermal 822-06- Oral Dermal	LD50 <b>0 hexa</b> LD50 LD50	Estimated Value / >5000 mg/kg (rabbit)  methylene-di-isocyanate    738 mg/kg (rat)			

- · Primary irritant effect:
- · on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Slight irritant effect on eyes.
- · Sensitization:

Sensitization possible through skin contact.

Sensitizing effect through inhalation is possible by prolonged exposure.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

Danger through skin adsorption.

Toxic and/or corrosive effects may be delayed up to 24 hours.

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

· Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

### 12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability Not easily biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Avoid transfer into the environment.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 9)

Tradename: Tru-Alpha Urethane WB Part B

(Contd. of page 8)

· 12.6 Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

### 14 Transport information

· 14.1 UN-Number

· DOT, ADR, ADN, IMDG, IATA Not Regulated

· 14.2 UN proper shipping name

DOT, ADR, ADN, IMDG, IATA Not Regulated

· 14.3 Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class Not Regulated

· 14.4 Packing group

· DOT, ADR, IMDG, IATA Not Regulated

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

#### 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 10)

Tradename: Tru-Alpha Urethane WB Part B

(Contd. of page 9)

TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Canada
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%)

822-06-0 hexamethylene-di-isocyanate

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

- Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 11)

# Tradename: Tru-Alpha Urethane WB Part B

H319 H331 H332 H334 H335	Causes serious eye irritation. Toxic if inhaled. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.	je 10)
R20 R23	Harmful by inhalation. Toxic by inhalation. 8 Irritating to eyes, respiratory system and skin. Irritating to respiratory system. May cause sensitisation by inhalation and skin contact. May cause sensitisation by skin contact.	
ADR: Accordinternational IMDG: International IMDG: Europe CAS: Chemic NFPA: National IMDG: Hazar WHMIS: Word DNEL: Deriving PNEC: Predial LC50: Lethal LD50: Lethal LD50: Lethal Acute Tox. 3 Acute Tox. 4 Skin Irrit. 2: Since Irrit. 2: Since Irrit. 2: Since Irrit. 3: Since Ir		