



IMG T srl

Catalogo ORing FKM75
ORing Catalog FKM75

www.imgtguarnizioni.it



■ IMGT Srl è un'azienda familiare, fondata e di proprietà della famiglia Bozzini. Tutto ebbe l'inizio negli anni '60 del secolo scorso nella città di Milano quando i due fratelli, Giuseppe e Francesco, fondarono la loro piccola azienda specializzata in produzione di guarnizioni tecniche che, grazie alla loro sapienza ed esperienza maturata nel tempo, oggi è una media società manifatturiera di successo. Attualmente IMGT è gestita dalla nuova generazione della famiglia Bozzini: Gianluca ricopre la carica di Direttore Generale e Cristian è il Direttore produttivo che, insieme a 20 collaboratori, formano il team aziendale. IMGT è suddivisa in sei dipartimenti: Amministrativo e Finanziario - Acquisti - Commerciale - Produzione - Qualità - Logistica. Tutti questi dipartimenti hanno dei compiti specifici e definiti ma sono collegati tra loro per garantire la funzionalità, la qualità e la soddisfazione del cliente. L'azienda è presente nei mercati di: EUROPA - STATI UNITI D'AMERICA - ASIA (INDIA, CINA); con l'intenzione di espandere la nostra presenza anche in nuovi mercati. Il core business è la produzione di guarnizioni tecniche che vengono realizzate con un range di materiali come: Elastomeri (NR, SBR, NBR, HNBR, CR, EPDM, VMQ, FVMQ, FKM), termoplastici (PTFE, PA, PVC, PP), materiali asbestos-free, grafite e materiali come il feltro; ovviamente la lista dei materiali utilizzati è molto più ampia ma la nostra intenzione è quella di dare un'idea della versatilità della nostra produzione. Tutte le materie prime che utilizziamo sono di prima qualità e sono certificate da laboratori accreditati a livello internazionale. Inoltre, in base alle esigenze dei nostri clienti, le mescole elastomeriche per il contatto alimentare possono essere formulate ad hoc e certificate per ottemperare a normative nazionali ed internazionali come FDA, 3A Sanitary, WRAS, UBA. Per di più le materie prime che entrano nella nostra struttura sono controllate in accettazione per soddisfare i requisiti di qualità. La nostra politica di approvvigionamento è quella di selezionare e acquistare i materiali prodotti in Italia, dando la massima importanza alla selezione dei nostri fornitori. È importante sottolineare che produciamo, a seconda delle esigenze del Cliente, articoli che rispettano quanto previsto dalle Normative e Regolamenti, sia Italiani che Comunitari, in merito ai prodotti M.O.C.A – Materiali ed Oggetti adatti al Contatto con Alimenti (cfr. Reg. CE 1935/2004, Reg. CE 10/2011, Reg. CE 2023/2006, D.M. 21.03.1973 ed s.m.i): ciò è garantito dall'assegnazione di un lotto per ogni produzione. Le tecniche produttive utilizzate nel nostro stabilimento sono: Stampaggio (iniezione, compressione) - Estrusione - Tranciatura - Taglio a getto d'acqua - Taglio a pantografo - Tornitura (torni). Le numerose tecniche di produzione ci permettono di essere competitivi e versatili per poter realizzare piccole, medie e grandi produzioni, non solo di guarnizioni standard, ma anche prodotti custom in base alle specifiche richieste del cliente. Le nostre produzioni sono ampiamente utilizzate nei seguenti settori: OIL & Gas - Petrochimico - Navale - Medico - Farmaceutico - Veterinario - Industria alimentare (separatori alimentari) - Idrico - Trasferimenti di calore - Costruzione - Industria elettrica - Elettrodomestici - Settore automobilistico. Lo stabilimento principale si trova vicino a Milano, nella zona industriale della città di Locate Triulzi. Attualmente abbiamo due fabbricati: nel primo è allocata la nostra produzione e magazzino di materie prime; il secondo è dedicato al deposito dei nostri prodotti finali, la logistica ed il reparto qualità. Ci auguriamo che con questa breve presentazione di essere stati in grado di darvi una generale immagine di chi siamo, da dove veniamo, come siamo strutturati e quali siano i nostri piani futuri.

🇬🇧 *IMGT Srl is family company, founded and owned by the family Bozzini. All started in the early's '60 of the past century in the city of Milan from two brothers, Giuseppe and Francesco, whose with their knowledge and experience gained over time led to what we are today: a medium range successful Italian manufacture company. Currently the company is owned and managed by Gianluca and Cristian which are the new generation of Family Bozzini. Gianluca occupies the position of General Manager and Cristian is the Production Manager that, together with a other 20 cooperators, are today company team. IMGT is divided into six departments: Administrative / Finance - Purchasing - Sales - Production - Quality - Logistics.*

All them have specific tasks but they are linked together to ensure the functionality, quality and customer satisfaction. The company is present in the markets of the: Europe - USA - Asia (India, China) but we are looking forward to expand our presence in new markets as well. The core business is gaskets manufacturing and we use a variety of different materials like: Elastomers (NR, SBR, NBR, HNBR, CR, EPDM, VMQ, FVMQ, FKM), Thermoplastics (PTFE, PA, PVC, PP), Asbestos-Free, Graphite sheets and materials like felt. The list of materials that we use is long and our intention was to give a general idea of variety of materials that is used. All raw materials that we use are certified by International accredited laboratories and, according to our clients needs, the elastomers compounds can be formulated adhoc and certified to comply with national and international regulations like FDA, 3A Sanitary, WRAS, UBA. All raw materials that enters our facility are controlled in entrance to meet our quality requirements. Our procurement policy is to select and buy materials that are produced in Italy, giving the biggest importance on selection of our suppliers. It's important to highlight that, depending on the needs of the Customer, items that meet the requirements of the Rules and Regulations, both Italians and from European Community, about the F.C.M products - Food Contact Materials (as Reg. CE 1935 / 2004, Reg. CE 10/2011, Reg. 2023/2006 CE, DM 21.03.1973 and subsequent amendments); this is guaranteed by the assignment of a batch for each production. The production processes that are used in our factory are: Molding - Extrusion - Blanking/punching - Water jet cutting - Pantograph cutting - Turning(lathes) The several production techniques allows us to be competitive and to be able to make standard gaskets, to manufacture the custom products based on the needs of the client and to produce both small quantities and larger productions.

Our gaskets and sealing products are widely used in fields as follow: Oil & Gas - Petrochemical - Marine - Medical - Pharmaceutical - Veterinary - Food industry (food separators) - Fluid power - Heat transfers - Construction - Electric industry - Household appliances - Automotive - Water and waste Our factory plant is located near Milan, at the industrial area of the city named Locate di Triulzi. Currently we have two main buildings: in the first one is allocated our production and raw materials warehouse; the second one is dedicated to host our final products, logistics and quality department.

We hope that with this short presentation we have been able to give you a general image of who we are, where do we come from, how we are structured, what is our business and to what we strive for.

Looking forward to have a successful collaboration with yours Company we send you our best regards.

O-RING / O-RINGS

Gli O-ring sono elementi di tenuta circolari, progettati per essere inseriti in appositi alloggiamenti e sono tipicamente utilizzati in uno dei due modelli di tenuta, assiale o radiale.

Un O-Ring è caratterizzato dal suo diametro interno, diametro della sezione trasversale, dalla composizione del materiale e dalla durezza dello stesso (tipicamente espresso in Shore A o IRHD).

O-ring possono essere forniti nei materiali come: NBR, HNBR, FKM, EPDM, CR e VMQ ed in tutte le loro varianti. La scelta del materiale è subordinata alle condizioni di utilizzo e dai fluidi con cui viene in contatto.

O-rings are circular sealing elements, designed to fit into special housings and are typically used in one of two seal designs, axial or radial.

An O-Ring is specified by its inner diameter, cross-section diameter, material hardness (typically defined by the Shore A hardness), and its material composition.

O-rings can be supplied in elastomeric materials such as: NBR, HNBR, FKM, EPDM, CR and VMQ and all their varieties.

The choice of material depends on the conditions of use and the fluids it comes into contact with.



Dimensioni e tolleranze / Dimensions and Tolerances

Le dimensioni e relative tolleranze dimensionali di tutti gli O-Ring prodotti da IMGT si riferiscono alla norma DIN 3771 part 1, ISO 3601/1 di cui al punto 1.3. Le misurazioni sono effettuate con macchine di misura elettroniche per diametri interni, per lo spessore di corda si utilizzano calibri normali e/o spessimetro elettronico.

Dimensions and tolerances of all O-Rings produced by IMGT are referred to DIN standards 3771 part 1, ISO 3601/1 as per point 1.3. Measurement of inside diameters is performed with electronic equipment. Cross-section dimensions are measured by digital caliper and/or electronic micrometers.

Difetti di forma e superficiali / Surface and form imperfections

Per quanto riguarda i difetti di forma IMGT fa riferimento alla norma DIN 3771/4, che riporta una serie di difetti più comuni con i limiti dimensionali massimi ammissibili.

For defects and tolerances IMGT refers to DIN 3771/4 which lists several common imperfections and maximum allowable measured defects.

Controllo qualità / Quality controls

I controlli in IMGT iniziano sin dall'acquisizione dell'ordine che riguarda specificatamente il reparto commerciale che si occupa di verificare la correttezza dei dati nell'ordine cliente e successivamente trasmette la commessa al reparto produttivo.

Il controllo produttivo parte dall'arrivo della materia prima che viene sottoposta ai controlli in entrata. Successivamente il controllo viene effettuato durante tutta la fase produttiva di fabbricazione dell'articolo e si estende a tutte le fasi del ciclo produttivo. Questi controlli comprendono anche i controlli visivi e dimensionali che si svolgono durante e dopo la produzione dell'articolo.

Al termine della produzione l'articolo viene affidato al magazzino che si occupa dell'immagazzinamento con la corretta identificazione e tracciabilità dei lotti del suddetto articolo. Di seguito durante la preparazione della spedizione si controlla che l'articolo sia conforme all'ordine di vendita e che le date pattuite ed eventuali specifiche su imballi vengano rispettate.

Controls in I.M.G.T. starts from the acquisition of the order which specifically concerns the sales department which is responsible for verifying the correctness of the data in the customer order and subsequently transmits the order to the production department.

Production control starts from the arrival of the raw material which is subjected to incoming checks. Subsequently, the check is carried out throughout the production phase of manufacturing the article and extends to all stages of the production cycle. These checks also include the visual and dimensional checks that take place during and after the production of the article.

At the end of production, the item is entrusted to the warehouse that takes care of the storage with the correct identification and traceability of the lots of the item. During the preparation of the shipment, it is checked that the item complies with the sales order and that the agreed dates and any specifications on the packaging are respected.

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 1.15x1.00 FKM75	1,15	1,00	R000			250	2.250	2.500	6.000	6.250
OR 1.50x1.00 FKM75	1,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 1.80x1.00 FKM75	1,80	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 2.00x1.00 FKM75	2,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 2.50x1.00 FKM75	2,50	1,00		DIN	607	250	2.250	2.500	6.000	6.250
OR 3.00x1.00 FKM75	3,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 3.50x1.00 FKM75	3,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 4.00x1.00 FKM75	4,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 4.50x1.00 FKM75	4,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 5.00x1.00 FKM75	5,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 5.50x1.00 FKM75	5,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 6.00x1.00 FKM75	6,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 6.50x1.00 FKM75	6,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 7.00x1.00 FKM75	7,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 7.50x1.00 FKM75	7,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 8.00x1.00 FKM75	8,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 8.50x1.00 FKM75	8,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 9.00x1.00 FKM75	9,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 9.50x1.00 FKM75	9,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 10.00x1.00 FKM75	10,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 10.50x1.00 FKM75	10,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 11.00x1.00 FKM75	11,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 11.50x1.00 FKM75	11,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 12.00x1.00 FKM75	12,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 12.50x1.00 FKM75	12,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 13.00x1.00 FKM75	13,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 13.50x1.00 FKM75	13,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 14.00x1.00 FKM75	14,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 14.50x1.00 FKM75	14,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 15.00x1.00 FKM75	15,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 15.50x1.00 FKM75	15,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 16.00x1.00 FKM75	16,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 16.50x1.00 FKM75	16,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 17.00x1.00 FKM75	17,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 17.50x1.00 FKM75	17,50	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 18.00x1.00 FKM75	18,00	1,00		DIN		250	2.250	2.500	6.000	6.250
OR 18.50x1.00 FKM75	18,50	1,00		DIN		150	1.350	1.500	3.600	3.750
OR 19.00x1.00 FKM75	19,00	1,00		DIN		150	1.350	1.500	3.600	3.750
OR 19.50x1.00 FKM75	19,50	1,00		DIN		150	1.350	1.500	3.600	3.750
OR 20.00x1.00 FKM75	20,00	1,00		DIN		150	1.350	1.500	3.600	3.750
OR 20.50x1.00 FKM75	20,50	1,00		DIN		150	1.350	1.500	3.600	3.750
OR 21.00x1.00 FKM75	21,00	1,00		DIN		150	1.350	1.500	3.600	3.750
OR 21.50x1.00 FKM75	21,50	1,00		DIN		150	1.350	1.500	3.600	3.750
OR 22.00x1.00 FKM75	22,00	1,00		DIN		150	1.350	1.500	3.600	3.750
OR 22.50x1.00 FKM75	22,50	1,00		DIN		150	1.350	1.500	3.600	3.750
OR 23.00x1.00 FKM75	23,00	1,00		DIN		150	1.350	1.500	3.600	3.750
OR 23.50x1.00 FKM75	23,50	1,00		DIN		150	1.350	1.500	3.600	3.750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 24.00x1.00 FKM75	24,00	1,00		DIN		150	1.350	1.500	3.600	3.750
OR 24.50x1.00 FKM75	24,50	1,00		DIN		150	1.350	1.500	3.600	3.750
OR 25.00x1.00 FKM75	25,00	1,00		DIN		150	1.350	1.500	3.600	3.750
OR 0.74x1.02 FKM75	0,74	1,02			001	250	2.250	2.500	6.000	6.250
OR 1.78x1.02 FKM75	1,78	1,02			3.5	250	2.250	2.500	6.000	6.250
OR 1.07x1.27 FKM75	1,07	1,27			002	250	2.250	2.500	6.000	6.250
OR 4.70x1.42 FKM75	4,70	1,42			901	250	2.250	2.500	6.000	6.250
OR 1.85x1.50 FKM75	1,85	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 2.00x1.50 FKM75	2,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 2.50x1.50 FKM75	2,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 2.80x1.50 FKM75	2,80	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 3.00x1.50 FKM75	3,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 3.50x1.50 FKM75	3,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 4.00x1.50 FKM75	4,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 4.50x1.50 FKM75	4,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 5.00x1.50 FKM75	5,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 5.50x1.50 FKM75	5,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 6.00x1.50 FKM75	6,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 6.50x1.50 FKM75	6,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 7.00x1.50 FKM75	7,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 7.50x1.50 FKM75	7,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 8.00x1.50 FKM75	8,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 8.50x1.50 FKM75	8,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 9.00x1.50 FKM75	9,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 9.50x1.50 FKM75	9,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 10.00x1.50 FKM75	10,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 10.50x1.50 FKM75	10,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 11.00x1.50 FKM75	11,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 11.50x1.50 FKM75	11,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 12.00x1.50 FKM75	12,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 12.50x1.50 FKM75	12,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 13.00x1.50 FKM75	13,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 13.50x1.50 FKM75	13,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 14.00x1.50 FKM75	14,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 14.50x1.50 FKM75	14,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 15.00x1.50 FKM75	15,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 15.50x1.50 FKM75	15,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 16.00x1.50 FKM75	16,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 16.50x1.50 FKM75	16,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 17.00x1.50 FKM75	17,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 17.50x1.50 FKM75	17,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 18.00x1.50 FKM75	18,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 18.50x1.50 FKM75	18,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 19.00x1.50 FKM75	19,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 19.50x1.50 FKM75	19,50	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 20.00x1.50 FKM75	20,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 20.50x1.50 FKM75	20,50	1,50		DIN		150	1.350	1.500	3.600	3.750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 21.00x1.50 FKM75	21,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 21.50x1.50 FKM75	21,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 22.00x1.50 FKM75	22,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 22.50x1.50 FKM75	22,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 23.00x1.50 FKM75	23,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 23.50x1.50 FKM75	23,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 24.00x1.50 FKM75	24,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 24.50x1.50 FKM75	24,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 25.00x1.50 FKM75	25,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 25.50x1.50 FKM75	25,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 26.00x1.50 FKM75	26,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 26.50x1.50 FKM75	26,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 27.00x1.50 FKM75	27,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 27.50x1.50 FKM75	27,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 28.00x1.50 FKM75	28,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 28.50x1.50 FKM75	28,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 29.00x1.50 FKM75	29,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 29.50x1.50 FKM75	29,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 30.00x1.50 FKM75	30,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 30.50x1.50 FKM75	30,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 31.00x1.50 FKM75	31,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 31.50x1.50 FKM75	31,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 32.00x1.50 FKM75	32,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 32.50x1.50 FKM75	32,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 33.00x1.50 FKM75	33,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 33.50x1.50 FKM75	33,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 34.00x1.50 FKM75	34,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 34.50x1.50 FKM75	34,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 35.00x1.50 FKM75	35,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 35.50x1.50 FKM75	35,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 36.00x1.50 FKM75	36,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 36.50x1.50 FKM75	36,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 37.00x1.50 FKM75	37,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 37.50x1.50 FKM75	37,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 38.00x1.50 FKM75	38,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 38.50x1.50 FKM75	38,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 39.00x1.50 FKM75	39,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 39.50x1.50 FKM75	39,50	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 40.00x1.50 FKM75	40,00	1,50		DIN		150	1.350	1.500	3.600	3.750
OR 41.00x1.50 FKM75	41,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 42.00x1.50 FKM75	42,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 43.00x1.50 FKM75	43,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 44.00x1.50 FKM75	44,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 45.00x1.50 FKM75	45,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 46.00x1.50 FKM75	46,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 47.00x1.50 FKM75	47,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 48.00x1.50 FKM75	48,00	1,50		DIN		100	900	1.000	2.400	2.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 49.00x1.50 FKM75	49,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 50.00x1.50 FKM75	50,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 51.00x1.50 FKM75	51,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 52.00x1.50 FKM75	52,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 53.00x1.50 FKM75	53,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 54.00x1.50 FKM75	54,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 55.00x1.50 FKM75	55,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 56.00x1.50 FKM75	56,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 57.00x1.50 FKM75	57,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 58.00x1.50 FKM75	58,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 59.00x1.50 FKM75	59,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 60.00x1.50 FKM75	60,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 61.00x1.50 FKM75	61,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 62.00x1.50 FKM75	62,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 63.00x1.50 FKM75	63,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 64.00x1.50 FKM75	64,00	1,50		DIN		100	900	1.000	2.400	2.500
OR 65.00x1.50 FKM75	65,00	1,50		DIN		50	450	500	1.200	1.250
OR 66.00x1.50 FKM75	66,00	1,50		DIN		50	450	500	1.200	1.250
OR 67.00x1.50 FKM75	67,00	1,50		DIN		50	450	500	1.200	1.250
OR 68.00x1.50 FKM75	68,00	1,50		DIN		50	450	500	1.200	1.250
OR 69.00x1.50 FKM75	69,00	1,50		DIN		50	450	500	1.200	1.250
OR 70.00x1.50 FKM75	70,00	1,50		DIN		50	450	500	1.200	1.250
OR 71.00x1.50 FKM75	71,00	1,50		DIN		50	450	500	1.200	1.250
OR 72.00x1.50 FKM75	72,00	1,50		DIN		50	450	500	1.200	1.250
OR 73.00x1.50 FKM75	73,00	1,50		DIN		50	450	500	1.200	1.250
OR 74.00x1.50 FKM75	74,00	1,50		DIN		50	450	500	1.200	1.250
OR 75.00x1.50 FKM75	75,00	1,50		DIN		50	450	500	1.200	1.250
OR 76.00x1.50 FKM75	76,00	1,50		DIN		50	450	500	1.200	1.250
OR 77.00x1.50 FKM75	77,00	1,50		DIN		50	450	500	1.200	1.250
OR 78.00x1.50 FKM75	78,00	1,50		DIN		50	450	500	1.200	1.250
OR 79.00x1.50 FKM75	79,00	1,50		DIN		50	450	500	1.200	1.250
OR 80.00x1.50 FKM75	80,00	1,50		DIN		50	450	500	1.200	1.250
OR 81.00x1.50 FKM75	81,00	1,50		DIN		50	450	500	1.200	1.250
OR 82.00x1.50 FKM75	82,00	1,50		DIN		50	450	500	1.200	1.250
OR 83.00x1.50 FKM75	83,00	1,50		DIN		50	450	500	1.200	1.250
OR 84.00x1.50 FKM75	84,00	1,50		DIN		50	450	500	1.200	1.250
OR 85.00x1.50 FKM75	85,00	1,50		DIN		50	450	500	1.200	1.250
OR 86.00x1.50 FKM75	86,00	1,50		DIN		50	450	500	1.200	1.250
OR 87.00x1.50 FKM75	87,00	1,50		DIN		50	450	500	1.200	1.250
OR 88.00x1.50 FKM75	88,00	1,50		DIN		50	450	500	1.200	1.250
OR 89.00x1.50 FKM75	89,00	1,50		DIN		50	450	500	1.200	1.250
OR 90.00x1.50 FKM75	90,00	1,50		DIN		50	450	500	1.200	1.250
OR 91.00x1.50 FKM75	91,00	1,50		DIN		50	450	500	1.200	1.250
OR 92.00x1.50 FKM75	92,00	1,50		DIN		50	450	500	1.200	1.250
OR 93.00x1.50 FKM75	93,00	1,50		DIN		50	450	500	1.200	1.250
OR 94.00x1.50 FKM75	94,00	1,50		DIN		50	450	500	1.200	1.250
OR 95.00x1.50 FKM75	95,00	1,50		DIN		50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 96.00x1.50 FKM75	96,00	1,50		DIN		50	450	500	1.200	1.250
OR 97.00x1.50 FKM75	97,00	1,50		DIN		50	450	500	1.200	1.250
OR 98.00x1.50 FKM75	98,00	1,50		DIN		50	450	500	1.200	1.250
OR 99.00x1.50 FKM75	99,00	1,50		DIN		50	450	500	1.200	1.250
OR 100.00x1.50 FKM75	100,00	1,50		DIN		50	450	500	1.200	1.250
OR 1.42x1.52 FKM75	1,42	1,52			003	250	2.250	2.500	6.000	6.250
OR 2.20x1.60 FKM75	2,20	1,60	R00			250	2.250	2.500	6.000	6.250
OR 2.75x1.60 FKM75	2,75	1,60	R1b			250	2.250	2.500	6.000	6.250
OR 3.10x1.60 FKM75	3,10	1,60		DIN		250	2.250	2.500	6.000	6.250
OR 4.10x1.60 FKM75	4,10	1,60				250	2.250	2.500	6.000	6.250
OR 4.70x1.60 FKM75	4,70	1,60		DIN		250	2.250	2.500	6.000	6.250
OR 5.00x1.60 FKM75	5,00	1,60		DIN		250	2.250	2.500	6.000	6.250
OR 5.10x1.60 FKM75	5,10	1,60				250	2.250	2.500	6.000	6.250
OR 6.10x1.60 FKM75	6,10	1,60				250	2.250	2.500	6.000	6.250
OR 7.10x1.60 FKM75	7,10	1,60				250	2.250	2.500	6.000	6.250
OR 8.10x1.60 FKM75	8,10	1,60				250	2.250	2.500	6.000	6.250
OR 9.10x1.60 FKM75	9,10	1,60				250	2.250	2.500	6.000	6.250
OR 10.10x1.60 FKM75	10,10	1,60				250	2.250	2.500	6.000	6.250
OR 11.10x1.60 FKM75	11,10	1,60				250	2.250	2.500	6.000	6.250
OR 12.10x1.60 FKM75	12,10	1,60				250	2.250	2.500	6.000	6.250
OR 13.10x1.60 FKM75	13,10	1,60				250	2.250	2.500	6.000	6.250
OR 14.10x1.60 FKM75	14,10	1,60				250	2.250	2.500	6.000	6.250
OR 15.10x1.60 FKM75	15,10	1,60				250	2.250	2.500	6.000	6.250
OR 16.10x1.60 FKM75	16,10	1,60				250	2.250	2.500	6.000	6.250
OR 17.10x1.60 FKM75	17,10	1,60				250	2.250	2.500	6.000	6.250
OR 18.10x1.60 FKM75	18,10	1,60				150	1.350	1.500	3.600	3.750
OR 19.10x1.60 FKM75	19,10	1,60				150	1.350	1.500	3.600	3.750
OR 22.10x1.60 FKM75	22,10	1,60				150	1.350	1.500	3.600	3.750
OR 25.10x1.60 FKM75	25,10	1,60				150	1.350	1.500	3.600	3.750
OR 27.10x1.60 FKM75	27,10	1,60				150	1.350	1.500	3.600	3.750
OR 29.10x1.60 FKM75	29,10	1,60				150	1.350	1.500	3.600	3.750
OR 32.10x1.60 FKM75	32,10	1,60				150	1.350	1.500	3.600	3.750
OR 35.10x1.60 FKM75	35,10	1,60				150	1.350	1.500	3.600	3.750
OR 37.10x1.60 FKM75	37,10	1,60				150	1.350	1.500	3.600	3.750
OR 6.07x1.63 FKM75	6,07	1,63			902	250	2.250	2.500	6.000	6.250
OR 7.65x1.63 FKM75	7,65	1,63			903	250	2.250	2.500	6.000	6.250
OR 1.78x1.78 FKM75	1,78	1,78		2007	004	250	2.250	2.500	6.000	6.250
OR 2.57x1.78 FKM75	2,57	1,78		2010	005	250	2.250	2.500	6.000	6.250
OR 2.90x1.78 FKM75	2,90	1,78		2012	006	250	2.250	2.500	6.000	6.250
OR 3.17x1.78 FKM75	3,17	1,78			801	250	2.250	2.500	6.000	6.250
OR 3.68x1.78 FKM75	3,68	1,78		2015	007	250	2.250	2.500	6.000	6.250
OR 4.47x1.78 FKM75	4,47	1,78		2018	008	250	2.250	2.500	6.000	6.250
OR 4.76x1.78 FKM75	4,76	1,78			802	250	2.250	2.500	6.000	6.250
OR 5.28x1.78 FKM75	5,28	1,78		2021	009	250	2.250	2.500	6.000	6.250
OR 6.07x1.78 FKM75	6,07	1,78		2025	010	250	2.250	2.500	6.000	6.250
OR 6.35x1.78 FKM75	6,35	1,78	5bis		803	250	2.250	2.500	6.000	6.250
OR 6.75x1.78 FKM75	6,75	1,78		106	610	250	2.250	2.500	6.000	6.250

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 7.65x1.78 FKM75	7,65	1,78		2031	011	250	2.250	2.500	6.000	6.250
OR 7.94x1.78 FKM75	7,94	1,78			804	250	2.250	2.500	6.000	6.250
OR 8.73x1.78 FKM75	8,73	1,78		108	611	250	2.250	2.500	6.000	6.250
OR 9.25x1.78 FKM75	9,25	1,78		2037	012	250	2.250	2.500	6.000	6.250
OR 9.52x1.78 FKM75	9,52	1,78	8bis			250	2.250	2.500	6.000	6.250
OR 10.82x1.78 FKM75	10,82	1,78		2043	013	250	2.250	2.500	6.000	6.250
OR 11.11x1.78 FKM75	11,11	1,78		114	806	250	2.250	2.500	6.000	6.250
OR 12.42x1.78 FKM75	12,42	1,78		2050	014	250	2.250	2.500	6.000	6.250
OR 14.00x1.78 FKM75	14,00	1,78		2056	015	250	2.250	2.500	6.000	6.250
OR 15.60x1.78 FKM75	15,60	1,78		2062	016	250	2.250	2.500	6.000	6.250
OR 17.17x1.78 FKM75	17,17	1,78		2068	017	250	2.250	2.500	6.000	6.250
OR 18.77x1.78 FKM75	18,77	1,78		2075	018	150	1.350	1.500	3.600	3.750
OR 20.35x1.78 FKM75	20,35	1,78		2081	019	150	1.350	1.500	3.600	3.750
OR 21.95x1.78 FKM75	21,95	1,78		2087	020	150	1.350	1.500	3.600	3.750
OR 23.52x1.78 FKM75	23,52	1,78		2093	021	150	1.350	1.500	3.600	3.750
OR 25.12x1.78 FKM75	25,12	1,78		2100	022	150	1.350	1.500	3.600	3.750
OR 26.70x1.78 FKM75	26,70	1,78		2106	023	150	1.350	1.500	3.600	3.750
OR 28.30x1.78 FKM75	28,30	1,78		2112	024	150	1.350	1.500	3.600	3.750
OR 29.87x1.78 FKM75	29,87	1,78		2118	025	150	1.350	1.500	3.600	3.750
OR 31.47x1.78 FKM75	31,47	1,78		2125	026	150	1.350	1.500	3.600	3.750
OR 33.05x1.78 FKM75	33,05	1,78		2131	027	150	1.350	1.500	3.600	3.750
OR 34.65x1.78 FKM75	34,65	1,78		2137	028	150	1.350	1.500	3.600	3.750
OR 36.27x1.78 FKM75	36,27	1,78			517	150	1.350	1.500	3.600	3.750
OR 37.82x1.78 FKM75	37,82	1,78		2150	029	150	1.350	1.500	3.600	3.750
OR 39.45x1.78 FKM75	39,45	1,78			519	150	1.350	1.500	3.600	3.750
OR 41.00x1.78 FKM75	41,00	1,78		2162	030	100	900	1.000	2.400	2.500
OR 44.17x1.78 FKM75	44,17	1,78		2175	031	100	900	1.000	2.400	2.500
OR 47.35x1.78 FKM75	47,35	1,78		2187	032	100	900	1.000	2.400	2.500
OR 50.52x1.78 FKM75	50,52	1,78		2200	033	100	900	1.000	2.400	2.500
OR 53.70x1.78 FKM75	53,70	1,78		2212	034	100	900	1.000	2.400	2.500
OR 56.87x1.78 FKM75	56,87	1,78		2225	035	100	900	1.000	2.400	2.500
OR 60.05x1.78 FKM75	60,04	1,78		2237	036	100	900	1.000	2.400	2.500
OR 63.22x1.78 FKM75	63,22	1,78		2250	037	50	450	500	1.200	1.250
OR 66.40x1.78 FKM75	66,40	1,78		2262	038	50	450	500	1.200	1.250
OR 69.57x1.78 FKM75	69,57	1,78		2275	039	50	450	500	1.200	1.250
OR 72.75x1.78 FKM75	72,75	1,78		2287	040	50	450	500	1.200	1.250
OR 75.92x1.78 FKM75	75,92	1,78		2300	041	50	450	500	1.200	1.250
OR 79.00x1.78 FKM75	79,00	1,78		2312	532	50	450	500	1.200	1.250
OR 82.27x1.78 FKM75	82,27	1,78		2325	042	50	450	500	1.200	1.250
OR 85.34x1.78 FKM75	85,34	1,78		2337	534	50	450	500	1.200	1.250
OR 88.62x1.78 FKM75	88,62	1,78		2350	043	50	450	500	1.200	1.250
OR 91.70x1.78 FKM75	91,70	1,78		2362	536	50	450	500	1.200	1.250
OR 94.97x1.78 FKM75	94,97	1,78		2375	044	50	450	500	1.200	1.250
OR 98.05x1.78 FKM75	98,05	1,78		2387	538	50	450	500	1.200	1.250
OR 101.32x1.78 FKM75	101,32	1,78		2400	045	30	270	300	720	750
OR 104.40x1.78 FKM75	104,40	1,78		2412	540	30	270	300	720	750
OR 107.67x1.78 FKM75	107,67	1,78		2425	046	30	270	300	720	750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 110.74x1.78 FKM75	110,74	1,78		2437	542	30	270	300	720	750
OR 114.02x1.78 FKM75	114,02	1,78		2450	047	30	270	300	720	750
OR 117.10x1.78 FKM75	117,10	1,78		2462	544	30	270	300	720	750
OR 120.37x1.78 FKM75	120,37	1,78		2475	048	30	270	300	720	750
OR 123.44x1.78 FKM75	123,44	1,78		2487	546	30	270	300	720	750
OR 126.72x1.78 FKM75	126,72	1,78		2500	049	30	270	300	720	750
OR 129.40x1.78 FKM75	129,40	1,78		2512	548	30	270	300	720	750
OR 133.07x1.78 FKM75	133,07	1,78		2525	050	30	270	300	720	750
OR 135.76x1.78 FKM75	135,76	1,78		2537	550	20	180	200	480	500
OR 138.94x1.78 FKM75	138,94	1,78		2550	551	20	180	200	480	500
OR 142.11x1.78 FKM75	142,11	1,78		2562	552	20	180	200	480	500
OR 145.29x1.78 FKM75	145,29	1,78		2575	553	20	180	200	480	500
OR 148.46x1.78 FKM75	148,46	1,78		2587	554	20	180	200	480	500
OR 151.64x1.78 FKM75	151,64	1,78		2600	555	20	180	200	480	500
OR 154.81x1.78 FKM75	154,81	1,78		2612	556	20	180	200	480	500
OR 158.00x1.78 FKM75	158,00	1,78		2625	557	10	90	100	240	250
OR 161.16x1.78 FKM75	161,16	1,78		2637	558	10	90	100	240	250
OR 164.34x1.78 FKM75	164,34	1,78		2652	559	10	90	100	240	250
OR 167.51x1.78 FKM75	167,51	1,78		2662	560	10	90	100	240	250
OR 170.69x1.78 FKM75	170,69	1,78		2675	561	10	90	100	240	250
OR 173.87x1.78 FKM75	173,87	1,78		2687	562	10	90	100	240	250
OR 1.80x1.80 FKM75	1,80	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 2.00x1.80 FKM75	2,00	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 2.24x1.80 FKM75	2,24	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 2.50x1.80 FKM75	2,50	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 2.80x1.80 FKM75	2,80	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 3.15x1.80 FKM75	3,15	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 3.55x1.80 FKM75	3,55	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 3.75x1.80 FKM75	3,75	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 4.00x1.80 FKM75	4,00	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 4.50x1.80 FKM75	4,50	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 4.87x1.80 FKM75	4,87	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 5.00x1.80 FKM75	5,00	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 5.15x1.80 FKM75	5,15	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 5.30x1.80 FKM75	5,30	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 5.60x1.80 FKM75	5,60	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 6.00x1.80 FKM75	6,00	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 6.30x1.80 FKM75	6,30	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 6.70x1.80 FKM75	6,70	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 6.90x1.80 FKM75	6,90	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 7.10x1.80 FKM75	7,10	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 7.50x1.80 FKM75	7,50	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 8.00x1.80 FKM75	8,00	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 8.50x1.80 FKM75	8,50	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 8.76x1.80 FKM75	8,76	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 9.00x1.80 FKM75	9,00	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 9.50x1.80 FKM75	9,50	1,80	ISO			250	2.250	2.500	6.000	6.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 10.00x1.80 FKM75	10,00	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 10.60x1.80 FKM75	10,60	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 11.20x1.80 FKM75	11,20	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 11.80x1.80 FKM75	11,80	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 12.50x1.80 FKM75	12,50	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 13.20x1.80 FKM75	13,20	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 14.00x1.80 FKM75	14,00	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 15.00x1.80 FKM75	15,00	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 16.00x1.80 FKM75	16,00	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 17.00x1.80 FKM75	17,00	1,80	ISO			250	2.250	2.500	6.000	6.250
OR 8.92x1.83 FKM75	8,92	1,83			904	250	2.250	2.500	6.000	6.250
OR 10.52x1.83 FKM75	10,52	1,83			905	250	2.250	2.500	6.000	6.250
OR 2.40x1.90 FKM75	2,40	1,90	R0			250	2.250	2.500	6.000	6.250
OR 2.60x1.90 FKM75	2,60	1,90	R1			250	2.250	2.500	6.000	6.250
OR 2.80x1.90 FKM75	2,80	1,90		P3		250	2.250	2.500	6.000	6.250
OR 3.40x1.90 FKM75	3,40	1,90	R2			250	2.250	2.500	6.000	6.250
OR 3.80x1.90 FKM75	3,80	1,90		P4		250	2.250	2.500	6.000	6.250
OR 4.20x1.90 FKM75	4,20	1,90	R3			250	2.250	2.500	6.000	6.250
OR 4.80x1.90 FKM75	4,80	1,90		P5		250	2.250	2.500	6.000	6.250
OR 4.90x1.90 FKM75	4,90	1,90	R4			250	2.250	2.500	6.000	6.250
OR 5.70x1.90 FKM75	5,70	1,90	R5			250	2.250	2.500	6.000	6.250
OR 5.80x1.90 FKM75	5,80	1,90		P6		250	2.250	2.500	6.000	6.250
OR 6.40x1.90 FKM75	6,40	1,90	R5a			250	2.250	2.500	6.000	6.250
OR 6.80x1.90 FKM75	6,80	1,90		P7		250	2.250	2.500	6.000	6.250
OR 7.20x1.90 FKM75	7,20	1,90	R6			250	2.250	2.500	6.000	6.250
OR 7.80x1.90 FKM75	7,80	1,90		P8		250	2.250	2.500	6.000	6.250
OR 8.00x1.90 FKM75	8,00	1,90	R6a			250	2.250	2.500	6.000	6.250
OR 8.80x1.90 FKM75	8,80	1,90		P9		250	2.250	2.500	6.000	6.250
OR 8.90x1.90 FKM75	8,90	1,90	R7			250	2.250	2.500	6.000	6.250
OR 9.80x1.90 FKM75	9,80	1,90		P10		250	2.250	2.500	6.000	6.250
OR 11.89x1.98 FKM75	11,89	1,98			906	250	2.250	2.500	6.000	6.250
OR 2.50x2.00 FKM75	2,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 3.00x2.00 FKM75	3,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 3.50x2.00 FKM75	3,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 4.00x2.00 FKM75	4,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 4.50x2.00 FKM75	4,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 5.00x2.00 FKM75	5,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 5.50x2.00 FKM75	5,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 6.00x2.00 FKM75	6,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 6.50x2.00 FKM75	6,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 7.00x2.00 FKM75	7,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 7.50x2.00 FKM75	7,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 8.00x2.00 FKM75	8,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 8.50x2.00 FKM75	8,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 9.00x2.00 FKM75	9,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 9.50x2.00 FKM75	9,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 10.00x2.00 FKM75	10,00	2,00		DIN		250	2.250	2.500	6.000	6.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 10.50x2.00 FKM75	10,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 11.00x2.00 FKM75	11,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 11.50x2.00 FKM75	11,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 12.00x2.00 FKM75	12,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 12.50x2.00 FKM75	12,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 13.00x2.00 FKM75	13,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 13.50x2.00 FKM75	13,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 14.00x2.00 FKM75	14,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 14.50x2.00 FKM75	14,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 15.00x2.00 FKM75	15,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 15.50x2.00 FKM75	15,50	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 16.00x2.00 FKM75	16,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 16.50x2.00 FKM75	16,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 17.00x2.00 FKM75	17,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 17.50x2.00 FKM75	17,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 18.00x2.00 FKM75	18,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 18.50x2.00 FKM75	18,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 19.00x2.00 FKM75	19,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 19.50x2.00 FKM75	19,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 20.00x2.00 FKM75	20,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 20.50x2.00 FKM75	20,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 21.00x2.00 FKM75	21,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 21.50x2.00 FKM75	21,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 22.00x2.00 FKM75	22,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 22.50x2.00 FKM75	22,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 23.00x2.00 FKM75	23,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 23.50x2.00 FKM75	23,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 24.00x2.00 FKM75	24,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 24.50x2.00 FKM75	24,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 25.00x2.00 FKM75	25,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 25.50x2.00 FKM75	25,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 26.00x2.00 FKM75	26,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 26.50x2.00 FKM75	26,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 27.00x2.00 FKM75	27,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 27.50x2.00 FKM75	27,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 28.00x2.00 FKM75	28,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 28.50x2.00 FKM75	28,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 29.00x2.00 FKM75	29,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 29.50x2.00 FKM75	29,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 30.00x2.00 FKM75	30,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 30.50x2.00 FKM75	30,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 31.00x2.00 FKM75	31,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 31.50x2.00 FKM75	31,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 32.00x2.00 FKM75	32,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 32.50x2.00 FKM75	32,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 33.00x2.00 FKM75	33,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 33.50x2.00 FKM75	33,50	2,00		DIN		150	1.350	1.500	3.600	3.750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 34.00x2.00 FKM75	34,00	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 34.50x2.00 FKM75	34,50	2,00		DIN		150	1.350	1.500	3.600	3.750
OR 35.00x2.00 FKM75	35,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 35.50x2.00 FKM75	35,50	2,00		DIN		100	900	1.000	2.400	2.500
OR 36.00x2.00 FKM75	36,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 36.50x2.00 FKM75	36,50	2,00		DIN		100	900	1.000	2.400	2.500
OR 37.00x2.00 FKM75	37,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 37.50x2.00 FKM75	37,50	2,00		DIN		100	900	1.000	2.400	2.500
OR 38.00x2.00 FKM75	38,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 38.50x2.00 FKM75	38,50	2,00		DIN		100	900	1.000	2.400	2.500
OR 39.00x2.00 FKM75	39,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 39.50x2.00 FKM75	39,50	2,00		DIN		100	900	1.000	2.400	2.500
OR 40.00x2.00 FKM75	40,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 41.00x2.00 FKM75	41,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 42.00x2.00 FKM75	42,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 43.00x2.00 FKM75	43,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 44.00x2.00 FKM75	44,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 45.00x2.00 FKM75	45,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 46.00x2.00 FKM75	46,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 47.00x2.00 FKM75	47,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 48.00x2.00 FKM75	48,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 49.00x2.00 FKM75	49,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 50.00x2.00 FKM75	50,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 51.00x2.00 FKM75	51,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 52.00x2.00 FKM75	52,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 53.00x2.00 FKM75	53,00	2,00		DIN		100	900	1.000	2.400	2.500
OR 54.00x2.00 FKM75	54,00	2,00		DIN		50	450	500	1.200	1.250
OR 55.00x2.00 FKM75	55,00	2,00		DIN		50	450	500	1.200	1.250
OR 56.00x2.00 FKM75	56,00	2,00		DIN		50	450	500	1.200	1.250
OR 57.00x2.00 FKM75	57,00	2,00		DIN		50	450	500	1.200	1.250
OR 58.00x2.00 FKM75	58,00	2,00		DIN		50	450	500	1.200	1.250
OR 59.00x2.00 FKM75	59,00	2,00		DIN		50	450	500	1.200	1.250
OR 60.00x2.00 FKM75	60,00	2,00		DIN		50	450	500	1.200	1.250
OR 61.00x2.00 FKM75	61,00	2,00		DIN		50	450	500	1.200	1.250
OR 62.00x2.00 FKM75	62,00	2,00		DIN		50	450	500	1.200	1.250
OR 63.00x2.00 FKM75	63,00	2,00		DIN		50	450	500	1.200	1.250
OR 64.00x2.00 FKM75	64,00	2,00		DIN		50	450	500	1.200	1.250
OR 65.00x2.00 FKM75	65,00	2,00		DIN		50	450	500	1.200	1.250
OR 66.00x2.00 FKM75	66,00	2,00		DIN		50	450	500	1.200	1.250
OR 67.00x2.00 FKM75	67,00	2,00		DIN		50	450	500	1.200	1.250
OR 68.00x2.00 FKM75	68,00	2,00		DIN		50	450	500	1.200	1.250
OR 69.00x2.00 FKM75	69,00	2,00		DIN		50	450	500	1.200	1.250
OR 70.00x2.00 FKM75	70,00	2,00		DIN		50	450	500	1.200	1.250
OR 71.00x2.00 FKM75	71,00	2,00		DIN		50	450	500	1.200	1.250
OR 72.00x2.00 FKM75	72,00	2,00		DIN		50	450	500	1.200	1.250
OR 73.00x2.00 FKM75	73,00	2,00		DIN		50	450	500	1.200	1.250
OR 74.00x2.00 FKM75	74,00	2,00		DIN		50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 75.00x2.00 FKM75	75,00	2,00		DIN		50	450	500	1.200	1.250
OR 76.00x2.00 FKM75	76,00	2,00		DIN		50	450	500	1.200	1.250
OR 77.00x2.00 FKM75	77,00	2,00		DIN		50	450	500	1.200	1.250
OR 78.00x2.00 FKM75	78,00	2,00		DIN		50	450	500	1.200	1.250
OR 79.00x2.00 FKM75	79,00	2,00		DIN		50	450	500	1.200	1.250
OR 80.00x2.00 FKM75	80,00	2,00		DIN		50	450	500	1.200	1.250
OR 81.00x2.00 FKM75	81,00	2,00		DIN		50	450	500	1.200	1.250
OR 82.00x2.00 FKM75	82,00	2,00		DIN		50	450	500	1.200	1.250
OR 83.00x2.00 FKM75	83,00	2,00		DIN		50	450	500	1.200	1.250
OR 84.00x2.00 FKM75	84,00	2,00		DIN		50	450	500	1.200	1.250
OR 85.00x2.00 FKM75	85,00	2,00		DIN		50	450	500	1.200	1.250
OR 86.00x2.00 FKM75	86,00	2,00		DIN		50	450	500	1.200	1.250
OR 87.00x2.00 FKM75	87,00	2,00		DIN		50	450	500	1.200	1.250
OR 88.00x2.00 FKM75	88,00	2,00		DIN		50	450	500	1.200	1.250
OR 89.00x2.00 FKM75	89,00	2,00		DIN		50	450	500	1.200	1.250
OR 90.00x2.00 FKM75	90,00	2,00		DIN		50	450	500	1.200	1.250
OR 91.00x2.00 FKM75	91,00	2,00		DIN		50	450	500	1.200	1.250
OR 92.00x2.00 FKM75	92,00	2,00		DIN		50	450	500	1.200	1.250
OR 93.00x2.00 FKM75	93,00	2,00		DIN		50	450	500	1.200	1.250
OR 94.00x2.00 FKM75	94,00	2,00		DIN		30	270	300	720	750
OR 95.00x2.00 FKM75	95,00	2,00		DIN		30	270	300	720	750
OR 96.00x2.00 FKM75	96,00	2,00		DIN		30	270	300	720	750
OR 97.00x2.00 FKM75	97,00	2,00		DIN		30	270	300	720	750
OR 98.00x2.00 FKM75	98,00	2,00		DIN		30	270	300	720	750
OR 99.00x2.00 FKM75	99,00	2,00		DIN		30	270	300	720	750
OR 100.00x2.00 FKM75	100,00	2,00		DIN		30	270	300	720	750
OR 13.46x2.08 FKM75	13,46	2,08			907	250	2.250	2.500	6.000	6.250
OR 6.00x2.20 FKM75	6,00	2,20	R6b			250	2.250	2.500	6.000	6.250
OR 16.36x2.21 FKM75	16,36	2,21			908	250	2.250	2.500	6.000	6.250
OR 3.30x2.40 FKM75	3,30	2,40				250	2.250	2.500	6.000	6.250
OR 3.60x2.40 FKM75	3,60	2,40				250	2.250	2.500	6.000	6.250
OR 4.30x2.40 FKM75	4,30	2,40				250	2.250	2.500	6.000	6.250
OR 4.60x2.40 FKM75	4,60	2,40				250	2.250	2.500	6.000	6.250
OR 5.30x2.40 FKM75	5,30	2,40				250	2.250	2.500	6.000	6.250
OR 5.50x2.40 FKM75	5,50	2,40		DIN		250	2.250	2.500	6.000	6.250
OR 5.60x2.40 FKM75	5,60	2,40				250	2.250	2.500	6.000	6.250
OR 6.30x2.40 FKM75	6,30	2,40				250	2.250	2.500	6.000	6.250
OR 6.60x2.40 FKM75	6,60	2,40				250	2.250	2.500	6.000	6.250
OR 7.30x2.40 FKM75	7,30	2,40				250	2.250	2.500	6.000	6.250
OR 7.50x2.40 FKM75	7,50	2,40		DIN		250	2.250	2.500	6.000	6.250
OR 7.60x2.40 FKM75	7,60	2,40				250	2.250	2.500	6.000	6.250
OR 8.30x2.40 FKM75	8,30	2,40				250	2.250	2.500	6.000	6.250
OR 8.60x2.40 FKM75	8,60	2,40				250	2.250	2.500	6.000	6.250
OR 9.30x2.40 FKM75	9,30	2,40				250	2.250	2.500	6.000	6.250
OR 9.60x2.40 FKM75	9,60	2,40				250	2.250	2.500	6.000	6.250
OR 9.80x2.40 FKM75	9,80	2,40		P10A		250	2.250	2.500	6.000	6.250
OR 10.30x2.40 FKM75	10,30	2,40				250	2.250	2.500	6.000	6.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 10.50x2.40 FKM75	10,50	2,40		DIN		250	2.250	2.500	6.000	6.250
OR 10.60x2.40 FKM75	10,60	2,40				250	2.250	2.500	6.000	6.250
OR 10.80x2.40 FKM75	10,80	2,40		P11		150	1.350	1.500	3.600	3.750
OR 11.00x2.40 FKM75	11,00	2,40		P11.2		150	1.350	1.500	3.600	3.750
OR 11.30x2.40 FKM75	11,30	2,40				150	1.350	1.500	3.600	3.750
OR 11.50x2.40 FKM75	11,50	2,40		DIN		150	1.350	1.500	3.600	3.750
OR 11.60x2.40 FKM75	11,60	2,40				150	1.350	1.500	3.600	3.750
OR 11.80x2.40 FKM75	11,80	2,40		P12		150	1.350	1.500	3.600	3.750
OR 12.30x2.40 FKM75	12,30	2,40		P12.5		150	1.350	1.500	3.600	3.750
OR 12.60x2.40 FKM75	12,60	2,40				150	1.350	1.500	3.600	3.750
OR 13.30x2.40 FKM75	13,30	2,40				150	1.350	1.500	3.600	3.750
OR 13.50x2.40 FKM75	13,50	2,40		DIN		150	1.350	1.500	3.600	3.750
OR 13.60x2.40 FKM75	13,60	2,40				150	1.350	1.500	3.600	3.750
OR 13.80x2.40 FKM75	13,80	2,40		P14		150	1.350	1.500	3.600	3.750
OR 14.30x2.40 FKM75	14,30	2,40				150	1.350	1.500	3.600	3.750
OR 14.50x2.40 FKM75	14,50	2,40		DIN		150	1.350	1.500	3.600	3.750
OR 14.60x2.40 FKM75	14,60	2,40				150	1.350	1.500	3.600	3.750
OR 14.80x2.40 FKM75	14,80	2,40		P15		150	1.350	1.500	3.600	3.750
OR 15.30x2.40 FKM75	15,30	2,40				150	1.350	1.500	3.600	3.750
OR 15.50x2.40 FKM75	15,50	2,40		DIN		150	1.350	1.500	3.600	3.750
OR 15.60x2.40 FKM75	15,60	2,40				150	1.350	1.500	3.600	3.750
OR 15.80x2.40 FKM75	15,80	2,40		P16		150	1.350	1.500	3.600	3.750
OR 16.30x2.40 FKM75	16,30	2,40				150	1.350	1.500	3.600	3.750
OR 16.60x2.40 FKM75	16,60	2,40				150	1.350	1.500	3.600	3.750
OR 17.30x2.40 FKM75	17,30	2,40				150	1.350	1.500	3.600	3.750
OR 17.50x2.40 FKM75	17,50	2,40		DIN		150	1.350	1.500	3.600	3.750
OR 17.60x2.40 FKM75	17,60	2,40				150	1.350	1.500	3.600	3.750
OR 17.80x2.40 FKM75	17,80	2,40		P18		150	1.350	1.500	3.600	3.750
OR 18.60x2.40 FKM75	18,60	2,40				150	1.350	1.500	3.600	3.750
OR 19.60x2.40 FKM75	19,60	2,40				150	1.350	1.500	3.600	3.750
OR 19.80x2.40 FKM75	19,80	2,40		P20		150	1.350	1.500	3.600	3.750
OR 20.50x2.40 FKM75	20,50	2,40		DIN		150	1.350	1.500	3.600	3.750
OR 20.80x2.40 FKM75	20,80	2,40		P21		150	1.350	1.500	3.600	3.750
OR 21.50x2.40 FKM75	21,50	2,40		DIN		150	1.350	1.500	3.600	3.750
OR 21.60x2.40 FKM75	21,60	2,40				150	1.350	1.500	3.600	3.750
OR 21.80x2.40 FKM75	21,80	2,40		P22		150	1.350	1.500	3.600	3.750
OR 23.50x2.40 FKM75	23,50	2,40		DIN		150	1.350	1.500	3.600	3.750
OR 24.50x2.40 FKM75	24,50	2,40		DIN		150	1.350	1.500	3.600	3.750
OR 24.60x2.40 FKM75	24,60	2,40				150	1.350	1.500	3.600	3.750
OR 25.00x2.40 FKM75	25,00	2,40	R19b			150	1.350	1.500	3.600	3.750
OR 27.50x2.40 FKM75	27,50	2,40		DIN		100	900	1.000	2.400	2.500
OR 27.60x2.40 FKM75	27,60	2,40				100	900	1.000	2.400	2.500
OR 29.60x2.40 FKM75	29,60	2,40				100	900	1.000	2.400	2.500
OR 31.60x2.40 FKM75	31,60	2,40				100	900	1.000	2.400	2.500
OR 34.60x2.40 FKM75	34,60	2,40				100	900	1.000	2.400	2.500
OR 37.60x2.40 FKM75	37,60	2,40				100	900	1.000	2.400	2.500
OR 39.60x2.40 FKM75	39,60	2,40				100	900	1.000	2.400	2.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 41.60x2.40 FKM75	41,60	2,40				50	450	500	1.200	1.250
OR 44.60x2.40 FKM75	44,60	2,40				50	450	500	1.200	1.250
OR 47.60x2.40 FKM75	47,60	2,40				50	450	500	1.200	1.250
OR 49.60x2.40 FKM75	49,60	2,40				50	450	500	1.200	1.250
OR 51.60x2.40 FKM75	51,60	2,40				50	450	500	1.200	1.250
OR 54.60x2.40 FKM75	54,60	2,40				50	450	500	1.200	1.250
OR 57.60x2.40 FKM75	57,60	2,40				50	450	500	1.200	1.250
OR 59.60x2.40 FKM75	59,60	2,40				50	450	500	1.200	1.250
OR 61.60x2.40 FKM75	61,60	2,40				50	450	500	1.200	1.250
OR 64.60x2.40 FKM75	64,60	2,40				50	450	500	1.200	1.250
OR 67.60x2.40 FKM75	67,60	2,40				50	450	500	1.200	1.250
OR 69.60x2.40 FKM75	69,60	2,40				50	450	500	1.200	1.250
OR 17.93x2.46 FKM75	17,93	2,46			909	150	1.350	1.500	3.600	3.750
OR 19.18x2.46 FKM75	19,18	2,46			910	150	1.350	1.500	3.600	3.750
OR 4.00x2.50 FKM75	4,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 4.60x2.50 FKM75	4,60	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 5.00x2.50 FKM75	5,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 5.50x2.50 FKM75	5,50	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 6.00x2.50 FKM75	6,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 6.50x2.50 FKM75	6,50	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 7.00x2.50 FKM75	7,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 7.50x2.50 FKM75	7,50	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 8.00x2.50 FKM75	8,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 8.50x2.50 FKM75	8,50	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 9.00x2.50 FKM75	9,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 9.50x2.50 FKM75	9,50	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 10.00x2.50 FKM75	10,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 10.50x2.50 FKM75	10,50	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 11.00x2.50 FKM75	11,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 11.50x2.50 FKM75	11,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 12.00x2.50 FKM75	12,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 12.50x2.50 FKM75	12,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 13.00x2.50 FKM75	13,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 13.50x2.50 FKM75	13,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 14.00x2.50 FKM75	14,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 14.50x2.50 FKM75	14,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 15.00x2.50 FKM75	15,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 15.50x2.50 FKM75	15,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 16.00x2.50 FKM75	16,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 16.50x2.50 FKM75	16,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 17.00x2.50 FKM75	17,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 17.50x2.50 FKM75	17,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 18.00x2.50 FKM75	18,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 18.50x2.50 FKM75	18,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 19.00x2.50 FKM75	19,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 19.50x2.50 FKM75	19,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 20.00x2.50 FKM75	20,00	2,50		DIN		150	1.350	1.500	3.600	3.750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 20.50x2.50 FKM75	20,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 21.00x2.50 FKM75	21,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 21.50x2.50 FKM75	21,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 22.00x2.50 FKM75	22,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 22.50x2.50 FKM75	22,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 23.00x2.50 FKM75	23,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 23.50x2.50 FKM75	23,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 24.00x2.50 FKM75	24,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 24.50x2.50 FKM75	24,50	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 25.00x2.50 FKM75	25,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 25.50x2.50 FKM75	25,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 26.00x2.50 FKM75	26,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 26.50x2.50 FKM75	26,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 27.00x2.50 FKM75	27,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 27.50x2.50 FKM75	27,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 28.00x2.50 FKM75	28,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 28.50x2.50 FKM75	28,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 29.00x2.50 FKM75	29,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 29.50x2.50 FKM75	29,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 30.00x2.50 FKM75	30,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 30.50x2.50 FKM75	30,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 31.00x2.50 FKM75	31,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 31.50x2.50 FKM75	31,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 32.00x2.50 FKM75	32,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 32.50x2.50 FKM75	32,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 33.00x2.50 FKM75	33,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 33.50x2.50 FKM75	33,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 34.00x2.50 FKM75	34,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 34.50x2.50 FKM75	34,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 35.00x2.50 FKM75	35,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 35.50x2.50 FKM75	35,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 36.00x2.50 FKM75	36,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 36.50x2.50 FKM75	36,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 37.00x2.50 FKM75	37,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 37.50x2.50 FKM75	37,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 38.00x2.50 FKM75	38,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 38.50x2.50 FKM75	38,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 39.00x2.50 FKM75	39,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 39.50x2.50 FKM75	39,50	2,50		DIN		100	900	1.000	2.400	2.500
OR 40.00x2.50 FKM75	40,00	2,50		DIN		50	450	500	1.200	1.250
OR 41.00x2.50 FKM75	41,00	2,50		DIN		50	450	500	1.200	1.250
OR 42.00x2.50 FKM75	42,00	2,50		DIN		50	450	500	1.200	1.250
OR 43.00x2.50 FKM75	43,00	2,50		DIN		50	450	500	1.200	1.250
OR 44.00x2.50 FKM75	44,00	2,50		DIN		50	450	500	1.200	1.250
OR 45.00x2.50 FKM75	45,00	2,50		DIN		50	450	500	1.200	1.250
OR 46.00x2.50 FKM75	46,00	2,50		DIN		50	450	500	1.200	1.250
OR 47.00x2.50 FKM75	47,00	2,50		DIN		50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 48.00x2.50 FKM75	48,00	2,50		DIN		50	450	500	1.200	1.250
OR 49.00x2.50 FKM75	49,00	2,50		DIN		50	450	500	1.200	1.250
OR 50.00x2.50 FKM75	50,00	2,50		DIN		50	450	500	1.200	1.250
OR 51.00x2.50 FKM75	51,00	2,50		DIN		50	450	500	1.200	1.250
OR 52.00x2.50 FKM75	52,00	2,50		DIN		50	450	500	1.200	1.250
OR 53.00x2.50 FKM75	53,00	2,50		DIN		50	450	500	1.200	1.250
OR 54.00x2.50 FKM75	54,00	2,50		DIN		50	450	500	1.200	1.250
OR 55.00x2.50 FKM75	55,00	2,50		DIN		50	450	500	1.200	1.250
OR 56.00x2.50 FKM75	56,00	2,50		DIN		50	450	500	1.200	1.250
OR 57.00x2.50 FKM75	57,00	2,50		DIN		50	450	500	1.200	1.250
OR 58.00x2.50 FKM75	58,00	2,50		DIN		50	450	500	1.200	1.250
OR 59.00x2.50 FKM75	59,00	2,50		DIN		50	450	500	1.200	1.250
OR 60.00x2.50 FKM75	60,00	2,50		DIN		50	450	500	1.200	1.250
OR 61.00x2.50 FKM75	61,00	2,50		DIN		50	450	500	1.200	1.250
OR 62.00x2.50 FKM75	62,00	2,50		DIN		50	450	500	1.200	1.250
OR 63.00x2.50 FKM75	63,00	2,50		DIN		50	450	500	1.200	1.250
OR 64.00x2.50 FKM75	64,00	2,50		DIN		50	450	500	1.200	1.250
OR 65.00x2.50 FKM75	65,00	2,50		DIN		50	450	500	1.200	1.250
OR 66.00x2.50 FKM75	66,00	2,50		DIN		50	450	500	1.200	1.250
OR 67.00x2.50 FKM75	67,00	2,50		DIN		50	450	500	1.200	1.250
OR 68.00x2.50 FKM75	68,00	2,50		DIN		50	450	500	1.200	1.250
OR 69.00x2.50 FKM75	69,00	2,50		DIN		50	450	500	1.200	1.250
OR 70.00x2.50 FKM75	70,00	2,50		DIN		50	450	500	1.200	1.250
OR 71.00x2.50 FKM75	71,00	2,50		DIN		50	450	500	1.200	1.250
OR 72.00x2.50 FKM75	72,00	2,50		DIN		50	450	500	1.200	1.250
OR 73.00x2.50 FKM75	73,00	2,50		DIN		50	450	500	1.200	1.250
OR 74.00x2.50 FKM75	74,00	2,50		DIN		50	450	500	1.200	1.250
OR 75.00x2.50 FKM75	75,00	2,50		DIN		50	450	500	1.200	1.250
OR 76.00x2.50 FKM75	76,00	2,50		DIN		50	450	500	1.200	1.250
OR 77.00x2.50 FKM75	77,00	2,50		DIN		50	450	500	1.200	1.250
OR 78.00x2.50 FKM75	78,00	2,50		DIN		50	450	500	1.200	1.250
OR 79.00x2.50 FKM75	79,00	2,50		DIN		50	450	500	1.200	1.250
OR 80.00x2.50 FKM75	80,00	2,50		DIN		30	270	300	720	750
OR 81.00x2.50 FKM75	81,00	2,50		DIN		30	270	300	720	750
OR 82.00x2.50 FKM75	82,00	2,50		DIN		30	270	300	720	750
OR 83.00x2.50 FKM75	83,00	2,50		DIN		30	270	300	720	750
OR 84.00x2.50 FKM75	84,00	2,50		DIN		30	270	300	720	750
OR 85.00x2.50 FKM75	85,00	2,50		DIN		30	270	300	720	750
OR 86.00x2.50 FKM75	86,00	2,50		DIN		30	270	300	720	750
OR 87.00x2.50 FKM75	87,00	2,50		DIN		30	270	300	720	750
OR 88.00x2.50 FKM75	88,00	2,50		DIN		30	270	300	720	750
OR 89.00x2.50 FKM75	89,00	2,50		DIN		30	270	300	720	750
OR 90.00x2.50 FKM75	90,00	2,50		DIN		30	270	300	720	750
OR 91.00x2.50 FKM75	91,00	2,50		DIN		30	270	300	720	750
OR 92.00x2.50 FKM75	92,00	2,50		DIN		30	270	300	720	750
OR 93.00x2.50 FKM75	93,00	2,50		DIN		30	270	300	720	750
OR 94.00x2.50 FKM75	94,00	2,50		DIN		30	270	300	720	750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 95.00x2.50 FKM75	95,00	2,50		DIN		30	270	300	720	750
OR 96.00x2.50 FKM75	96,00	2,50		DIN		30	270	300	720	750
OR 97.00x2.50 FKM75	97,00	2,50		DIN		30	270	300	720	750
OR 98.00x2.50 FKM75	98,00	2,50		DIN		30	270	300	720	750
OR 99.00x2.50 FKM75	99,00	2,50		DIN		30	270	300	720	750
OR 100.00x2.50 FKM75	100,00	2,50		DIN		30	270	300	720	750
OR 101.00x2.50 FKM75	101,00	2,50		DIN		30	270	300	720	750
OR 102.00x2.50 FKM75	102,00	2,50		DIN		30	270	300	720	750
OR 103.00x2.50 FKM75	103,00	2,50		DIN		30	270	300	720	750
OR 104.00x2.50 FKM75	104,00	2,50		DIN		30	270	300	720	750
OR 105.00x2.50 FKM75	105,00	2,50		DIN		30	270	300	720	750
OR 106.00x2.50 FKM75	106,00	2,50		DIN		30	270	300	720	750
OR 107.00x2.50 FKM75	107,00	2,50		DIN		30	270	300	720	750
OR 108.00x2.50 FKM75	108,00	2,50		DIN		30	270	300	720	750
OR 109.00x2.50 FKM75	109,00	2,50		DIN		30	270	300	720	750
OR 110.00x2.50 FKM75	110,00	2,50		DIN		30	270	300	720	750
OR 111.00x2.50 FKM75	111,00	2,50		DIN		30	270	300	720	750
OR 112.00x2.50 FKM75	112,00	2,50		DIN		30	270	300	720	750
OR 113.00x2.50 FKM75	113,00	2,50		DIN		30	270	300	720	750
OR 114.00x2.50 FKM75	114,00	2,50		DIN		30	270	300	720	750
OR 115.00x2.50 FKM75	115,00	2,50		DIN		30	270	300	720	750
OR 116.00x2.50 FKM75	116,00	2,50		DIN		30	270	300	720	750
OR 117.00x2.50 FKM75	117,00	2,50		DIN		30	270	300	720	750
OR 118.00x2.50 FKM75	118,00	2,50		DIN		30	270	300	720	750
OR 119.00x2.50 FKM75	119,00	2,50		DIN		30	270	300	720	750
OR 120.00x2.50 FKM75	120,00	2,50		DIN		30	270	300	720	750
OR 121.00x2.50 FKM75	121,00	2,50		DIN		30	270	300	720	750
OR 122.00x2.50 FKM75	122,00	2,50		DIN		30	270	300	720	750
OR 123.00x2.50 FKM75	123,00	2,50		DIN		30	270	300	720	750
OR 124.00x2.50 FKM75	124,00	2,50		DIN		30	270	300	720	750
OR 125.00x2.50 FKM75	125,00	2,50		DIN		30	270	300	720	750
OR 126.00x2.50 FKM75	126,00	2,50		DIN		30	270	300	720	750
OR 127.00x2.50 FKM75	127,00	2,50		DIN		30	270	300	720	750
OR 128.00x2.50 FKM75	128,00	2,50		DIN		30	270	300	720	750
OR 129.00x2.50 FKM75	129,00	2,50		DIN		30	270	300	720	750
OR 130.00x2.50 FKM75	130,00	2,50		DIN		20	180	200	480	500
OR 131.00x2.50 FKM75	131,00	2,50		DIN		20	180	200	480	500
OR 132.00x2.50 FKM75	132,00	2,50		DIN		20	180	200	480	500
OR 133.00x2.50 FKM75	133,00	2,50		DIN		20	180	200	480	500
OR 134.00x2.50 FKM75	134,00	2,50		DIN		20	180	200	480	500
OR 135.00x2.50 FKM75	135,00	2,50		DIN		20	180	200	480	500
OR 136.00x2.50 FKM75	136,00	2,50		DIN		20	180	200	480	500
OR 137.00x2.50 FKM75	137,00	2,50		DIN		20	180	200	480	500
OR 138.00x2.50 FKM75	138,00	2,50		DIN		20	180	200	480	500
OR 139.00x2.50 FKM75	139,00	2,50		DIN		20	180	200	480	500
OR 140.00x2.50 FKM75	140,00	2,50		DIN		20	180	200	480	500
OR 141.00x2.50 FKM75	141,00	2,50		DIN		20	180	200	480	500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 142.00x2.50 FKM75	142,00	2,50		DIN		20	180	200	480	500
OR 143.00x2.50 FKM75	143,00	2,50		DIN		20	180	200	480	500
OR 144.00x2.50 FKM75	144,00	2,50		DIN		20	180	200	480	500
OR 145.00x2.50 FKM75	145,00	2,50		DIN		20	180	200	480	500
OR 146.00x2.50 FKM75	146,00	2,50		DIN		20	180	200	480	500
OR 147.00x2.50 FKM75	147,00	2,50		DIN		20	180	200	480	500
OR 148.00x2.50 FKM75	148,00	2,50		DIN		20	180	200	480	500
OR 149.00x2.50 FKM75	149,00	2,50		DIN		20	180	200	480	500
OR 150.00x2.50 FKM75	150,00	2,50		DIN		20	180	200	480	500
OR 29.10x2.55 FKM75	29,10	2,55	R20b			150	1.350	1.500	3.600	3.750
OR 1.24x2.62 FKM75	1,24	2,62			102	250	2.250	2.500	6.000	6.250
OR 2.06x2.62 FKM75	2,06	2,62			103	250	2.250	2.500	6.000	6.250
OR 2.84x2.62 FKM75	2,84	2,62			104	250	2.250	2.500	6.000	6.250
OR 3.63x2.62 FKM75	3,63	2,62			105	250	2.250	2.500	6.000	6.250
OR 4.42x2.62 FKM75	4,42	2,62			106	250	2.250	2.500	6.000	6.250
OR 5.23x2.62 FKM75	5,23	2,62		3021	107	250	2.250	2.500	6.000	6.250
OR 6.02x2.62 FKM75	6,02	2,62		3024	108	250	2.250	2.500	6.000	6.250
OR 7.59x2.62 FKM75	7,59	2,62		3030	109	250	2.250	2.500	6.000	6.250
OR 9.13x2.62 FKM75	9,13	2,62		109		250	2.250	2.500	6.000	6.250
OR 9.19x2.62 FKM75	9,19	2,62		3037	110	250	2.250	2.500	6.000	6.250
OR 9.92x2.62 FKM75	9,90	2,62		112	613	250	2.250	2.500	6.000	6.250
OR 10.77x2.62 FKM75	10,77	2,62		3043	111	150	1.350	1.500	3.600	3.750
OR 11.91x2.62 FKM75	11,91	2,62		115	614	150	1.350	1.500	3.600	3.750
OR 12.37x2.62 FKM75	12,37	2,62		3050	112	150	1.350	1.500	3.600	3.750
OR 12.70x2.62 FKM75	12,70	2,62			807	150	1.350	1.500	3.600	3.750
OR 13.10x2.62 FKM75	13,10	2,62		117	615	150	1.350	1.500	3.600	3.750
OR 13.94x2.62 FKM75	13,94	2,62		3056	113	150	1.350	1.500	3.600	3.750
OR 15.08x2.62 FKM75	15,08	2,62		119	616	150	1.350	1.500	3.600	3.750
OR 15.54x2.62 FKM75	15,54	2,62		3062	114	150	1.350	1.500	3.600	3.750
OR 15.88x2.62 FKM75	15,88	2,62		121	809	150	1.350	1.500	3.600	3.750
OR 17.12x2.62 FKM75	17,12	2,62		3068	115	150	1.350	1.500	3.600	3.750
OR 17.46x2.62 FKM75	17,46	2,62			810	150	1.350	1.500	3.600	3.750
OR 17.86x2.62 FKM75	17,86	2,62		123	617	150	1.350	1.500	3.600	3.750
OR 18.72x2.62 FKM75	18,72	2,62		3075	116	150	1.350	1.500	3.600	3.750
OR 20.30x2.62 FKM75	20,30	2,62		3081	117	150	1.350	1.500	3.600	3.750
OR 20.64x2.62 FKM75	20,64	2,62		128	812	150	1.350	1.500	3.600	3.750
OR 21.89x2.62 FKM75	21,89	2,62		3087	118	150	1.350	1.500	3.600	3.750
OR 22.23x2.62 FKM75	22,23	2,62		130	813	150	1.350	1.500	3.600	3.750
OR 23.47x2.62 FKM75	23,47	2,62		3093	119	150	1.350	1.500	3.600	3.750
OR 23.81x2.62 FKM75	23,81	2,62		132	814	150	1.350	1.500	3.600	3.750
OR 25.07x2.62 FKM75	25,07	2,62		3100	120	100	900	1.000	2.400	2.500
OR 26.64x2.62 FKM75	26,64	2,62		3106	121	100	900	1.000	2.400	2.500
OR 28.24x2.62 FKM75	28,24	2,62		3112	122	100	900	1.000	2.400	2.500
OR 29.82x2.62 FKM75	29,82	2,62		3118	123	100	900	1.000	2.400	2.500
OR 31.42x2.62 FKM75	31,42	2,62		3125	124	100	900	1.000	2.400	2.500
OR 32.99x2.62 FKM75	32,99	2,62		3131	125	100	900	1.000	2.400	2.500
OR 34.59x2.62 FKM75	34,59	2,62		3137	126	100	900	1.000	2.400	2.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 36.17x2.62 FKM75	36,17	2,62		3143	127	100	900	1.000	2.400	2.500
OR 37.77x2.62 FKM75	37,77	2,62		3150	128	100	900	1.000	2.400	2.500
OR 39.34x2.62 FKM75	39,34	2,62		3156	129	100	900	1.000	2.400	2.500
OR 40.94x2.62 FKM75	40,94	2,62		3162	130	50	450	500	1.200	1.250
OR 42.52x2.62 FKM75	42,52	2,62		3168	131	50	450	500	1.200	1.250
OR 44.12x2.62 FKM75	44,12	2,62		3175	132	50	450	500	1.200	1.250
OR 45.69x2.62 FKM75	45,69	2,62		3181	133	50	450	500	1.200	1.250
OR 47.29x2.62 FKM75	47,29	2,62		3187	134	50	450	500	1.200	1.250
OR 48.90x2.62 FKM75	48,90	2,62		3193	135	50	450	500	1.200	1.250
OR 50.47x2.62 FKM75	50,47	2,62		3200	136	50	450	500	1.200	1.250
OR 52.07x2.62 FKM75	52,07	2,62		3206	137	50	450	500	1.200	1.250
OR 53.64x2.62 FKM75	53,64	2,62		3212	138	50	450	500	1.200	1.250
OR 55.25x2.62 FKM75	55,25	2,62		3218	139	50	450	500	1.200	1.250
OR 56.82x2.62 FKM75	56,82	2,62		3225	140	50	450	500	1.200	1.250
OR 58.42x2.62 FKM75	58,42	2,62		3231	141	50	450	500	1.200	1.250
OR 59.99x2.62 FKM75	59,99	2,62		3237	142	50	450	500	1.200	1.250
OR 61.60x2.62 FKM75	61,60	2,62		3243	143	50	450	500	1.200	1.250
OR 63.17x2.62 FKM75	63,17	2,62		3250	144	50	450	500	1.200	1.250
OR 64.77x2.62 FKM75	64,77	2,62		3256	145	50	450	500	1.200	1.250
OR 66.34x2.62 FKM75	66,34	2,62		3262	146	50	450	500	1.200	1.250
OR 67.95x2.62 FKM75	67,95	2,62		3268	147	50	450	500	1.200	1.250
OR 69.52x2.62 FKM75	69,52	2,62		3275	148	50	450	500	1.200	1.250
OR 71.12x2.62 FKM75	71,12	2,62		3281	149	50	450	500	1.200	1.250
OR 72.69x2.62 FKM75	72,69	2,62		3287	150	50	450	500	1.200	1.250
OR 74.30x2.62 FKM75	74,30	2,62			640	50	450	500	1.200	1.250
OR 75.87x2.62 FKM75	75,87	2,62		3300	151	50	450	500	1.200	1.250
OR 77.50x2.62 FKM75	77,50	2,62			641	30	270	300	720	750
OR 80.60x2.62 FKM75	80,60	2,62			642	30	270	300	720	750
OR 82.22x2.62 FKM75	82,22	2,62		3325	152	30	270	300	720	750
OR 83.80x2.62 FKM75	83,80	2,62			643	30	270	300	720	750
OR 88.57x2.62 FKM75	88,57	2,62		3350	153	30	270	300	720	750
OR 94.92x2.62 FKM75	94,92	2,62		3375	154	30	270	300	720	750
OR 101.27x2.62 FKM75	101,27	2,62		3400	155	30	270	300	720	750
OR 107.62x2.62 FKM75	107,62	2,62		3425	156	30	270	300	720	750
OR 113.97x2.62 FKM75	113,97	2,62		3450	157	30	270	300	720	750
OR 120.32x2.62 FKM75	120,32	2,62		3475	158	30	270	300	720	750
OR 126.67x2.62 FKM75	126,67	2,62		3500	159	20	180	200	480	500
OR 133.02x2.62 FKM75	133,02	2,62		3525	160	20	180	200	480	500
OR 139.37x2.62 FKM75	139,37	2,62		3550	161	20	180	200	480	500
OR 145.72x2.62 FKM75	145,72	2,62		3575	162	20	180	200	480	500
OR 152.07x2.62 FKM75	152,07	2,62		3600	163	10	90	100	240	250
OR 158.42x2.62 FKM75	158,42	2,62		3625	164	10	90	100	240	250
OR 164.77x2.62 FKM75	164,77	2,62		3650	165	10	90	100	240	250
OR 171.12x2.62 FKM75	171,12	2,62		3675	166	10	90	100	240	250
OR 177.47x2.62 FKM75	177,47	2,62		3700	167	10	90	100	240	250
OR 183.82x2.62 FKM75	183,82	2,62		3725	168	10	90	100	240	250
OR 190.17x2.62 FKM75	190,17	2,62		3750	169	10	90	100	240	250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 196.52x2.62 FKM75	196,52	2,62		3775	170	10	90	100	240	250
OR 202.87x2.62 FKM75	202,87	2,62		3800	171	10	90	100	240	250
OR 209.22x2.62 FKM75	209,22	2,62		3825	172	10	90	100	240	250
OR 215.57x2.62 FKM75	215,57	2,62		3850	173	5	45	50	120	125
OR 221.92x2.62 FKM75	221,92	2,62		3875	174	5	45	50	120	125
OR 228.27x2.62 FKM75	228,27	2,62		3900	175	5	45	50	120	125
OR 234.62x2.62 FKM75	234,62	2,62		3925	176	5	45	50	120	125
OR 240.97x2.62 FKM75	240,97	2,62		3950	177	5	45	50	120	125
OR 247.32x2.62 FKM75	247,32	2,62		3975	178	5	45	50	120	125
OR 14.00x2.65 FKM75	14,00	2,65	ISO			150	1.350	1.500	3.600	3.750
OR 15.00x2.65 FKM75	15,00	2,65	ISO			150	1.350	1.500	3.600	3.750
OR 16.00x2.65 FKM75	16,00	2,65	ISO			150	1.350	1.500	3.600	3.750
OR 17.00x2.65 FKM75	17,00	2,65	ISO			150	1.350	1.500	3.600	3.750
OR 18.00x2.65 FKM75	18,00	2,65	ISO			150	1.350	1.500	3.600	3.750
OR 19.00x2.65 FKM75	19,00	2,65	ISO			150	1.350	1.500	3.600	3.750
OR 20.00x2.65 FKM75	20,00	2,65	ISO			150	1.350	1.500	3.600	3.750
OR 21.20x2.65 FKM75	21,20	2,65	ISO			150	1.350	1.500	3.600	3.750
OR 22.40x2.65 FKM75	22,40	2,65	ISO			150	1.350	1.500	3.600	3.750
OR 23.60x2.65 FKM75	23,60	2,65	ISO			150	1.350	1.500	3.600	3.750
OR 25.00x2.65 FKM75	25,00	2,65	ISO			100	900	1.000	2.400	2.500
OR 25.80x2.65 FKM75	25,80	2,65	ISO			100	900	1.000	2.400	2.500
OR 26.50x2.65 FKM75	26,50	2,65	ISO			100	900	1.000	2.400	2.500
OR 28.00x2.65 FKM75	28,00	2,65	ISO			100	900	1.000	2.400	2.500
OR 30.00x2.65 FKM75	30,00	2,65	ISO			100	900	1.000	2.400	2.500
OR 31.50x2.65 FKM75	31,50	2,65	ISO			100	900	1.000	2.400	2.500
OR 32.50x2.65 FKM75	32,50	2,65	ISO			100	900	1.000	2.400	2.500
OR 33.50x2.65 FKM75	33,50	2,65	ISO			100	900	1.000	2.400	2.500
OR 34.50x2.65 FKM75	34,50	2,65	ISO			100	900	1.000	2.400	2.500
OR 35.50x2.65 FKM75	35,50	2,65	ISO			100	900	1.000	2.400	2.500
OR 36.50x2.65 FKM75	36,50	2,65	ISO			100	900	1.000	2.400	2.500
OR 37.50x2.65 FKM75	37,50	2,65	ISO			100	900	1.000	2.400	2.500
OR 38.70x2.65 FKM75	38,70	2,65	ISO			100	900	1.000	2.400	2.500
OR 8.90x2.70 FKM75	8,90	2,70	R8			150	1.350	1.500	3.600	3.750
OR 10.50x2.70 FKM75	10,50	2,70	R9			150	1.350	1.500	3.600	3.750
OR 12.10x2.70 FKM75	12,10	2,70	R10			150	1.350	1.500	3.600	3.750
OR 13.60x2.70 FKM75	13,60	2,70	R11			150	1.350	1.500	3.600	3.750
OR 15.10x2.70 FKM75	15,10	2,70	R12			150	1.350	1.500	3.600	3.750
OR 16.90x2.70 FKM75	16,90	2,70	R13			150	1.350	1.500	3.600	3.750
OR 18.40x2.70 FKM75	18,40	2,70	R14			150	1.350	1.500	3.600	3.750
OR 27.30x2.70 FKM75	27,30	2,70	R20t			150	1.350	1.500	3.600	3.750
OR 21.92x2.95 FKM75	21,92	2,95			911	100	900	1.000	2.400	2.500
OR 23.47x2.95 FKM75	23,47	2,95			912	100	900	1.000	2.400	2.500
OR 25.04x2.95 FKM75	25,04	2,95			913	100	900	1.000	2.400	2.500
OR 26.59x2.95 FKM75	26,59	2,95			914	100	900	1.000	2.400	2.500
OR 29.74x2.95 FKM75	29,74	2,95			916	100	900	1.000	2.400	2.500
OR 34.42x2.95 FKM75	34,42	2,95			918	100	900	1.000	2.400	2.500
OR 3.00x3.00 FKM75	3,00	3,00		DIN		250	2.250	2.500	6.000	6.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 3.50x3.00 FKM75	3,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 4.00x3.00 FKM75	4,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 4.50x3.00 FKM75	4,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 5.00x3.00 FKM75	5,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 5.50x3.00 FKM75	5,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 6.00x3.00 FKM75	6,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 6.50x3.00 FKM75	6,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 7.00x3.00 FKM75	7,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 7.50x3.00 FKM75	7,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 8.00x3.00 FKM75	8,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 8.50x3.00 FKM75	8,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 9.00x3.00 FKM75	9,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 9.50x3.00 FKM75	9,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 10.00x3.00 FKM75	10,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 10.50x3.00 FKM75	10,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 11.00x3.00 FKM75	11,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 11.50x3.00 FKM75	11,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 12.00x3.00 FKM75	12,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 12.50x3.00 FKM75	12,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 13.00x3.00 FKM75	13,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 13.50x3.00 FKM75	13,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 14.00x3.00 FKM75	14,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 14.50x3.00 FKM75	14,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 15.00x3.00 FKM75	15,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 15.50x3.00 FKM75	15,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 16.00x3.00 FKM75	16,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 16.50x3.00 FKM75	16,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 17.00x3.00 FKM75	17,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 17.50x3.00 FKM75	17,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 18.00x3.00 FKM75	18,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 18.50x3.00 FKM75	18,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 19.00x3.00 FKM75	19,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 19.20x3.00 FKM75	19,20	3,00				150	1.350	1.500	3.600	3.750
OR 19.50x3.00 FKM75	19,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 20.00x3.00 FKM75	20,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 20.50x3.00 FKM75	20,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 21.00x3.00 FKM75	21,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 21.50x3.00 FKM75	21,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 22.00x3.00 FKM75	22,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 22.20x3.00 FKM75	22,20	3,00				150	1.350	1.500	3.600	3.750
OR 22.50x3.00 FKM75	22,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 23.00x3.00 FKM75	23,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 23.50x3.00 FKM75	23,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 24.00x3.00 FKM75	24,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 24.20x3.00 FKM75	24,20	3,00				150	1.350	1.500	3.600	3.750
OR 24.50x3.00 FKM75	24,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 24.60x3.00 FKM75	24,60	3,00				150	1.350	1.500	3.600	3.750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 25.00x3.00 FKM75	25,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 25.50x3.00 FKM75	25,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 26.00x3.00 FKM75	26,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 26.20x3.00 FKM75	26,20	3,00				100	900	1.000	2.400	2.500
OR 26.50x3.00 FKM75	26,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 27.00x3.00 FKM75	27,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 27.50x3.00 FKM75	27,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 28.00x3.00 FKM75	28,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 28.50x3.00 FKM75	28,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 29.00x3.00 FKM75	29,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 29.20x3.00 FKM75	29,20	3,00				100	900	1.000	2.400	2.500
OR 29.50x3.00 FKM75	29,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 30.00x3.00 FKM75	30,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 30.50x3.00 FKM75	30,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 31.00x3.00 FKM75	31,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 31.50x3.00 FKM75	31,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 32.00x3.00 FKM75	32,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 32.20x3.00 FKM75	32,20	3,00				100	900	1.000	2.400	2.500
OR 32.50x3.00 FKM75	32,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 33.00x3.00 FKM75	33,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 33.50x3.00 FKM75	33,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 34.00x3.00 FKM75	34,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 34.20x3.00 FKM75	34,20	3,00				100	900	1.000	2.400	2.500
OR 34.50x3.00 FKM75	34,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 35.00x3.00 FKM75	35,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 35.50x3.00 FKM75	35,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 36.00x3.00 FKM75	36,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 36.20x3.00 FKM75	36,20	3,00				100	900	1.000	2.400	2.500
OR 36.50x3.00 FKM75	36,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 37.00x3.00 FKM75	37,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 37.47x3.00 FKM75	37,47	3,00			920	100	900	1.000	2.400	2.500
OR 37.50x3.00 FKM75	37,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 38.00x3.00 FKM75	38,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 38.50x3.00 FKM75	38,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 39.00x3.00 FKM75	39,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 39.20x3.00 FKM75	39,20	3,00				100	900	1.000	2.400	2.500
OR 39.50x3.00 FKM75	39,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 40.00x3.00 FKM75	40,00	3,00		DIN		50	450	500	1.200	1.250
OR 41.00x3.00 FKM75	41,00	3,00		DIN		50	450	500	1.200	1.250
OR 41.50x3.00 FKM75	41,50	3,00		DIN		50	450	500	1.200	1.250
OR 42.00x3.00 FKM75	42,00	3,00		DIN		50	450	500	1.200	1.250
OR 42.20x3.00 FKM75	42,20	3,00				50	450	500	1.200	1.250
OR 42.50x3.00 FKM75	42,50	3,00		DIN		50	450	500	1.200	1.250
OR 43.00x3.00 FKM75	43,00	3,00		DIN		50	450	500	1.200	1.250
OR 43.69x3.00 FKM75	43,69	3,00			924	50	450	500	1.200	1.250
OR 44.00x3.00 FKM75	44,00	3,00		DIN		50	450	500	1.200	1.250
OR 44.20x3.00 FKM75	44,20	3,00				50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 44.50x3.00 FKM75	44,50	3,00		DIN		50	450	500	1.200	1.250
OR 45.00x3.00 FKM75	45,00	3,00		DIN		50	450	500	1.200	1.250
OR 46.00x3.00 FKM75	46,00	3,00		DIN		50	450	500	1.200	1.250
OR 47.00x3.00 FKM75	47,00	3,00		DIN		50	450	500	1.200	1.250
OR 48.00x3.00 FKM75	48,00	3,00		DIN		50	450	500	1.200	1.250
OR 49.00x3.00 FKM75	49,00	3,00		DIN		50	450	500	1.200	1.250
OR 49.50x3.00 FKM75	49,50	3,00		DIN		50	450	500	1.200	1.250
OR 50.00x3.00 FKM75	50,00	3,00		DIN		50	450	500	1.200	1.250
OR 50.50x3.00 FKM75	50,50	3,00		DIN		50	450	500	1.200	1.250
OR 51.00x3.00 FKM75	51,00	3,00		DIN		50	450	500	1.200	1.250
OR 52.00x3.00 FKM75	52,00	3,00		DIN		50	450	500	1.200	1.250
OR 53.00x3.00 FKM75	53,00	3,00		DIN		50	450	500	1.200	1.250
OR 53.09x3.00 FKM75	53,09	3,00			928	50	450	500	1.200	1.250
OR 54.00x3.00 FKM75	54,00	3,00		DIN		50	450	500	1.200	1.250
OR 54.50x3.00 FKM75	54,50	3,00		DIN		50	450	500	1.200	1.250
OR 55.00x3.00 FKM75	55,00	3,00		DIN		50	450	500	1.200	1.250
OR 56.00x3.00 FKM75	56,00	3,00		DIN		50	450	500	1.200	1.250
OR 57.00x3.00 FKM75	57,00	3,00		DIN		50	450	500	1.200	1.250
OR 58.00x3.00 FKM75	58,00	3,00		DIN		50	450	500	1.200	1.250
OR 59.00x3.00 FKM75	59,00	3,00		DIN		50	450	500	1.200	1.250
OR 59.36x3.00 FKM75	59,36	3,00			932	50	450	500	1.200	1.250
OR 59.50x3.00 FKM75	59,50	3,00		DIN		50	450	500	1.200	1.250
OR 60.00x3.00 FKM75	60,00	3,00		DIN		50	450	500	1.200	1.250
OR 61.00x3.00 FKM75	61,00	3,00		DIN		50	450	500	1.200	1.250
OR 62.00x3.00 FKM75	62,00	3,00		DIN		50	450	500	1.200	1.250
OR 63.00x3.00 FKM75	63,00	3,00		DIN		50	450	500	1.200	1.250
OR 64.00x3.00 FKM75	64,00	3,00		DIN		50	450	500	1.200	1.250
OR 64.50x3.00 FKM75	64,50	3,00		DIN		50	450	500	1.200	1.250
OR 65.00x3.00 FKM75	65,00	3,00		DIN		50	450	500	1.200	1.250
OR 66.00x3.00 FKM75	66,00	3,00		DIN		50	450	500	1.200	1.250
OR 67.00x3.00 FKM75	67,00	3,00		DIN		50	450	500	1.200	1.250
OR 68.00x3.00 FKM75	68,00	3,00		DIN		50	450	500	1.200	1.250
OR 69.00x3.00 FKM75	69,00	3,00		DIN		50	450	500	1.200	1.250
OR 69.50x3.00 FKM75	69,50	3,00		DIN		50	450	500	1.200	1.250
OR 70.00x3.00 FKM75	70,00	3,00		DIN		50	450	500	1.200	1.250
OR 71.00x3.00 FKM75	71,00	3,00		DIN		50	450	500	1.200	1.250
OR 72.00x3.00 FKM75	72,00	3,00		DIN		50	450	500	1.200	1.250
OR 73.00x3.00 FKM75	73,00	3,00		DIN		50	450	500	1.200	1.250
OR 74.00x3.00 FKM75	74,00	3,00		DIN		50	450	500	1.200	1.250
OR 74.50x3.00 FKM75	74,50	3,00		DIN		50	450	500	1.200	1.250
OR 75.00x3.00 FKM75	75,00	3,00		DIN		50	450	500	1.200	1.250
OR 76.00x3.00 FKM75	76,00	3,00		DIN		50	450	500	1.200	1.250
OR 77.00x3.00 FKM75	77,00	3,00		DIN		50	450	500	1.200	1.250
OR 78.00x3.00 FKM75	78,00	3,00		DIN		50	450	500	1.200	1.250
OR 79.00x3.00 FKM75	79,00	3,00		DIN		50	450	500	1.200	1.250
OR 79.50x3.00 FKM75	79,50	3,00		DIN		50	450	500	1.200	1.250
OR 80.00x3.00 FKM75	80,00	3,00		DIN		30	270	300	720	750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 81.00x3.00 FKM75	81,00	3,00		DIN		30	270	300	720	750
OR 82.00x3.00 FKM75	82,00	3,00		DIN		30	270	300	720	750
OR 83.00x3.00 FKM75	83,00	3,00		DIN		30	270	300	720	750
OR 84.00x3.00 FKM75	84,00	3,00		DIN		30	270	300	720	750
OR 84.50x3.00 FKM75	84,50	3,00		DIN		30	270	300	720	750
OR 85.00x3.00 FKM75	85,00	3,00		DIN		30	270	300	720	750
OR 86.00x3.00 FKM75	86,00	3,00		DIN		30	270	300	720	750
OR 87.00x3.00 FKM75	87,00	3,00		DIN		30	270	300	720	750
OR 88.00x3.00 FKM75	88,00	3,00		DIN		30	270	300	720	750
OR 89.00x3.00 FKM75	89,00	3,00		DIN		30	270	300	720	750
OR 89.50x3.00 FKM75	89,50	3,00		DIN		30	270	300	720	750
OR 90.00x3.00 FKM75	90,00	3,00		DIN		30	270	300	720	750
OR 91.00x3.00 FKM75	91,00	3,00		DIN		30	270	300	720	750
OR 92.00x3.00 FKM75	92,00	3,00		DIN		30	270	300	720	750
OR 93.00x3.00 FKM75	93,00	3,00		DIN		30	270	300	720	750
OR 94.00x3.00 FKM75	94,00	3,00		DIN		30	270	300	720	750
OR 94.50x3.00 FKM75	94,50	3,00		DIN		30	270	300	720	750
OR 95.00x3.00 FKM75	95,00	3,00		DIN		30	270	300	720	750
OR 96.00x3.00 FKM75	96,00	3,00		DIN		30	270	300	720	750
OR 97.00x3.00 FKM75	97,00	3,00		DIN		30	270	300	720	750
OR 98.00x3.00 FKM75	98,00	3,00		DIN		30	270	300	720	750
OR 99.00x3.00 FKM75	99,00	3,00		DIN		30	270	300	720	750
OR 99.50x3.00 FKM75	99,50	3,00		DIN		30	270	300	720	750
OR 100.00x3.00 FKM75	100,00	3,00		DIN		30	270	300	720	750
OR 101.00x3.00 FKM75	101,00	3,00		DIN		30	270	300	720	750
OR 102.00x3.00 FKM75	102,00	3,00		DIN		30	270	300	720	750
OR 103.00x3.00 FKM75	103,00	3,00		DIN		30	270	300	720	750
OR 104.00x3.00 FKM75	104,00	3,00		DIN		30	270	300	720	750
OR 104.50x3.00 FKM75	104,50	3,00		DIN		30	270	300	720	750
OR 105.00x3.00 FKM75	105,00	3,00		DIN		30	270	300	720	750
OR 106.00x3.00 FKM75	106,00	3,00		DIN		30	270	300	720	750
OR 107.00x3.00 FKM75	107,00	3,00		DIN		30	270	300	720	750
OR 108.00x3.00 FKM75	108,00	3,00		DIN		30	270	300	720	750
OR 109.00x3.00 FKM75	109,00	3,00		DIN		30	270	300	720	750
OR 109.50x3.00 FKM75	109,50	3,00		DIN		30	270	300	720	750
OR 110.00x3.00 FKM75	110,00	3,00		DIN		30	270	300	720	750
OR 111.00x3.00 FKM75	111,00	3,00		DIN		30	270	300	720	750
OR 112.00x3.00 FKM75	112,00	3,00		DIN		30	270	300	720	750
OR 113.00x3.00 FKM75	113,00	3,00		DIN		30	270	300	720	750
OR 114.00x3.00 FKM75	114,00	3,00		DIN		30	270	300	720	750
OR 114.50x3.00 FKM75	114,50	3,00		DIN		30	270	300	720	750
OR 115.00x3.00 FKM75	115,00	3,00		DIN		30	270	300	720	750
OR 116.00x3.00 FKM75	116,00	3,00		DIN		30	270	300	720	750
OR 117.00x3.00 FKM75	117,00	3,00		DIN		30	270	300	720	750
OR 118.00x3.00 FKM75	118,00	3,00		DIN		30	270	300	720	750
OR 119.00x3.00 FKM75	119,00	3,00		DIN		30	270	300	720	750
OR 119.50x3.00 FKM75	119,50	3,00		DIN		30	270	300	720	750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 120.00x3.00 FKM75	120,00	3,00		DIN		20	180	200	480	500
OR 121.00x3.00 FKM75	121,00	3,00		DIN		20	180	200	480	500
OR 122.00x3.00 FKM75	122,00	3,00		DIN		20	180	200	480	500
OR 123.00x3.00 FKM75	123,00	3,00		DIN		20	180	200	480	500
OR 124.00x3.00 FKM75	124,00	3,00		DIN		20	180	200	480	500
OR 124.50x3.00 FKM75	124,50	3,00		DIN		20	180	200	480	500
OR 125.00x3.00 FKM75	125,00	3,00		DIN		20	180	200	480	500
OR 126.00x3.00 FKM75	126,00	3,00		DIN		20	180	200	480	500
OR 127.00x3.00 FKM75	127,00	3,00		DIN		20	180	200	480	500
OR 128.00x3.00 FKM75	128,00	3,00		DIN		20	180	200	480	500
OR 129.00x3.00 FKM75	129,00	3,00		DIN		20	180	200	480	500
OR 129.50x3.00 FKM75	129,50	3,00		DIN		20	180	200	480	500
OR 130.00x3.00 FKM75	130,00	3,00		DIN		20	180	200	480	500
OR 131.00x3.00 FKM75	131,00	3,00		DIN		20	180	200	480	500
OR 132.00x3.00 FKM75	132,00	3,00		DIN		20	180	200	480	500
OR 133.00x3.00 FKM75	133,00	3,00		DIN		20	180	200	480	500
OR 134.00x3.00 FKM75	134,00	3,00		DIN		20	180	200	480	500
OR 134.50x3.00 FKM75	134,50	3,00		DIN		20	180	200	480	500
OR 135.00x3.00 FKM75	135,00	3,00		DIN		20	180	200	480	500
OR 136.00x3.00 FKM75	136,00	3,00		DIN		20	180	200	480	500
OR 137.00x3.00 FKM75	137,00	3,00		DIN		20	180	200	480	500
OR 138.00x3.00 FKM75	138,00	3,00		DIN		20	180	200	480	500
OR 139.00x3.00 FKM75	139,00	3,00		DIN		20	180	200	480	500
OR 139.50x3.00 FKM75	139,50	3,00		DIN		20	180	200	480	500
OR 140.00x3.00 FKM75	140,00	3,00		DIN		20	180	200	480	500
OR 141.00x3.00 FKM75	141,00	3,00		DIN		20	180	200	480	500
OR 142.00x3.00 FKM75	142,00	3,00		DIN		20	180	200	480	500
OR 143.00x3.00 FKM75	143,00	3,00		DIN		20	180	200	480	500
OR 144.00x3.00 FKM75	144,00	3,00		DIN		20	180	200	480	500
OR 144.50x3.00 FKM75	144,50	3,00		DIN		20	180	200	480	500
OR 145.00x3.00 FKM75	145,00	3,00		DIN		10	90	100	240	250
OR 146.00x3.00 FKM75	146,00	3,00		DIN		10	90	100	240	250
OR 147.00x3.00 FKM75	147,00	3,00		DIN		10	90	100	240	250
OR 148.00x3.00 FKM75	148,00	3,00		DIN		10	90	100	240	250
OR 149.00x3.00 FKM75	149,00	3,00		DIN		10	90	100	240	250
OR 149.50x3.00 FKM75	149,50	3,00		DIN		10	90	100	240	250
OR 150.00x3.00 FKM75	150,00	3,00		DIN		10	90	100	240	250
OR 151.00x3.00 FKM75	151,00	3,00		DIN		10	90	100	240	250
OR 152.00x3.00 FKM75	152,00	3,00		DIN		10	90	100	240	250
OR 153.00x3.00 FKM75	153,00	3,00		DIN		10	90	100	240	250
OR 154.00x3.00 FKM75	154,00	3,00		DIN		10	90	100	240	250
OR 154.50x3.00 FKM75	154,50	3,00		DIN		10	90	100	240	250
OR 155.00x3.00 FKM75	155,00	3,00		DIN		10	90	100	240	250
OR 156.00x3.00 FKM75	156,00	3,00		DIN		10	90	100	240	250
OR 157.00x3.00 FKM75	157,00	3,00		DIN		10	90	100	240	250
OR 158.00x3.00 FKM75	158,00	3,00		DIN		10	90	100	240	250
OR 159.00x3.00 FKM75	159,00	3,00		DIN		10	90	100	240	250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 159.50x3.00 FKM75	159,50	3,00		DIN		10	90	100	240	250
OR 160.00x3.00 FKM75	160,00	3,00		DIN		10	90	100	240	250
OR 161.00x3.00 FKM75	161,00	3,00		DIN		10	90	100	240	250
OR 162.00x3.00 FKM75	162,00	3,00		DIN		10	90	100	240	250
OR 163.00x3.00 FKM75	163,00	3,00		DIN		10	90	100	240	250
OR 164.00x3.00 FKM75	164,00	3,00		DIN		10	90	100	240	250
OR 164.50x3.00 FKM75	164,50	3,00		DIN		10	90	100	240	250
OR 165.00x3.00 FKM75	165,00	3,00		DIN		10	90	100	240	250
OR 166.00x3.00 FKM75	166,00	3,00		DIN		10	90	100	240	250
OR 167.00x3.00 FKM75	167,00	3,00		DIN		10	90	100	240	250
OR 168.00x3.00 FKM75	168,00	3,00		DIN		10	90	100	240	250
OR 169.00x3.00 FKM75	169,00	3,00		DIN		10	90	100	240	250
OR 169.50x3.00 FKM75	169,50	3,00		DIN		10	90	100	240	250
OR 170.00x3.00 FKM75	170,00	3,00		DIN		10	90	100	240	250
OR 171.00x3.00 FKM75	171,00	3,00		DIN		10	90	100	240	250
OR 172.00x3.00 FKM75	172,00	3,00		DIN		10	90	100	240	250
OR 173.00x3.00 FKM75	173,00	3,00		DIN		10	90	100	240	250
OR 174.00x3.00 FKM75	174,00	3,00		DIN		10	90	100	240	250
OR 174.50x3.00 FKM75	174,50	3,00		DIN		10	90	100	240	250
OR 175.00x3.00 FKM75	175,00	3,00		DIN		10	90	100	240	250
OR 176.00x3.00 FKM75	176,00	3,00		DIN		10	90	100	240	250
OR 177.00x3.00 FKM75	177,00	3,00		DIN		10	90	100	240	250
OR 178.00x3.00 FKM75	178,00	3,00		DIN		10	90	100	240	250
OR 179.00x3.00 FKM75	179,00	3,00		DIN		10	90	100	240	250
OR 179.50x3.00 FKM75	179,50	3,00		DIN		10	90	100	240	250
OR 180.00x3.00 FKM75	180,00	3,00		DIN		10	90	100	240	250
OR 181.00x3.00 FKM75	181,00	3,00		DIN		10	90	100	240	250
OR 182.00x3.00 FKM75	182,00	3,00		DIN		10	90	100	240	250
OR 183.00x3.00 FKM75	183,00	3,00		DIN		10	90	100	240	250
OR 184.00x3.00 FKM75	184,00	3,00		DIN		10	90	100	240	250
OR 184.50x3.00 FKM75	184,50	3,00		DIN		10	90	100	240	250
OR 185.00x3.00 FKM75	185,00	3,00		DIN		10	90	100	240	250
OR 186.00x3.00 FKM75	186,00	3,00		DIN		10	90	100	240	250
OR 187.00x3.00 FKM75	187,00	3,00		DIN		10	90	100	240	250
OR 188.00x3.00 FKM75	188,00	3,00		DIN		10	90	100	240	250
OR 189.00x3.00 FKM75	189,00	3,00		DIN		10	90	100	240	250
OR 189.50x3.00 FKM75	189,50	3,00		DIN		10	90	100	240	250
OR 190.00x3.00 FKM75	190,00	3,00		DIN		10	90	100	240	250
OR 191.00x3.00 FKM75	191,00	3,00		DIN		10	90	100	240	250
OR 192.00x3.00 FKM75	192,00	3,00		DIN		10	90	100	240	250
OR 193.00x3.00 FKM75	193,00	3,00		DIN		10	90	100	240	250
OR 194.00x3.00 FKM75	194,00	3,00		DIN		10	90	100	240	250
OR 194.50x3.00 FKM75	194,50	3,00		DIN		10	90	100	240	250
OR 195.00x3.00 FKM75	195,00	3,00		DIN		10	90	100	240	250
OR 196.00x3.00 FKM75	196,00	3,00		DIN		10	90	100	240	250
OR 197.00x3.00 FKM75	197,00	3,00		DIN		10	90	100	240	250
OR 198.00x3.00 FKM75	198,00	3,00		DIN		10	90	100	240	250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 199.00x3.00 FKM75	199,00	3,00		DIN		10	90	100	240	250
OR 199.50x3.00 FKM75	199,50	3,00		DIN		10	90	100	240	250
OR 200.00x3.00 FKM75	200,00	3,00		DIN		10	90	100	240	250
OR 201.00x3.00 FKM75	201,00	3,00		DIN		10	90	100	240	250
OR 202.00x3.00 FKM75	202,00	3,00		DIN		10	90	100	240	250
OR 203.00x3.00 FKM75	203,00	3,00		DIN		10	90	100	240	250
OR 204.00x3.00 FKM75	204,00	3,00		DIN		10	90	100	240	250
OR 204.50x3.00 FKM75	204,50	3,00		DIN		10	90	100	240	250
OR 205.00x3.00 FKM75	205,00	3,00		DIN		10	90	100	240	250
OR 206.00x3.00 FKM75	206,00	3,00		DIN		10	90	100	240	250
OR 207.00x3.00 FKM75	207,00	3,00		DIN		10	90	100	240	250
OR 208.00x3.00 FKM75	208,00	3,00		DIN		10	90	100	240	250
OR 209.00x3.00 FKM75	209,00	3,00		DIN		10	90	100	240	250
OR 209.50x3.00 FKM75	209,50	3,00		DIN		10	90	100	240	250
OR 210.00x3.00 FKM75	210,00	3,00		DIN		5	45	50	120	125
OR 211.00x3.00 FKM75	211,00	3,00		DIN		5	45	50	120	125
OR 212.00x3.00 FKM75	212,00	3,00		DIN		5	45	50	120	125
OR 213.00x3.00 FKM75	213,00	3,00		DIN		5	45	50	120	125
OR 214.00x3.00 FKM75	214,00	3,00		DIN		5	45	50	120	125
OR 215.00x3.00 FKM75	215,00	3,00		DIN		5	45	50	120	125
OR 216.00x3.00 FKM75	216,00	3,00		DIN		5	45	50	120	125
OR 217.00x3.00 FKM75	217,00	3,00		DIN		5	45	50	120	125
OR 218.00x3.00 FKM75	218,00	3,00		DIN		5	45	50	120	125
OR 219.00x3.00 FKM75	219,00	3,00		DIN		5	45	50	120	125
OR 219.50x3.00 FKM75	219,50	3,00		DIN		5	45	50	120	125
OR 220.00x3.00 FKM75	220,00	3,00		DIN		5	45	50	120	125
OR 221.00x3.00 FKM75	221,00	3,00		DIN		5	45	50	120	125
OR 222.00x3.00 FKM75	222,00	3,00		DIN		5	45	50	120	125
OR 223.00x3.00 FKM75	223,00	3,00		DIN		5	45	50	120	125
OR 224.00x3.00 FKM75	224,00	3,00		DIN		5	45	50	120	125
OR 225.00x3.00 FKM75	225,00	3,00		DIN		5	45	50	120	125
OR 226.00x3.00 FKM75	226,00	3,00		DIN		5	45	50	120	125
OR 227.00x3.00 FKM75	227,00	3,00		DIN		5	45	50	120	125
OR 228.00x3.00 FKM75	228,00	3,00		DIN		5	45	50	120	125
OR 229.00x3.00 FKM75	229,00	3,00		DIN		5	45	50	120	125
OR 229.50x3.00 FKM75	229,50	3,00		DIN		5	45	50	120	125
OR 230.00x3.00 FKM75	230,00	3,00		DIN		5	45	50	120	125
OR 231.00x3.00 FKM75	231,00	3,00		DIN		5	45	50	120	125
OR 232.00x3.00 FKM75	232,00	3,00		DIN		5	45	50	120	125
OR 233.00x3.00 FKM75	233,00	3,00		DIN		5	45	50	120	125
OR 234.00x3.00 FKM75	234,00	3,00		DIN		5	45	50	120	125
OR 235.00x3.00 FKM75	235,00	3,00		DIN		5	45	50	120	125
OR 236.00x3.00 FKM75	236,00	3,00		DIN		5	45	50	120	125
OR 237.00x3.00 FKM75	237,00	3,00		DIN		5	45	50	120	125
OR 238.00x3.00 FKM75	238,00	3,00		DIN		5	45	50	120	125
OR 239.00x3.00 FKM75	239,00	3,00		DIN		5	45	50	120	125
OR 239.50x3.00 FKM75	239,50	3,00		DIN		5	45	50	120	125

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 240.00x3.00 FKM75	240,00	3,00		DIN		5	45	50	120	125
OR 241.00x3.00 FKM75	241,00	3,00		DIN		5	45	50	120	125
OR 242.00x3.00 FKM75	242,00	3,00		DIN		5	45	50	120	125
OR 243.00x3.00 FKM75	243,00	3,00		DIN		5	45	50	120	125
OR 244.00x3.00 FKM75	244,00	3,00		DIN		5	45	50	120	125
OR 245.00x3.00 FKM75	245,00	3,00		DIN		5	45	50	120	125
OR 246.00x3.00 FKM75	246,00	3,00		DIN		5	45	50	120	125
OR 247.00x3.00 FKM75	247,00	3,00		DIN		5	45	50	120	125
OR 248.00x3.00 FKM75	248,00	3,00		DIN		5	45	50	120	125
OR 249.00x3.00 FKM75	249,00	3,00		DIN		5	45	50	120	125
OR 249.50x3.00 FKM75	249,50	3,00		DIN		5	45	50	120	125
OR 250.00x3.00 FKM75	250,00	3,00		DIN		5	45	50	120	125
OR 24.40x3.10 FKM75	24,40	3,10		G25		50	450	500	1.200	1.250
OR 29.40x3.10 FKM75	29,40	3,10		G30		50	450	500	1.200	1.250
OR 34.40x3.10 FKM75	34,40	3,10		G35		50	450	500	1.200	1.250
OR 39.40x3.10 FKM75	39,40	3,10		G40		50	450	500	1.200	1.250
OR 44.40x3.10 FKM75	44,40	3,10		G45		50	450	500	1.200	1.250
OR 49.40x3.10 FKM75	49,40	3,10		G50		50	450	500	1.200	1.250
OR 54.40x3.10 FKM75	54,40	3,10		G55		50	450	500	1.200	1.250
OR 59.40x3.10 FKM75	59,40	3,10		G60		50	450	500	1.200	1.250
OR 64.40x3.10 FKM75	64,40	3,10		G65		30	270	300	720	750
OR 69.40x3.10 FKM75	69,40	3,10		G70		30	270	300	720	750
OR 74.40x3.10 FKM75	74,40	3,10		G75		30	270	300	720	750
OR 79.40x3.10 FKM75	79,40	3,10		G80		30	270	300	720	750
OR 84.40x3.10 FKM75	84,40	3,10		G85		30	270	300	720	750
OR 89.40x3.10 FKM75	89,40	3,10		G90		30	270	300	720	750
OR 94.40x3.10 FKM75	94,40	3,10		G95		20	180	200	480	500
OR 99.40x3.10 FKM75	99,40	3,10		G100		20	180	200	480	500
OR 104.40x3.10 FKM75	104,40	3,10		G105		20	180	200	480	500
OR 109.40x3.10 FKM75	109,40	3,10		G110		20	180	200	480	500
OR 114.40x3.10 FKM75	114,40	3,10		G115		20	180	200	480	500
OR 119.40x3.10 FKM75	119,40	3,10		G120		20	180	200	480	500
OR 124.40x3.10 FKM75	124,40	3,10		G125		20	180	200	480	500
OR 129.40x3.10 FKM75	129,40	3,10		G130		10	90	100	240	250
OR 134.40x3.10 FKM75	134,40	3,10		G135		10	90	100	240	250
OR 139.40x3.10 FKM75	139,40	3,10		G140		10	90	100	240	250
OR 144.40x3.10 FKM75	144,40	3,10		G145		10	90	100	240	250
OR 8.00x3.50 FKM75	8,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 9.00x3.50 FKM75	9,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 10.00x3.50 FKM75	10,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 11.00x3.50 FKM75	11,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 12.00x3.50 FKM75	12,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 13.00x3.50 FKM75	13,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 14.00x3.50 FKM75	14,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 15.00x3.50 FKM75	15,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 16.00x3.50 FKM75	16,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 17.00x3.50 FKM75	17,00	3,50		DIN		150	1.350	1.500	3.600	3.750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 18.00x3.50 FKM75	18,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 19.00x3.50 FKM75	19,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 20.00x3.50 FKM75	20,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 21.00x3.50 FKM75	21,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 21.70x3.50 FKM75	21,70	3,50		P22A		100	900	1.000	2.400	2.500
OR 22.00x3.50 FKM75	22,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 22.10x3.50 FKM75	22,10	3,50		P22.4		100	900	1.000	2.400	2.500
OR 23.00x3.50 FKM75	23,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 23.70x3.50 FKM75	23,70	3,50		P24		100	900	1.000	2.400	2.500
OR 24.00x3.50 FKM75	24,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 24.70x3.50 FKM75	24,70	3,50		P25		100	900	1.000	2.400	2.500
OR 25.00x3.50 FKM75	25,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 25.20x3.50 FKM75	25,20	3,50		P25.5		100	900	1.000	2.400	2.500
OR 25.70x3.50 FKM75	25,70	3,50		P26		100	900	1.000	2.400	2.500
OR 26.00x3.50 FKM75	26,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 27.00x3.50 FKM75	27,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 27.70x3.50 FKM75	27,70	3,50		P28		100	900	1.000	2.400	2.500
OR 28.00x3.50 FKM75	28,00	3,50		DIN		50	450	500	1.200	1.250
OR 28.70x3.50 FKM75	28,70	3,50		P29		50	450	500	1.200	1.250
OR 29.00x3.50 FKM75	29,00	3,50		DIN		50	450	500	1.200	1.250
OR 29.20x3.50 FKM75	29,20	3,50		P29.5		50	450	500	1.200	1.250
OR 29.70x3.50 FKM75	29,70	3,50		P30		50	450	500	1.200	1.250
OR 30.00x3.50 FKM75	30,00	3,50		DIN		50	450	500	1.200	1.250
OR 30.70x3.50 FKM75	30,70	3,50		P31		50	450	500	1.200	1.250
OR 31.00x3.50 FKM75	31,00	3,50		DIN		50	450	500	1.200	1.250
OR 31.20x3.50 FKM75	31,20	3,50		P31.5		50	450	500	1.200	1.250
OR 31.70x3.50 FKM75	31,70	3,50		P32		50	450	500	1.200	1.250
OR 32.00x3.50 FKM75	32,00	3,50		DIN		50	450	500	1.200	1.250
Or 33.00x3.50 FKM75	33,00	3,50		DIN		50	450	500	1.200	1.250
OR 33.70x3.50 FKM75	33,70	3,50		P34		50	450	500	1.200	1.250
OR 34.00x3.50 FKM75	34,00	3,50		DIN		50	450	500	1.200	1.250
OR 34.70x3.50 FKM75	34,70	3,50		P35		50	450	500	1.200	1.250
OR 35.00x3.50 FKM75	35,00	3,50		DIN		50	450	500	1.200	1.250
OR 35.20x3.50 FKM75	35,20	3,50		P35.5		50	450	500	1.200	1.250
OR 35.70x3.50 FKM75	35,70	3,50		P36		50	450	500	1.200	1.250
OR 36.00x3.50 FKM75	36,00	3,50		DIN		50	450	500	1.200	1.250
OR 37.00x3.50 FKM75	37,00	3,50		DIN		50	450	500	1.200	1.250
OR 37.70x3.50 FKM75	37,70	3,50		P38		50	450	500	1.200	1.250
OR 38.00x3.50 FKM75	38,00	3,50		DIN		50	450	500	1.200	1.250
OR 38.70x3.50 FKM75	38,70	3,50		P39		50	450	500	1.200	1.250
OR 39.00x3.50 FKM75	39,00	3,50		DIN		50	450	500	1.200	1.250
OR 39.70x3.50 FKM75	39,70	3,50		P40		50	450	500	1.200	1.250
OR 40.00x3.50 FKM75	40,00	3,50		DIN		50	450	500	1.200	1.250
OR 40.70x3.50 FKM75	40,70	3,50		P41		50	450	500	1.200	1.250
OR 41.00x3.50 FKM75	41,00	3,50		DIN		50	450	500	1.200	1.250
OR 41.70x3.50 FKM75	41,70	3,50		P42		50	450	500	1.200	1.250
OR 42.00x3.50 FKM75	42,00	3,50		DIN		50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 43.00x3.50 FKM75	43,00	3,50		DIN		50	450	500	1.200	1.250
OR 43.70x3.50 FKM75	43,70	3,50		P44		50	450	500	1.200	1.250
OR 44.00x3.50 FKM75	44,00	3,50		DIN		50	450	500	1.200	1.250
OR 44.70x3.50 FKM75	44,70	3,50		P45		50	450	500	1.200	1.250
OR 45.00x3.50 FKM75	45,00	3,50		DIN		50	450	500	1.200	1.250
OR 45.70x3.50 FKM75	45,70	3,50		P46		50	450	500	1.200	1.250
OR 46.00x3.50 FKM75	46,00	3,50		DIN		50	450	500	1.200	1.250
OR 47.00x3.50 FKM75	47,00	3,50		DIN		50	450	500	1.200	1.250
OR 47.70x3.50 FKM75	47,70	3,50		P48		50	450	500	1.200	1.250
OR 48.00x3.50 FKM75	48,00	3,50		DIN		50	450	500	1.200	1.250
OR 48.70x3.50 FKM75	48,70	3,50		P49		50	450	500	1.200	1.250
OR 49.00x3.50 FKM75	49,00	3,50		DIN		50	450	500	1.200	1.250
OR 49.70x3.50 FKM75	49,70	3,50		P50		50	450	500	1.200	1.250
OR 50.00x3.50 FKM75	50,00	3,50		DIN		50	450	500	1.200	1.250
OR 51.00x3.50 FKM75	51,00	3,50		DIN		50	450	500	1.200	1.250
OR 52.00x3.50 FKM75	52,00	3,50		DIN		50	450	500	1.200	1.250
OR 53.00x3.50 FKM75	53,00	3,50		DIN		50	450	500	1.200	1.250
OR 54.00x3.50 FKM75	54,00	3,50		DIN		50	450	500	1.200	1.250
OR 55.00x3.50 FKM75	55,00	3,50		DIN		50	450	500	1.200	1.250
OR 56.00x3.50 FKM75	56,00	3,50		DIN		50	450	500	1.200	1.250
OR 57.00x3.50 FKM75	57,00	3,50		DIN		50	450	500	1.200	1.250
OR 58.00x3.50 FKM75	58,00	3,50		DIN		50	450	500	1.200	1.250
OR 59.00x3.50 FKM75	59,00	3,50		DIN		50	450	500	1.200	1.250
OR 60.00x3.50 FKM75	60,00	3,50		DIN		30	270	300	720	750
OR 61.00x3.50 FKM75	61,00	3,50		DIN		30	270	300	720	750
OR 62.00x3.50 FKM75	62,00	3,50		DIN		30	270	300	720	750
OR 63.00x3.50 FKM75	63,00	3,50		DIN		30	270	300	720	750
OR 64.00x3.50 FKM75	64,00	3,50		DIN		30	270	300	720	750
OR 65.00x3.50 FKM75	65,00	3,50		DIN		30	270	300	720	750
OR 66.00x3.50 FKM75	66,00	3,50		DIN		30	270	300	720	750
OR 67.00x3.50 FKM75	67,00	3,50		DIN		30	270	300	720	750
OR 68.00x3.50 FKM75	68,00	3,50		DIN		30	270	300	720	750
OR 69.00x3.50 FKM75	69,00	3,50		DIN		30	270	300	720	750
OR 70.00x3.50 FKM75	70,00	3,50		DIN		30	270	300	720	750
OR 71.00x3.50 FKM75	71,00	3,50		DIN		30	270	300	720	750
OR 72.00x3.50 FKM75	72,00	3,50		DIN		30	270	300	720	750
OR 73.00x3.50 FKM75	73,00	3,50		DIN		30	270	300	720	750
OR 74.00x3.50 FKM75	74,00	3,50		DIN		30	270	300	720	750
OR 75.00x3.50 FKM75	75,00	3,50		DIN		30	270	300	720	750
OR 76.00x3.50 FKM75	76,00	3,50		DIN		30	270	300	720	750
OR 77.00x3.50 FKM75	77,00	3,50		DIN		30	270	300	720	750
OR 78.00x3.50 FKM75	78,00	3,50		DIN		30	270	300	720	750
OR 79.00x3.50 FKM75	79,00	3,50		DIN		30	270	300	720	750
OR 80.00x3.50 FKM75	80,00	3,50		DIN		30	270	300	720	750
OR 81.00x3.50 FKM75	81,00	3,50		DIN		30	270	300	720	750
OR 82.00x3.50 FKM75	82,00	3,50		DIN		30	270	300	720	750
OR 83.00x3.50 FKM75	83,00	3,50		DIN		30	270	300	720	750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 84.00x3.50 FKM75	84,00	3,50		DIN		30	270	300	720	750
OR 85.00x3.50 FKM75	85,00	3,50		DIN		30	270	300	720	750
OR 86.00x3.50 FKM75	86,00	3,50		DIN		30	270	300	720	750
OR 87.00x3.50 FKM75	87,00	3,50		DIN		30	270	300	720	750
OR 88.00x3.50 FKM75	88,00	3,50		DIN		30	270	300	720	750
OR 89.00x3.50 FKM75	89,00	3,50		DIN		30	270	300	720	750
OR 90.00x3.50 FKM75	90,00	3,50		DIN		20	180	200	480	500
OR 91.00x3.50 FKM75	91,00	3,50		DIN		20	180	200	480	500
OR 92.00x3.50 FKM75	92,00	3,50		DIN		20	180	200	480	500
OR 93.00x3.50 FKM75	93,00	3,50		DIN		20	180	200	480	500
OR 94.00x3.50 FKM75	94,00	3,50		DIN		20	180	200	480	500
OR 95.00x3.50 FKM75	95,00	3,50		DIN		20	180	200	480	500
OR 96.00x3.50 FKM75	96,00	3,50		DIN		20	180	200	480	500
OR 97.00x3.50 FKM75	97,00	3,50		DIN		20	180	200	480	500
OR 98.00x3.50 FKM75	98,00	3,50		DIN		20	180	200	480	500
OR 99.00x3.50 FKM75	99,00	3,50		DIN		20	180	200	480	500
OR 100.00x3.50 FKM75	100,00	3,50		DIN		20	180	200	480	500
OR 101.00x3.50 FKM75	101,00	3,50		DIN		20	180	200	480	500
OR 102.00x3.50 FKM75	102,00	3,50		DIN		20	180	200	480	500
OR 103.00x3.50 FKM75	103,00	3,50		DIN		20	180	200	480	500
OR 104.00x3.50 FKM75	104,00	3,50		DIN		20	180	200	480	500
OR 105.00x3.50 FKM75	105,00	3,50		DIN		20	180	200	480	500
OR 106.00x3.50 FKM75	106,00	3,50		DIN		20	180	200	480	500
OR 107.00x3.50 FKM75	107,00	3,50		DIN		20	180	200	480	500
OR 108.00x3.50 FKM75	108,00	3,50		DIN		20	180	200	480	500
OR 109.00x3.50 FKM75	109,00	3,50		DIN		20	180	200	480	500
OR 110.00x3.50 FKM75	110,00	3,50		DIN		20	180	200	480	500
OR 111.00x3.50 FKM75	111,00	3,50		DIN		20	180	200	480	500
OR 112.00x3.50 FKM75	112,00	3,50		DIN		20	180	200	480	500
OR 113.00x3.50 FKM75	113,00	3,50		DIN		20	180	200	480	500
OR 114.00x3.50 FKM75	114,00	3,50		DIN		20	180	200	480	500
OR 115.00x3.50 FKM75	115,00	3,50		DIN		20	180	200	480	500
OR 116.00x3.50 FKM75	116,00	3,50		DIN		20	180	200	480	500
OR 117.00x3.50 FKM75	117,00	3,50		DIN		20	180	200	480	500
OR 118.00x3.50 FKM75	118,00	3,50		DIN		20	180	200	480	500
OR 119.00x3.50 FKM75	119,00	3,50		DIN		20	180	200	480	500
OR 120.00x3.50 FKM75	120,00	3,50		DIN		20	180	200	480	500
OR 121.00x3.50 FKM75	121,00	3,50		DIN		20	180	200	480	500
OR 122.00x3.50 FKM75	122,00	3,50		DIN		20	180	200	480	500
OR 123.00x3.50 FKM75	123,00	3,50		DIN		20	180	200	480	500
OR 124.00x3.50 FKM75	124,00	3,50		DIN		20	180	200	480	500
OR 125.00x3.50 FKM75	125,00	3,50		DIN		20	180	200	480	500
OR 126.00x3.50 FKM75	126,00	3,50		DIN		20	180	200	480	500
OR 127.00x3.50 FKM75	127,00	3,50		DIN		20	180	200	480	500
OR 128.00x3.50 FKM75	128,00	3,50		DIN		20	180	200	480	500
OR 129.00x3.50 FKM75	129,00	3,50		DIN		20	180	200	480	500
OR 130.00x3.50 FKM75	130,00	3,50		DIN		10	90	100	240	250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 131.00x3.50 FKM75	131,00	3,50		DIN		10	90	100	240	250
OR 132.00x3.50 FKM75	132,00	3,50		DIN		10	90	100	240	250
OR 133.00x3.50 FKM75	133,00	3,50		DIN		10	90	100	240	250
OR 134.00x3.50 FKM75	134,00	3,50		DIN		10	90	100	240	250
OR 135.00x3.50 FKM75	135,00	3,50		DIN		10	90	100	240	250
OR 136.00x3.50 FKM75	136,00	3,50		DIN		10	90	100	240	250
OR 137.00x3.50 FKM75	137,00	3,50		DIN		10	90	100	240	250
OR 138.00x3.50 FKM75	138,00	3,50		DIN		10	90	100	240	250
OR 139.00x3.50 FKM75	139,00	3,50		DIN		10	90	100	240	250
OR 140.00x3.50 FKM75	140,00	3,50		DIN		10	90	100	240	250
OR 141.00x3.50 FKM75	141,00	3,50		DIN		10	90	100	240	250
OR 142.00x3.50 FKM75	142,00	3,50		DIN		10	90	100	240	250
OR 143.00x3.50 FKM75	143,00	3,50		DIN		10	90	100	240	250
OR 144.00x3.50 FKM75	144,00	3,50		DIN		10	90	100	240	250
OR 145.00x3.50 FKM75	145,00	3,50		DIN		10	90	100	240	250
OR 146.00x3.50 FKM75	146,00	3,50		DIN		10	90	100	240	250
OR 147.00x3.50 FKM75	147,00	3,50		DIN		10	90	100	240	250
OR 148.00x3.50 FKM75	148,00	3,50		DIN		10	90	100	240	250
OR 149.00x3.50 FKM75	149,00	3,50		DIN		10	90	100	240	250
OR 150.00x3.50 FKM75	150,00	3,50		DIN		10	90	100	240	250
OR 151.00x3.50 FKM75	151,00	3,50		DIN		10	90	100	240	250
OR 152.00x3.50 FKM75	152,00	3,50		DIN		10	90	100	240	250
OR 153.00x3.50 FKM75	153,00	3,50		DIN		10	90	100	240	250
OR 154.00x3.50 FKM75	154,00	3,50		DIN		10	90	100	240	250
OR 155.00x3.50 FKM75	155,00	3,50		DIN		10	90	100	240	250
OR 156.00x3.50 FKM75	156,00	3,50		DIN		10	90	100	240	250
OR 157.00x3.50 FKM75	157,00	3,50		DIN		10	90	100	240	250
OR 158.00x3.50 FKM75	158,00	3,50		DIN		10	90	100	240	250
OR 159.00x3.50 FKM75	159,00	3,50		DIN		10	90	100	240	250
OR 160.00x3.50 FKM75	160,00	3,50		DIN		10	90	100	240	250
OR 161.00x3.50 FKM75	161,00	3,50		DIN		10	90	100	240	250
OR 162.00x3.50 FKM75	162,00	3,50		DIN		10	90	100	240	250
OR 163.00x3.50 FKM75	163,00	3,50		DIN		10	90	100	240	250
OR 164.00x3.50 FKM75	164,00	3,50		DIN		10	90	100	240	250
OR 165.00x3.50 FKM75	165,00	3,50		DIN		10	90	100	240	250
OR 166.00x3.50 FKM75	166,00	3,50		DIN		10	90	100	240	250
OR 167.00x3.50 FKM75	167,00	3,50		DIN		10	90	100	240	250
OR 168.00x3.50 FKM75	168,00	3,50		DIN		10	90	100	240	250
OR 169.00x3.50 FKM75	169,00	3,50		DIN		10	90	100	240	250
OR 170.00x3.50 FKM75	170,00	3,50		DIN		10	90	100	240	250
OR 171.00x3.50 FKM75	171,00	3,50		DIN		10	90	100	240	250
OR 172.00x3.50 FKM75	172,00	3,50		DIN		10	90	100	240	250
OR 173.00x3.50 FKM75	173,00	3,50		DIN		10	90	100	240	250
OR 174.00x3.50 FKM75	174,00	3,50		DIN		10	90	100	240	250
OR 175.00x3.50 FKM75	175,00	3,50		DIN		10	90	100	240	250
OR 176.00x3.50 FKM75	176,00	3,50		DIN		10	90	100	240	250
OR 177.00x3.50 FKM75	177,00	3,50		DIN		10	90	100	240	250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 178.00x3.50 FKM75	178,00	3,50		DIN		10	90	100	240	250
OR 179.00x3.50 FKM75	179,00	3,50		DIN		10	90	100	240	250
OR 180.00x3.50 FKM75	180,00	3,50		DIN		10	90	100	240	250
OR 181.00x3.50 FKM75	181,00	3,50		DIN		10	90	100	240	250
OR 182.00x3.50 FKM75	182,00	3,50		DIN		10	90	100	240	250
OR 183.00x3.50 FKM75	183,00	3,50		DIN		10	90	100	240	250
OR 184.00x3.50 FKM75	184,00	3,50		DIN		10	90	100	240	250
OR 185.00x3.50 FKM75	185,00	3,50		DIN		10	90	100	240	250
OR 186.00x3.50 FKM75	186,00	3,50		DIN		10	90	100	240	250
OR 187.00x3.50 FKM75	187,00	3,50		DIN		10	90	100	240	250
OR 188.00x3.50 FKM75	188,00	3,50		DIN		10	90	100	240	250
OR 189.00x3.50 FKM75	189,00	3,50		DIN		10	90	100	240	250
OR 190.00x3.50 FKM75	190,00	3,50		DIN		10	90	100	240	250
OR 191.00x3.50 FKM75	191,00	3,50		DIN		10	90	100	240	250
OR 192.00x3.50 FKM75	192,00	3,50		DIN		10	90	100	240	250
OR 193.00x3.50 FKM75	193,00	3,50		DIN		10	90	100	240	250
OR 194.00x3.50 FKM75	194,00	3,50		DIN		10	90	100	240	250
OR 195.00x3.50 FKM75	195,00	3,50		DIN		10	90	100	240	250
OR 196.00x3.50 FKM75	196,00	3,50		DIN		10	90	100	240	250
OR 197.00x3.50 FKM75	197,00	3,50		DIN		10	90	100	240	250
OR 198.00x3.50 FKM75	198,00	3,50		DIN		10	90	100	240	250
OR 199.00x3.50 FKM75	199,00	3,50		DIN		5	45	50	120	125
OR 200.00x3.50 FKM75	200,00	3,50		DIN		5	45	50	120	125
OR 201.00x3.50 FKM75	201,00	3,50		DIN		5	45	50	120	125
OR 202.00x3.50 FKM75	202,00	3,50		DIN		5	45	50	120	125
OR 203.00x3.50 FKM75	203,00	3,50		DIN		5	45	50	120	125
OR 204.00x3.50 FKM75	204,00	3,50		DIN		5	45	50	120	125
OR 205.00x3.50 FKM75	205,00	3,50		DIN		5	45	50	120	125
OR 206.00x3.50 FKM75	206,00	3,50		DIN		5	45	50	120	125
OR 207.00x3.50 FKM75	207,00	3,50		DIN		5	45	50	120	125
OR 208.00x3.50 FKM75	208,00	3,50		DIN		5	45	50	120	125
OR 209.00x3.50 FKM75	209,00	3,50		DIN		5	45	50	120	125
OR 210.00x3.50 FKM75	210,00	3,50		DIN		5	45	50	120	125
OR 215.00x3.50 FKM75	215,00	3,50		DIN		5	45	50	120	125
OR 220.00x3.50 FKM75	220,00	3,50		DIN		5	45	50	120	125
OR 225.00x3.50 FKM75	225,00	3,50		DIN		5	45	50	120	125
OR 230.00x3.50 FKM75	230,00	3,50		DIN		5	45	50	120	125
OR 235.00x3.50 FKM75	235,00	3,50		DIN		5	45	50	120	125
OR 240.00x3.50 FKM75	240,00	3,50		DIN		5	45	50	120	125
OR 245.00x3.50 FKM75	245,00	3,50		DIN		5	45	50	120	125
OR 250.00x3.50 FKM75	250,00	3,50		DIN		5	45	50	120	125
OR 255.00x3.50 FKM75	255,00	3,50		DIN		5	45	50	120	125
OR 260.00x3.50 FKM75	260,00	3,50		DIN		5	45	50	120	125
OR 265.00x3.50 FKM75	265,00	3,50		DIN		5	45	50	120	125
OR 270.00x3.50 FKM75	270,00	3,50		DIN		5	45	50	120	125
OR 275.00x3.50 FKM75	275,00	3,50		DIN		5	45	50	120	125
OR 280.00x3.50 FKM75	280,00	3,50		DIN		5	45	50	120	125

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 285.00x3.50 FKM75	285,00	3,50		DIN		5	45	50	120	125
OR 290.00x3.50 FKM75	290,00	3,50		DIN		5	45	50	120	125
OR 295.00x3.50 FKM75	295,00	3,50		DIN		5	45	50	120	125
OR 300.00x3.50 FKM75	300,00	3,50		DIN		5	45	50	120	125
OR 305.00x3.50 FKM75	305,00	3,50		DIN		3	27	30	72	75
OR 310.00x3.50 FKM75	310,00	3,50		DIN		3	27	30	72	75
OR 315.00x3.50 FKM75	315,00	3,50		DIN		3	27	30	72	75
OR 320.00x3.50 FKM75	320,00	3,50		DIN		3	27	30	72	75
OR 325.00x3.50 FKM75	325,00	3,50		DIN		3	27	30	72	75
OR 330.00x3.50 FKM75	330,00	3,50		DIN		3	27	30	72	75
OR 335.00x3.50 FKM75	335,00	3,50		DIN		3	27	30	72	75
OR 340.00x3.50 FKM75	340,00	3,50		DIN		3	27	30	72	75
OR 345.00x3.50 FKM75	345,00	3,50		DIN		3	27	30	72	75
OR 350.00x3.50 FKM75	350,00	3,50		DIN		3	27	30	72	75
OR 355.00x3.50 FKM75	355,00	3,50		DIN		3	27	30	72	75
OR 360.00x3.50 FKM75	360,00	3,50		DIN		3	27	30	72	75
OR 365.00x3.50 FKM75	365,00	3,50		DIN		3	27	30	72	75
OR 370.00x3.50 FKM75	370,00	3,50		DIN		3	27	30	72	75
OR 380.00x3.50 FKM75	380,00	3,50		DIN		3	27	30	72	75
OR 390.00x3.50 FKM75	390,00	3,50		DIN		3	27	30	72	75
OR 400.00x3.50 FKM75	400,00	3,50		DIN		3	27	30	72	75
OR 410.00x3.50 FKM75	410,00	3,50		DIN		3	27	30	72	75
OR 420.00x3.50 FKM75	420,00	3,50		DIN		3	27	30	72	75
OR 430.00x3.50 FKM75	430,00	3,50		DIN		3	27	30	72	75
OR 440.00x3.50 FKM75	440,00	3,50		DIN		3	27	30	72	75
OR 4.34x3.53 FKM75	4,34	3,53			201	150	1.350	1.500	3.600	3.750
OR 5.94x3.53 FKM75	5,94	3,53			202	150	1.350	1.500	3.600	3.750
OR 7.52x3.53 FKM75	7,52	3,53			203	150	1.350	1.500	3.600	3.750
OR 9.12x3.53 FKM75	9,12	3,53		4036	204	150	1.350	1.500	3.600	3.750
OR 10.69x3.53 FKM75	10,69	3,53		4042	205	150	1.350	1.500	3.600	3.750
OR 12.29x3.53 FKM75	12,29	3,53		4050	206	150	1.350	1.500	3.600	3.750
OR 13.87x3.53 FKM75	13,87	3,53		4055	207	150	1.350	1.500	3.600	3.750
OR 15.47x3.53 FKM75	15,47	3,53		4061	208	150	1.350	1.500	3.600	3.750
OR 17.04x3.53 FKM75	17,04	3,53		4067	209	150	1.350	1.500	3.600	3.750
OR 18.64x3.53 FKM75	18,64	3,53		4075	210	150	1.350	1.500	3.600	3.750
OR 20.22x3.53 FKM75	20,22	3,53		4081	211	100	900	1.000	2.400	2.500
OR 21.82x3.53 FKM75	21,82	3,53		4087	212	100	900	1.000	2.400	2.500
OR 23.39x3.53 FKM75	23,39	3,53		4093	213	100	900	1.000	2.400	2.500
OR 24.99x3.53 FKM75	24,99	3,53		4100	214	100	900	1.000	2.400	2.500
OR 25.80x3.53 FKM75	25,80	3,53		134	618	100	900	1.000	2.400	2.500
OR 26.57x3.53 FKM75	26,57	3,53		4106	215	100	900	1.000	2.400	2.500
OR 28.17x3.53 FKM75	28,17	3,53		4112	216	50	450	500	1.200	1.250
OR 29.74x3.53 FKM75	29,74	3,53		4118	217	50	450	500	1.200	1.250
OR 31.34x3.53 FKM75	31,34	3,53		4125	218	50	450	500	1.200	1.250
OR 32.92x3.53 FKM75	32,92	3,53		4131	219	50	450	500	1.200	1.250
OR 34.52x3.53 FKM75	34,52	3,53		4137	220	50	450	500	1.200	1.250
OR 36.09x3.53 FKM75	36,09	3,53		4143	221	50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 37.69x3.53 FKM75	37,69	3,53		4150	222	50	450	500	1.200	1.250
OR 39.70x3.53 FKM75	39,70	3,53		144	824	50	450	500	1.200	1.250
OR 40.87x3.53 FKM75	40,87	3,53		4162	223	50	450	500	1.200	1.250
OR 41.28x3.53 FKM75	41,28	3,53		146	825	50	450	500	1.200	1.250
OR 42.86x3.53 FKM75	42,86	3,53		147	826	50	450	500	1.200	1.250
OR 44.04x3.53 FKM75	44,04	3,53		4175	224	50	450	500	1.200	1.250
OR 44.45x3.53 FKM75	44,45	3,53		149	827	50	450	500	1.200	1.250
OR 46.04x3.53 FKM75	46,04	3,53		150	828	50	450	500	1.200	1.250
OR 47.22x3.53 FKM75	47,22	3,53		4187	225	50	450	500	1.200	1.250
OR 47.62x3.53 FKM75	47,62	3,53		152	829	50	450	500	1.200	1.250
OR 49.20x3.53 FKM75	49,20	3,53		153	830	50	450	500	1.200	1.250
OR 50.39x3.53 FKM75	50,39	3,53		4200	226	50	450	500	1.200	1.250
OR 50.80x3.53 FKM75	50,80	3,53		155	831	50	450	500	1.200	1.250
OR 52.40x3.53 FKM75	52,40	3,53		156	832	50	450	500	1.200	1.250
OR 53.57x3.53 FKM75	53,57	3,53		4212	227	50	450	500	1.200	1.250
OR 53.97x3.53 FKM75	53,97	3,53		158	833	50	450	500	1.200	1.250
OR 55.56x3.53 FKM75	55,56	3,53		159	834	50	450	500	1.200	1.250
OR 56.74x3.53 FKM75	56,74	3,53		4225	228	50	450	500	1.200	1.250
OR 57.15x3.53 FKM75	57,15	3,53		161	835	50	450	500	1.200	1.250
OR 58.74x3.53 FKM75	58,74	3,53		162	836	50	450	500	1.200	1.250
OR 59.92x3.53 FKM75	59,92	3,53		4237	229	50	450	500	1.200	1.250
OR 60.32x3.53 FKM75	60,32	3,53		164	837	30	270	300	720	750
OR 61.90x3.53 FKM75	61,90	3,53		165	838	30	270	300	720	750
OR 63.09x3.53 FKM75	63,09	3,53		4250	230	30	270	300	720	750
OR 63.50x3.53 FKM75	63,50	3,53		167	839	30	270	300	720	750
OR 65.10x3.53 FKM75	65,10	3,53		168	840	30	270	300	720	750
OR 66.27x3.53 FKM75	66,27	3,53		4262	231	30	270	300	720	750
OR 66.67x3.53 FKM75	66,67	3,53		170	841	30	270	300	720	750
OR 68.26x3.53 FKM75	68,26	3,53		171	842	30	270	300	720	750
OR 69.44x3.53 FKM75	69,44	3,53		4275	232	30	270	300	720	750
OR 69.85x3.53 FKM75	69,85	3,53		173	843	30	270	300	720	750
OR 71.44x3.53 FKM75	71,44	3,53		174	844	30	270	300	720	750
OR 72.62x3.53 FKM75	72,62	3,53		4287	233	30	270	300	720	750
OR 73.02x3.53 FKM75	73,02	3,53		176	845	30	270	300	720	750
OR 74.60x3.53 FKM75	74,60	3,53		177	846	30	270	300	720	750
OR 75.79x3.53 FKM75	75,79	3,53		4300	234	30	270	300	720	750
OR 78.97x3.53 FKM75	78,97	3,53		4312	235	30	270	300	720	750
OR 82.14x3.53 FKM75	82,14	3,53		4325	236	30	270	300	720	750
OR 85.32x3.53 FKM75	85,32	3,53		4337	237	30	270	300	720	750
OR 88.49x3.53 FKM75	88,49	3,53		4350	238	30	270	300	720	750
OR 91.67x3.53 FKM75	91,67	3,53		4362	239	20	180	200	480	500
OR 94.84x3.53 FKM75	94,84	3,53		4375	240	20	180	200	480	500
OR 98.02x3.53 FKM75	98,02	3,53		4387	241	20	180	200	480	500
OR 101.19x3.53 FKM75	101,19	3,53		4400	242	20	180	200	480	500
OR 104.37x3.53 FKM75	104,37	3,53		4412	243	20	180	200	480	500
OR 107.54x3.53 FKM75	107,54	3,53		4425	244	20	180	200	480	500
OR 110.72x3.53 FKM75	110,72	3,53		4437	245	20	180	200	480	500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 113.89x3.53 FKM75	113,89	3,53		4450	246	20	180	200	480	500
OR 117.07x3.53 FKM75	117,07	3,53		4462	247	20	180	200	480	500
OR 120.24x3.53 FKM75	120,24	3,53		4475	248	20	180	200	480	500
OR 123.42x3.53 FKM75	123,42	3,53		4487	249	20	180	200	480	500
OR 126.59x3.53 FKM75	126,59	3,53		4500	250	20	180	200	480	500
OR 129.77x3.53 FKM75	129,77	3,53		4512	251	10	90	100	240	250
OR 132.94x3.53 FKM75	132,94	3,53		4525	252	10	90	100	240	250
OR 136.12x3.53 FKM75	136,12	3,53		4537	253	10	90	100	240	250
OR 139.29x3.53 FKM75	139,29	3,53		4550	254	10	90	100	240	250
OR 142.47x3.53 FKM75	142,47	3,53		4562	255	10	90	100	240	250
OR 145.64x3.53 FKM75	145,64	3,53		4575	256	10	90	100	240	250
OR 148.82x3.53 FKM75	148,82	3,53		4587	257	10	90	100	240	250
OR 151.99x3.53 FKM75	151,99	3,53		4600	258	10	90	100	240	250
OR 158.34x3.53 FKM75	158,34	3,53		4625	259	10	90	100	240	250
OR 164.69x3.53 FKM75	164,69	3,53		4650	260	10	90	100	240	250
OR 171.04x3.53 FKM75	171,04	3,53		4675	261	10	90	100	240	250
OR 177.39x3.53 FKM75	177,39	3,53		4700	262	10	90	100	240	250
OR 183.74x3.53 FKM75	183,74	3,53		4725	263	10	90	100	240	250
OR 190.09x3.53 FKM75	190,09	3,53		4750	264	10	90	100	240	250
OR 196.44x3.53 FKM75	196,44	3,53		4775	265	10	90	100	240	250
OR 202.79x3.53 FKM75	202,79	3,53		4800	266	5	45	50	120	125
OR 209.14x3.53 FKM75	209,14	3,53		4825	267	5	45	50	120	125
OR 215.49x3.53 FKM75	215,49	3,53		4850	268	5	45	50	120	125
OR 221.84x3.53 FKM75	221,84	3,53		4875	269	5	45	50	120	125
OR 228.19x3.53 FKM75	228,19	3,53		4900	270	5	45	50	120	125
OR 234.54x3.53 FKM75	234,54	3,53		4925	271	5	45	50	120	125
OR 240.89x3.53 FKM75	240,89	3,53		4950	272	5	45	50	120	125
OR 247.26x3.53 FKM75	247,26	3,53		4975	273	5	45	50	120	125
OR 253.59x3.53 FKM75	253,59	3,53		41000	274	5	45	50	120	125
OR 266.29x3.53 FKM75	266,29	3,53		41050	275	5	45	50	120	125
OR 278.99x3.53 FKM75	278,99	3,53		41100	276	5	45	50	120	125
OR 291.69x3.53 FKM75	291,69	3,53		41150	277	5	45	50	120	125
OR 304.39x3.53 FKM75	304,39	3,53		41200	278	5	45	50	120	125
OR 329.79x3.53 FKM75	329,79	3,53		41300	279	5	45	50	120	125
OR 355.19x3.53 FKM75	355,19	3,53		41400	280	5	45	50	120	125
OR 380.59x3.53 FKM75	380,59	3,53		41500	281	5	45	50	120	125
OR 405.26x3.53 FKM75	405,26	3,53		41600	282	5	45	50	120	125
OR 430.66x3.53 FKM75	430,66	3,53		41700	283	5	45	50	120	125
OR 456.06x3.53 FKM75	456,06	3,53		41800	284	5	45	50	120	125
OR 18.00x3.55 FKM75	18,00	3,55	ISO			100	900	1.000	2.400	2.500
OR 19.00x3.55 FKM75	19,00	3,55	ISO			100	900	1.000	2.400	2.500
OR 20.00x3.55 FKM75	20,00	3,55	ISO			100	900	1.000	2.400	2.500
OR 21.20x3.55 FKM75	21,20	3,55	ISO			100	900	1.000	2.400	2.500
OR 22.40x3.55 FKM75	22,40	3,55	ISO			100	900	1.000	2.400	2.500
OR 23.60x3.55 FKM75	23,60	3,55	ISO			100	900	1.000	2.400	2.500
OR 25.00x3.55 FKM75	25,00	3,55	ISO			100	900	1.000	2.400	2.500
OR 25.80x3.55 FKM75	25,80	3,55	ISO			100	900	1.000	2.400	2.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 26.50x3.55 FKM75	26,50	3,55	ISO			50	450	500	1.200	1.250
OR 28.00x3.55 FKM75	28,00	3,55	ISO			50	450	500	1.200	1.250
OR 30.00x3.55 FKM75	30,00	3,55	ISO			50	450	500	1.200	1.250
OR 31.50x3.55 FKM75	31,50	3,55	ISO			50	450	500	1.200	1.250
OR 32.50x3.55 FKM75	32,50	3,55	ISO			50	450	500	1.200	1.250
OR 33.50x3.55 FKM75	33,50	3,55	ISO			50	450	500	1.200	1.250
OR 34.50x3.55 FKM75	34,50	3,55	ISO			50	450	500	1.200	1.250
OR 35.50x3.55 FKM75	35,50	3,55	ISO			50	450	500	1.200	1.250
OR 36.50x3.55 FKM75	36,50	3,55	ISO			50	450	500	1.200	1.250
OR 37.50x3.55 FKM75	37,50	3,55	ISO			50	450	500	1.200	1.250
OR 38.70x3.55 FKM75	38,70	3,55	ISO			50	450	500	1.200	1.250
OR 40.00x3.55 FKM75	40,00	3,55	ISO			50	450	500	1.200	1.250
OR 41.20x3.55 FKM75	41,20	3,55	ISO			50	450	500	1.200	1.250
OR 42.50x3.55 FKM75	42,50	3,55	ISO			50	450	500	1.200	1.250
OR 43.70x3.55 FKM75	43,70	3,55	ISO			50	450	500	1.200	1.250
OR 45.00x3.55 FKM75	45,00	3,55	ISO			50	450	500	1.200	1.250
OR 46.20x3.55 FKM75	46,20	3,55	ISO			50	450	500	1.200	1.250
OR 47.50x3.55 FKM75	47,50	3,55	ISO			50	450	500	1.200	1.250
OR 48.70x3.55 FKM75	48,70	3,55	ISO			50	450	500	1.200	1.250
OR 50.00x3.55 FKM75	50,00	3,55	ISO			50	450	500	1.200	1.250
OR 51.50x3.55 FKM75	51,50	3,55	ISO			50	450	500	1.200	1.250
OR 53.00x3.55 FKM75	53,00	3,55	ISO			50	450	500	1.200	1.250
OR 54.50x3.55 FKM75	54,50	3,55	ISO			50	450	500	1.200	1.250
OR 56.00x3.55 FKM75	56,00	3,55	ISO			50	450	500	1.200	1.250
OR 58.00x3.55 FKM75	58,00	3,55	ISO			50	450	500	1.200	1.250
OR 60.00x3.55 FKM75	60,00	3,55	ISO			30	270	300	720	750
OR 61.50x3.55 FKM75	61,50	3,55	ISO			30	270	300	720	750
OR 63.00x3.55 FKM75	63,00	3,55	ISO			30	270	300	720	750
OR 65.00x3.55 FKM75	65,00	3,55	ISO			30	270	300	720	750
OR 67.00x3.55 FKM75	67,00	3,55	ISO			30	270	300	720	750
OR 69.00x3.55 FKM75	69,00	3,55	ISO			30	270	300	720	750
OR 71.00x3.55 FKM75	71,00	3,55	ISO			30	270	300	720	750
OR 73.00x3.55 FKM75	73,00	3,55	ISO			30	270	300	720	750
OR 75.00x3.55 FKM75	75,00	3,55	ISO			30	270	300	720	750
OR 77.50x3.55 FKM75	77,50	3,55	ISO			30	270	300	720	750
OR 80.00x3.55 FKM75	80,00	3,55	ISO			30	270	300	720	750
OR 82.50x3.55 FKM75	82,50	3,55	ISO			30	270	300	720	750
OR 85.00x3.55 FKM75	85,00	3,55	ISO			30	270	300	720	750
OR 87.50x3.55 FKM75	87,50	3,55	ISO			30	270	300	720	750
OR 90.00x3.55 FKM75	90,00	3,55	ISO			20	180	200	480	500
OR 92.50x3.55 FKM75	92,50	3,55	ISO			20	180	200	480	500
OR 95.00x3.55 FKM75	95,00	3,55	ISO			20	180	200	480	500
OR 97.50x3.55 FKM75	97,50	3,55	ISO			20	180	200	480	500
OR 100.00x3.55 FKM75	100,00	3,55	ISO			20	180	200	480	500
OR 103.00x3.55 FKM75	103,00	3,55	ISO			20	180	200	480	500
OR 106.00x3.55 FKM75	106,00	3,55	ISO			20	180	200	480	500
OR 109.00x3.55 FKM75	109,00	3,55	ISO			20	180	200	480	500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 112.00x3.55 FKM75	112,00	3,55	ISO			20	180	200	480	500
OR 115.00x3.55 FKM75	115,00	3,55	ISO			20	180	200	480	500
OR 118.00x3.55 FKM75	118,00	3,55	ISO			20	180	200	480	500
OR 122.00x3.55 FKM75	122,00	3,55	ISO			20	180	200	480	500
OR 125.00x3.55 FKM75	125,00	3,55	ISO			20	180	200	480	500
OR 128.00x3.55 FKM75	128,00	3,55	ISO			10	90	100	240	250
OR 132.00x3.55 FKM75	132,00	3,55	ISO			10	90	100	240	250
OR 136.00x3.55 FKM75	136,00	3,55	ISO			10	90	100	240	250
OR 140.00x3.55 FKM75	140,00	3,55	ISO			10	90	100	240	250
OR 145.00x3.55 FKM75	145,00	3,55	ISO			10	90	100	240	250
OR 150.00x3.55 FKM75	150,00	3,55	ISO			10	90	100	240	250
OR 155.00x3.55 FKM75	155,00	3,55	ISO			10	90	100	240	250
OR 160.00x3.55 FKM75	160,00	3,55	ISO			10	90	100	240	250
OR 165.00x3.55 FKM75	165,00	3,55	ISO			10	90	100	240	250
OR 170.00x3.55 FKM75	170,00	3,55	ISO			10	90	100	240	250
OR 175.00x3.55 FKM75	175,00	3,55	ISO			10	90	100	240	250
OR 180.00x3.55 FKM75	180,00	3,55	ISO			10	90	100	240	250
OR 185.00x3.55 FKM75	185,00	3,55	ISO			10	90	100	240	250
OR 190.00x3.55 FKM75	190,00	3,55	ISO			10	90	100	240	250
OR 195.00x3.55 FKM75	195,00	3,55	ISO			10	90	100	240	250
OR 200.00x3.55 FKM75	200,00	3,55	ISO			10	90	100	240	250
OR 18.30x3.60 FKM75	18,30	3,60	R15			100	900	1.000	2.400	2.500
OR 19.80x3.60 FKM75	19,80	3,60	R16			100	900	1.000	2.400	2.500
OR 21.30x3.60 FKM75	21,30	3,60	R17			100	900	1.000	2.400	2.500
OR 23.00x3.60 FKM75	23,00	3,60	R18			100	900	1.000	2.400	2.500
OR 24.60x3.60 FKM75	24,60	3,60	R19			100	900	1.000	2.400	2.500
OR 26.20x3.60 FKM75	26,20	3,60	R20			100	900	1.000	2.400	2.500
OR 27.80x3.60 FKM75	27,80	3,60	R21			50	450	500	1.200	1.250
OR 29.30x3.60 FKM75	29,30	3,60	R22			50	450	500	1.200	1.250
OR 30.80x3.60 FKM75	30,80	3,60	R23			50	450	500	1.200	1.250
OR 32.50x3.60 FKM75	32,50	3,60	R24			50	450	500	1.200	1.250
OR 34.10x3.60 FKM75	34,10	3,60	R25			50	450	500	1.200	1.250
OR 35.60x3.60 FKM75	35,60	3,60	R26			50	450	500	1.200	1.250
OR 37.30x3.60 FKM75	37,30	3,60	R27			50	450	500	1.200	1.250
OR 43.40x3.60 FKM75	43,40	3,60	R29t			50	450	500	1.200	1.250
OR 4.00x4.00 FKM75	4,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 5.00x4.00 FKM75	5,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 6.00x4.00 FKM75	6,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 7.00x4.00 FKM75	7,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 8.00x4.00 FKM75	8,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 9.00x4.00 FKM75	9,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 10.00x4.00 FKM75	10,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 11.00x4.00 FKM75	11,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 12.00x4.00 FKM75	12,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 13.00x4.00 FKM75	13,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 14.00x4.00 FKM75	14,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 15.00x4.00 FKM75	15,00	4,00		DIN		100	900	1.000	2.400	2.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 16.00x4.00 FKM75	16,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 17.00x4.00 FKM75	17,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 18.00x4.00 FKM75	18,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 19.00x4.00 FKM75	19,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 20.00x4.00 FKM75	20,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 21.00x4.00 FKM75	21,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 22.00x4.00 FKM75	22,00	4,00		DIN		50	450	500	1.200	1.250
OR 23.00x4.00 FKM75	23,00	4,00		DIN		50	450	500	1.200	1.250
OR 24.00x4.00 FKM75	24,00	4,00		DIN		50	450	500	1.200	1.250
OR 25.00x4.00 FKM75	25,00	4,00		DIN		50	450	500	1.200	1.250
OR 26.00x4.00 FKM75	26,00	4,00		DIN		50	450	500	1.200	1.250
OR 27.00x4.00 FKM75	27,00	4,00		DIN		50	450	500	1.200	1.250
OR 28.00x4.00 FKM75	28,00	4,00		DIN		50	450	500	1.200	1.250
OR 29.00x4.00 FKM75	29,00	4,00		DIN		50	450	500	1.200	1.250
OR 30.00x4.00 FKM75	30,00	4,00		DIN		50	450	500	1.200	1.250
OR 31.00x4.00 FKM75	31,00	4,00		DIN		50	450	500	1.200	1.250
OR 32.00x4.00 FKM75	32,00	4,00		DIN		50	450	500	1.200	1.250
OR 33.00x4.00 FKM75	33,00	4,00		DIN		50	450	500	1.200	1.250
OR 34.00x4.00 FKM75	34,00	4,00		DIN		50	450	500	1.200	1.250
OR 35.00x4.00 FKM75	35,00	4,00		DIN		50	450	500	1.200	1.250
OR 36.00x4.00 FKM75	36,00	4,00		DIN		50	450	500	1.200	1.250
OR 37.00x4.00 FKM75	37,00	4,00		DIN		50	450	500	1.200	1.250
OR 38.00x4.00 FKM75	38,00	4,00		DIN		50	450	500	1.200	1.250
OR 39.00x4.00 FKM75	39,00	4,00		DIN		50	450	500	1.200	1.250
OR 40.00x4.00 FKM75	40,00	4,00		DIN		50	450	500	1.200	1.250
OR 41.00x4.00 FKM75	41,00	4,00		DIN		50	450	500	1.200	1.250
OR 42.00x4.00 FKM75	42,00	4,00		DIN		50	450	500	1.200	1.250
OR 43.00x4.00 FKM75	43,00	4,00		DIN		50	450	500	1.200	1.250
OR 44.00x4.00 FKM75	44,00	4,00		DIN		50	450	500	1.200	1.250
OR 45.00x4.00 FKM75	45,00	4,00		DIN		50	450	500	1.200	1.250
OR 46.00x4.00 FKM75	46,00	4,00		DIN		50	450	500	1.200	1.250
OR 47.00x4.00 FKM75	47,00	4,00		DIN		50	450	500	1.200	1.250
OR 48.00x4.00 FKM75	48,00	4,00		DIN		50	450	500	1.200	1.250
OR 49.00x4.00 FKM75	49,00	4,00		DIN		50	450	500	1.200	1.250
OR 50.00x4.00 FKM75	50,00	4,00		DIN		30	270	300	720	750
OR 51.00x4.00 FKM75	51,00	4,00		DIN		30	270	300	720	750
OR 52.00x4.00 FKM75	52,00	4,00		DIN		30	270	300	720	750
OR 53.00x4.00 FKM75	53,00	4,00		DIN		30	270	300	720	750
OR 54.00x4.00 FKM75	54,00	4,00		DIN		30	270	300	720	750
OR 55.00x4.00 FKM75	55,00	4,00		DIN		30	270	300	720	750
OR 56.00x4.00 FKM75	56,00	4,00		DIN		30	270	300	720	750
OR 57.00x4.00 FKM75	57,00	4,00		DIN		30	270	300	720	750
OR 58.00x4.00 FKM75	58,00	4,00		DIN		30	270	300	720	750
OR 59.00x4.00 FKM75	59,00	4,00		DIN		30	270	300	720	750
OR 60.00x4.00 FKM75	60,00	4,00		DIN		30	270	300	720	750
OR 61.00x4.00 FKM75	61,00	4,00		DIN		30	270	300	720	750
OR 62.00x4.00 FKM75	62,00	4,00		DIN		30	270	300	720	750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 63.00x4.00 FKM75	63,00	4,00		DIN		30	270	300	720	750
OR 64.00x4.00 FKM75	64,00	4,00		DIN		30	270	300	720	750
OR 65.00x4.00 FKM75	65,00	4,00		DIN		30	270	300	720	750
OR 66.00x4.00 FKM75	66,00	4,00		DIN		30	270	300	720	750
OR 67.00x4.00 FKM75	67,00	4,00		DIN		30	270	300	720	750
OR 68.00x4.00 FKM75	68,00	4,00		DIN		30	270	300	720	750
OR 69.00x4.00 FKM75	69,00	4,00		DIN		30	270	300	720	750
OR 70.00x4.00 FKM75	70,00	4,00		DIN		30	270	300	720	750
OR 71.00x4.00 FKM75	71,00	4,00		DIN		30	270	300	720	750
OR 72.00x4.00 FKM75	72,00	4,00		DIN		30	270	300	720	750
OR 73.00x4.00 FKM75	73,00	4,00		DIN		30	270	300	720	750
OR 74.00x4.00 FKM75	74,00	4,00		DIN		30	270	300	720	750
OR 75.00x4.00 FKM75	75,00	4,00		DIN		30	270	300	720	750
OR 76.00x4.00 FKM75	76,00	4,00		DIN		20	180	200	480	500
OR 77.00x4.00 FKM75	77,00	4,00		DIN		20	180	200	480	500
OR 78.00x4.00 FKM75	78,00	4,00		DIN		20	180	200	480	500
OR 79.00x4.00 FKM75	79,00	4,00		DIN		20	180	200	480	500
OR 80.00x4.00 FKM75	80,00	4,00		DIN		20	180	200	480	500
OR 81.00x4.00 FKM75	81,00	4,00		DIN		20	180	200	480	500
OR 82.00x4.00 FKM75	82,00	4,00		DIN		20	180	200	480	500
OR 83.00x4.00 FKM75	83,00	4,00		DIN		20	180	200	480	500
OR 84.00x4.00 FKM75	84,00	4,00		DIN		20	180	200	480	500
OR 85.00x4.00 FKM75	85,00	4,00		DIN		20	180	200	480	500
OR 86.00x4.00 FKM75	86,00	4,00		DIN		20	180	200	480	500
OR 87.00x4.00 FKM75	87,00	4,00		DIN		20	180	200	480	500
OR 88.00x4.00 FKM75	88,00	4,00		DIN		20	180	200	480	500
OR 89.00x4.00 FKM75	89,00	4,00		DIN		20	180	200	480	500
OR 90.00x4.00 FKM75	90,00	4,00		DIN		20	180	200	480	500
OR 91.00x4.00 FKM75	91,00	4,00		DIN		20	180	200	480	500
OR 92.00x4.00 FKM75	92,00	4,00		DIN		20	180	200	480	500
OR 93.00x4.00 FKM75	93,00	4,00		DIN		20	180	200	480	500
OR 94.00x4.00 FKM75	94,00	4,00		DIN		20	180	200	480	500
OR 95.00x4.00 FKM75	95,00	4,00		DIN		20	180	200	480	500
OR 96.00x4.00 FKM75	96,00	4,00		DIN		20	180	200	480	500
OR 97.00x4.00 FKM75	97,00	4,00		DIN		20	180	200	480	500
OR 98.00x4.00 FKM75	98,00	4,00		DIN		20	180	200	480	500
OR 99.00x4.00 FKM75	99,00	4,00		DIN		20	180	200	480	500
OR 100.00x4.00 FKM75	100,00	4,00		DIN		20	180	200	480	500
OR 101.00x4.00 FKM75	101,00	4,00		DIN		20	180	200	480	500
OR 102.00x4.00 FKM75	102,00	4,00		DIN		20	180	200	480	500
OR 103.00x4.00 FKM75	103,00	4,00		DIN		20	180	200	480	500
OR 104.00x4.00 FKM75	104,00	4,00		DIN		20	180	200	480	500
OR 105.00x4.00 FKM75	105,00	4,00		DIN		20	180	200	480	500
OR 106.00x4.00 FKM75	106,00	4,00		DIN		20	180	200	480	500
OR 107.00x4.00 FKM75	107,00	4,00		DIN		20	180	200	480	500
OR 108.00x4.00 FKM75	108,00	4,00		DIN		20	180	200	480	500
OR 109.00x4.00 FKM75	109,00	4,00		DIN		20	180	200	480	500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 110.00x4.00 FKM75	110,00	4,00		DIN		20	180	200	480	500
OR 111.00x4.00 FKM75	111,00	4,00		DIN		20	180	200	480	500
OR 112.00x4.00 FKM75	112,00	4,00		DIN		20	180	200	480	500
OR 113.00x4.00 FKM75	113,00	4,00		DIN		20	180	200	480	500
OR 114.00x4.00 FKM75	114,00	4,00		DIN		20	180	200	480	500
OR 115.00x4.00 FKM75	115,00	4,00		DIN		10	90	100	240	250
OR 116.00x4.00 FKM75	116,00	4,00		DIN		10	90	100	240	250
OR 117.00x4.00 FKM75	117,00	4,00		DIN		10	90	100	240	250
OR 118.00x4.00 FKM75	118,00	4,00		DIN		10	90	100	240	250
OR 119.00x4.00 FKM75	119,00	4,00		DIN		10	90	100	240	250
OR 120.00x4.00 FKM75	120,00	4,00		DIN		10	90	100	240	250
OR 121.00x4.00 FKM75	121,00	4,00		DIN		10	90	100	240	250
OR 122.00x4.00 FKM75	122,00	4,00		DIN		10	90	100	240	250
OR 123.00x4.00 FKM75	123,00	4,00		DIN		10	90	100	240	250
OR 124.00x4.00 FKM75	124,00	4,00		DIN		10	90	100	240	250
OR 125.00x4.00 FKM75	125,00	4,00		DIN		10	90	100	240	250
OR 126.00x4.00 FKM75	126,00	4,00		DIN		10	90	100	240	250
OR 127.00x4.00 FKM75	127,00	4,00		DIN		10	90	100	240	250
OR 128.00x4.00 FKM75	128,00	4,00		DIN		10	90	100	240	250
OR 129.00x4.00 FKM75	129,00	4,00		DIN		10	90	100	240	250
OR 130.00x4.00 FKM75	130,00	4,00		DIN		10	90	100	240	250
OR 131.00x4.00 FKM75	131,00	4,00		DIN		10	90	100	240	250
OR 132.00x4.00 FKM75	132,00	4,00		DIN		10	90	100	240	250
OR 133.00x4.00 FKM75	133,00	4,00		DIN		10	90	100	240	250
OR 134.00x4.00 FKM75	134,00	4,00		DIN		10	90	100	240	250
OR 135.00x4.00 FKM75	135,00	4,00		DIN		10	90	100	240	250
OR 136.00x4.00 FKM75	136,00	4,00		DIN		10	90	100	240	250
OR 137.00x4.00 FKM75	137,00	4,00		DIN		10	90	100	240	250
OR 138.00x4.00 FKM75	138,00	4,00		DIN		10	90	100	240	250
OR 139.00x4.00 FKM75	139,00	4,00		DIN		10	90	100	240	250
OR 140.00x4.00 FKM75	140,00	4,00		DIN		10	90	100	240	250
OR 141.00x4.00 FKM75	141,00	4,00		DIN		10	90	100	240	250
OR 142.00x4.00 FKM75	142,00	4,00		DIN		10	90	100	240	250
OR 143.00x4.00 FKM75	143,00	4,00		DIN		10	90	100	240	250
OR 144.00x4.00 FKM75	144,00	4,00		DIN		10	90	100	240	250
OR 145.00x4.00 FKM75	145,00	4,00		DIN		10	90	100	240	250
OR 146.00x4.00 FKM75	146,00	4,00		DIN		10	90	100	240	250
OR 147.00x4.00 FKM75	147,00	4,00		DIN		10	90	100	240	250
OR 148.00x4.00 FKM75	148,00	4,00		DIN		10	90	100	240	250
OR 149.00x4.00 FKM75	149,00	4,00		DIN		10	90	100	240	250
OR 150.00x4.00 FKM75	150,00	4,00		DIN		10	90	100	240	250
OR 151.00x4.00 FKM75	151,00	4,00		DIN		10	90	100	240	250
OR 152.00x4.00 FKM75	152,00	4,00		DIN		10	90	100	240	250
OR 153.00x4.00 FKM75	153,00	4,00		DIN		10	90	100	240	250
OR 154.00x4.00 FKM75	154,00	4,00		DIN		10	90	100	240	250
OR 155.00x4.00 FKM75	155,00	4,00		DIN		10	90	100	240	250
OR 156.00x4.00 FKM75	156,00	4,00		DIN		10	90	100	240	250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 157.00x4.00 FKM75	157,00	4,00		DIN		10	90	100	240	250
OR 158.00x4.00 FKM75	158,00	4,00		DIN		10	90	100	240	250
OR 159.00x4.00 FKM75	159,00	4,00		DIN		10	90	100	240	250
OR 160.00x4.00 FKM75	160,00	4,00		DIN		10	90	100	240	250
OR 161.00x4.00 FKM75	161,00	4,00		DIN		10	90	100	240	250
OR 162.00x4.00 FKM75	162,00	4,00		DIN		10	90	100	240	250
OR 163.00x4.00 FKM75	163,00	4,00		DIN		10	90	100	240	250
OR 164.00x4.00 FKM75	164,00	4,00		DIN		10	90	100	240	250
OR 165.00x4.00 FKM75	165,00	4,00		DIN		10	90	100	240	250
OR 166.00x4.00 FKM75	166,00	4,00		DIN		10	90	100	240	250
OR 167.00x4.00 FKM75	167,00	4,00		DIN		10	90	100	240	250
OR 168.00x4.00 FKM75	168,00	4,00		DIN		10	90	100	240	250
OR 169.00x4.00 FKM75	169,00	4,00		DIN		10	90	100	240	250
OR 170.00x4.00 FKM75	170,00	4,00		DIN		10	90	100	240	250
OR 171.00x4.00 FKM75	171,00	4,00		DIN		10	90	100	240	250
OR 172.00x4.00 FKM75	172,00	4,00		DIN		10	90	100	240	250
OR 173.00x4.00 FKM75	173,00	4,00		DIN		10	90	100	240	250
OR 174.00x4.00 FKM75	174,00	4,00		DIN		10	90	100	240	250
OR 175.00x4.00 FKM75	175,00	4,00		DIN		10	90	100	240	250
OR 176.00x4.00 FKM75	176,00	4,00		DIN		10	90	100	240	250
OR 177.00x4.00 FKM75	177,00	4,00		DIN		10	90	100	240	250
OR 178.00x4.00 FKM75	178,00	4,00		DIN		10	90	100	240	250
OR 179.00x4.00 FKM75	179,00	4,00		DIN		10	90	100	240	250
OR 180.00x4.00 FKM75	180,00	4,00		DIN		10	90	100	240	250
OR 181.00x4.00 FKM75	181,00	4,00		DIN		10	90	100	240	250
OR 182.00x4.00 FKM75	182,00	4,00		DIN		10	90	100	240	250
OR 183.00x4.00 FKM75	183,00	4,00		DIN		5	45	50	120	125
OR 184.00x4.00 FKM75	184,00	4,00		DIN		5	45	50	120	125
OR 185.00x4.00 FKM75	185,00	4,00		DIN		5	45	50	120	125
OR 186.00x4.00 FKM75	186,00	4,00		DIN		5	45	50	120	125
OR 187.00x4.00 FKM75	187,00	4,00		DIN		5	45	50	120	125
OR 188.00x4.00 FKM75	188,00	4,00		DIN		5	45	50	120	125
OR 189.00x4.00 FKM75	189,00	4,00		DIN		5	45	50	120	125
OR 190.00x4.00 FKM75	190,00	4,00		DIN		5	45	50	120	125
OR 191.00x4.00 FKM75	191,00	4,00		DIN		5	45	50	120	125
OR 192.00x4.00 FKM75	192,00	4,00		DIN		5	45	50	120	125
OR 193.00x4.00 FKM75	193,00	4,00		DIN		5	45	50	120	125
OR 194.00x4.00 FKM75	194,00	4,00		DIN		5	45	50	120	125
OR 195.00x4.00 FKM75	195,00	4,00		DIN		5	45	50	120	125
OR 196.00x4.00 FKM75	196,00	4,00		DIN		5	45	50	120	125
OR 197.00x4.00 FKM75	197,00	4,00		DIN		5	45	50	120	125
OR 198.00x4.00 FKM75	198,00	4,00		DIN		5	45	50	120	125
OR 199.00x4.00 FKM75	199,00	4,00		DIN		5	45	50	120	125
OR 200.00x4.00 FKM75	200,00	4,00		DIN		5	45	50	120	125
OR 201.00x4.00 FKM75	201,00	4,00		DIN		5	45	50	120	125
OR 202.00x4.00 FKM75	202,00	4,00		DIN		5	45	50	120	125
OR 203.00x4.00 FKM75	203,00	4,00		DIN		5	45	50	120	125

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 204.00x4.00 FKM75	204,00	4,00		DIN		5	45	50	120	125
OR 205.00x4.00 FKM75	205,00	4,00		DIN		5	45	50	120	125
OR 206.00x4.00 FKM75	206,00	4,00		DIN		5	45	50	120	125
OR 207.00x4.00 FKM75	207,00	4,00		DIN		5	45	50	120	125
OR 208.00x4.00 FKM75	208,00	4,00		DIN		5	45	50	120	125
OR 209.00x4.00 FKM75	209,00	4,00		DIN		5	45	50	120	125
OR 210.00x4.00 FKM75	210,00	4,00		DIN		5	45	50	120	125
OR 211.00x4.00 FKM75	211,00	4,00		DIN		5	45	50	120	125
OR 212.00x4.00 FKM75	212,00	4,00		DIN		5	45	50	120	125
OR 213.00x4.00 FKM75	213,00	4,00		DIN		5	45	50	120	125
OR 214.00x4.00 FKM75	214,00	4,00		DIN		5	45	50	120	125
OR 215.00x4.00 FKM75	215,00	4,00		DIN		5	45	50	120	125
OR 216.00x4.00 FKM75	216,00	4,00		DIN		5	45	50	120	125
OR 217.00x4.00 FKM75	217,00	4,00		DIN		5	45	50	120	125
OR 218.00x4.00 FKM75	218,00	4,00		DIN		5	45	50	120	125
OR 219.00x4.00 FKM75	219,00	4,00		DIN		5	45	50	120	125
OR 220.00x4.00 FKM75	220,00	4,00		DIN		5	45	50	120	125
OR 221.00x4.00 FKM75	221,00	4,00		DIN		5	45	50	120	125
OR 222.00x4.00 FKM75	222,00	4,00		DIN		5	45	50	120	125
OR 223.00x4.00 FKM75	223,00	4,00		DIN		5	45	50	120	125
OR 224.00x4.00 FKM75	224,00	4,00		DIN		5	45	50	120	125
OR 225.00x4.00 FKM75	225,00	4,00		DIN		5	45	50	120	125
OR 226.00x4.00 FKM75	226,00	4,00		DIN		5	45	50	120	125
OR 227.00x4.00 FKM75	227,00	4,00		DIN		5	45	50	120	125
OR 228.00x4.00 FKM75	228,00	4,00		DIN		5	45	50	120	125
OR 229.00x4.00 FKM75	229,00	4,00		DIN		5	45	50	120	125
OR 230.00x4.00 FKM75	230,00	4,00		DIN		5	45	50	120	125
OR 231.00x4.00 FKM75	231,00	4,00		DIN		5	45	50	120	125
OR 232.00x4.00 FKM75	232,00	4,00		DIN		5	45	50	120	125
OR 233.00x4.00 FKM75	233,00	4,00		DIN		5	45	50	120	125
OR 234.00x4.00 FKM75	234,00	4,00		DIN		5	45	50	120	125
OR 235.00x4.00 FKM75	235,00	4,00		DIN		5	45	50	120	125
OR 236.00x4.00 FKM75	236,00	4,00		DIN		5	45	50	120	125
OR 237.00x4.00 FKM75	237,00	4,00		DIN		5	45	50	120	125
OR 238.00x4.00 FKM75	238,00	4,00		DIN		5	45	50	120	125
OR 239.00x4.00 FKM75	239,00	4,00		DIN		5	45	50	120	125
OR 240.00x4.00 FKM75	240,00	4,00		DIN		5	45	50	120	125
OR 241.00x4.00 FKM75	241,00	4,00		DIN		5	45	50	120	125
OR 242.00x4.00 FKM75	242,00	4,00		DIN		5	45	50	120	125
OR 243.00x4.00 FKM75	243,00	4,00		DIN		5	45	50	120	125
OR 244.00x4.00 FKM75	244,00	4,00		DIN		5	45	50	120	125
OR 245.00x4.00 FKM75	245,00	4,00		DIN		5	45	50	120	125
OR 246.00x4.00 FKM75	246,00	4,00		DIN		5	45	50	120	125
OR 247.00x4.00 FKM75	247,00	4,00		DIN		5	45	50	120	125
OR 248.00x4.00 FKM75	248,00	4,00		DIN		5	45	50	120	125
OR 249.00x4.00 FKM75	249,00	4,00		DIN		5	45	50	120	125
OR 250.00x4.00 FKM75	250,00	4,00		DIN		5	45	50	120	125

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 251.00x4.00 FKM75	251,00	4,00		DIN		5	45	50	120	125
OR 252.00x4.00 FKM75	252,00	4,00		DIN		5	45	50	120	125
OR 253.00x4.00 FKM75	253,00	4,00		DIN		5	45	50	120	125
OR 254.00x4.00 FKM75	254,00	4,00		DIN		5	45	50	120	125
OR 255.00x4.00 FKM75	255,00	4,00		DIN		5	45	50	120	125
OR 256.00x4.00 FKM75	256,00	4,00		DIN		5	45	50	120	125
OR 257.00x4.00 FKM75	257,00	4,00		DIN		5	45	50	120	125
OR 258.00x4.00 FKM75	258,00	4,00		DIN		5	45	50	120	125
OR 259.00x4.00 FKM75	259,00	4,00		DIN		5	45	50	120	125
OR 260.00x4.00 FKM75	260,00	4,00		DIN		5	45	50	120	125
OR 261.00x4.00 FKM75	261,00	4,00		DIN		5	45	50	120	125
OR 262.00x4.00 FKM75	262,00	4,00		DIN		5	45	50	120	125
OR 263.00x4.00 FKM75	263,00	4,00		DIN		5	45	50	120	125
OR 264.00x4.00 FKM75	264,00	4,00		DIN		5	45	50	120	125
OR 265.00x4.00 FKM75	265,00	4,00		DIN		5	45	50	120	125
OR 266.00x4.00 FKM75	266,00	4,00		DIN		5	45	50	120	125
OR 267.00x4.00 FKM75	267,00	4,00		DIN		5	45	50	120	125
OR 268.00x4.00 FKM75	268,00	4,00		DIN		5	45	50	120	125
OR 269.00x4.00 FKM75	269,00	4,00		DIN		5	45	50	120	125
OR 270.00x4.00 FKM75	270,00	4,00		DIN		5	45	50	120	125
OR 271.00x4.00 FKM75	271,00	4,00		DIN		5	45	50	120	125
OR 272.00x4.00 FKM75	272,00	4,00		DIN		5	45	50	120	125
OR 273.00x4.00 FKM75	273,00	4,00		DIN		5	45	50	120	125
OR 274.00x4.00 FKM75	274,00	4,00		DIN		5	45	50	120	125
OR 275.00x4.00 FKM75	275,00	4,00		DIN		5	45	50	120	125
OR 276.00x4.00 FKM75	276,00	4,00		DIN		5	45	50	120	125
OR 277.00x4.00 FKM75	277,00	4,00		DIN		5	45	50	120	125
OR 279.00x4.00 FKM75	279,00	4,00		DIN		5	45	50	120	125
OR 280.00x4.00 FKM75	280,00	4,00		DIN		5	45	50	120	125
OR 281.00x4.00 FKM75	281,00	4,00		DIN		5	45	50	120	125
OR 282.00x4.00 FKM75	282,00	4,00		DIN		5	45	50	120	125
OR 284.00x4.00 FKM75	284,00	4,00		DIN		5	45	50	120	125
OR 285.00x4.00 FKM75	285,00	4,00		DIN		5	45	50	120	125
OR 286.00x4.00 FKM75	286,00	4,00		DIN		3	27	30	72	75
OR 287.00x4.00 FKM75	287,00	4,00		DIN		3	27	30	72	75
OR 288.00x4.00 FKM75	288,00	4,00		DIN		3	27	30	72	75
OR 289.00x4.00 FKM75	289,00	4,00		DIN		3	27	30	72	75
OR 290.00x4.00 FKM75	290,00	4,00		DIN		3	27	30	72	75
OR 291.00x4.00 FKM75	291,00	4,00		DIN		3	27	30	72	75
OR 292.00x4.00 FKM75	292,00	4,00		DIN		3	27	30	72	75
OR 293.00x4.00 FKM75	293,00	4,00		DIN		3	27	30	72	75
OR 294.00x4.00 FKM75	294,00	4,00		DIN		3	27	30	72	75
OR 295.00x4.00 FKM75	295,00	4,00		DIN		3	27	30	72	75
OR 296.00x4.00 FKM75	296,00	4,00		DIN		3	27	30	72	75
OR 297.00x4.00 FKM75	297,00	4,00		DIN		3	27	30	72	75
OR 298.00x4.00 FKM75	298,00	4,00		DIN		3	27	30	72	75
OR 300.00x4.00 FKM75	300,00	4,00		DIN		3	27	30	72	75

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 302.00x4.00 FKM75	302,00	4,00		DIN		3	27	30	72	75
OR 303.00x4.00 FKM75	303,00	4,00		DIN		3	27	30	72	75
OR 305.00x4.00 FKM75	305,00	4,00		DIN		3	27	30	72	75
OR 306.00x4.00 FKM75	306,00	4,00		DIN		3	27	30	72	75
OR 307.00x4.00 FKM75	307,00	4,00		DIN		3	27	30	72	75
OR 308.00x4.00 FKM75	308,00	4,00		DIN		3	27	30	72	75
OR 309.00x4.00 FKM75	309,00	4,00		DIN		3	27	30	72	75
OR 310.00x4.00 FKM75	310,00	4,00		DIN		3	27	30	72	75
OR 311.00x4.00 FKM75	311,00	4,00		DIN		3	27	30	72	75
OR 312.00x4.00 FKM75	312,00	4,00		DIN		3	27	30	72	75
OR 313.00x4.00 FKM75	313,00	4,00		DIN		3	27	30	72	75
OR 314.00x4.00 FKM75	314,00	4,00		DIN		3	27	30	72	75
OR 315.00x4.00 FKM75	315,00	4,00		DIN		3	27	30	72	75
OR 320.00x4.00 FKM75	320,00	4,00		DIN		3	27	30	72	75
OR 325.00x4.00 FKM75	325,00	4,00		DIN		3	27	30	72	75
OR 330.00x4.00 FKM75	330,00	4,00		DIN		3	27	30	72	75
OR 335.00x4.00 FKM75	335,00	4,00		DIN		3	27	30	72	75
OR 340.00x4.00 FKM75	340,00	4,00		DIN		3	27	30	72	75
OR 345.00x4.00 FKM75	345,00	4,00		DIN		3	27	30	72	75
OR 350.00x4.00 FKM75	350,00	4,00		DIN		2	18	20	48	50
OR 355.00x4.00 FKM75	355,00	4,00		DIN		2	18	20	48	50
OR 360.00x4.00 FKM75	360,00	4,00		DIN		2	18	20	48	50
OR 365.00x4.00 FKM75	365,00	4,00		DIN		2	18	20	48	50
OR 370.00x4.00 FKM75	370,00	4,00		DIN		2	18	20	48	50
OR 375.00x4.00 FKM75	375,00	4,00		DIN		2	18	20	48	50
OR 380.00x4.00 FKM75	380,00	4,00		DIN		2	18	20	48	50
OR 385.00x4.00 FKM75	385,00	4,00		DIN		2	18	20	48	50
OR 390.00x4.00 FKM75	390,00	4,00		DIN		2	18	20	48	50
OR 395.00x4.00 FKM75	395,00	4,00		DIN		2	18	20	48	50
OR 400.00x4.00 FKM75	400,00	4,00		DIN		2	18	20	48	50
OR 405.00x4.00 FKM75	405,00	4,00		DIN		2	18	20	48	50
OR 410.00x4.00 FKM75	410,00	4,00		DIN		2	18	20	48	50
OR 415.00x4.00 FKM75	415,00	4,00		DIN		2	18	20	48	50
OR 420.00x4.00 FKM75	420,00	4,00		DIN		2	18	20	48	50
OR 425.00x4.00 FKM75	425,00	4,00		DIN		2	18	20	48	50
OR 430.00x4.00 FKM75	430,00	4,00		DIN		2	18	20	48	50
OR 435.00x4.00 FKM75	435,00	4,00		DIN		2	18	20	48	50
OR 440.00x4.00 FKM75	440,00	4,00		DIN		2	18	20	48	50
OR 445.00x4.00 FKM75	445,00	4,00		DIN		2	18	20	48	50
OR 450.00x4.00 FKM75	450,00	4,00		DIN		2	18	20	48	50
OR 460.00x4.00 FKM75	460,00	4,00		DIN		2	18	20	48	50
OR 470.00x4.00 FKM75	470,00	4,00		DIN		2	18	20	48	50
OR 480.00x4.00 FKM75	480,00	4,00		DIN		2	18	20	48	50
OR 490.00x4.00 FKM75	490,00	4,00		DIN		2	18	20	48	50
OR 500.00x4.00 FKM75	500,00	4,00		DIN		2	18	20	48	50
OR 6.00x4.50 FKM75	6,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 8.00x4.50 FKM75	8,00	4,50		DIN		100	900	1.000	2.400	2.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 9.00x4.50 FKM75	9,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 9.50x4.50 FKM75	9,50	4,50		DIN		100	900	1.000	2.400	2.500
OR 10.00x4.50 FKM75	10,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 10.50x4.50 FKM75	10,50	4,50		DIN		100	900	1.000	2.400	2.500
OR 11.00x4.50 FKM75	11,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 12.00x4.50 FKM75	12,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 13.00x4.50 FKM75	13,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 15.00x4.50 FKM75	15,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 15.50x4.50 FKM75	15,50	4,50		DIN		100	900	1.000	2.400	2.500
OR 16.00x4.50 FKM75	16,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 17.00x4.50 FKM75	17,00	4,50		DIN		50	450	500	1.200	1.250
OR 18.00x4.50 FKM75	18,00	4,50		DIN		50	450	500	1.200	1.250
OR 19.00x4.50 FKM75	19,00	4,50		DIN		50	450	500	1.200	1.250
OR 20.00x4.50 FKM75	20,00	4,50		DIN		50	450	500	1.200	1.250
OR 21.00x4.50 FKM75	21,00	4,50		DIN		50	450	500	1.200	1.250
OR 21.50x4.50 FKM75	21,50	4,50		DIN		50	450	500	1.200	1.250
OR 22.00x4.50 FKM75	22,00	4,50		DIN		50	450	500	1.200	1.250
OR 22.50x4.50 FKM75	22,50	4,50		DIN		50	450	500	1.200	1.250
OR 23.00x4.50 FKM75	23,00	4,50		DIN		50	450	500	1.200	1.250
OR 24.00x4.50 FKM75	24,00	4,50		DIN		50	450	500	1.200	1.250
OR 24.50x4.50 FKM75	24,50	4,50		DIN		50	450	500	1.200	1.250
OR 25.00x4.50 FKM75	25,00	4,50		DIN		50	450	500	1.200	1.250
OR 26.00x4.50 FKM75	26,00	4,50		DIN		50	450	500	1.200	1.250
OR 27.00x4.50 FKM75	27,00	4,50		DIN		50	450	500	1.200	1.250
OR 27.50x4.50 FKM75	27,50	4,50		DIN		50	450	500	1.200	1.250
OR 28.00x4.50 FKM75	28,00	4,50		DIN		50	450	500	1.200	1.250
OR 28.50x4.50 FKM75	28,50	4,50		DIN		50	450	500	1.200	1.250
OR 29.00x4.50 FKM75	29,00	4,50		DIN		50	450	500	1.200	1.250
OR 29.50x4.50 FKM75	29,50	4,50		DIN		50	450	500	1.200	1.250
OR 30.00x4.50 FKM75	30,00	4,50		DIN		50	450	500	1.200	1.250
OR 31.00x4.50 FKM75	31,00	4,50		DIN		50	450	500	1.200	1.250
OR 31.50x4.50 FKM75	31,50	4,50		DIN		50	450	500	1.200	1.250
OR 32.00x4.50 FKM75	32,00	4,50		DIN		50	450	500	1.200	1.250
OR 33.00x4.50 FKM75	33,00	4,50		DIN		50	450	500	1.200	1.250
OR 34.00x4.50 FKM75	34,00	4,50		DIN		50	450	500	1.200	1.250
OR 34.50x4.50 FKM75	34,50	4,50		DIN		50	450	500	1.200	1.250
OR 35.00x4.50 FKM75	35,00	4,50		DIN		50	450	500	1.200	1.250
OR 35.50x4.50 FKM75	35,50	4,50		DIN		50	450	500	1.200	1.250
OR 36.00x4.50 FKM75	36,00	4,50		DIN		50	450	500	1.200	1.250
OR 37.00x4.50 FKM75	37,00	4,50		DIN		50	450	500	1.200	1.250
OR 37.50x4.50 FKM75	37,50	4,50		DIN		50	450	500	1.200	1.250
OR 38.00x4.50 FKM75	38,00	4,50		DIN		50	450	500	1.200	1.250
OR 39.00x4.50 FKM75	39,00	4,50		DIN		50	450	500	1.200	1.250
OR 40.00x4.50 FKM75	40,00	4,50		DIN		50	450	500	1.200	1.250
OR 40.50x4.50 FKM75	40,50	4,50		DIN		50	450	500	1.200	1.250
OR 41.00x4.50 FKM75	41,00	4,50		DIN		50	450	500	1.200	1.250
OR 42.00x4.50 FKM75	42,00	4,50		DIN		50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 43.00x4.50 FKM75	43,00	4,50		DIN		50	450	500	1.200	1.250
OR 44.00x4.50 FKM75	44,00	4,50		DIN		30	270	300	720	750
OR 45.00x4.50 FKM75	45,00	4,50		DIN		30	270	300	720	750
OR 46.00x4.50 FKM75	46,00	4,50		DIN		30	270	300	720	750
OR 47.00x4.50 FKM75	47,00	4,50		DIN		30	270	300	720	750
OR 48.00x4.50 FKM75	48,00	4,50		DIN		30	270	300	720	750
OR 49.00x4.50 FKM75	49,00	4,50		DIN		30	270	300	720	750
OR 50.00x4.50 FKM75	50,00	4,50		DIN		30	270	300	720	750
OR 51.00x4.50 FKM75	51,00	4,50		DIN		30	270	300	720	750
OR 53.00x4.50 FKM75	53,00	4,50		DIN		30	270	300	720	750
OR 56.00x4.50 FKM75	56,00	4,50		DIN		30	270	300	720	750
OR 57.00x4.50 FKM75	57,00	4,50		DIN		30	270	300	720	750
OR 60.00x4.50 FKM75	60,00	4,50		DIN		30	270	300	720	750
OR 61.00x4.50 FKM75	61,00	4,50		DIN		30	270	300	720	750
OR 63.00x4.50 FKM75	63,00	4,50		DIN		30	270	300	720	750
OR 64.00x4.50 FKM75	64,00	4,50		DIN		30	270	300	720	750
OR 65.00x4.50 FKM75	65,00	4,50		DIN		20	180	200	480	500
OR 66.00x4.50 FKM75	66,00	4,50		DIN		20	180	200	480	500
OR 68.00x4.50 FKM75	68,00	4,50		DIN		20	180	200	480	500
OR 69.00x4.50 FKM75	69,00	4,50		DIN		20	180	200	480	500
OR 70.00x4.50 FKM75	70,00	4,50		DIN		20	180	200	480	500
OR 71.00x4.50 FKM75	71,00	4,50		DIN		20	180	200	480	500
OR 73.00x4.50 FKM75	73,00	4,50		DIN		20	180	200	480	500
OR 74.00x4.50 FKM75	74,00	4,50		DIN		20	180	200	480	500
OR 75.00x4.50 FKM75	75,00	4,50		DIN		20	180	200	480	500
OR 76.00x4.50 FKM75	76,00	4,50		DIN		20	180	200	480	500
OR 80.00x4.50 FKM75	80,00	4,50		DIN		20	180	200	480	500
OR 81.00x4.50 FKM75	81,00	4,50		DIN		20	180	200	480	500
OR 83.00x4.50 FKM75	83,00	4,50		DIN		20	180	200	480	500
OR 85.00x4.50 FKM75	85,00	4,50		DIN		20	180	200	480	500
OR 86.00x4.50 FKM75	86,00	4,50		DIN		20	180	200	480	500
OR 89.00x4.50 FKM75	89,00	4,50		DIN		20	180	200	480	500
OR 90.00x4.50 FKM75	90,00	4,50		DIN		20	180	200	480	500
OR 92.00x4.50 FKM75	92,00	4,50		DIN		20	180	200	480	500
OR 93.50x4.50 FKM75	93,50	4,50		DIN		20	180	200	480	500
OR 95.00x4.50 FKM75	95,00	4,50		DIN		20	180	200	480	500
OR 97.50x4.50 FKM75	97,50	4,50		DIN		20	180	200	480	500
OR 98.00x4.50 FKM75	98,00	4,50		DIN		20	180	200	480	500
OR 99.50x4.50 FKM75	99,50	4,50		DIN		20	180	200	480	500
OR 100.00x4.50 FKM75	100,00	4,50		DIN		20	180	200	480	500
OR 100.50x4.50 FKM75	100,50	4,50		DIN		10	90	100	240	250
OR 101.00x4.50 FKM75	101,00	4,50		DIN		10	90	100	240	250
OR 103.50x4.50 FKM75	103,50	4,50		DIN		10	90	100	240	250
OR 105.00x4.50 FKM75	105,00	4,50		DIN		10	90	100	240	250
OR 106.00x4.50 FKM75	106,00	4,50		DIN		10	90	100	240	250
OR 110.00x4.50 FKM75	110,00	4,50		DIN		10	90	100	240	250
OR 115.00x4.50 FKM75	115,00	4,50		DIN		10	90	100	240	250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 118.00x4.50 FKM75	118,00	4,50		DIN		10	90	100	240	250
OR 120.00x4.50 FKM75	120,00	4,50		DIN		10	90	100	240	250
OR 122.00x4.50 FKM75	122,00	4,50		DIN		10	90	100	240	250
OR 124.00x4.50 FKM75	124,00	4,50		DIN		10	90	100	240	250
OR 126.00x4.50 FKM75	126,00	4,50		DIN		10	90	100	240	250
OR 128.00x4.50 FKM75	128,00	4,50		DIN		10	90	100	240	250
OR 130.00x4.50 FKM75	130,00	4,50		DIN		10	90	100	240	250
OR 131.50x4.50 FKM75	131,50	4,50		DIN		10	90	100	240	250
OR 134.50x4.50 FKM75	134,50	4,50		DIN		10	90	100	240	250
OR 137.00x4.50 FKM75	137,00	4,50		DIN		10	90	100	240	250
OR 140.00x4.50 FKM75	140,00	4,50		DIN		10	90	100	240	250
OR 140.50x4.50 FKM75	140,50	4,50		DIN		10	90	100	240	250
OR 150.00x4.50 FKM75	150,00	4,50		DIN		10	90	100	240	250
OR 153.00x4.50 FKM75	153,00	4,50		DIN		10	90	100	240	250
OR 155.00x4.50 FKM75	155,00	4,50		DIN		10	90	100	240	250
OR 157.00x4.50 FKM75	157,00	4,50		DIN		10	90	100	240	250
OR 160.00x4.50 FKM75	160,00	4,50		DIN		10	90	100	240	250
OR 165.00x4.50 FKM75	165,00	4,50		DIN		10	90	100	240	250
OR 172.00x4.50 FKM75	172,00	4,50		DIN		5	45	50	120	125
OR 178.00x4.50 FKM75	178,00	4,50		DIN		5	45	50	120	125
OR 180.00x4.50 FKM75	180,00	4,50		DIN		5	45	50	120	125
OR 185.00x4.50 FKM75	185,00	4,50		DIN		5	45	50	120	125
OR 186.00x4.50 FKM75	186,00	4,50		DIN		5	45	50	120	125
OR 189.50x4.50 FKM75	189,50	4,50		DIN		5	45	50	120	125
OR 192.00x4.50 FKM75	192,00	4,50		DIN		5	45	50	120	125
OR 208.00x4.50 FKM75	208,00	4,50		DIN		5	45	50	120	125
OR 215.00x4.50 FKM75	215,00	4,50		DIN		5	45	50	120	125
OR 218.50x4.50 FKM75	218,50	4,50		DIN		5	45	50	120	125
OR 225.00x4.50 FKM75	225,00	4,50		DIN		5	45	50	120	125
OR 227.00x4.50 FKM75	227,00	4,50		DIN		5	45	50	120	125
OR 250.00x4.50 FKM75	250,00	4,50		DIN		5	45	50	120	125
OR 267.00x4.50 FKM75	267,00	4,50		DIN		5	45	50	120	125
OR 280.00x4.50 FKM75	280,00	4,50		DIN		5	45	50	120	125
OR 315.00x4.50 FKM75	315,00	4,50		DIN		5	45	50	120	125
OR 4.00x5.00 FKM75	4,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 5.00x5.00 FKM75	5,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 6.00x5.00 FKM75	6,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 7.00x5.00 FKM75	7,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 8.00x5.00 FKM75	8,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 9.00x5.00 FKM75	9,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 10.00x5.00 FKM75	10,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 11.00x5.00 FKM75	11,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 12.00x5.00 FKM75	12,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 13.00x5.00 FKM75	13,00	5,00		DIN		50	450	500	1.200	1.250
OR 14.00x5.00 FKM75	14,00	5,00		DIN		50	450	500	1.200	1.250
OR 15.00x5.00 FKM75	15,00	5,00		DIN		50	450	500	1.200	1.250
OR 16.00x5.00 FKM75	16,00	5,00		DIN		50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 17.00x5.00 FKM75	17,00	5,00		DIN		50	450	500	1.200	1.250
OR 18.00x5.00 FKM75	18,00	5,00		DIN		50	450	500	1.200	1.250
OR 19.00x5.00 FKM75	19,00	5,00		DIN		50	450	500	1.200	1.250
OR 20.00x5.00 FKM75	20,00	5,00		DIN		50	450	500	1.200	1.250
OR 21.00x5.00 FKM75	21,00	5,00		DIN		50	450	500	1.200	1.250
OR 22.00x5.00 FKM75	22,00	5,00		DIN		50	450	500	1.200	1.250
OR 23.00x5.00 FKM75	23,00	5,00		DIN		50	450	500	1.200	1.250
OR 24.00x5.00 FKM75	24,00	5,00		DIN		50	450	500	1.200	1.250
OR 25.00x5.00 FKM75	25,00	5,00		DIN		50	450	500	1.200	1.250
OR 26.00x5.00 FKM75	26,00	5,00		DIN		50	450	500	1.200	1.250
OR 27.00x5.00 FKM75	27,00	5,00		DIN		50	450	500	1.200	1.250
OR 28.00x5.00 FKM75	28,00	5,00		DIN		50	450	500	1.200	1.250
OR 29.00x5.00 FKM75	29,00	5,00		DIN		50	450	500	1.200	1.250
OR 30.00x5.00 FKM75	30,00	5,00		DIN		50	450	500	1.200	1.250
OR 31.00x5.00 FKM75	31,00	5,00		DIN		50	450	500	1.200	1.250
OR 32.00x5.00 FKM75	32,00	5,00		DIN		50	450	500	1.200	1.250
OR 33.00x5.00 FKM75	33,00	5,00		DIN		50	450	500	1.200	1.250
OR 34.00x5.00 FKM75	34,00	5,00		DIN		50	450	500	1.200	1.250
OR 35.00x5.00 FKM75	35,00	5,00		DIN		30	270	300	720	750
OR 36.00x5.00 FKM75	36,00	5,00		DIN		30	270	300	720	750
OR 37.00x5.00 FKM75	37,00	5,00		DIN		30	270	300	720	750
OR 38.00x5.00 FKM75	38,00	5,00		DIN		30	270	300	720	750
OR 39.00x5.00 FKM75	39,00	5,00		DIN		30	270	300	720	750
OR 40.00x5.00 FKM75	40,00	5,00		DIN		30	270	300	720	750
OR 41.00x5.00 FKM75	41,00	5,00		DIN		30	270	300	720	750
OR 42.00x5.00 FKM75	42,00	5,00		DIN		30	270	300	720	750
OR 43.00x5.00 FKM75	43,00	5,00		DIN		30	270	300	720	750
OR 44.00x5.00 FKM75	44,00	5,00		DIN		30	270	300	720	750
OR 45.00x5.00 FKM75	45,00	5,00		DIN		30	270	300	720	750
OR 46.00x5.00 FKM75	46,00	5,00		DIN		30	270	300	720	750
OR 47.00x5.00 FKM75	47,00	5,00		DIN		30	270	300	720	750
OR 48.00x5.00 FKM75	48,00	5,00		DIN		30	270	300	720	750
OR 49.00x5.00 FKM75	49,00	5,00		DIN		30	270	300	720	750
OR 50.00x5.00 FKM75	50,00	5,00		DIN		20	180	200	480	500
OR 51.00x5.00 FKM75	51,00	5,00		DIN		20	180	200	480	500
OR 52.00x5.00 FKM75	52,00	5,00		DIN		20	180	200	480	500
OR 53.00x5.00 FKM75	53,00	5,00		DIN		20	180	200	480	500
OR 54.00x5.00 FKM75	54,00	5,00		DIN		20	180	200	480	500
OR 55.00x5.00 FKM75	55,00	5,00		DIN		20	180	200	480	500
OR 56.00x5.00 FKM75	56,00	5,00		DIN		20	180	200	480	500
OR 57.00x5.00 FKM75	57,00	5,00		DIN		20	180	200	480	500
OR 58.00x5.00 FKM75	58,00	5,00		DIN		20	180	200	480	500
OR 59.00x5.00 FKM75	59,00	5,00		DIN		20	180	200	480	500
OR 60.00x5.00 FKM75	60,00	5,00		DIN		20	180	200	480	500
OR 61.00x5.00 FKM75	61,00	5,00		DIN		20	180	200	480	500
OR 62.00x5.00 FKM75	62,00	5,00		DIN		20	180	200	480	500
OR 63.00x5.00 FKM75	63,00	5,00		DIN		20	180	200	480	500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 64.00x5.00 FKM75	64,00	5,00		DIN		20	180	200	480	500
OR 65.00x5.00 FKM75	65,00	5,00		DIN		20	180	200	480	500
OR 66.00x5.00 FKM75	66,00	5,00		DIN		20	180	200	480	500
OR 67.00x5.00 FKM75	67,00	5,00		DIN		20	180	200	480	500
OR 68.00x5.00 FKM75	68,00	5,00		DIN		20	180	200	480	500
OR 69.00x5.00 FKM75	69,00	5,00		DIN		20	180	200	480	500
OR 70.00x5.00 FKM75	70,00	5,00		DIN		20	180	200	480	500
OR 71.00x5.00 FKM75	71,00	5,00		DIN		20	180	200	480	500
OR 72.00x5.00 FKM75	72,00	5,00		DIN		20	180	200	480	500
OR 73.00x5.00 FKM75	73,00	5,00		DIN		20	180	200	480	500
OR 74.00x5.00 FKM75	74,00	5,00		DIN		20	180	200	480	500
OR 75.00x5.00 FKM75	75,00	5,00		DIN		20	180	200	480	500
OR 76.00x5.00 FKM75	76,00	5,00		DIN		20	180	200	480	500
OR 77.00x5.00 FKM75	77,00	5,00		DIN		20	180	200	480	500
OR 78.00x5.00 FKM75	78,00	5,00		DIN		20	180	200	480	500
OR 79.00x5.00 FKM75	79,00	5,00		DIN		20	180	200	480	500
OR 80.00x5.00 FKM75	80,00	5,00		DIN		20	180	200	480	500
OR 81.00x5.00 FKM75	81,00	5,00		DIN		20	180	200	480	500
OR 82.00x5.00 FKM75	82,00	5,00		DIN		20	180	200	480	500
OR 83.00x5.00 FKM75	83,00	5,00		DIN		20	180	200	480	500
OR 84.00x5.00 FKM75	84,00	5,00		DIN		20	180	200	480	500
OR 85.00x5.00 FKM75	85,00	5,00		DIN		10	90	100	240	250
OR 86.00x5.00 FKM75	86,00	5,00		DIN		10	90	100	240	250
OR 87.00x5.00 FKM75	87,00	5,00		DIN		10	90	100	240	250
OR 88.00x5.00 FKM75	88,00	5,00		DIN		10	90	100	240	250
OR 89.00x5.00 FKM75	89,00	5,00		DIN		10	90	100	240	250
OR 90.00x5.00 FKM75	90,00	5,00		DIN		10	90	100	240	250
OR 91.00x5.00 FKM75	91,00	5,00		DIN		10	90	100	240	250
OR 92.00x5.00 FKM75	92,00	5,00		DIN		10	90	100	240	250
OR 93.00x5.00 FKM75	93,00	5,00		DIN		10	90	100	240	250
OR 94.00x5.00 FKM75	94,00	5,00		DIN		10	90	100	240	250
OR 95.00x5.00 FKM75	95,00	5,00		DIN		10	90	100	240	250
OR 96.00x5.00 FKM75	96,00	5,00		DIN		10	90	100	240	250
OR 97.00x5.00 FKM75	97,00	5,00		DIN		10	90	100	240	250
OR 98.00x5.00 FKM75	98,00	5,00		DIN		10	90	100	240	250
OR 99.00x5.00 FKM75	99,00	5,00		DIN		10	90	100	240	250
OR 100.00x5.00 FKM75	100,00	5,00		DIN		10	90	100	240	250
OR 101.00x5.00 FKM75	101,00	5,00		DIN		10	90	100	240	250
OR 102.00x5.00 FKM75	102,00	5,00		DIN		10	90	100	240	250
OR 103.00x5.00 FKM75	103,00	5,00		DIN		10	90	100	240	250
OR 104.00x5.00 FKM75	104,00	5,00		DIN		10	90	100	240	250
OR 105.00x5.00 FKM75	105,00	5,00		DIN		10	90	100	240	250
OR 106.00x5.00 FKM75	106,00	5,00		DIN		10	90	100	240	250
OR 107.00x5.00 FKM75	107,00	5,00		DIN		10	90	100	240	250
OR 108.00x5.00 FKM75	108,00	5,00		DIN		10	90	100	240	250
OR 109.00x5.00 FKM75	109,00	5,00		DIN		10	90	100	240	250
OR 110.00x5.00 FKM75	110,00	5,00		DIN		10	90	100	240	250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 111.00x5.00 FKM75	111,00	5,00		DIN		10	90	100	240	250
OR 112.00x5.00 FKM75	112,00	5,00		DIN		10	90	100	240	250
OR 113.00x5.00 FKM75	113,00	5,00		DIN		10	90	100	240	250
OR 114.00x5.00 FKM75	114,00	5,00		DIN		10	90	100	240	250
OR 115.00x5.00 FKM75	115,00	5,00		DIN		10	90	100	240	250
OR 116.00x5.00 FKM75	116,00	5,00		DIN		10	90	100	240	250
OR 117.00x5.00 FKM75	117,00	5,00		DIN		10	90	100	240	250
OR 118.00x5.00 FKM75	118,00	5,00		DIN		10	90	100	240	250
OR 119.00x5.00 FKM75	119,00	5,00		DIN		10	90	100	240	250
OR 120.00x5.00 FKM75	120,00	5,00		DIN		5	45	50	120	125
OR 121.00x5.00 FKM75	121,00	5,00		DIN		5	45	50	120	125
OR 122.00x5.00 FKM75	122,00	5,00		DIN		5	45	50	120	125
OR 123.00x5.00 FKM75	123,00	5,00		DIN		5	45	50	120	125
OR 124.00x5.00 FKM75	124,00	5,00		DIN		5	45	50	120	125
OR 125.00x5.00 FKM75	125,00	5,00		DIN		5	45	50	120	125
OR 126.00x5.00 FKM75	126,00	5,00		DIN		5	45	50	120	125
OR 127.00x5.00 FKM75	127,00	5,00		DIN		5	45	50	120	125
OR 128.00x5.00 FKM75	128,00	5,00		DIN		5	45	50	120	125
OR 129.00x5.00 FKM75	129,00	5,00		DIN		5	45	50	120	125
OR 130.00x5.00 FKM75	130,00	5,00		DIN		5	45	50	120	125
OR 131.00x5.00 FKM75	131,00	5,00		DIN		5	45	50	120	125
OR 132.00x5.00 FKM75	132,00	5,00		DIN		5	45	50	120	125
OR 133.00x5.00 FKM75	133,00	5,00		DIN		5	45	50	120	125
OR 134.00x5.00 FKM75	134,00	5,00		DIN		5	45	50	120	125
OR 135.00x5.00 FKM75	135,00	5,00		DIN		5	45	50	120	125
OR 136.00x5.00 FKM75	136,00	5,00		DIN		5	45	50	120	125
OR 137.00x5.00 FKM75	137,00	5,00		DIN		5	45	50	120	125
OR 138.00x5.00 FKM75	138,00	5,00		DIN		5	45	50	120	125
OR 139.00x5.00 FKM75	139,00	5,00		DIN		5	45	50	120	125
OR 140.00x5.00 FKM75	140,00	5,00		DIN		5	45	50	120	125
OR 141.00x5.00 FKM75	141,00	5,00		DIN		5	45	50	120	125
OR 142.00x5.00 FKM75	142,00	5,00		DIN		5	45	50	120	125
OR 143.00x5.00 FKM75	143,00	5,00		DIN		5	45	50	120	125
OR 144.00x5.00 FKM75	144,00	5,00		DIN		5	45	50	120	125
OR 145.00x5.00 FKM75	145,00	5,00		DIN		5	45	50	120	125
OR 146.00x5.00 FKM75	146,00	5,00		DIN		5	45	50	120	125
OR 147.00x5.00 FKM75	147,00	5,00		DIN		5	45	50	120	125
OR 148.00x5.00 FKM75	148,00	5,00		DIN		5	45	50	120	125
OR 149.00x5.00 FKM75	149,00	5,00		DIN		5	45	50	120	125
OR 150.00x5.00 FKM75	150,00	5,00		DIN		5	45	50	120	125
OR 151.00x5.00 FKM75	151,00	5,00		DIN		5	45	50	120	125
OR 152.00x5.00 FKM75	152,00	5,00		DIN		5	45	50	120	125
OR 153.00x5.00 FKM75	153,00	5,00		DIN		5	45	50	120	125
OR 154.00x5.00 FKM75	154,00	5,00		DIN		5	45	50	120	125
OR 155.00x5.00 FKM75	155,00	5,00		DIN		5	45	50	120	125
OR 156.00x5.00 FKM75	156,00	5,00		DIN		5	45	50	120	125
OR 157.00x5.00 FKM75	157,00	5,00		DIN		5	45	50	120	125

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 158.00x5.00 FKM75	158,00	5,00		DIN		5	45	50	120	125
OR 159.00x5.00 FKM75	159,00	5,00		DIN		5	45	50	120	125
OR 160.00x5.00 FKM75	160,00	5,00		DIN		5	45	50	120	125
OR 161.00x5.00 FKM75	161,00	5,00		DIN		5	45	50	120	125
OR 162.00x5.00 FKM75	162,00	5,00		DIN		5	45	50	120	125
OR 163.00x5.00 FKM75	163,00	5,00		DIN		5	45	50	120	125
OR 164.00x5.00 FKM75	164,00	5,00		DIN		5	45	50	120	125
OR 165.00x5.00 FKM75	165,00	5,00		DIN		5	45	50	120	125
OR 166.00x5.00 FKM75	166,00	5,00		DIN		5	45	50	120	125
OR 167.00x5.00 FKM75	167,00	5,00		DIN		5	45	50	120	125
OR 168.00x5.00 FKM75	168,00	5,00		DIN		5	45	50	120	125
OR 169.00x5.00 FKM75	169,00	5,00		DIN		5	45	50	120	125
OR 170.00x5.00 FKM75	170,00	5,00		DIN		5	45	50	120	125
OR 171.00x5.00 FKM75	171,00	5,00		DIN		5	45	50	120	125
OR 172.00x5.00 FKM75	172,00	5,00		DIN		5	45	50	120	125
OR 173.00x5.00 FKM75	173,00	5,00		DIN		5	45	50	120	125
OR 174.00x5.00 FKM75	174,00	5,00		DIN		5	45	50	120	125
OR 175.00x5.00 FKM75	175,00	5,00		DIN		5	45	50	120	125
OR 176.00x5.00 FKM75	176,00	5,00		DIN		5	45	50	120	125
OR 177.00x5.00 FKM75	177,00	5,00		DIN		5	45	50	120	125
OR 178.00x5.00 FKM75	178,00	5,00		DIN		5	45	50	120	125
OR 179.00x5.00 FKM75	179,00	5,00		DIN		5	45	50	120	125
OR 180.00x5.00 FKM75	180,00	5,00		DIN		5	45	50	120	125
OR 181.00x5.00 FKM75	181,00	5,00		DIN		5	45	50	120	125
OR 182.00x5.00 FKM75	182,00	5,00		DIN		5	45	50	120	125
OR 183.00x5.00 FKM75	183,00	5,00		DIN		5	45	50	120	125
OR 184.00x5.00 FKM75	184,00	5,00		DIN		5	45	50	120	125
OR 185.00x5.00 FKM75	185,00	5,00		DIN		5	45	50	120	125
OR 186.00x5.00 FKM75	186,00	5,00		DIN		5	45	50	120	125
OR 187.00x5.00 FKM75	187,00	5,00		DIN		5	45	50	120	125
OR 188.00x5.00 FKM75	188,00	5,00		DIN		5	45	50	120	125
OR 189.00x5.00 FKM75	189,00	5,00		DIN		5	45	50	120	125
OR 190.00x5.00 FKM75	190,00	5,00		DIN		5	45	50	120	125
OR 191.00x5.00 FKM75	191,00	5,00		DIN		5	45	50	120	125
OR 192.00x5.00 FKM75	192,00	5,00		DIN		5	45	50	120	125
OR 193.00x5.00 FKM75	193,00	5,00		DIN		5	45	50	120	125
OR 194.00x5.00 FKM75	194,00	5,00		DIN		5	45	50	120	125
OR 195.00x5.00 FKM75	195,00	5,00		DIN		5	45	50	120	125
OR 196.00x5.00 FKM75	196,00	5,00		DIN		5	45	50	120	125
OR 197.00x5.00 FKM75	197,00	5,00		DIN		5	45	50	120	125
OR 198.00x5.00 FKM75	198,00	5,00		DIN		5	45	50	120	125
OR 199.00x5.00 FKM75	199,00	5,00		DIN		5	45	50	120	125
OR 200.00x5.00 FKM75	200,00	5,00		DIN		5	45	50	120	125
OR 201.00x5.00 FKM75	201,00	5,00		DIN		5	45	50	120	125
OR 202.00x5.00 FKM75	202,00	5,00		DIN		5	45	50	120	125
OR 203.00x5.00 FKM75	203,00	5,00		DIN		5	45	50	120	125
OR 204.00x5.00 FKM75	204,00	5,00		DIN		5	45	50	120	125

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 205.00x5.00 FKM75	205,00	5,00		DIN		5	45	50	120	125
OR 206.00x5.00 FKM75	206,00	5,00		DIN		5	45	50	120	125
OR 207.00x5.00 FKM75	207,00	5,00		DIN		5	45	50	120	125
OR 208.00x5.00 FKM75	208,00	5,00		DIN		5	45	50	120	125
OR 209.00x5.00 FKM75	209,00	5,00		DIN		5	45	50	120	125
OR 210.00x5.00 FKM75	210,00	5,00		DIN		5	45	50	120	125
OR 211.00x5.00 FKM75	211,00	5,00		DIN		5	45	50	120	125
OR 212.00x5.00 FKM75	212,00	5,00		DIN		5	45	50	120	125
OR 213.00x5.00 FKM75	213,00	5,00		DIN		5	45	50	120	125
OR 214.00x5.00 FKM75	214,00	5,00		DIN		5	45	50	120	125
OR 215.00x5.00 FKM75	215,00	5,00		DIN		5	45	50	120	125
OR 216.00x5.00 FKM75	216,00	5,00		DIN		5	45	50	120	125
OR 217.00x5.00 FKM75	217,00	5,00		DIN		5	45	50	120	125
OR 218.00x5.00 FKM75	218,00	5,00		DIN		5	45	50	120	125
OR 219.00x5.00 FKM75	219,00	5,00		DIN		5	45	50	120	125
OR 220.00x5.00 FKM75	220,00	5,00		DIN		5	45	50	120	125
OR 221.00x5.00 FKM75	221,00	5,00		DIN		5	45	50	120	125
OR 222.00x5.00 FKM75	222,00	5,00		DIN		5	45	50	120	125
OR 223.00x5.00 FKM75	223,00	5,00		DIN		5	45	50	120	125
OR 224.00x5.00 FKM75	224,00	5,00		DIN		5	45	50	120	125
OR 225.00x5.00 FKM75	225,00	5,00		DIN		5	45	50	120	125
OR 226.00x5.00 FKM75	226,00	5,00		DIN		5	45	50	120	125
OR 227.00x5.00 FKM75	227,00	5,00		DIN		5	45	50	120	125
OR 228.00x5.00 FKM75	228,00	5,00		DIN		5	45	50	120	125
OR 229.00x5.00 FKM75	229,00	5,00		DIN		5	45	50	120	125
OR 230.00x5.00 FKM75	230,00	5,00		DIN		5	45	50	120	125
OR 231.00x5.00 FKM75	231,00	5,00		DIN		5	45	50	120	125
OR 232.00x5.00 FKM75	232,00	5,00		DIN		5	45	50	120	125
OR 233.00x5.00 FKM75	233,00	5,00		DIN		5	45	50	120	125
OR 234.00x5.00 FKM75	234,00	5,00		DIN		5	45	50	120	125
OR 235.00x5.00 FKM75	235,00	5,00		DIN		5	45	50	120	125
OR 236.00x5.00 FKM75	236,00	5,00		DIN		3	27	30	72	75
OR 237.00x5.00 FKM75	237,00	5,00		DIN		3	27	30	72	75
OR 238.00x5.00 FKM75	238,00	5,00		DIN		3	27	30	72	75
OR 239.00x5.00 FKM75	239,00	5,00		DIN		3	27	30	72	75
OR 240.00x5.00 FKM75	240,00	5,00		DIN		3	27	30	72	75
OR 241.00x5.00 FKM75	241,00	5,00		DIN		3	27	30	72	75
OR 242.00x5.00 FKM75	242,00	5,00		DIN		3	27	30	72	75
OR 243.00x5.00 FKM75	243,00	5,00		DIN		3	27	30	72	75
OR 244.00x5.00 FKM75	244,00	5,00		DIN		3	27	30	72	75
OR 245.00x5.00 FKM75	245,00	5,00		DIN		3	27	30	72	75
OR 246.00x5.00 FKM75	246,00	5,00		DIN		3	27	30	72	75
OR 247.00x5.00 FKM75	247,00	5,00		DIN		3	27	30	72	75
OR 248.00x5.00 FKM75	248,00	5,00		DIN		3	27	30	72	75
OR 249.00x5.00 FKM75	249,00	5,00		DIN		3	27	30	72	75
OR 250.00x5.00 FKM75	250,00	5,00		DIN		3	27	30	72	75
OR 255.00x5.00 FKM75	255,00	5,00		DIN		3	27	30	72	75

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 260.00x5.00 FKM75	260,00	5,00		DIN		3	27	30	72	75
OR 265.00x5.00 FKM75	265,00	5,00		DIN		3	27	30	72	75
OR 270.00x5.00 FKM75	270,00	5,00		DIN		3	27	30	72	75
OR 275.00x5.00 FKM75	275,00	5,00		DIN		3	27	30	72	75
OR 280.00x5.00 FKM75	280,00	5,00		DIN		3	27	30	72	75
OR 285.00x5.00 FKM75	285,00	5,00		DIN		3	27	30	72	75
OR 290.00x5.00 FKM75	290,00	5,00		DIN		3	27	30	72	75
OR 295.00x5.00 FKM75	295,00	5,00		DIN		3	27	30	72	75
OR 300.00x5.00 FKM75	300,00	5,00		DIN		3	27	30	72	75
OR 305.00x5.00 FKM75	305,00	5,00		DIN		3	27	30	72	75
OR 310.00x5.00 FKM75	310,00	5,00		DIN		3	27	30	72	75
OR 315.00x5.00 FKM75	315,00	5,00		DIN		3	27	30	72	75
OR 320.00x5.00 FKM75	320,00	5,00		DIN		3	27	30	72	75
OR 325.00x5.00 FKM75	325,00	5,00		DIN		3	27	30	72	75
OR 330.00x5.00 FKM75	330,00	5,00		DIN		3	27	30	72	75
OR 335.00x5.00 FKM75	335,00	5,00		DIN		2	18	20	48	50
OR 340.00x5.00 FKM75	340,00	5,00		DIN		2	18	20	48	50
OR 345.00x5.00 FKM75	345,00	5,00		DIN		2	18	20	48	50
OR 350.00x5.00 FKM75	350,00	5,00		DIN		2	18	20	48	50
OR 355.00x5.00 FKM75	355,00	5,00		DIN		2	18	20	48	50
OR 360.00x5.00 FKM75	360,00	5,00		DIN		2	18	20	48	50
OR 365.00x5.00 FKM75	365,00	5,00		DIN		2	18	20	48	50
OR 370.00x5.00 FKM75	370,00	5,00		DIN		2	18	20	48	50
OR 375.00x5.00 FKM75	375,00	5,00		DIN		2	18	20	48	50
OR 380.00x5.00 FKM75	380,00	5,00		DIN		2	18	20	48	50
OR 385.00x5.00 FKM75	385,00	5,00		DIN		2	18	20	48	50
OR 390.00x5.00 FKM75	390,00	5,00		DIN		2	18	20	48	50
OR 395.00x5.00 FKM75	395,00	5,00		DIN		2	18	20	48	50
OR 400.00x5.00 FKM75	400,00	5,00		DIN		2	18	20	48	50
OR 40.00x5.30 FKM75	40,00	5,30	ISO			20	180	200	480	500
OR 41.20x5.30 FKM75	41,20	5,30	ISO			20	180	200	480	500
OR 41.40x5.30 FKM75	41,40	5,30	29bis			20	180	200	480	500
OR 42.50x5.30 FKM75	42,50	5,30	ISO			20	180	200	480	500
OR 43.70x5.30 FKM75	43,70	5,30	ISO			20	180	200	480	500
OR 45.00x5.30 FKM75	45,00	5,30	ISO			20	180	200	480	500
OR 46.20x5.30 FKM75	46,20	5,30	ISO			20	180	200	480	500
OR 47.50x5.30 FKM75	47,50	5,30	ISO			20	180	200	480	500
OR 48.70x5.30 FKM75	48,70	5,30	ISO			20	180	200	480	500
OR 50.00x5.30 FKM75	50,00	5,30	ISO			20	180	200	480	500
OR 51.50x5.30 FKM75	51,50	5,30	ISO			20	180	200	480	500
OR 53.00x5.30 FKM75	53,00	5,30	ISO			20	180	200	480	500
OR 54.40x5.30 FKM75	54,40	5,30	33bis			20	180	200	480	500
OR 54.50x5.30 FKM75	54,50	5,30	ISO			20	180	200	480	500
OR 56.00x5.30 FKM75	56,00	5,30	ISO			20	180	200	480	500
OR 58.00x5.30 FKM75	58,00	5,30	ISO			20	180	200	480	500
OR 60.00x5.30 FKM75	60,00	5,30	ISO			20	180	200	480	500
OR 61.50x5.30 FKM75	61,50	5,30	ISO			20	180	200	480	500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 63.00x5.30 FKM75	63,00	5,30	ISO			20	180	200	480	500
OR 65.00x5.30 FKM75	65,00	5,30	ISO			20	180	200	480	500
OR 67.00x5.30 FKM75	67,00	5,30	ISO			20	180	200	480	500
OR 69.00x5.30 FKM75	69,00	5,30	ISO			20	180	200	480	500
OR 71.00x5.30 FKM75	71,00	5,30	ISO			20	180	200	480	500
OR 73.00x5.30 FKM75	73,00	5,30	ISO			20	180	200	480	500
OR 75.00x5.30 FKM75	75,00	5,30	ISO			10	90	100	240	250
OR 77.50x5.30 FKM75	77,50	5,30	ISO			10	90	100	240	250
OR 80.00x5.30 FKM75	80,00	5,30	ISO			10	90	100	240	250
OR 82.50x5.30 FKM75	82,50	5,30	ISO			10	90	100	240	250
OR 85.00x5.30 FKM75	85,00	5,30	ISO			10	90	100	240	250
OR 87.50x5.30 FKM75	87,50	5,30	ISO			10	90	100	240	250
OR 90.00x5.30 FKM75	90,00	5,30	ISO			10	90	100	240	250
OR 92.50x5.30 FKM75	92,50	5,30	ISO			10	90	100	240	250
OR 95.00x5.30 FKM75	95,00	5,30	ISO			10	90	100	240	250
OR 97.50x5.30 FKM75	97,50	5,30	ISO			10	90	100	240	250
OR 100.00x5.30 FKM75	100,00	5,30	ISO			10	90	100	240	250
OR 103.00x5.30 FKM75	103,00	5,30	ISO			10	90	100	240	250
OR 106.00x5.30 FKM75	106,00	5,30	ISO			10	90	100	240	250
OR 109.00x5.30 FKM75	109,00	5,30	ISO			10	90	100	240	250
OR 112.00x5.30 FKM75	112,00	5,30	ISO			10	90	100	240	250
OR 115.00x5.30 FKM75	115,00	5,30	ISO			10	90	100	240	250
OR 118.00x5.30 FKM75	118,00	5,30	ISO			10	90	100	240	250
OR 122.00x5.30 FKM75	122,00	5,30	ISO			10	90	100	240	250
OR 125.00x5.30 FKM75	125,00	5,30	ISO			10	90	100	240	250
OR 128.00x5.30 FKM75	128,00	5,30	ISO			10	90	100	240	250
OR 132.00x5.30 FKM75	132,00	5,30	ISO			10	90	100	240	250
OR 136.00x5.30 FKM75	136,00	5,30	ISO			10	90	100	240	250
OR 140.00x5.30 FKM75	140,00	5,30	ISO			5	45	50	120	125
OR 145.00x5.30 FKM75	145,00	5,30	ISO			5	45	50	120	125
OR 150.00x5.30 FKM75	150,00	5,30	ISO			5	45	50	120	125
OR 155.00x5.30 FKM75	155,00	5,30	ISO			5	45	50	120	125
OR 160.00x5.30 FKM75	160,00	5,30	ISO			5	45	50	120	125
OR 165.00x5.30 FKM75	165,00	5,30	ISO			5	45	50	120	125
OR 170.00x5.30 FKM75	170,00	5,30	ISO			5	45	50	120	125
OR 175.00x5.30 FKM75	175,00	5,30	ISO			5	45	50	120	125
OR 180.00x5.30 FKM75	180,00	5,30	ISO			5	45	50	120	125
OR 185.00x5.30 FKM75	185,00	5,30	ISO			5	45	50	120	125
OR 190.00x5.30 FKM75	190,00	5,30	ISO			5	45	50	120	125
OR 195.00x5.30 FKM75	195,00	5,30	ISO			5	45	50	120	125
OR 200.00x5.30 FKM75	200,00	5,30	ISO			5	45	50	120	125
OR 10.46x5.33 FKM75	10,46	5,33		6042	309	50	450	500	1.200	1.250
OR 12.07x5.33 FKM75	12,07	5,33		6050	310	50	450	500	1.200	1.250
OR 13.64x5.33 FKM75	13,64	5,33		6055	311	50	450	500	1.200	1.250
OR 15.24x5.33 FKM75	15,24	5,33		6060	312	50	450	500	1.200	1.250
OR 16.81x5.33 FKM75	16,81	5,33		6065	313	50	450	500	1.200	1.250
OR 18.42x5.33 FKM75	18,42	5,33		6075	314	50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 19.99x5.33 FKM75	19,99	5,33		6080	315	50	450	500	1.200	1.250
OR 21.59x5.33 FKM75	21,59	5,33		6085	316	50	450	500	1.200	1.250
OR 23.16x5.33 FKM75	23,16	5,33		6090	317	50	450	500	1.200	1.250
OR 24.77x5.33 FKM75	24,77	5,33		6100	318	50	450	500	1.200	1.250
OR 26.34x5.33 FKM75	26,34	5,33		6105	319	50	450	500	1.200	1.250
OR 27.94x5.33 FKM75	27,94	5,33		6110	320	50	450	500	1.200	1.250
OR 29.51x5.33 FKM75	29,51	5,33		6115	321	30	270	300	720	750
OR 31.12x5.33 FKM75	31,12	5,33		6125	322	30	270	300	720	750
OR 32.69x5.33 FKM75	32,69	5,33		6130	323	30	270	300	720	750
OR 34.29x5.33 FKM75	34,29	5,33		6135	324	30	270	300	720	750
OR 37.47x5.33 FKM75	37,47	5,33	R28	6150	325	30	270	300	720	750
OR 40.64x5.33 FKM75	40,64	5,33	R29	6162	326	30	270	300	720	750
OR 43.82x5.33 FKM75	43,82	5,33	R30	6175	327	20	180	200	480	500
OR 46.99x5.33 FKM75	46,99	5,33	R31	6187	328	20	180	200	480	500
OR 50.17x5.33 FKM75	50,17	5,33	R32	6200	329	20	180	200	480	500
OR 53.34x5.33 FKM75	53,34	5,33	R33	6212	330	20	180	200	480	500
OR 56.52x5.33 FKM75	56,52	5,33	R34	6225	331	20	180	200	480	500
OR 59.69x5.33 FKM75	59,69	5,33	R35	6237	332	20	180	200	480	500
OR 62.87x5.33 FKM75	62,87	5,33	R36	6250	333	20	180	200	480	500
OR 66.04x5.33 FKM75	66,04	5,33	R37	6262	334	20	180	200	480	500
OR 69.22x5.33 FKM75	69,22	5,33	R38	6275	335	20	180	200	480	500
OR 72.39x5.33 FKM75	72,39	5,33	R39	6287	336	20	180	200	480	500
OR 74.63x5.33 FKM75	74,63	5,33		178	619	10	90	100	240	250
OR 75.57x5.33 FKM75	75,57	5,33	R40	6300	337	10	90	100	240	250
OR 78.74x5.33 FKM75	78,74	5,33	R41	6312	338	10	90	100	240	250
OR 79.73x5.33 FKM75	79,73	5,33		181	620	10	90	100	240	250
OR 81.92x5.33 FKM75	81,92	5,33	R42	6325	339	10	90	100	240	250
OR 85.09x5.33 FKM75	85,09	5,33	R43	6337	340	10	90	100	240	250
OR 88.27x5.33 FKM75	88,27	5,33	R44	6350	341	10	90	100	240	250
OR 89.69x5.33 FKM75	89,69	5,33		185	621	10	90	100	240	250
OR 91.44x5.33 FKM75	91,44	5,33	R45	6362	342	10	90	100	240	250
OR 94.62x5.33 FKM75	94,62	5,33	R46	6375	343	10	90	100	240	250
OR 97.79x5.33 FKM75	97,79	5,33	R47	6387	344	10	90	100	240	250
OR 100.00x5.33 FKM75	100,00	5,33		189	622	10	90	100	240	250
OR 100.97x5.33 FKM75	100,97	5,33	R48	6400	345	10	90	100	240	250
OR 104.14x5.33 FKM75	104,14	5,33	R49	6412	346	10	90	100	240	250
OR 107.32x5.33 FKM75	107,32	5,33	R50	6425	347	10	90	100	240	250
OR 109.54x5.33 FKM75	109,54	5,33		193	623	10	90	100	240	250
OR 110.49x5.33 FKM75	110,49	5,33	R51	6437	348	10	90	100	240	250
OR 113.67x5.33 FKM75	113,67	5,33	R52	6450	349	10	90	100	240	250
OR 116.84x5.33 FKM75	116,84	5,33			350	10	90	100	240	250
OR 117.48x5.33 FKM75	117,48	5,33		199	860	10	90	100	240	250
OR 120.02x5.33 FKM75	120,02	5,33			351	10	90	100	240	250
OR 120.65x5.33 FKM75	120,65	5,33		201	861	10	90	100	240	250
OR 123.19x5.33 FKM75	123,19	5,33			352	10	90	100	240	250
OR 123.83x5.33 FKM75	123,83	5,33		203	862	10	90	100	240	250
OR 126.37x5.33 FKM75	126,37	5,33			353	10	90	100	240	250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 127.00x5.33 FKM75	127,00	5,33		206	863	10	90	100	240	250
OR 129.54x5.33 FKM75	129,54	5,33			354	10	90	100	240	250
OR 130.18x5.33 FKM75	130,18	5,33		208	864	10	90	100	240	250
OR 132.72x5.33 FKM75	132,72	5,33			355	10	90	100	240	250
OR 133.35x5.33 FKM75	133,35	5,33		210	865	10	90	100	240	250
OR 135.89x5.33 FKM75	135,89	5,33			356	10	90	100	240	250
OR 136.53x5.33 FKM75	136,53	5,33		213	866	10	90	100	240	250
OR 139.07x5.33 FKM75	139,07	5,33			357	5	45	50	120	125
OR 139.70x5.33 FKM75	139,70	5,33		215	867	5	45	50	120	125
OR 142.24x5.33 FKM75	142,24	5,33			358	5	45	50	120	125
OR 142.88x5.33 FKM75	142,88	5,33		217	868	5	45	50	120	125
OR 145.42x5.33 FKM75	145,42	5,33			359	5	45	50	120	125
OR 146.05x5.33 FKM75	146,05	5,33		219	869	5	45	50	120	125
OR 148.59x5.33 FKM75	148,59	5,33			360	5	45	50	120	125
OR 149.23x5.33 FKM75	149,23	5,33		221	870	5	45	50	120	125
OR 151.77x5.33 FKM75	151,77	5,33		6600	361	5	45	50	120	125
OR 155.00x5.33 FKM75	155,00	5,33			644	5	45	50	120	125
OR 158.12x5.33 FKM75	158,12	5,33		6625	362	5	45	50	120	125
OR 161.30x5.33 FKM75	161,30	5,33			645	5	45	50	120	125
OR 164.47x5.33 FKM75	164,47	5,33		6645	363	5	45	50	120	125
OR 167.70x5.33 FKM75	167,70	5,33			646	5	45	50	120	125
OR 170.82x5.33 FKM75	170,82	5,33		6670	364	5	45	50	120	125
OR 174.00x5.33 FKM75	174,00	5,33			647	5	45	50	120	125
OR 177.17x5.33 FKM75	177,17	5,33		6700	365	5	45	50	120	125
OR 183.52x5.33 FKM75	183,52	5,33		6720	366	5	45	50	120	125
OR 189.87x5.33 FKM75	189,87	5,33		6745	367	5	45	50	120	125
OR 196.22x5.33 FKM75	196,22	5,33		6775	368	5	45	50	120	125
OR 202.57x5.33 FKM75	202,57	5,33		6795	369	5	45	50	120	125
OR 208.92x5.33 FKM75	208,92	5,33		6820	370	5	45	50	120	125
OR 215.27x5.33 FKM75	215,27	5,33		6850	371	5	45	50	120	125
OR 221.62x5.33 FKM75	221,62	5,33		6870	372	5	45	50	120	125
OR 227.97x5.33 FKM75	227,97	5,33		6895	373	5	45	50	120	125
OR 234.32x5.33 FKM75	234,32	5,33		6920	374	3	27	30	72	75
OR 240.67x5.33 FKM75	240,67	5,33		6945	375	3	27	30	72	75
OR 247.02x5.33 FKM75	247,02	5,33		6975	376	3	27	30	72	75
OR 253.37x5.33 FKM75	253,37	5,33		6995	377	3	27	30	72	75
OR 266.07x5.33 FKM75	266,07	5,33		61050	378	3	27	30	72	75
OR 278.77x5.33 FKM75	278,77	5,33		61100	379	3	27	30	72	75
OR 291.47x5.33 FKM75	291,47	5,33		61150	380	3	27	30	72	75
OR 304.17x5.33 FKM75	304,17	5,33		61200	381	3	27	30	72	75
OR 329.57x5.33 FKM75	329,57	5,33		61300	382	2	18	20	48	50
OR 354.97x5.33 FKM75	354,97	5,33		61400	383	2	18	20	48	50
OR 380.37x5.33 FKM75	380,37	5,33		61500	384	2	18	20	48	50
OR 405.26x5.33 FKM75	405,26	5,33		61600	385	2	18	20	48	50
OR 430.66x5.33 FKM75	430,66	5,33		61700	386	2	18	20	48	50
OR 456.06x5.33 FKM75	456,06	5,33		61800	387	2	18	20	48	50
OR 481.41x5.33 FKM75	481,41	5,33		61900	388	1	9	10	24	25

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 506.81x5.33 FKM75	506,81	5,33		62000	389	1	9	10	24	25
OR 532.21x5.33 FKM75	532,21	5,33		62100	390	1	9	10	24	25
OR 557.61x5.33 FKM75	557,61	5,33		62200	391	1	9	10	24	25
OR 582.68x5.33 FKM75	582,68	5,33		62300	392	1	9	10	24	25
OR 608.08x5.33 FKM75	608,08	5,33		62400	393	1	9	10	24	25
OR 633.48x5.33 FKM75	633,48	5,33		62500	394	1	9	10	24	25
OR 658.88x5.33 FKM75	658,88	5,33		62600	395	1	9	10	24	25
OR 44.20x5.70 FKM75	44,20	5,70				20	180	200	480	500
OR 44.30x5.70 FKM75	44,30	5,70				20	180	200	480	500
OR 45.30x5.70 FKM75	45,30	5,70				20	180	200	480	500
OR 47.60x5.70 FKM75	47,60	5,70		P48A		20	180	200	480	500
OR 49.20x5.70 FKM75	49,20	5,70				20	180	200	480	500
OR 49.30x5.70 FKM75	49,30	5,70				20	180	200	480	500
OR 49.60x5.70 FKM75	49,60	5,70		P50A		20	180	200	480	500
OR 51.60x5.70 FKM75	51,60	5,70		P52		20	180	200	480	500
OR 52.30x5.70 FKM75	52,30	5,70				20	180	200	480	500
OR 52.50x5.70 FKM75	52,50	5,70		DIN		20	180	200	480	500
OR 52.60x5.70 FKM75	52,60	5,70		P53		20	180	200	480	500
OR 54.20x5.70 FKM75	54,20	5,70				20	180	200	480	500
OR 54.30x5.70 FKM75	54,30	5,70				20	180	200	480	500
OR 54.60x5.70 FKM75	54,60	5,70		P55		20	180	200	480	500
OR 55.30x5.70 FKM75	55,30	5,70				20	180	200	480	500
OR 55.60x5.70 FKM75	55,60	5,70		P56		20	180	200	480	500
OR 57.60x5.70 FKM75	57,60	5,70		P58		20	180	200	480	500
OR 59.20x5.70 FKM75	59,20	5,70				20	180	200	480	500
OR 59.30x5.70 FKM75	59,30	5,70				20	180	200	480	500
OR 59.60x5.70 FKM75	59,60	5,70		P60		20	180	200	480	500
OR 59.70x5.70 FKM75	59,70	5,70		DIN		20	180	200	480	500
OR 61.60x5.70 FKM75	61,60	5,70		P62		20	180	200	480	500
OR 62.00x5.70 FKM75	62,00	5,70		DIN		20	180	200	480	500
OR 62.30x5.70 FKM75	62,30	5,70				20	180	200	480	500
OR 62.60x5.70 FKM75	62,60	5,70		P63		20	180	200	480	500
OR 64.00x5.70 FKM75	64,00	5,70		DIN		20	180	200	480	500
OR 64.20x5.70 FKM75	64,20	5,70				20	180	200	480	500
OR 64.30x5.70 FKM75	64,30	5,70				20	180	200	480	500
OR 64.60x5.70 FKM75	64,60	5,70		P65		20	180	200	480	500
OR 66.60x5.70 FKM75	66,60	5,70		P67		20	180	200	480	500
OR 69.00x5.70 FKM75	69,00	5,70		DIN		20	180	200	480	500
OR 69.20x5.70 FKM75	69,20	5,70				20	180	200	480	500
OR 69.30x5.70 FKM75	69,30	5,70				20	180	200	480	500
OR 69.60x5.70 FKM75	69,60	5,70		P70		20	180	200	480	500
OR 70.60x5.70 FKM75	70,60	5,70		P71		20	180	200	480	500
OR 74.00x5.70 FKM75	74,00	5,70		DIN		10	90	100	240	250
OR 74.20x5.70 FKM75	74,20	5,70				10	90	100	240	250
OR 74.30x5.70 FKM75	74,30	5,70				10	90	100	240	250
OR 74.60x5.70 FKM75	74,60	5,70		P75		10	90	100	240	250
OR 79.00x5.70 FKM75	79,00	5,70		DIN		10	90	100	240	250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 79.20x5.70 FKM75	79,20	5,70				10	90	100	240	250
OR 79.30x5.70 FKM75	79,30	5,70				10	90	100	240	250
OR 79.60x5.70 FKM75	79,60	5,70		P80		10	90	100	240	250
OR 84.00x5.70 FKM75	84,00	5,70		DIN		10	90	100	240	250
OR 84.10x5.70 FKM75	84,10	5,70				10	90	100	240	250
OR 84.30x5.70 FKM75	84,30	5,70				10	90	100	240	250
OR 84.60x5.70 FKM75	84,60	5,70		P85		10	90	100	240	250
OR 89.00x5.70 FKM75	89,00	5,70		DIN		10	90	100	240	250
OR 89.10x5.70 FKM75	89,10	5,70				10	90	100	240	250
OR 89.30x5.70 FKM75	89,30	5,70				10	90	100	240	250
OR 89.60x5.70 FKM75	89,60	5,70		P90		10	90	100	240	250
OR 94.00x5.70 FKM75	94,00	5,70		DIN		10	90	100	240	250
OR 94.10x5.70 FKM75	94,10	5,70				10	90	100	240	250
OR 94.30x5.70 FKM75	94,30	5,70				10	90	100	240	250
OR 94.60x5.70 FKM75	94,60	5,70		P95		10	90	100	240	250
OR 99.00x5.70 FKM75	99,00	5,70		DIN		10	90	100	240	250
OR 99.10x5.70 FKM75	99,10	5,70				10	90	100	240	250
OR 99.30x5.70 FKM75	99,30	5,70				10	90	100	240	250
OR 99.60x5.70 FKM75	99,60	5,70		P100		10	90	100	240	250
OR 101.60x5.70 FKM75	101,60	5,70		P102		10	90	100	240	250
OR 104.00x5.70 FKM75	104,00	5,70		DIN		10	90	100	240	250
OR 104.10x5.70 FKM75	104,10	5,70				10	90	100	240	250
OR 104.30x5.70 FKM75	104,30	5,70				10	90	100	240	250
OR 104.60x5.70 FKM75	104,60	5,70		P105		10	90	100	240	250
OR 109.00x5.70 FKM75	109,00	5,70		DIN		10	90	100	240	250
OR 109.10x5.70 FKM75	109,10	5,70				10	90	100	240	250
OR 109.30x5.70 FKM75	109,30	5,70				10	90	100	240	250
OR 109.60x5.70 FKM75	109,60	5,70		P110		10	90	100	240	250
OR 111.60x5.70 FKM75	111,60	5,70		P112		10	90	100	240	250
OR 114.00x5.70 FKM75	114,00	5,70		DIN		10	90	100	240	250
OR 114.30x5.70 FKM75	114,30	5,70				10	90	100	240	250
OR 114.60x5.70 FKM75	114,60	5,70		P115		10	90	100	240	250
OR 119.00x5.70 FKM75	119,00	5,70		DIN		10	90	100	240	250
OR 119.30x5.70 FKM75	119,30	5,70				10	90	100	240	250
OR 119.60x5.70 FKM75	119,60	5,70		P120		10	90	100	240	250
OR 124.00x5.70 FKM75	124,00	5,70		DIN		5	45	50	120	125
OR 124.30x5.70 FKM75	124,30	5,70				5	45	50	120	125
OR 124.60x5.70 FKM75	124,60	5,70		P125		5	45	50	120	125
OR 129.30x5.70 FKM75	129,30	5,70				5	45	50	120	125
OR 129.60x5.70 FKM75	129,60	5,70		P130		5	45	50	120	125
OR 131.60x5.70 FKM75	131,60	5,70		P132		5	45	50	120	125
OR 134.30x5.70 FKM75	134,30	5,70				5	45	50	120	125
OR 134.60x5.70 FKM75	134,60	5,70		P135		5	45	50	120	125
OR 139.30x5.70 FKM75	139,30	5,70				5	45	50	120	125
OR 139.60x5.70 FKM75	139,60	5,70		P140		5	45	50	120	125
OR 144.30x5.70 FKM75	144,30	5,70				5	45	50	120	125
OR 144.60x5.70 FKM75	144,60	5,70		P145		5	45	50	120	125

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 149.30x5.70 FKM75	149,30	5,70		G150		5	45	50	120	125
OR 149.60x5.70 FKM75	149,60	5,70		P150		5	45	50	120	125
OR 154.30x5.70 FKM75	154,30	5,70		G155		5	45	50	120	125
OR 159.30x5.70 FKM75	159,30	5,70		G160		5	45	50	120	125
OR 164.30x5.70 FKM75	164,30	5,70		G165		5	45	50	120	125
OR 169.30x5.70 FKM75	169,30	5,70		G170		5	45	50	120	125
OR 174.30x5.70 FKM75	174,30	5,70		G175		5	45	50	120	125
OR 179.30x5.70 FKM75	179,30	5,70		G180		5	45	50	120	125
OR 184.30x5.70 FKM75	184,30	5,70		G185		5	45	50	120	125
OR 189.30x5.70 FKM75	189,30	5,70		G190		5	45	50	120	125
OR 194.30x5.70 FKM75	194,30	5,70		G195		5	45	50	120	125
OR 199.30x5.70 FKM75	199,30	5,70		G200		5	45	50	120	125
OR 209.30x5.70 FKM75	209,30	5,70		G210		5	45	50	120	125
OR 219.30x5.70 FKM75	219,30	5,70		G220		5	45	50	120	125
OR 229.30x5.70 FKM75	229,30	5,70		G230		5	45	50	120	125
OR 239.30x5.70 FKM75	239,30	5,70		G240		3	27	30	72	75
OR 249.30x5.70 FKM75	249,30	5,70		G250		3	27	30	72	75
OR 259.30x5.70 FKM75	259,30	5,70		G260		3	27	30	72	75
OR 269.30x5.70 FKM75	269,30	5,70		G270		3	27	30	72	75
OR 279.30x5.70 FKM75	279,30	5,70		G280		3	27	30	72	75
OR 289.30x5.70 FKM75	289,30	5,70		G290		3	27	30	72	75
OR 299.30x5.70 FKM75	299,30	5,70		G706		3	27	30	72	75
OR 319.30x5.70 FKM75	319,30	5,70				2	18	20	48	50
OR 329.30x5.70 FKM75	329,30	5,70				2	18	20	48	50
OR 339.30x5.70 FKM75	339,30	5,70				2	18	20	48	50
OR 359.30x5.70 FKM75	359,30	5,70				2	18	20	48	50
OR 379.30x5.70 FKM75	379,30	5,70				2	18	20	48	50
OR 399.30x5.70 FKM75	399,30	5,70				2	18	20	48	50
OR 419.30x5.70 FKM75	419,30	5,70				2	18	20	48	50
OR 439.30x5.70 FKM75	439,30	5,70				2	18	20	48	50
OR 459.30x5.70 FKM75	459,30	5,70				2	18	20	48	50
OR 479.30x5.70 FKM75	479,30	5,70				2	18	20	48	50
OR 499.30x5.70 FKM75	499,30	5,70				2	18	20	48	50
OR 6.00x6.00 FKM75	6,00	6,00		DIN		50	450	500	1.200	1.250
OR 7.00x6.00 FKM75	7,00	6,00		DIN		50	450	500	1.200	1.250
OR 9.00x6.00 FKM75	9,00	6,00		DIN		50	450	500	1.200	1.250
OR 10.00x6.00 FKM75	10,00	6,00		DIN		50	450	500	1.200	1.250
OR 11.00x6.00 FKM75	11,00	6,00		DIN		50	450	500	1.200	1.250
OR 12.00x6.00 FKM75	12,00	6,00		DIN		50	450	500	1.200	1.250
OR 13.00x6.00 FKM75	13,00	6,00		DIN		50	450	500	1.200	1.250
OR 14.00x6.00 FKM75	14,00	6,00		DIN		50	450	500	1.200	1.250
OR 15.00x6.00 FKM75	15,00	6,00		DIN		50	450	500	1.200	1.250
OR 16.00x6.00 FKM75	16,00	6,00		DIN		50	450	500	1.200	1.250
OR 18.00x6.00 FKM75	18,00	6,00		DIN		50	450	500	1.200	1.250
OR 19.00x6.00 FKM75	19,00	6,00		DIN		50	450	500	1.200	1.250
OR 19.50x6.00 FKM75	19,50	6,00		DIN		50	450	500	1.200	1.250
OR 20.00x6.00 FKM75	20,00	6,00		DIN		30	270	300	720	750

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 21.00x6.00 FKM75	21,00	6,00		DIN		30	270	300	720	750
OR 22.00x6.00 FKM75	22,00	6,00		DIN		30	270	300	720	750
OR 23.00x6.00 FKM75	23,00	6,00		DIN		30	270	300	720	750
OR 23.50x6.00 FKM75	23,50	6,00		DIN		30	270	300	720	750
OR 24.00x6.00 FKM75	24,00	6,00		DIN		30	270	300	720	750
OR 25.00x6.00 FKM75	25,00	6,00		DIN		30	270	300	720	750
OR 26.00x6.00 FKM75	26,00	6,00		DIN		30	270	300	720	750
OR 27.00x6.00 FKM75	27,00	6,00		DIN		30	270	300	720	750
OR 28.00x6.00 FKM75	28,00	6,00		DIN		30	270	300	720	750
OR 29.00x6.00 FKM75	29,00	6,00		DIN		30	270	300	720	750
OR 30.00x6.00 FKM75	30,00	6,00		DIN		30	270	300	720	750
OR 31.00x6.00 FKM75	31,00	6,00		DIN		30	270	300	720	750
OR 32.00x6.00 FKM75	32,00	6,00		DIN		30	270	300	720	750
OR 33.00x6.00 FKM75	33,00	6,00		DIN		20	180	200	480	500
OR 34.00x6.00 FKM75	34,00	6,00		DIN		20	180	200	480	500
OR 35.00x6.00 FKM75	35,00	6,00		DIN		20	180	200	480	500
OR 36.00x6.00 FKM75	36,00	6,00		DIN		20	180	200	480	500
OR 37.00x6.00 FKM75	37,00	6,00		DIN		20	180	200	480	500
OR 38.00x6.00 FKM75	38,00	6,00		DIN		20	180	200	480	500
OR 39.00x6.00 FKM75	39,00	6,00		DIN		20	180	200	480	500
OR 39.50x6.00 FKM75	39,50	6,00		DIN		20	180	200	480	500
OR 40.00x6.00 FKM75	40,00	6,00		DIN		20	180	200	480	500
OR 41.00x6.00 FKM75	41,00	6,00		DIN		20	180	200	480	500
OR 41.50x6.00 FKM75	41,50	6,00		DIN		20	180	200	480	500
OR 42.00x6.00 FKM75	42,00	6,00		DIN		20	180	200	480	500
OR 43.00x6.00 FKM75	43,00	6,00		DIN		20	180	200	480	500
OR 44.00x6.00 FKM75	44,00	6,00		DIN		20	180	200	480	500
OR 44.50x6.00 FKM75	44,50	6,00		DIN		20	180	200	480	500
OR 45.00x6.00 FKM75	45,00	6,00		DIN		20	180	200	480	500
OR 46.00x6.00 FKM75	46,00	6,00		DIN		20	180	200	480	500
OR 47.00x6.00 FKM75	47,00	6,00		DIN		20	180	200	480	500
OR 48.00x6.00 FKM75	48,00	6,00		DIN		20	180	200	480	500
OR 49.00x6.00 FKM75	49,00	6,00		DIN		20	180	200	480	500
OR 50.00x6.00 FKM75	50,00	6,00		DIN		20	180	200	480	500
OR 51.00x6.00 FKM75	51,00	6,00		DIN		20	180	200	480	500
OR 52.00x6.00 FKM75	52,00	6,00		DIN		20	180	200	480	500
OR 53.00x6.00 FKM75	53,00	6,00		DIN		20	180	200	480	500
OR 54.00x6.00 FKM75	54,00	6,00		DIN		20	180	200	480	500
OR 55.00x6.00 FKM75	55,00	6,00		DIN		20	180	200	480	500
OR 56.00x6.00 FKM75	56,00	6,00		DIN		20	180	200	480	500
OR 57.00x6.00 FKM75	57,00	6,00		DIN		20	180	200	480	500
OR 58.00x6.00 FKM75	58,00	6,00		DIN		20	180	200	480	500
OR 59.50x6.00 FKM75	59,50	6,00		DIN		20	180	200	480	500
OR 60.00x6.00 FKM75	60,00	6,00		DIN		10	90	100	240	250
OR 61.00x6.00 FKM75	61,00	6,00		DIN		10	90	100	240	250
OR 62.00x6.00 FKM75	62,00	6,00		DIN		10	90	100	240	250
OR 63.00x6.00 FKM75	63,00	6,00		DIN		10	90	100	240	250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 64.00x6.00 FKM75	64,00	6,00		DIN		10	90	100	240	250
OR 65.00x6.00 FKM75	65,00	6,00		DIN		10	90	100	240	250
OR 66.00x6.00 FKM75	66,00	6,00		DIN		10	90	100	240	250
OR 67.00x6.00 FKM75	67,00	6,00		DIN		10	90	100	240	250
OR 68.00x6.00 FKM75	68,00	6,00		DIN		10	90	100	240	250
OR 69.00x6.00 FKM75	69,00	6,00		DIN		10	90	100	240	250
OR 70.00x6.00 FKM75	70,00	6,00		DIN		10	90	100	240	250
OR 72.00x6.00 FKM75	72,00	6,00		DIN		10	90	100	240	250
OR 73.00x6.00 FKM75	73,00	6,00		DIN		10	90	100	240	250
OR 74.00x6.00 FKM75	74,00	6,00		DIN		10	90	100	240	250
OR 75.00x6.00 FKM75	75,00	6,00		DIN		10	90	100	240	250
OR 76.00x6.00 FKM75	76,00	6,00		DIN		10	90	100	240	250
OR 78.00x6.00 FKM75	78,00	6,00		DIN		10	90	100	240	250
OR 78.50x6.00 FKM75	78,50	6,00		DIN		10	90	100	240	250
OR 79.00x6.00 FKM75	79,00	6,00		DIN		10	90	100	240	250
OR 80.00x6.00 FKM75	80,00	6,00		DIN		10	90	100	240	250
OR 81.00x6.00 FKM75	81,00	6,00		DIN		10	90	100	240	250
OR 81.50x6.00 FKM75	81,50	6,00		DIN		10	90	100	240	250
OR 84.00x6.00 FKM75	84,00	6,00		DIN		10	90	100	240	250
OR 85.00x6.00 FKM75	85,00	6,00		DIN		10	90	100	240	250
OR 86.00x6.00 FKM75	86,00	6,00		DIN		10	90	100	240	250
OR 88.00x6.00 FKM75	88,00	6,00		DIN		10	90	100	240	250
OR 90.00x6.00 FKM75	90,00	6,00		DIN		10	90	100	240	250
OR 92.00x6.00 FKM75	92,00	6,00		DIN		10	90	100	240	250
OR 93.00x6.00 FKM75	93,00	6,00		DIN		10	90	100	240	250
OR 95.00x6.00 FKM75	95,00	6,00		DIN		10	90	100	240	250
OR 96.00x6.00 FKM75	96,00	6,00		DIN		10	90	100	240	250
OR 98.00x6.00 FKM75	98,00	6,00		DIN		10	90	100	240	250
OR 99.00x6.00 FKM75	99,00	6,00		DIN		10	90	100	240	250
OR 100.00x6.00 FKM75	100,00	6,00		DIN		5	45	50	120	125
OR 101.00x6.00 FKM75	101,00	6,00		DIN		5	45	50	120	125
OR 103.00x6.00 FKM75	103,00	6,00		DIN		5	45	50	120	125
OR 104.00x6.00 FKM75	104,00	6,00		DIN		5	45	50	120	125
OR 104.50x6.00 FKM75	104,50	6,00		DIN		5	45	50	120	125
OR 105.00x6.00 FKM75	105,00	6,00		DIN		5	45	50	120	125
OR 106.00x6.00 FKM75	106,00	6,00		DIN		5	45	50	120	125
OR 108.00x6.00 FKM75	108,00	6,00		DIN		5	45	50	120	125
OR 110.00x6.00 FKM75	110,00	6,00		DIN		5	45	50	120	125
OR 111.00x6.00 FKM75	111,00	6,00		DIN		5	45	50	120	125
OR 112.00x6.00 FKM75	112,00	6,00		DIN		5	45	50	120	125
OR 114.00x6.00 FKM75	114,00	6,00		DIN		5	45	50	120	125
OR 115.00x6.00 FKM75	115,00	6,00		DIN		5	45	50	120	125
OR 118.00x6.00 FKM75	118,00	6,00		DIN		5	45	50	120	125
OR 120.00x6.00 FKM75	120,00	6,00		DIN		5	45	50	120	125
OR 122.00x6.00 FKM75	122,00	6,00		DIN		5	45	50	120	125
OR 123.00x6.00 FKM75	123,00	6,00		DIN		5	45	50	120	125
OR 124.00x6.00 FKM75	124,00	6,00		DIN		5	45	50	120	125

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 125.00x6.00 FKM75	125,00	6,00		DIN		5	45	50	120	125
OR 128.00x6.00 FKM75	128,00	6,00		DIN		5	45	50	120	125
OR 130.00x6.00 FKM75	130,00	6,00		DIN		5	45	50	120	125
OR 132.00x6.00 FKM75	132,00	6,00		DIN		5	45	50	120	125
OR 134.00x6.00 FKM75	134,00	6,00		DIN		5	45	50	120	125
OR 135.00x6.00 FKM75	135,00	6,00		DIN		5	45	50	120	125
OR 136.00x6.00 FKM75	136,00	6,00		DIN		5	45	50	120	125
OR 138.00x6.00 FKM75	138,00	6,00		DIN		5	45	50	120	125
OR 139.20x6.00 FKM75	139,20	6,00		DIN		5	45	50	120	125
OR 140.00x6.00 FKM75	140,00	6,00		DIN		5	45	50	120	125
OR 142.00x6.00 FKM75	142,00	6,00		DIN		5	45	50	120	125
OR 145.00x6.00 FKM75	145,00	6,00		DIN		5	45	50	120	125
OR 146.00x6.00 FKM75	146,00	6,00		DIN		5	45	50	120	125
OR 148.00x6.00 FKM75	148,00	6,00		DIN		5	45	50	120	125
OR 150.00x6.00 FKM75	150,00	6,00		DIN		5	45	50	120	125
OR 153.00x6.00 FKM75	153,00	6,00		DIN		5	45	50	120	125
OR 154.00x6.00 FKM75	154,00	6,00		DIN		5	45	50	120	125
OR 155.00x6.00 FKM75	155,00	6,00		DIN		5	45	50	120	125
OR 155.50x6.00 FKM75	155,50	6,00		DIN		5	45	50	120	125
OR 156.00x6.00 FKM75	156,00	6,00		DIN		5	45	50	120	125
OR 157.00x6.00 FKM75	157,00	6,00		DIN		5	45	50	120	125
OR 158.00x6.00 FKM75	158,00	6,00		DIN		5	45	50	120	125
OR 159.00x6.00 FKM75	159,00	6,00		DIN		5	45	50	120	125
OR 160.00x6.00 FKM75	160,00	6,00		DIN		5	45	50	120	125
OR 162.00x6.00 FKM75	162,00	6,00		DIN		5	45	50	120	125
OR 165.00x6.00 FKM75	165,00	6,00		DIN		5	45	50	120	125
OR 166.00x6.00 FKM75	166,00	6,00		DIN		5	45	50	120	125
OR 169.00x6.00 FKM75	169,00	6,00		DIN		5	45	50	120	125
OR 170.00x6.00 FKM75	170,00	6,00		DIN		5	45	50	120	125
OR 172.00x6.00 FKM75	172,00	6,00		DIN		5	45	50	120	125
OR 175.00x6.00 FKM75	175,00	6,00		DIN		5	45	50	120	125
OR 176.00x6.00 FKM75	176,00	6,00		DIN		5	45	50	120	125
OR 180.00x6.00 FKM75	180,00	6,00		DIN		3	27	30	72	75
OR 182.00x6.00 FKM75	182,00	6,00		DIN		3	27	30	72	75
OR 184.00x6.00 FKM75	184,00	6,00		DIN		3	27	30	72	75
OR 185.00x6.00 FKM75	185,00	6,00		DIN		3	27	30	72	75
OR 188.00x6.00 FKM75	188,00	6,00		DIN		3	27	30	72	75
OR 190.00x6.00 FKM75	190,00	6,00		DIN		3	27	30	72	75
OR 191.20x6.00 FKM75	191,20	6,00		DIN		3	27	30	72	75
OR 193.00x6.00 FKM75	193,00	6,00		DIN		3	27	30	72	75
OR 195.00x6.00 FKM75	195,00	6,00		DIN		3	27	30	72	75
OR 196.00x6.00 FKM75	196,00	6,00		DIN		3	27	30	72	75
OR 198.00x6.00 FKM75	198,00	6,00		DIN		3	27	30	72	75
OR 200.00x6.00 FKM75	200,00	6,00		DIN		3	27	30	72	75
OR 201.00x6.00 FKM75	201,00	6,00		DIN		3	27	30	72	75
OR 202.00x6.00 FKM75	202,00	6,00		DIN		3	27	30	72	75
OR 203.00x6.00 FKM75	203,00	6,00		DIN		3	27	30	72	75

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 203.50x6.00 FKM75	203,50	6,00		DIN		3	27	30	72	75
OR 204.00x6.00 FKM75	204,00	6,00		DIN		3	27	30	72	75
OR 205.00x6.00 FKM75	205,00	6,00		DIN		3	27	30	72	75
OR 208.00x6.00 FKM75	208,00	6,00		DIN		3	27	30	72	75
OR 210.00x6.00 FKM75	210,00	6,00		DIN		3	27	30	72	75
OR 212.00x6.00 FKM75	212,00	6,00		DIN		3	27	30	72	75
OR 215.00x6.00 FKM75	215,00	6,00		DIN		3	27	30	72	75
OR 216.00x6.00 FKM75	216,00	6,00		DIN		3	27	30	72	75
OR 217.00x6.00 FKM75	217,00	6,00		DIN		3	27	30	72	75
OR 218.00x6.00 FKM75	218,00	6,00		DIN		3	27	30	72	75
OR 220.00x6.00 FKM75	220,00	6,00		DIN		3	27	30	72	75
OR 221.00x6.00 FKM75	221,00	6,00		DIN		3	27	30	72	75
OR 225.00x6.00 FKM75	225,00	6,00		DIN		3	27	30	72	75
OR 226.00x6.00 FKM75	226,00	6,00		DIN		3	27	30	72	75
OR 229.00x6.00 FKM75	229,00	6,00		DIN		3	27	30	72	75
OR 230.00x6.00 FKM75	230,00	6,00		DIN		3	27	30	72	75
OR 235.00x6.00 FKM75	235,00	6,00		DIN		3	27	30	72	75
OR 236.00x6.00 FKM75	236,00	6,00		DIN		3	27	30	72	75
OR 237.00x6.00 FKM75	237,00	6,00		DIN		3	27	30	72	75
OR 237.50x6.00 FKM75	237,50	6,00		DIN		3	27	30	72	75
OR 238.00x6.00 FKM75	238,00	6,00		DIN		3	27	30	72	75
OR 240.00x6.00 FKM75	240,00	6,00		DIN		3	27	30	72	75
OR 242.00x6.00 FKM75	242,00	6,00		DIN		3	27	30	72	75
OR 244.00x6.00 FKM75	244,00	6,00		DIN		3	27	30	72	75
OR 247.00x6.00 FKM75	247,00	6,00		DIN		3	27	30	72	75
OR 249.00x6.00 FKM75	249,00	6,00		DIN		3	27	30	72	75
OR 250.00x6.00 FKM75	250,00	6,00		DIN		3	27	30	72	75
OR 258.00x6.00 FKM75	258,00	6,00		DIN		3	27	30	72	75
OR 259.00x6.00 FKM75	259,00	6,00		DIN		3	27	30	72	75
OR 260.00x6.00 FKM75	260,00	6,00		DIN		3	27	30	72	75
OR 262.00x6.00 FKM75	262,00	6,00		DIN		3	27	30	72	75
OR 265.00x6.00 FKM75	265,00	6,00		DIN		3	27	30	72	75
OR 266.00x6.00 FKM75	266,00	6,00		DIN		3	27	30	72	75
OR 270.00x6.00 FKM75	270,00	6,00		DIN		3	27	30	72	75
OR 278.00x6.00 FKM75	278,00	6,00		DIN		3	27	30	72	75
OR 280.00x6.00 FKM75	280,00	6,00		DIN		3	27	30	72	75
OR 284.00x6.00 FKM75	284,00	6,00		DIN		3	27	30	72	75
OR 285.00x6.00 FKM75	285,00	6,00		DIN		3	27	30	72	75
OR 288.00x6.00 FKM75	288,00	6,00		DIN		3	27	30	72	75
OR 290.00x6.00 FKM75	290,00	6,00		DIN		3	27	30	72	75
OR 294.00x6.00 FKM75	294,00	6,00		DIN		2	18	20	48	50
OR 295.00x6.00 FKM75	295,00	6,00		DIN		2	18	20	48	50
OR 300.00x6.00 FKM75	300,00	6,00		DIN		2	18	20	48	50
OR 305.00x6.00 FKM75	305,00	6,00		DIN		2	18	20	48	50
OR 310.00x6.00 FKM75	310,00	6,00		DIN		2	18	20	48	50
OR 315.00x6.00 FKM75	315,00	6,00		DIN		2	18	20	48	50
OR 320.00x6.00 FKM75	320,00	6,00		DIN		2	18	20	48	50

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 325.00x6.00 FKM75	325,00	6,00		DIN		2	18	20	48	50
OR 330.00x6.00 FKM75	330,00	6,00		DIN		2	18	20	48	50
OR 335.00x6.00 FKM75	335,00	6,00		DIN		2	18	20	48	50
OR 338.00x6.00 FKM75	338,00	6,00		DIN		2	18	20	48	50
OR 340.00x6.00 FKM75	340,00	6,00		DIN		2	18	20	48	50
OR 345.00x6.00 FKM75	345,00	6,00		DIN		2	18	20	48	50
OR 348.00x6.00 FKM75	348,00	6,00		DIN		2	18	20	48	50
OR 350.00x6.00 FKM75	350,00	6,00		DIN		2	18	20	48	50
OR 355.00x6.00 FKM75	355,00	6,00		DIN		2	18	20	48	50
OR 358.00x6.00 FKM75	358,00	6,00		DIN		2	18	20	48	50
OR 360.00x6.00 FKM75	360,00	6,00		DIN		2	18	20	48	50
OR 365.00x6.00 FKM75	365,00	6,00		DIN		2	18	20	48	50
OR 368.00x6.00 FKM75	368,00	6,00		DIN		2	18	20	48	50
OR 370.00x6.00 FKM75	370,00	6,00		DIN		2	18	20	48	50
OR 375.00x6.00 FKM75	375,00	6,00		DIN		2	18	20	48	50
OR 376.00x6.00 FKM75	376,00	6,00		DIN		2	18	20	48	50
OR 380.00x6.00 FKM75	380,00	6,00		DIN		2	18	20	48	50
OR 385.00x6.00 FKM75	385,00	6,00		DIN		2	18	20	48	50
OR 386.00x6.00 FKM75	386,00	6,00		DIN		2	18	20	48	50
OR 388.00x6.00 FKM75	388,00	6,00		DIN		2	18	20	48	50
OR 389.00x6.00 FKM75	389,00	6,00		DIN		2	18	20	48	50
OR 390.00x6.00 FKM75	390,00	6,00		DIN		2	18	20	48	50
OR 392.00x6.00 FKM75	392,00	6,00		DIN		2	18	20	48	50
OR 394.00x6.00 FKM75	394,00	6,00		DIN		2	18	20	48	50
OR 395.00x6.00 FKM75	395,00	6,00		DIN		2	18	20	48	50
OR 398.00x6.00 FKM75	398,00	6,00		DIN		2	18	20	48	50
OR 400.00x6.00 FKM75	400,00	6,00		DIN		2	18	20	48	50
OR 415.00x6.00 FKM75	415,00	6,00		DIN		2	18	20	48	50
OR 422.00x6.00 FKM75	422,00	6,00		DIN		2	18	20	48	50
OR 429.00x6.00 FKM75	429,00	6,00		DIN		2	18	20	48	50
OR 446.00x6.00 FKM75	446,00	6,00		DIN		2	18	20	48	50
OR 448.00x6.00 FKM75	448,00	6,00		DIN		2	18	20	48	50
OR 450.00x6.00 FKM75	450,00	6,00		DIN		2	18	20	48	50
OR 470.00x6.00 FKM75	470,00	6,00		DIN		1	9	10	24	25
OR 478.00x6.00 FKM75	478,00	6,00		DIN		1	9	10	24	25
OR 480.00x6.00 FKM75	480,00	6,00		DIN		1	9	10	24	25
OR 486.00x6.00 FKM75	486,00	6,00		DIN		1	9	10	24	25
OR 489.00x6.00 FKM75	489,00	6,00		DIN		1	9	10	24	25
OR 500.00x6.00 FKM75	500,00	6,00		DIN		1	9	10	24	25
OR 504.00x6.00 FKM75	504,00	6,00		DIN		1	9	10	24	25
OR 505.00x6.00 FKM75	505,00	6,00		DIN		1	9	10	24	25
OR 508.00x6.00 FKM75	508,00	6,00		DIN		1	9	10	24	25
OR 510.00x6.00 FKM75	510,00	6,00		DIN		1	9	10	24	25
OR 516.00x6.00 FKM75	516,00	6,00		DIN		1	9	10	24	25
OR 530.00x6.00 FKM75	530,00	6,00		DIN		1	9	10	24	25
OR 540.00x6.00 FKM75	540,00	6,00		DIN		1	9	10	24	25
OR 544.00x6.00 FKM75	544,00	6,00		DIN		1	9	10	24	25

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 549.00x6.00 FKM75	549,00	6,00		DIN		1	9	10	24	25
OR 555.00x6.00 FKM75	555,00	6,00		DIN		1	9	10	24	25
OR 560.00x6.00 FKM75	560,00	6,00		DIN		1	9	10	24	25
OR 569.00x6.00 FKM75	569,00	6,00		DIN		1	9	10	24	25
OR 575.00x6.00 FKM75	575,00	6,00		DIN		1	9	10	24	25
OR 579.00x6.00 FKM75	579,00	6,00		DIN		1	9	10	24	25
OR 113.67x6.99 FKM75	113,67	6,99	R53	8450	425	5	45	50	120	125
OR 114.70x6.99 FKM75	114,70	6,99		197	624	5	45	50	120	125
OR 116.84x6.99 FKM75	116,84	6,99	R54	8462	426	5	45	50	120	125
OR 120.02x6.99 FKM75	120,02	6,99	R55	8475	427	5	45	50	120	125
OR 123.19x6.99 FKM75	123,19	6,99	R56	8487	428	5	45	50	120	125
OR 124.60x6.99 FKM75	124,60	6,99		204	625	5	45	50	120	125
OR 126.37x6.99 FKM75	126,37	6,99	R57	8500	429	5	45	50	120	125
OR 129.54x6.99 FKM75	129,54	6,99	R58	8512	430	5	45	50	120	125
OR 132.72x6.99 FKM75	132,72	6,99	R59	8525	431	5	45	50	120	125
OR 134.50x6.99 FKM75	134,50	6,99		211	626	5	45	50	120	125
OR 135.89x6.99 FKM75	135,89	6,99	R60	8537	432	5	45	50	120	125
OR 139.07x6.99 FKM75	139,07	6,99	R61	8550	433	5	45	50	120	125
OR 142.24x6.99 FKM75	142,24	6,99	R62	8562	434	5	45	50	120	125
OR 145.42x6.99 FKM75	145,42	6,99	R63	8575	435	5	45	50	120	125
OR 148.59x6.99 FKM75	148,59	6,99	R64	8587	436	5	45	50	120	125
OR 151.77x6.99 FKM75	151,77	6,99	R65	8600	437	5	45	50	120	125
OR 155.60x6.99 FKM75	155,60	6,99		223	872	3	27	30	72	75
OR 158.12x6.99 FKM75	158,12	6,99	R66	8625	438	3	27	30	72	75
OR 159.50x6.99 FKM75	159,50	6,99		225	627	3	27	30	72	75
OR 161.90x6.99 FKM75	161,90	6,99		226	874	3	27	30	72	75
OR 164.47x6.99 FKM75	164,47	6,99	R67	8650	439	3	27	30	72	75
OR 166.70x6.99 FKM75	166,70	6,99		228	628	3	27	30	72	75
OR 168.30x6.99 FKM75	168,30	6,99		229	876	3	27	30	72	75
OR 170.82x6.99 FKM75	170,82	6,99	R68	8675	440	3	27	30	72	75
OR 174.60x6.99 FKM75	174,60	6,99		231	878	3	27	30	72	75
OR 177.17x6.99 FKM75	177,17	6,99	R69	8700	441	3	27	30	72	75
OR 181.00x6.99 FKM75	181,00	6,99		233	880	3	27	30	72	75
OR 183.52x6.99 FKM75	183,52	6,99	R70	8725	442	3	27	30	72	75
OR 187.30x6.99 FKM75	187,30	6,99		235	882	3	27	30	72	75
OR 189.87x6.99 FKM75	189,87	6,99	R71	8750	443	3	27	30	72	75
OR 193.70x6.99 FKM75	193,70	6,99		237	884	3	27	30	72	75
OR 196.22x6.99 FKM75	196,22	6,99	R72	8775	444	3	27	30	72	75
OR 200.00x6.99 FKM75	200,00	6,99		239	886	3	27	30	72	75
OR 202.57x6.99 FKM75	202,57	6,99	R73	8800	445	3	27	30	72	75
OR 208.92x6.99 FKM75	208,92	6,99		8825	674	3	27	30	72	75
OR 215.27x6.99 FKM75	215,27	6,99	R74	8850	446	3	27	30	72	75
OR 221.62x6.99 FKM75	221,62	6,99		8875	676	3	27	30	72	75
OR 227.97x6.99 FKM75	227,97	6,99	R75	8900	447	3	27	30	72	75
OR 234.32x6.99 FKM75	234,32	6,99		8925	678	3	27	30	72	75
OR 240.67x6.99 FKM75	240,67	6,99	R76	8950	448	3	27	30	72	75
OR 247.00x6.99 FKM75	247,00	6,99		8975	680	3	27	30	72	75

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 253.37x6.99 FKM75	253,37	6,99	R77	81000	449	3	27	30	72	75
OR 259.70x6.99 FKM75	259,70	6,99		81025	682	3	27	30	72	75
OR 266.07x6.99 FKM75	266,07	6,99	R78	81050	450	2	18	20	48	50
OR 272.40x6.99 FKM75	272,40	6,99		81075	684	2	18	20	48	50
OR 278.77x6.99 FKM75	278,77	6,99	R79	81100	451	2	18	20	48	50
OR 285.10x6.99 FKM75	285,10	6,99		81125	686	2	18	20	48	50
OR 291.47x6.99 FKM75	291,47	6,99	R80	81150	452	2	18	20	48	50
OR 297.80x6.99 FKM75	297,80	6,99		81175	688	2	18	20	48	50
OR 304.17x6.99 FKM75	304,17	6,99	R81	81200	453	2	18	20	48	50
OR 310.50x6.99 FKM75	310,50	6,99			648	2	18	20	48	50
OR 316.87x6.99 FKM75	316,87	6,99	R82	81250	454	2	18	20	48	50
OR 323.20x6.99 FKM75	323,20	6,99			649	2	18	20	48	50
OR 329.57x6.99 FKM75	329,57	6,99	R83	81300	455	2	18	20	48	50
OR 335.90x6.99 FKM75	335,90	6,99			650	2	18	20	48	50
OR 342.27x6.99 FKM75	342,27	6,99	R84	81350	456	2	18	20	48	50
OR 354.97x6.99 FKM75	354,97	6,99	R85	81400	457	2	18	20	48	50
OR 367.67x6.99 FKM75	367,67	6,99	R86	81450	458	2	18	20	48	50
OR 380.37x6.99 FKM75	380,37	6,99	R87	81500	459	2	18	20	48	50
OR 393.07x6.99 FKM75	393,07	6,99	R88	81550	460	2	18	20	48	50
OR 405.26x6.99 FKM75	405,26	6,99		81600	461	1	9	10	24	25
OR 417.96x6.99 FKM75	417,96	6,99		81650	462	1	9	10	24	25
OR 430.66x6.99 FKM75	430,66	6,99		81700	463	1	9	10	24	25
OR 443.36x6.99 FKM75	443,36	6,99		81750	464	1	9	10	24	25
OR 456.06x6.99 FKM75	456,06	6,99		81800	465	1	9	10	24	25
OR 468.76x6.99 FKM75	468,76	6,99		81850	466	1	9	10	24	25
OR 481.46x6.99 FKM75	481,46	6,99		81900	467	1	9	10	24	25
OR 494.16x6.99 FKM75	494,16	6,99		81950	468	1	9	10	24	25
OR 506.86x6.99 FKM75	506,86	6,99		82000	469	1	9	10	24	25
OR 532.26x6.99 FKM75	532,26	6,99		82100	470	1	9	10	24	25
OR 557.66x6.99 FKM75	557,66	6,99		82200	471	1	9	10	24	25
OR 582.68x6.99 FKM75	582,68	6,99		82300	472	1	9	10	24	25
OR 608.08x6.99 FKM75	608,08	6,99		82400	473	1	9	10	24	25
OR 633.48x6.99 FKM75	633,48	6,99		82500	474	1	9	10	24	25
OR 658.88x6.99 FKM75	658,88	6,99		82600	475	1	9	10	24	25
OR 206.00x7.00 FKM75	206,00	7,00	ISO			3	27	30	72	75
OR 212.00x7.00 FKM75	212,00	7,00	ISO			3	27	30	72	75
OR 218.00x7.00 FKM75	218,00	7,00	ISO			3	27	30	72	75
OR 224.00x7.00 FKM75	224,00	7,00	ISO			3	27	30	72	75
OR 230.00x7.00 FKM75	230,00	7,00	ISO			3	27	30	72	75
OR 236.00x7.00 FKM75	236,00	7,00	ISO			3	27	30	72	75
OR 243.00x7.00 FKM75	243,00	7,00	ISO			3	27	30	72	75
OR 250.00x7.00 FKM75	250,00	7,00	ISO			3	27	30	72	75
OR 258.00x7.00 FKM75	258,00	7,00	ISO			3	27	30	72	75
OR 265.00x7.00 FKM75	265,00	7,00	ISO			2	18	20	48	50
OR 272.00x7.00 FKM75	272,00	7,00	ISO			2	18	20	48	50
OR 280.00x7.00 FKM75	280,00	7,00	ISO			2	18	20	48	50
OR 290.00x7.00 FKM75	290,00	7,00	ISO			2	18	20	48	50

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 300.00x7.00 FKM75	300,00	7,00	ISO			2	18	20	48	50
OR 307.00x7.00 FKM75	307,00	7,00	ISO			2	18	20	48	50
OR 315.00x7.00 FKM75	315,00	7,00	ISO			2	18	20	48	50
OR 325.00x7.00 FKM75	325,00	7,00	ISO			2	18	20	48	50
OR 335.00x7.00 FKM75	335,00	7,00	ISO			2	18	20	48	50
OR 345.00x7.00 FKM75	345,00	7,00	ISO			2	18	20	48	50
OR 355.00x7.00 FKM75	355,00	7,00	ISO			2	18	20	48	50
OR 365.00x7.00 FKM75	365,00	7,00	ISO			2	18	20	48	50
OR 375.00x7.00 FKM75	375,00	7,00	ISO			2	18	20	48	50
OR 387.00x7.00 FKM75	387,00	7,00	ISO			2	18	20	48	50
OR 400.00x7.00 FKM75	400,00	7,00	ISO			1	9	10	24	25
OR 412.00x7.00 FKM75	412,00	7,00	ISO			1	9	10	24	25
OR 425.00x7.00 FKM75	425,00	7,00	ISO			1	9	10	24	25
OR 437.00x7.00 FKM75	437,00	7,00	ISO			1	9	10	24	25
OR 450.00x7.00 FKM75	450,00	7,00	ISO			1	9	10	24	25
OR 457.20x7.00 FKM75	457,20	7,00		DIN		1	9	10	24	25
OR 462.00x7.00 FKM75	462,00	7,00	ISO			1	9	10	24	25
OR 475.00x7.00 FKM75	475,00	7,00	ISO			1	9	10	24	25
OR 487.00x7.00 FKM75	487,00	7,00	ISO			1	9	10	24	25
OR 494.67x7.00 FKM75	494,67	7,00		DIN		1	9	10	24	25
OR 500.00x7.00 FKM75	500,00	7,00	ISO			1	9	10	24	25
OR 515.00x7.00 FKM75	515,00	7,00	ISO			1	9	10	24	25
OR 530.00x7.00 FKM75	530,00	7,00	ISO			1	9	10	24	25
OR 545.00x7.00 FKM75	545,00	7,00	ISO			1	9	10	24	25
OR 545.47x7.00 FKM75	545,47	7,00		DIN		1	9	10	24	25
OR 560.00x7.00 FKM75	560,00	7,00	ISO			1	9	10	24	25
OR 580.00x7.00 FKM75	580,00	7,00	ISO			1	9	10	24	25
OR 596.27x7.00 FKM75	596,27	7,00		DIN		1	9	10	24	25
OR 600.00x7.00 FKM75	600,00	7,00	ISO			1	9	10	24	25
OR 615.00x7.00 FKM75	615,00	7,00	ISO			1	9	10	24	25
OR 630.00x7.00 FKM75	630,00	7,00	ISO			1	9	10	24	25
OR 647.07x7.00 FKM75	647,07	7,00		DIN		1	9	10	24	25
OR 650.00x7.00 FKM75	650,00	7,00	ISO			1	9	10	24	25
OR 670.00x7.00 FKM75	670,00	7,00	ISO			1	9	10	24	25
OR 144.10x8.40 FKM75	144,10	8,40				3	27	30	72	75
OR 149.10x8.40 FKM75	149,10	8,40				3	27	30	72	75
OR 149.50x8.40 FKM75	149,50	8,40		P150A		3	27	30	72	75
OR 154.10x8.40 FKM75	154,10	8,40				3	27	30	72	75
OR 154.50x8.40 FKM75	154,50	8,40		P155		3	27	30	72	75
OR 159.10x8.40 FKM75	159,10	8,40				3	27	30	72	75
OR 159.50x8.40 FKM75	159,50	8,40		P160		3	27	30	72	75
OR 164.10x8.40 FKM75	164,10	8,40				3	27	30	72	75
OR 164.50x8.40 FKM75	164,50	8,40		P165		3	27	30	72	75
OR 169.10x8.40 FKM75	169,10	8,40				3	27	30	72	75
OR 169.50x8.40 FKM75	169,50	8,40		P170		3	27	30	72	75
OR 174.10x8.40 FKM75	174,10	8,40				3	27	30	72	75
OR 174.50x8.40 FKM75	174,50	8,40		P175		3	27	30	72	75

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 179.10x8.40 FKM75	179,10	8,40				3	27	30	72	75
OR 179.50x8.40 FKM75	179,50	8,40		P180		3	27	30	72	75
OR 184.10x8.40 FKM75	184,10	8,40				3	27	30	72	75
OR 184.50x8.40 FKM75	184,50	8,40		P185		3	27	30	72	75
OR 189.10x8.40 FKM75	189,10	8,40				3	27	30	72	75
OR 189.50x8.40 FKM75	189,50	8,40		P190		3	27	30	72	75
OR 194.10x8.40 FKM75	194,10	8,40				3	27	30	72	75
OR 194.50x8.40 FKM75	194,50	8,40		P195		3	27	30	72	75
OR 199.10x8.40 FKM75	199,10	8,40				2	18	20	48	50
OR 199.50x8.40 FKM75	199,50	8,40		P200		2	18	20	48	50
OR 204.10x8.40 FKM75	204,10	8,40				2	18	20	48	50
OR 204.50x8.40 FKM75	204,50	8,40		P205		2	18	20	48	50
OR 208.50x8.40 FKM75	208,50	8,40		P209		2	18	20	48	50
OR 209.10x8.40 FKM75	209,10	8,40				2	18	20	48	50
OR 209.50x8.40 FKM75	209,50	8,40		P210		2	18	20	48	50
OR 214.50x8.40 FKM75	214,50	8,40		P215		2	18	20	48	50
OR 219.10x8.40 FKM75	219,10	8,40				2	18	20	48	50
OR 219.50x8.40 FKM75	219,50	8,40		P220		2	18	20	48	50
OR 224.50x8.40 FKM75	224,50	8,40		P225		2	18	20	48	50
OR 229.10x8.40 FKM75	229,10	8,40				2	18	20	48	50
OR 229.50x8.40 FKM75	229,50	8,40		P230		2	18	20	48	50
OR 234.10x8.40 FKM75	234,10	8,40				2	18	20	48	50
OR 234.50x8.40 FKM75	234,50	8,40		P235		2	18	20	48	50
OR 239.10x8.40 FKM75	239,10	8,40				2	18	20	48	50
OR 239.50x8.40 FKM75	239,50	8,40		P240		2	18	20	48	50
OR 244.50x8.40 FKM75	244,50	8,40		P245		2	18	20	48	50
OR 249.10x8.40 FKM75	249,10	8,40				2	18	20	48	50
OR 249.50x8.40 FKM75	249,50	8,40		P250		2	18	20	48	50
OR 254.50x8.40 FKM75	254,50	8,40		P255		2	18	20	48	50
OR 259.50x8.40 FKM75	259,50	8,40		P260		2	18	20	48	50
OR 264.50x8.40 FKM75	264,50	8,40		P265		2	18	20	48	50
OR 269.50x8.40 FKM75	269,50	8,40		P270		2	18	20	48	50
OR 274.50x8.40 FKM75	274,50	8,40		P275		2	18	20	48	50
OR 279.50x8.40 FKM75	279,50	8,40		P280		2	18	20	48	50
OR 284.50x8.40 FKM75	284,50	8,40		P285		2	18	20	48	50
OR 289.50x8.40 FKM75	289,50	8,40		P290		2	18	20	48	50
OR 294.50x8.40 FKM75	294,50	8,40		P295		2	18	20	48	50
OR 299.50x8.40 FKM75	299,50	8,40		P300		2	18	20	48	50
OR 314.50x8.40 FKM75	314,50	8,40		P315		2	18	20	48	50
OR 319.50x8.40 FKM75	319,50	8,40		P320		2	18	20	48	50
OR 334.50x8.40 FKM75	334,50	8,40		P335		2	18	20	48	50
OR 339.50x8.40 FKM75	339,50	8,40		P340		2	18	20	48	50
OR 354.50x8.40 FKM75	354,50	8,40		P355		2	18	20	48	50
OR 359.50x8.40 FKM75	359,50	8,40		P360		2	18	20	48	50
OR 374.50x8.40 FKM75	374,50	8,40		P375		2	18	20	48	50
OR 384.50x8.40 FKM75	384,50	8,40		P385		2	18	20	48	50
OR 399.50x8.40 FKM75	399,50	8,40		P400		2	18	20	48	50

ORING DI GRANDI DIMENSIONI IN FKM / LARGE DIMENSIONS O RING

MESCOLA/COMPOUND	DIAMETRO INTERNO / INTERNAL DIAMETER		SEZIONE CORDA	QUANTITÀ
FKM (SH)	DA/ FROM (MM)	A/TO (MM)	CROSS SECTION (MM)	
FKM60, FKM70, FKM80, FKM90	200	10000	2,62	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	3,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	3,53	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	4,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	4,50	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	5,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	5,33	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	5,50	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	5,70	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	6,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	6,35	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	6,50	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	7,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	7,50	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	8,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	8,40	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	9,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	9,50	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	10,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	10,82	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	11,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	12,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	12,70	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	13,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	14,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	14,40	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	15,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	16,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	17,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	18,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	19,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	20,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	22,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	24,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	25,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	26,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	28,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
FKM60, FKM70, FKM80, FKM90	200	10000	30,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST

* O RING DI GRANDI DIMENSIONI FORNIBILI ANCHE IN HNBR, NBR, EPDM E VMQ

* LARGE DIMENSIONS O RING AVAILABLE ALSO IN FKM, HNBR, NBR, EPDM E VMQ



IMGT srl



IMGT_SRL





IMGT srl

Via Pelizza da Volpedo, 84 - 20085 Locate Di Triulzi MI
Tel. +39 0290733010 - info@imgtsrl.com - www.imgtguarnizioni.it