



IMG T srl

Catalogo ORing NBR70
ORing Catalog NBR70

www.imgtguarnizioni.it



■ IMGT Srl è un'azienda familiare, fondata e di proprietà della famiglia Bozzini. Tutto ebbe l'inizio negli anni '60 del secolo scorso nella città di Milano quando i due fratelli, Giuseppe e Francesco, fondarono la loro piccola azienda specializzata in produzione di guarnizioni tecniche che, grazie alla loro sapienza ed esperienza maturata nel tempo, oggi è una media società manifatturiera di successo. Attualmente IMGT è gestita dalla nuova generazione della famiglia Bozzini: Gianluca ricopre la carica di Direttore Generale e Cristian è il Direttore produttivo che, insieme a 20 collaboratori, formano il team aziendale. IMGT è suddivisa in sei dipartimenti: Amministrativo e Finanziario - Acquisti - Commerciale - Produzione - Qualità - Logistica. Tutti questi dipartimenti hanno dei compiti specifici e definiti ma sono collegati tra loro per garantire la funzionalità, la qualità e la soddisfazione del cliente. L'azienda è presente nei mercati di: EUROPA - STATI UNITI D'AMERICA - ASIA (INDIA, CINA); con l'intenzione di espandere la nostra presenza anche in nuovi mercati. Il core business è la produzione di guarnizioni tecniche che vengono realizzate con un range di materiali come: Elastomeri (NR, SBR, NBR, HNBR, CR, EPDM, VMQ, FVMQ, FKM), termoplastici (PTFE, PA, PVC, PP), materiali asbesto-free, grafite e materiali come il feltro; ovviamente la lista dei materiali utilizzati è molto più ampia ma la nostra intenzione è quella di dare un'idea della versatilità della nostra produzione. Tutte le materie prime che utilizziamo sono di prima qualità e sono certificate da laboratori accreditati a livello internazionale. Inoltre, in base alle esigenze dei nostri clienti, le mescole elastomeriche per il contatto alimentare possono essere formulate ad hoc e certificate per ottemperare a normative nazionali ed internazionali come FDA, 3A Sanitary, WRAS, UBA. Per di più le materie prime che entrano nella nostra struttura sono controllate in accettazione per soddisfare i requisiti di qualità. La nostra politica di approvvigionamento è quella di selezionare e acquistare i materiali prodotti in Italia, dando la massima importanza alla selezione dei nostri fornitori. È importante sottolineare che produciamo, a seconda delle esigenze del Cliente, articoli che rispettano quanto previsto dalle Normative e Regolamenti, sia Italiani che Comunitari, in merito ai prodotti M.O.C.A – Materiali ed Oggetti adatti al Contatto con Alimenti (cfr. Reg. CE 1935/2004, Reg. CE 10/2011, Reg. CE 2023/2006, D.M. 21.03.1973 ed s.m.i): ciò è garantito dall'assegnazione di un lotto per ogni produzione. Le tecniche produttive utilizzate nel nostro stabilimento sono: Stampaggio (iniezione, compressione) - Estrusione - Tranciatura - Taglio a getto d'acqua - Taglio a pantografo - Tornitura (torni). Le numerose tecniche di produzione ci permettono di essere competitivi e versatili per poter realizzare piccole, medie e grandi produzioni, non solo di guarnizioni standard, ma anche prodotti custom in base alle specifiche richieste del cliente. Le nostre produzioni sono ampiamente utilizzate nei seguenti settori: OIL & Gas - Petrochimico - Navale - Medico - Farmaceutico - Veterinario - Industria alimentare (separatori alimentari) - Idrico - Trasferimenti di calore - Costruzione - Industria elettrica - Elettrodomestici - Settore automobilistico. Lo stabilimento principale si trova vicino a Milano, nella zona industriale della città di Locate Triulzi. Attualmente abbiamo due fabbricati: nel primo è allocata la nostra produzione e magazzino di materie prime; il secondo è dedicato al deposito dei nostri prodotti finali, la logistica ed il reparto qualità. Ci auguriamo che con questa breve presentazione di essere stati in grado di darvi una generale immagine di chi siamo, da dove veniamo, come siamo strutturati e quali siano i nostri piani futuri.

🇬🇧 *IMGT Srl is family company, founded and owned by the family Bozzini. All started in the early's '60 of the past century in the city of Milan from two brothers, Giuseppe and Francesco, whose with their knowledge and experience gained over time led to what we are today: a medium range successful Italian manufacture company. Currently the company is owned and managed by Gianluca and Cristian which are the new generation of Family Bozzini. Gianluca occupies the position of General Manager and Cristian is the Production Manager that, together with a other 20 cooperators, are today company team. IMGT is divided into six departments: Administrative / Finance - Purchasing - Sales - Production - Quality - Logistics.*

All them have specific tasks but they are linked together to ensure the functionality, quality and customer satisfaction. The company is present in the markets of the: Europe - USA - Asia (India, China) but we are looking forward to expand our presence in new markets as well. The core business is gaskets manufacturing and we use a variety of different materials like: Elastomers (NR, SBR, NBR, HNBR, CR, EPDM, VMQ, FVMQ, FKM), Thermoplastics (PTFE, PA, PVC, PP), Asbestos-Free, Graphite sheets and materials like felt. The list of materials that we use is long and our intention was to give a general idea of variety of materials that is used. All raw materials that we use are certified by International accredited laboratories and, according to our clients needs, the elastomers compounds can be formulated adhoc and certified to comply with national and international regulations like FDA, 3A Sanitary, WRAS, UBA. All raw materials that enters our facility are controlled in entrance to meet our quality requirements. Our procurement policy is to select and buy materials that are produced in Italy, giving the biggest importance on selection of our suppliers. It's important to highlight that, depending on the needs of the Customer, items that meet the requirements of the Rules and Regulations, both Italians and from European Community, about the F.C.M products - Food Contact Materials (as Reg. CE 1935 / 2004, Reg. CE 10/2011, Reg. 2023/2006 CE, DM 21.03.1973 and subsequent amendments); this is guaranteed by the assignment of a batch for each production. The production processes that are used in our factory are: Molding - Extrusion - Blanking/punching - Water jet cutting - Pantograph cutting - Turning(lathes) The several production techniques allows us to be competitive and to be able to make standard gaskets, to manufacture the custom products based on the needs of the client and to produce both small quantities and larger productions.

Our gaskets and sealing products are widely used in fields as follow: Oil & Gas - Petrochemical - Marine - Medical - Pharmaceutical - Veterinary - Food industry (food separators) - Fluid power - Heat transfers - Construction - Electric industry - Household appliances - Automotive - Water and waste Our factory plant is located near Milan, at the industrial area of the city named Locate di Triulzi. Currently we have two main buildings: in the first one is allocated our production and raw materials warehouse; the second one is dedicated to host our final products, logistics and quality department.

We hope that with this short presentation we have been able to give you a general image of who we are, where do we come from, how we are structured, what is our business and to what we strive for.

Looking forward to have a successful collaboration with yours Company we send you our best regards.

O-RING / O-RINGS

Gli O-ring sono elementi di tenuta circolari, progettati per essere inseriti in appositi alloggiamenti e sono tipicamente utilizzati in uno dei due modelli di tenuta, assiale o radiale.

Un O-Ring è caratterizzato dal suo diametro interno, diametro della sezione trasversale, dalla composizione del materiale e dalla durezza dello stesso (tipicamente espresso in Shore A o IRHD).

O-ring possono essere forniti nei materiali come: NBR, HNBR, FKM, EPDM, CR e VMQ ed in tutte le loro varianti. La scelta del materiale è subordinata alle condizioni di utilizzo e dai fluidi con cui viene in contatto.

O-rings are circular sealing elements, designed to fit into special housings and are typically used in one of two seal designs, axial or radial.

An O-Ring is specified by its inner diameter, cross-section diameter, material hardness (typically defined by the Shore A hardness), and its material composition.

O-rings can be supplied in elastomeric materials such as: NBR, HNBR, FKM, EPDM, CR and VMQ and all their varieties.

The choice of material depends on the conditions of use and the fluids it comes into contact with.



Dimensioni e tolleranze / Dimensions and Tolerances

Le dimensioni e relative tolleranze dimensionali di tutti gli O-Ring prodotti da IMGT si riferiscono alla norma DIN 3771 part 1, ISO 3601/1 di cui al punto 1.3. Le misurazioni sono effettuate con macchine di misura elettroniche per diametri interni, per lo spessore di corda si utilizzano calibri normali e/o spessimetro elettronico.

Dimensions and tolerances of all O-Rings produced by IMGT are referred to DIN standards 3771 part 1, ISO 3601/1 as per point 1.3. Measurement of inside diameters is performed with electronic equipment. Cross-section dimensions are measured by digital caliper and/or electronic micrometers.

Difetti di forma e superficiali / Surface and form imperfections

Per quanto riguarda i difetti di forma IMGT fa riferimento alla norma DIN 3771/4, che riporta una serie di difetti più comuni con i limiti dimensionali massimi ammissibili.

For defects and tolerances IMGT refers to DIN 3771/4 which lists several common imperfections and maximum allowable measured defects.

Controllo qualità / Quality controls

I controlli in IMGT iniziano sin dall'acquisizione dell'ordine che riguarda specificatamente il reparto commerciale che si occupa di verificare la correttezza dei dati nell'ordine cliente e successivamente trasmette la commessa al reparto produttivo.

Il controllo produttivo parte dall'arrivo della materia prima che viene sottoposta ai controlli in entrata. Successivamente il controllo viene effettuato durante tutta la fase produttiva di fabbricazione dell'articolo e si estende a tutte le fasi del ciclo produttivo. Questi controlli comprendono anche i controlli visivi e dimensionali che si svolgono durante e dopo la produzione dell'articolo.

Al termine della produzione l'articolo viene affidato al magazzino che si occupa dell'immagazzinamento con la corretta identificazione e tracciabilità dei lotti del suddetto articolo. Di seguito durante la preparazione della spedizione si controlla che l'articolo sia conforme all'ordine di vendita e che le date pattuite ed eventuali specifiche su imballi vengano rispettate.

Controls in I.M.G.T. starts from the acquisition of the order which specifically concerns the sales department which is responsible for verifying the correctness of the data in the customer order and subsequently transmits the order to the production department.

Production control starts from the arrival of the raw material which is subjected to incoming checks. Subsequently, the check is carried out throughout the production phase of manufacturing the article and extends to all stages of the production cycle. These checks also include the visual and dimensional checks that take place during and after the production of the article.

At the end of production, the item is entrusted to the warehouse that takes care of the storage with the correct identification and traceability of the lots of the item. During the preparation of the shipment, it is checked that the item complies with the sales order and that the agreed dates and any specifications on the packaging are respected.

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 1.15x1.00 NBR70	1,15	1,00	R000			3.000	27.000	30.000	72.000	75.000
OR 1.50x1.00 NBR70	1,50	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 1.80x1.00 NBR70	1,80	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 2.00x1.00 NBR70	2,00	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 2.50x1.00 NBR70	2,50	1,00		DIN	607	3.000	27.000	30.000	72.000	75.000
OR 3.00x1.00 NBR70	3,00	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 3.50x1.00 NBR70	3,50	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 4.00x1.00 NBR70	4,00	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 4.50x1.00 NBR70	4,50	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 5.00x1.00 NBR70	5,00	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 5.50x1.00 NBR70	5,50	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 6.00x1.00 NBR70	6,00	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 6.50x1.00 NBR70	6,50	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 7.00x1.00 NBR70	7,00	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 7.50x1.00 NBR70	7,50	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 8.00x1.00 NBR70	8,00	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 8.50x1.00 NBR70	8,50	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 9.00x1.00 NBR70	9,00	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 9.50x1.00 NBR70	9,50	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 10.00x1.00 NBR70	10,00	1,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 10.50x1.00 NBR70	10,50	1,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 11.00x1.00 NBR70	11,00	1,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 11.50x1.00 NBR70	11,50	1,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 12.00x1.00 NBR70	12,00	1,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 12.50x1.00 NBR70	12,50	1,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 13.00x1.00 NBR70	13,00	1,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 13.50x1.00 NBR70	13,50	1,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 14.00x1.00 NBR70	14,00	1,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 14.50x1.00 NBR70	14,50	1,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 15.00x1.00 NBR70	15,00	1,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 15.50x1.00 NBR70	15,50	1,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 16.00x1.00 NBR70	16,00	1,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 16.50x1.00 NBR70	16,50	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 17.00x1.00 NBR70	17,00	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 17.50x1.00 NBR70	17,50	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 18.00x1.00 NBR70	18,00	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 18.50x1.00 NBR70	18,50	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 19.00x1.00 NBR70	19,00	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 19.50x1.00 NBR70	19,50	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 20.00x1.00 NBR70	20,00	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 20.50x1.00 NBR70	20,50	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 21.00x1.00 NBR70	21,00	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 21.50x1.00 NBR70	21,50	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 22.00x1.00 NBR70	22,00	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 22.50x1.00 NBR70	22,50	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 23.00x1.00 NBR70	23,00	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 23.50x1.00 NBR70	23,50	1,00		DIN		1.000	9.000	10.000	24.000	25.000

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 24.00x1.00 NBR70	24,00	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.50x1.00 NBR70	24,50	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 25.00x1.00 NBR70	25,00	1,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 0.74x1.02 NBR70	0,74	1,02			001	3.000	27.000	30.000	72.000	75.000
OR 1.78x1.02 NBR70	1,78	1,02			3.5	3.000	27.000	30.000	72.000	75.000
OR 1.07x1.27 NBR70	1,07	1,27			002	3.000	27.000	30.000	72.000	75.000
OR 4.70x1.42 NBR70	4,70	1,42			901	3.000	27.000	30.000	72.000	75.000
OR 1.85x1.50 NBR70	1,85	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 2.00x1.50 NBR70	2,00	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 2.50x1.50 NBR70	2,50	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 2.80x1.50 NBR70	2,80	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 3.00x1.50 NBR70	3,00	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 3.50x1.50 NBR70	3,50	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 4.00x1.50 NBR70	4,00	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 4.50x1.50 NBR70	4,50	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 5.00x1.50 NBR70	5,00	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 5.50x1.50 NBR70	5,50	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 6.00x1.50 NBR70	6,00	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 6.50x1.50 NBR70	6,50	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 7.00x1.50 NBR70	7,00	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 7.50x1.50 NBR70	7,50	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 8.00x1.50 NBR70	8,00	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 8.50x1.50 NBR70	8,50	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 9.00x1.50 NBR70	9,00	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 9.50x1.50 NBR70	9,50	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 10.00x1.50 NBR70	10,00	1,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 10.50x1.50 NBR70	10,50	1,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 11.00x1.50 NBR70	11,00	1,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 11.50x1.50 NBR70	11,50	1,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 12.00x1.50 NBR70	12,00	1,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 12.50x1.50 NBR70	12,50	1,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 13.00x1.50 NBR70	13,00	1,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 13.50x1.50 NBR70	13,50	1,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 14.00x1.50 NBR70	14,00	1,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 14.50x1.50 NBR70	14,50	1,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 15.00x1.50 NBR70	15,00	1,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 15.50x1.50 NBR70	15,50	1,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 16.00x1.50 NBR70	16,00	1,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 16.50x1.50 NBR70	16,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 17.00x1.50 NBR70	17,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 17.50x1.50 NBR70	17,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 18.00x1.50 NBR70	18,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 18.50x1.50 NBR70	18,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 19.00x1.50 NBR70	19,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 19.50x1.50 NBR70	19,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 20.00x1.50 NBR70	20,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 20.50x1.50 NBR70	20,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 21.00x1.50 NBR70	21,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 21.50x1.50 NBR70	21,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 22.00x1.50 NBR70	22,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 22.50x1.50 NBR70	22,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 23.00x1.50 NBR70	23,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 23.50x1.50 NBR70	23,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.00x1.50 NBR70	24,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.50x1.50 NBR70	24,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 25.00x1.50 NBR70	25,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 25.50x1.50 NBR70	25,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 26.00x1.50 NBR70	26,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 26.50x1.50 NBR70	26,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 27.00x1.50 NBR70	27,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 27.50x1.50 NBR70	27,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 28.00x1.50 NBR70	28,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 28.50x1.50 NBR70	28,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 29.00x1.50 NBR70	29,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 29.50x1.50 NBR70	29,50	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 30.00x1.50 NBR70	30,00	1,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 30.50x1.50 NBR70	30,50	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 31.00x1.50 NBR70	31,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 31.50x1.50 NBR70	31,50	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 32.00x1.50 NBR70	32,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 32.50x1.50 NBR70	32,50	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 33.00x1.50 NBR70	33,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 33.50x1.50 NBR70	33,50	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 34.00x1.50 NBR70	34,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 34.50x1.50 NBR70	34,50	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 35.00x1.50 NBR70	35,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 35.50x1.50 NBR70	35,50	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 36.00x1.50 NBR70	36,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 36.50x1.50 NBR70	36,50	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 37.00x1.50 NBR70	37,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 37.50x1.50 NBR70	37,50	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 38.00x1.50 NBR70	38,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 38.50x1.50 NBR70	38,50	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 39.00x1.50 NBR70	39,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 39.50x1.50 NBR70	39,50	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 40.00x1.50 NBR70	40,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 41.00x1.50 NBR70	41,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 42.00x1.50 NBR70	42,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 43.00x1.50 NBR70	43,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 44.00x1.50 NBR70	44,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 45.00x1.50 NBR70	45,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 46.00x1.50 NBR70	46,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 47.00x1.50 NBR70	47,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 48.00x1.50 NBR70	48,00	1,50		DIN		500	4.500	5.000	12.000	12.500

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 49.00x1.50 NBR70	49,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 50.00x1.50 NBR70	50,00	1,50		DIN		500	4.500	5.000	12.000	12.500
OR 51.00x1.50 NBR70	51,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 52.00x1.50 NBR70	52,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 53.00x1.50 NBR70	53,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 54.00x1.50 NBR70	54,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 55.00x1.50 NBR70	55,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 56.00x1.50 NBR70	56,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 57.00x1.50 NBR70	57,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 58.00x1.50 NBR70	58,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 59.00x1.50 NBR70	59,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 60.00x1.50 NBR70	60,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 61.00x1.50 NBR70	61,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 62.00x1.50 NBR70	62,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 63.00x1.50 NBR70	63,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 64.00x1.50 NBR70	64,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 65.00x1.50 NBR70	65,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 66.00x1.50 NBR70	66,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 67.00x1.50 NBR70	67,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 68.00x1.50 NBR70	68,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 69.00x1.50 NBR70	69,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 70.00x1.50 NBR70	70,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 71.00x1.50 NBR70	71,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 72.00x1.50 NBR70	72,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 73.00x1.50 NBR70	73,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 74.00x1.50 NBR70	74,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 75.00x1.50 NBR70	75,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 76.00x1.50 NBR70	76,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 77.00x1.50 NBR70	77,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 78.00x1.50 NBR70	78,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 79.00x1.50 NBR70	79,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 80.00x1.50 NBR70	80,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 81.00x1.50 NBR70	81,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 82.00x1.50 NBR70	82,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 83.00x1.50 NBR70	83,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 84.00x1.50 NBR70	84,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 85.00x1.50 NBR70	85,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 86.00x1.50 NBR70	86,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 87.00x1.50 NBR70	87,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 88.00x1.50 NBR70	88,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 89.00x1.50 NBR70	89,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 90.00x1.50 NBR70	90,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 91.00x1.50 NBR70	91,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 92.00x1.50 NBR70	92,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 93.00x1.50 NBR70	93,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 94.00x1.50 NBR70	94,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 95.00x1.50 NBR70	95,00	1,50		DIN		250	2.250	2.500	6.000	6.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 96.00x1.50 NBR70	96,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 97.00x1.50 NBR70	97,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 98.00x1.50 NBR70	98,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 99.00x1.50 NBR70	99,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 100.00x1.50 NBR70	100,00	1,50		DIN		250	2.250	2.500	6.000	6.250
OR 1.42x1.52 NBR70	1,42	1,52			003	3.000	27.000	30.000	72.000	75.000
OR 2.20x1.60 NBR70	2,20	1,60	R00			3.000	27.000	30.000	72.000	75.000
OR 2.75x1.60 NBR70	2,75	1,60	R1b			3.000	27.000	30.000	72.000	75.000
OR 3.10x1.60 NBR70	3,10	1,60		DIN		3.000	27.000	30.000	72.000	75.000
OR 4.10x1.60 NBR70	4,10	1,60				3.000	27.000	30.000	72.000	75.000
OR 4.70x1.60 NBR70	4,70	1,60		DIN		3.000	27.000	30.000	72.000	75.000
OR 5.00x1.60 NBR70	5,00	1,60		DIN		3.000	27.000	30.000	72.000	75.000
OR 5.10x1.60 NBR70	5,10	1,60				3.000	27.000	30.000	72.000	75.000
OR 6.10x1.60 NBR70	6,10	1,60				3.000	27.000	30.000	72.000	75.000
OR 7.10x1.60 NBR70	7,10	1,60				3.000	27.000	30.000	72.000	75.000
OR 8.10x1.60 NBR70	8,10	1,60				3.000	27.000	30.000	72.000	75.000
OR 9.10x1.60 NBR70	9,10	1,60				3.000	27.000	30.000	72.000	75.000
OR 10.10x1.60 NBR70	10,10	1,60				3.000	27.000	30.000	72.000	75.000
OR 11.10x1.60 NBR70	11,10	1,60				2.000	18.000	20.000	48.000	50.000
OR 12.10x1.60 NBR70	12,10	1,60				2.000	18.000	20.000	48.000	50.000
OR 13.10x1.60 NBR70	13,10	1,60				2.000	18.000	20.000	48.000	50.000
OR 14.10x1.60 NBR70	14,10	1,60				2.000	18.000	20.000	48.000	50.000
OR 15.10x1.60 NBR70	15,10	1,60				2.000	18.000	20.000	48.000	50.000
OR 16.10x1.60 NBR70	16,10	1,60				2.000	18.000	20.000	48.000	50.000
OR 17.10x1.60 NBR70	17,10	1,60				1.000	9.000	10.000	24.000	25.000
OR 18.10x1.60 NBR70	18,10	1,60				1.000	9.000	10.000	24.000	25.000
OR 19.10x1.60 NBR70	19,10	1,60				1.000	9.000	10.000	24.000	25.000
OR 22.10x1.60 NBR70	22,10	1,60				1.000	9.000	10.000	24.000	25.000
OR 25.10x1.60 NBR70	25,10	1,60				1.000	9.000	10.000	24.000	25.000
OR 27.10x1.60 NBR70	27,10	1,60				1.000	9.000	10.000	24.000	25.000
OR 29.10x1.60 NBR70	29,10	1,60				1.000	9.000	10.000	24.000	25.000
OR 32.10x1.60 NBR70	32,10	1,60				1.000	9.000	10.000	24.000	25.000
OR 35.10x1.60 NBR70	35,10	1,60				500	4.500	5.000	12.000	12.500
OR 37.10x1.60 NBR70	37,10	1,60				500	4.500	5.000	12.000	12.500
OR 6.07x1.63 NBR70	6,07	1,63			902	3.000	27.000	30.000	72.000	75.000
OR 7.65x1.63 NBR70	7,65	1,63			903	3.000	27.000	30.000	72.000	75.000
OR 1.78x1.78 NBR70	1,78	1,78		2007	004	3.000	27.000	30.000	72.000	75.000
OR 2.57x1.78 NBR70	2,57	1,78		2010	005	3.000	27.000	30.000	72.000	75.000
OR 2.90x1.78 NBR70	2,90	1,78		2012	006	3.000	27.000	30.000	72.000	75.000
OR 3.17x1.78 NBR70	3,17	1,78			801	3.000	27.000	30.000	72.000	75.000
OR 3.68x1.78 NBR70	3,68	1,78		2015	007	3.000	27.000	30.000	72.000	75.000
OR 4.47x1.78 NBR70	4,47	1,78		2018	008	3.000	27.000	30.000	72.000	75.000
OR 4.76x1.78 NBR70	4,76	1,78			802	3.000	27.000	30.000	72.000	75.000
OR 5.28x1.78 NBR70	5,28	1,78		2021	009	3.000	27.000	30.000	72.000	75.000
OR 6.07x1.78 NBR70	6,07	1,78		2025	010	3.000	27.000	30.000	72.000	75.000
OR 6.35x1.78 NBR70	6,35	1,78	5bis		803	3.000	27.000	30.000	72.000	75.000
OR 6.75x1.78 NBR70	6,75	1,78		106	610	3.000	27.000	30.000	72.000	75.000

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 7.65x1.78 NBR70	7,65	1,78		2031	011	3.000	27.000	30.000	72.000	75.000
OR 7.94x1.78 NBR70	7,94	1,78			804	3.000	27.000	30.000	72.000	75.000
OR 8.73x1.78 NBR70	8,73	1,78		108	611	3.000	27.000	30.000	72.000	75.000
OR 9.25x1.78 NBR70	9,25	1,78		2037	012	3.000	27.000	30.000	72.000	75.000
OR 9.52x1.78 NBR70	9,52	1,78	8bis			3.000	27.000	30.000	72.000	75.000
OR 10.82x1.78 NBR70	10,82	1,78		2043	013	3.000	27.000	30.000	72.000	75.000
OR 11.11x1.78 NBR70	11,11	1,78		114	806	2.000	18.000	20.000	48.000	50.000
OR 12.42x1.78 NBR70	12,42	1,78		2050	014	2.000	18.000	20.000	48.000	50.000
OR 14.00x1.78 NBR70	14,00	1,78		2056	015	2.000	18.000	20.000	48.000	50.000
OR 15.60x1.78 NBR70	15,60	1,78		2062	016	2.000	18.000	20.000	48.000	50.000
OR 17.17x1.78 NBR70	17,17	1,78		2068	017	1.000	9.000	10.000	24.000	25.000
OR 18.77x1.78 NBR70	18,77	1,78		2075	018	1.000	9.000	10.000	24.000	25.000
OR 20.35x1.78 NBR70	20,35	1,78		2081	019	1.000	9.000	10.000	24.000	25.000
OR 21.95x1.78 NBR70	21,95	1,78		2087	020	1.000	9.000	10.000	24.000	25.000
OR 23.52x1.78 NBR70	23,52	1,78		2093	021	1.000	9.000	10.000	24.000	25.000
OR 25.12x1.78 NBR70	25,12	1,78		2100	022	1.000	9.000	10.000	24.000	25.000
OR 26.70x1.78 NBR70	26,70	1,78		2106	023	1.000	9.000	10.000	24.000	25.000
OR 28.30x1.78 NBR70	28,30	1,78		2112	024	1.000	9.000	10.000	24.000	25.000
OR 29.87x1.78 NBR70	29,87	1,78		2118	025	1.000	9.000	10.000	24.000	25.000
OR 31.47x1.78 NBR70	31,47	1,78		2125	026	1.000	9.000	10.000	24.000	25.000
OR 33.05x1.78 NBR70	33,05	1,78		2131	027	500	4.500	5.000	12.000	12.500
OR 34.65x1.78 NBR70	34,65	1,78		2137	028	500	4.500	5.000	12.000	12.500
OR 36.27x1.78 NBR70	36,27	1,78			517	500	4.500	5.000	12.000	12.500
OR 37.82x1.78 NBR70	37,82	1,78		2150	029	500	4.500	5.000	12.000	12.500
OR 39.45x1.78 NBR70	39,45	1,78			519	500	4.500	5.000	12.000	12.500
OR 41.00x1.78 NBR70	41,00	1,78		2162	030	500	4.500	5.000	12.000	12.500
OR 44.17x1.78 NBR70	44,17	1,78		2175	031	500	4.500	5.000	12.000	12.500
OR 47.35x1.78 NBR70	47,35	1,78		2187	032	500	4.500	5.000	12.000	12.500
OR 50.52x1.78 NBR70	50,52	1,78		2200	033	500	4.500	5.000	12.000	12.500
OR 53.70x1.78 NBR70	53,70	1,78		2212	034	250	2.250	2.500	6.000	6.250
OR 56.87x1.78 NBR70	56,87	1,78		2225	035	250	2.250	2.500	6.000	6.250
OR 60.05x1.78 NBR70	60,04	1,78		2237	036	250	2.250	2.500	6.000	6.250
OR 63.22x1.78 NBR70	63,22	1,78		2250	037	250	2.250	2.500	6.000	6.250
OR 66.40x1.78 NBR70	66,40	1,78		2262	038	250	2.250	2.500	6.000	6.250
OR 69.57x1.78 NBR70	69,57	1,78		2275	039	250	2.250	2.500	6.000	6.250
OR 72.75x1.78 NBR70	72,75	1,78		2287	040	250	2.250	2.500	6.000	6.250
OR 75.92x1.78 NBR70	75,92	1,78		2300	041	250	2.250	2.500	6.000	6.250
OR 79.00x1.78 NBR70	79,00	1,78		2312	532	250	2.250	2.500	6.000	6.250
OR 82.27x1.78 NBR70	82,27	1,78		2325	042	250	2.250	2.500	6.000	6.250
OR 85.34x1.78 NBR70	85,34	1,78		2337	534	250	2.250	2.500	6.000	6.250
OR 88.62x1.78 NBR70	88,62	1,78		2350	043	250	2.250	2.500	6.000	6.250
OR 91.70x1.78 NBR70	91,70	1,78		2362	536	250	2.250	2.500	6.000	6.250
OR 94.97x1.78 NBR70	94,97	1,78		2375	044	250	2.250	2.500	6.000	6.250
OR 98.05x1.78 NBR70	98,05	1,78		2387	538	250	2.250	2.500	6.000	6.250
OR 101.32x1.78 NBR70	101,32	1,78		2400	045	250	2.250	2.500	6.000	6.250
OR 104.40x1.78 NBR70	104,40	1,78		2412	540	150	1.350	1.500	3.600	3.750
OR 107.67x1.78 NBR70	107,67	1,78		2425	046	150	1.350	1.500	3.600	3.750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 110.74x1.78 NBR70	110,74	1,78		2437	542	150	1.350	1.500	3.600	3.750
OR 114.02x1.78 NBR70	114,02	1,78		2450	047	150	1.350	1.500	3.600	3.750
OR 117.10x1.78 NBR70	117,10	1,78		2462	544	150	1.350	1.500	3.600	3.750
OR 120.37x1.78 NBR70	120,37	1,78		2475	048	150	1.350	1.500	3.600	3.750
OR 123.44x1.78 NBR70	123,44	1,78		2487	546	150	1.350	1.500	3.600	3.750
OR 126.72x1.78 NBR70	126,72	1,78		2500	049	150	1.350	1.500	3.600	3.750
OR 129.40x1.78 NBR70	129,40	1,78		2512	548	150	1.350	1.500	3.600	3.750
OR 133.07x1.78 NBR70	133,07	1,78		2525	050	150	1.350	1.500	3.600	3.750
OR 135.76x1.78 NBR70	135,76	1,78		2537	550	150	1.350	1.500	3.600	3.750
OR 138.94x1.78 NBR70	138,94	1,78		2550	551	150	1.350	1.500	3.600	3.750
OR 142.11x1.78 NBR70	142,11	1,78		2562	552	150	1.350	1.500	3.600	3.750
OR 145.29x1.78 NBR70	145,29	1,78		2575	553	150	1.350	1.500	3.600	3.750
OR 148.46x1.78 NBR70	148,46	1,78		2587	554	150	1.350	1.500	3.600	3.750
OR 151.64x1.78 NBR70	151,64	1,78		2600	555	150	1.350	1.500	3.600	3.750
OR 154.81x1.78 NBR70	154,81	1,78		2612	556	150	1.350	1.500	3.600	3.750
OR 158.00x1.78 NBR70	158,00	1,78		2625	557	150	1.350	1.500	3.600	3.750
OR 161.16x1.78 NBR70	161,16	1,78		2637	558	150	1.350	1.500	3.600	3.750
OR 164.34x1.78 NBR70	164,34	1,78		2652	559	150	1.350	1.500	3.600	3.750
OR 167.51x1.78 NBR70	167,51	1,78		2662	560	150	1.350	1.500	3.600	3.750
OR 170.69x1.78 NBR70	170,69	1,78		2675	561	150	1.350	1.500	3.600	3.750
OR 173.87x1.78 NBR70	173,87	1,78		2687	562	150	1.350	1.500	3.600	3.750
OR 1.80x1.80 NBR70	1,80	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 2.00x1.80 NBR70	2,00	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 2.24x1.80 NBR70	2,24	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 2.50x1.80 NBR70	2,50	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 2.80x1.80 NBR70	2,80	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 3.15x1.80 NBR70	3,15	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 3.55x1.80 NBR70	3,55	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 3.75x1.80 NBR70	3,75	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 4.00x1.80 NBR70	4,00	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 4.50x1.80 NBR70	4,50	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 4.87x1.80 NBR70	4,87	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 5.00x1.80 NBR70	5,00	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 5.15x1.80 NBR70	5,15	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 5.30x1.80 NBR70	5,30	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 5.60x1.80 NBR70	5,60	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 6.00x1.80 NBR70	6,00	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 6.30x1.80 NBR70	6,30	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 6.70x1.80 NBR70	6,70	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 6.90x1.80 NBR70	6,90	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 7.10x1.80 NBR70	7,10	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 7.50x1.80 NBR70	7,50	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 8.00x1.80 NBR70	8,00	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 8.50x1.80 NBR70	8,50	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 8.76x1.80 NBR70	8,76	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 9.00x1.80 NBR70	9,00	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 9.50x1.80 NBR70	9,50	1,80	ISO			3.000	27.000	30.000	72.000	75.000

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 10.00x1.80 NBR70	10,00	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 10.60x1.80 NBR70	10,60	1,80	ISO			3.000	27.000	30.000	72.000	75.000
OR 11.20x1.80 NBR70	11,20	1,80	ISO			2.000	18.000	20.000	48.000	50.000
OR 11.80x1.80 NBR70	11,80	1,80	ISO			2.000	18.000	20.000	48.000	50.000
OR 12.50x1.80 NBR70	12,50	1,80	ISO			2.000	18.000	20.000	48.000	50.000
OR 13.20x1.80 NBR70	13,20	1,80	ISO			2.000	18.000	20.000	48.000	50.000
OR 14.00x1.80 NBR70	14,00	1,80	ISO			2.000	18.000	20.000	48.000	50.000
OR 15.00x1.80 NBR70	15,00	1,80	ISO			2.000	18.000	20.000	48.000	50.000
OR 16.00x1.80 NBR70	16,00	1,80	ISO			2.000	18.000	20.000	48.000	50.000
OR 17.00x1.80 NBR70	17,00	1,80	ISO			2.000	18.000	20.000	48.000	50.000
OR 8.92x1.83 NBR70	8,92	1,83			904	3.000	27.000	30.000	72.000	75.000
OR 10.52x1.83 NBR70	10,52	1,83			905	3.000	27.000	30.000	72.000	75.000
OR 2.40x1.90 NBR70	2,40	1,90	R0			3.000	27.000	30.000	72.000	75.000
OR 2.60x1.90 NBR70	2,60	1,90	R1			3.000	27.000	30.000	72.000	75.000
OR 2.80x1.90 NBR70	2,80	1,90		P3		3.000	27.000	30.000	72.000	75.000
OR 3.40x1.90 NBR70	3,40	1,90	R2			3.000	27.000	30.000	72.000	75.000
OR 3.80x1.90 NBR70	3,80	1,90		P4		3.000	27.000	30.000	72.000	75.000
OR 4.20x1.90 NBR70	4,20	1,90	R3			3.000	27.000	30.000	72.000	75.000
OR 4.80x1.90 NBR70	4,80	1,90		P5		3.000	27.000	30.000	72.000	75.000
OR 4.90x1.90 NBR70	4,90	1,90	R4			3.000	27.000	30.000	72.000	75.000
OR 5.70x1.90 NBR70	5,70	1,90	R5			3.000	27.000	30.000	72.000	75.000
OR 5.80x1.90 NBR70	5,80	1,90		P6		3.000	27.000	30.000	72.000	75.000
OR 6.40x1.90 NBR70	6,40	1,90	R5a			3.000	27.000	30.000	72.000	75.000
OR 6.80x1.90 NBR70	6,80	1,90		P7		3.000	27.000	30.000	72.000	75.000
OR 7.20x1.90 NBR70	7,20	1,90	R6			3.000	27.000	30.000	72.000	75.000
OR 7.80x1.90 NBR70	7,80	1,90		P8		3.000	27.000	30.000	72.000	75.000
OR 8.00x1.90 NBR70	8,00	1,90	R6a			3.000	27.000	30.000	72.000	75.000
OR 8.80x1.90 NBR70	8,80	1,90		P9		3.000	27.000	30.000	72.000	75.000
OR 8.90x1.90 NBR70	8,90	1,90	R7			3.000	27.000	30.000	72.000	75.000
OR 9.80x1.90 NBR70	9,80	1,90		P10		3.000	27.000	30.000	72.000	75.000
OR 11.89x1.98 NBR70	11,89	1,98			906	3.000	27.000	30.000	72.000	75.000
OR 2.50x2.00 NBR70	2,50	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 3.00x2.00 NBR70	3,00	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 3.50x2.00 NBR70	3,50	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 4.00x2.00 NBR70	4,00	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 4.50x2.00 NBR70	4,50	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 5.00x2.00 NBR70	5,00	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 5.50x2.00 NBR70	5,50	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 6.00x2.00 NBR70	6,00	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 6.50x2.00 NBR70	6,50	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 7.00x2.00 NBR70	7,00	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 7.50x2.00 NBR70	7,50	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 8.00x2.00 NBR70	8,00	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 8.50x2.00 NBR70	8,50	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 9.00x2.00 NBR70	9,00	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 9.50x2.00 NBR70	9,50	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 10.00x2.00 NBR70	10,00	2,00		DIN		3.000	27.000	30.000	72.000	75.000

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 10.50x2.00 NBR70	10,50	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 11.00x2.00 NBR70	11,00	2,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 11.50x2.00 NBR70	11,50	2,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 12.00x2.00 NBR70	12,00	2,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 12.50x2.00 NBR70	12,50	2,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 13.00x2.00 NBR70	13,00	2,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 13.50x2.00 NBR70	13,50	2,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 14.00x2.00 NBR70	14,00	2,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 14.50x2.00 NBR70	14,50	2,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 15.00x2.00 NBR70	15,00	2,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 15.50x2.00 NBR70	15,50	2,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 16.00x2.00 NBR70	16,00	2,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 16.50x2.00 NBR70	16,50	2,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 17.00x2.00 NBR70	17,00	2,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 17.50x2.00 NBR70	17,50	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 18.00x2.00 NBR70	18,00	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 18.50x2.00 NBR70	18,50	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 19.00x2.00 NBR70	19,00	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 19.50x2.00 NBR70	19,50	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 20.00x2.00 NBR70	20,00	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 20.50x2.00 NBR70	20,50	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 21.00x2.00 NBR70	21,00	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 21.50x2.00 NBR70	21,50	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 22.00x2.00 NBR70	22,00	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 22.50x2.00 NBR70	22,50	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 23.00x2.00 NBR70	23,00	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 23.50x2.00 NBR70	23,50	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.00x2.00 NBR70	24,00	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.50x2.00 NBR70	24,50	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 25.00x2.00 NBR70	25,00	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 25.50x2.00 NBR70	25,50	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 26.00x2.00 NBR70	26,00	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 26.50x2.00 NBR70	26,50	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 27.00x2.00 NBR70	27,00	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 27.50x2.00 NBR70	27,50	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 28.00x2.00 NBR70	28,00	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 28.50x2.00 NBR70	28,50	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 29.00x2.00 NBR70	29,00	2,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 29.50x2.00 NBR70	29,50	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 30.00x2.00 NBR70	30,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 30.50x2.00 NBR70	30,50	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 31.00x2.00 NBR70	31,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 31.50x2.00 NBR70	31,50	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 32.00x2.00 NBR70	32,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 32.50x2.00 NBR70	32,50	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 33.00x2.00 NBR70	33,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 33.50x2.00 NBR70	33,50	2,00		DIN		500	4.500	5.000	12.000	12.500

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 34.00x2.00 NBR70	34,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 34.50x2.00 NBR70	34,50	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 35.00x2.00 NBR70	35,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 35.50x2.00 NBR70	35,50	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 36.00x2.00 NBR70	36,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 36.50x2.00 NBR70	36,50	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 37.00x2.00 NBR70	37,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 37.50x2.00 NBR70	37,50	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 38.00x2.00 NBR70	38,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 38.50x2.00 NBR70	38,50	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 39.00x2.00 NBR70	39,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 39.50x2.00 NBR70	39,50	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 40.00x2.00 NBR70	40,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 41.00x2.00 NBR70	41,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 42.00x2.00 NBR70	42,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 43.00x2.00 NBR70	43,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 44.00x2.00 NBR70	44,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 45.00x2.00 NBR70	45,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 46.00x2.00 NBR70	46,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 47.00x2.00 NBR70	47,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 48.00x2.00 NBR70	48,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 49.00x2.00 NBR70	49,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 50.00x2.00 NBR70	50,00	2,00		DIN		500	4.500	5.000	12.000	12.500
OR 51.00x2.00 NBR70	51,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 52.00x2.00 NBR70	52,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 53.00x2.00 NBR70	53,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 54.00x2.00 NBR70	54,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 55.00x2.00 NBR70	55,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 56.00x2.00 NBR70	56,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 57.00x2.00 NBR70	57,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 58.00x2.00 NBR70	58,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 59.00x2.00 NBR70	59,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 60.00x2.00 NBR70	60,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 61.00x2.00 NBR70	61,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 62.00x2.00 NBR70	62,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 63.00x2.00 NBR70	63,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 64.00x2.00 NBR70	64,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 65.00x2.00 NBR70	65,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 66.00x2.00 NBR70	66,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 67.00x2.00 NBR70	67,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 68.00x2.00 NBR70	68,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 69.00x2.00 NBR70	69,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 70.00x2.00 NBR70	70,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 71.00x2.00 NBR70	71,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 72.00x2.00 NBR70	72,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 73.00x2.00 NBR70	73,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 74.00x2.00 NBR70	74,00	2,00		DIN		250	2.250	2.500	6.000	6.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 75.00x2.00 NBR70	75,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 76.00x2.00 NBR70	76,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 77.00x2.00 NBR70	77,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 78.00x2.00 NBR70	78,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 79.00x2.00 NBR70	79,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 80.00x2.00 NBR70	80,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 81.00x2.00 NBR70	81,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 82.00x2.00 NBR70	82,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 83.00x2.00 NBR70	83,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 84.00x2.00 NBR70	84,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 85.00x2.00 NBR70	85,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 86.00x2.00 NBR70	86,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 87.00x2.00 NBR70	87,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 88.00x2.00 NBR70	88,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 89.00x2.00 NBR70	89,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 90.00x2.00 NBR70	90,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 91.00x2.00 NBR70	91,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 92.00x2.00 NBR70	92,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 93.00x2.00 NBR70	93,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 94.00x2.00 NBR70	94,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 95.00x2.00 NBR70	95,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 96.00x2.00 NBR70	96,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 97.00x2.00 NBR70	97,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 98.00x2.00 NBR70	98,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 99.00x2.00 NBR70	99,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 100.00x2.00 NBR70	100,00	2,00		DIN		250	2.250	2.500	6.000	6.250
OR 13.46x2.08 NBR70	13,46	2,08			907	2.000	18.000	20.000	48.000	50.000
OR 6.00x2.20 NBR70	6,00	2,20	R6b			3.000	27.000	30.000	72.000	75.000
OR 16.36x2.21 NBR70	16,36	2,21			908	1.000	9.000	10.000	24.000	25.000
OR 3.30x2.40 NBR70	3,30	2,40				3.000	27.000	30.000	72.000	75.000
OR 3.60x2.40 NBR70	3,60	2,40				3.000	27.000	30.000	72.000	75.000
OR 4.30x2.40 NBR70	4,30	2,40				3.000	27.000	30.000	72.000	75.000
OR 4.60x2.40 NBR70	4,60	2,40				3.000	27.000	30.000	72.000	75.000
OR 5.30x2.40 NBR70	5,30	2,40				3.000	27.000	30.000	72.000	75.000
OR 5.50x2.40 NBR70	5,50	2,40		DIN		3.000	27.000	30.000	72.000	75.000
OR 5.60x2.40 NBR70	5,60	2,40				3.000	27.000	30.000	72.000	75.000
OR 6.30x2.40 NBR70	6,30	2,40				3.000	27.000	30.000	72.000	75.000
OR 6.60x2.40 NBR70	6,60	2,40				3.000	27.000	30.000	72.000	75.000
OR 7.30x2.40 NBR70	7,30	2,40				3.000	27.000	30.000	72.000	75.000
OR 7.50x2.40 NBR70	7,50	2,40		DIN		3.000	27.000	30.000	72.000	75.000
OR 7.60x2.40 NBR70	7,60	2,40				3.000	27.000	30.000	72.000	75.000
OR 8.30x2.40 NBR70	8,30	2,40				3.000	27.000	30.000	72.000	75.000
OR 8.60x2.40 NBR70	8,60	2,40				3.000	27.000	30.000	72.000	75.000
OR 9.30x2.40 NBR70	9,30	2,40				3.000	27.000	30.000	72.000	75.000
OR 9.60x2.40 NBR70	9,60	2,40				3.000	27.000	30.000	72.000	75.000
OR 9.80x2.40 NBR70	9,80	2,40		P10A		3.000	27.000	30.000	72.000	75.000
OR 10.30x2.40 NBR70	10,30	2,40				3.000	27.000	30.000	72.000	75.000

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 10.50x2.40 NBR70	10,50	2,40		DIN		3.000	27.000	30.000	72.000	75.000
OR 10.60x2.40 NBR70	10,60	2,40				3.000	27.000	30.000	72.000	75.000
OR 10.80x2.40 NBR70	10,80	2,40		P11		2.000	18.000	20.000	48.000	50.000
OR 11.00x2.40 NBR70	11,00	2,40		P11.2		2.000	18.000	20.000	48.000	50.000
OR 11.30x2.40 NBR70	11,30	2,40				2.000	18.000	20.000	48.000	50.000
OR 11.50x2.40 NBR70	11,50	2,40		DIN		2.000	18.000	20.000	48.000	50.000
OR 11.60x2.40 NBR70	11,60	2,40				2.000	18.000	20.000	48.000	50.000
OR 11.80x2.40 NBR70	11,80	2,40		P12		2.000	18.000	20.000	48.000	50.000
OR 12.30x2.40 NBR70	12,30	2,40		P12.5		2.000	18.000	20.000	48.000	50.000
OR 12.60x2.40 NBR70	12,60	2,40				2.000	18.000	20.000	48.000	50.000
OR 13.30x2.40 NBR70	13,30	2,40				2.000	18.000	20.000	48.000	50.000
OR 13.50x2.40 NBR70	13,50	2,40		DIN		2.000	18.000	20.000	48.000	50.000
OR 13.60x2.40 NBR70	13,60	2,40				2.000	18.000	20.000	48.000	50.000
OR 13.80x2.40 NBR70	13,80	2,40		P14		2.000	18.000	20.000	48.000	50.000
OR 14.30x2.40 NBR70	14,30	2,40				2.000	18.000	20.000	48.000	50.000
OR 14.50x2.40 NBR70	14,50	2,40		DIN		2.000	18.000	20.000	48.000	50.000
OR 14.60x2.40 NBR70	14,60	2,40				2.000	18.000	20.000	48.000	50.000
OR 14.80x2.40 NBR70	14,80	2,40		P15		2.000	18.000	20.000	48.000	50.000
OR 15.30x2.40 NBR70	15,30	2,40				2.000	18.000	20.000	48.000	50.000
OR 15.50x2.40 NBR70	15,50	2,40		DIN		2.000	18.000	20.000	48.000	50.000
OR 15.60x2.40 NBR70	15,60	2,40				1.000	9.000	10.000	24.000	25.000
OR 15.80x2.40 NBR70	15,80	2,40		P16		1.000	9.000	10.000	24.000	25.000
OR 16.30x2.40 NBR70	16,30	2,40				1.000	9.000	10.000	24.000	25.000
OR 16.60x2.40 NBR70	16,60	2,40				1.000	9.000	10.000	24.000	25.000
OR 17.30x2.40 NBR70	17,30	2,40				1.000	9.000	10.000	24.000	25.000
OR 17.50x2.40 NBR70	17,50	2,40		DIN		1.000	9.000	10.000	24.000	25.000
OR 17.60x2.40 NBR70	17,60	2,40				1.000	9.000	10.000	24.000	25.000
OR 17.80x2.40 NBR70	17,80	2,40		P18		1.000	9.000	10.000	24.000	25.000
OR 18.60x2.40 NBR70	18,60	2,40				1.000	9.000	10.000	24.000	25.000
OR 19.60x2.40 NBR70	19,60	2,40				1.000	9.000	10.000	24.000	25.000
OR 19.80x2.40 NBR70	19,80	2,40		P20		1.000	9.000	10.000	24.000	25.000
OR 20.50x2.40 NBR70	20,50	2,40		DIN		1.000	9.000	10.000	24.000	25.000
OR 20.80x2.40 NBR70	20,80	2,40		P21		1.000	9.000	10.000	24.000	25.000
OR 21.50x2.40 NBR70	21,50	2,40		DIN		1.000	9.000	10.000	24.000	25.000
OR 21.60x2.40 NBR70	21,60	2,40				1.000	9.000	10.000	24.000	25.000
OR 21.80x2.40 NBR70	21,80	2,40		P22		1.000	9.000	10.000	24.000	25.000
OR 23.50x2.40 NBR70	23,50	2,40		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.50x2.40 NBR70	24,50	2,40		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.60x2.40 NBR70	24,60	2,40				1.000	9.000	10.000	24.000	25.000
OR 25.00x2.40 NBR70	25,00	2,40	R19b			1.000	9.000	10.000	24.000	25.000
OR 27.50x2.40 NBR70	27,50	2,40		DIN		1.000	9.000	10.000	24.000	25.000
OR 27.60x2.40 NBR70	27,60	2,40				1.000	9.000	10.000	24.000	25.000
OR 29.60x2.40 NBR70	29,60	2,40				1.000	9.000	10.000	24.000	25.000
OR 31.60x2.40 NBR70	31,60	2,40				500	4.500	5.000	12.000	12.500
OR 34.60x2.40 NBR70	34,60	2,40				500	4.500	5.000	12.000	12.500
OR 37.60x2.40 NBR70	37,60	2,40				500	4.500	5.000	12.000	12.500
OR 39.60x2.40 NBR70	39,60	2,40				500	4.500	5.000	12.000	12.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 41.60x2.40 NBR70	41,60	2,40				500	4.500	5.000	12.000	12.500
OR 44.60x2.40 NBR70	44,60	2,40				500	4.500	5.000	12.000	12.500
OR 47.60x2.40 NBR70	47,60	2,40				500	4.500	5.000	12.000	12.500
OR 49.60x2.40 NBR70	49,60	2,40				500	4.500	5.000	12.000	12.500
OR 51.60x2.40 NBR70	51,60	2,40				500	4.500	5.000	12.000	12.500
OR 54.60x2.40 NBR70	54,60	2,40				250	2.250	2.500	6.000	6.250
OR 57.60x2.40 NBR70	57,60	2,40				250	2.250	2.500	6.000	6.250
OR 59.60x2.40 NBR70	59,60	2,40				250	2.250	2.500	6.000	6.250
OR 61.60x2.40 NBR70	61,60	2,40				250	2.250	2.500	6.000	6.250
OR 64.60x2.40 NBR70	64,60	2,40				250	2.250	2.500	6.000	6.250
OR 67.60x2.40 NBR70	67,60	2,40				250	2.250	2.500	6.000	6.250
OR 69.60x2.40 NBR70	69,60	2,40				250	2.250	2.500	6.000	6.250
OR 17.93x2.46 NBR70	17,93	2,46			909	1.000	9.000	10.000	24.000	25.000
OR 19.18x2.46 NBR70	19,18	2,46			910	1.000	9.000	10.000	24.000	25.000
OR 4.00x2.50 NBR70	4,00	2,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 4.60x2.50 NBR70	4,60	2,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 5.00x2.50 NBR70	5,00	2,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 5.50x2.50 NBR70	5,50	2,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 6.00x2.50 NBR70	6,00	2,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 6.50x2.50 NBR70	6,50	2,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 7.00x2.50 NBR70	7,00	2,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 7.50x2.50 NBR70	7,50	2,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 8.00x2.50 NBR70	8,00	2,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 8.50x2.50 NBR70	8,50	2,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 9.00x2.50 NBR70	9,00	2,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 9.50x2.50 NBR70	9,50	2,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 10.00x2.50 NBR70	10,00	2,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 10.50x2.50 NBR70	10,50	2,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 11.00x2.50 NBR70	11,00	2,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 11.50x2.50 NBR70	11,50	2,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 12.00x2.50 NBR70	12,00	2,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 12.50x2.50 NBR70	12,50	2,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 13.00x2.50 NBR70	13,00	2,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 13.50x2.50 NBR70	13,50	2,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 14.00x2.50 NBR70	14,00	2,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 14.50x2.50 NBR70	14,50	2,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 15.00x2.50 NBR70	15,00	2,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 15.50x2.50 NBR70	15,50	2,50		DIN		2.000	18.000	20.000	48.000	50.000
OR 16.00x2.50 NBR70	16,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 16.50x2.50 NBR70	16,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 17.00x2.50 NBR70	17,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 17.50x2.50 NBR70	17,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 18.00x2.50 NBR70	18,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 18.50x2.50 NBR70	18,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 19.00x2.50 NBR70	19,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 19.50x2.50 NBR70	19,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 20.00x2.50 NBR70	20,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 20.50x2.50 NBR70	20,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 21.00x2.50 NBR70	21,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 21.50x2.50 NBR70	21,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 22.00x2.50 NBR70	22,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 22.50x2.50 NBR70	22,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 23.00x2.50 NBR70	23,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 23.50x2.50 NBR70	23,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.00x2.50 NBR70	24,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.50x2.50 NBR70	24,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 25.00x2.50 NBR70	25,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 25.50x2.50 NBR70	25,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 26.00x2.50 NBR70	26,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 26.50x2.50 NBR70	26,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 27.00x2.50 NBR70	27,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 27.50x2.50 NBR70	27,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 28.00x2.50 NBR70	28,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 28.50x2.50 NBR70	28,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 29.00x2.50 NBR70	29,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 29.50x2.50 NBR70	29,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 30.00x2.50 NBR70	30,00	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 30.50x2.50 NBR70	30,50	2,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 31.00x2.50 NBR70	31,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 31.50x2.50 NBR70	31,50	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 32.00x2.50 NBR70	32,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 32.50x2.50 NBR70	32,50	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 33.00x2.50 NBR70	33,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 33.50x2.50 NBR70	33,50	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 34.00x2.50 NBR70	34,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 34.50x2.50 NBR70	34,50	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 35.00x2.50 NBR70	35,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 35.50x2.50 NBR70	35,50	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 36.00x2.50 NBR70	36,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 36.50x2.50 NBR70	36,50	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 37.00x2.50 NBR70	37,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 37.50x2.50 NBR70	37,50	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 38.00x2.50 NBR70	38,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 38.50x2.50 NBR70	38,50	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 39.00x2.50 NBR70	39,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 39.50x2.50 NBR70	39,50	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 40.00x2.50 NBR70	40,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 41.00x2.50 NBR70	41,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 42.00x2.50 NBR70	42,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 43.00x2.50 NBR70	43,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 44.00x2.50 NBR70	44,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 45.00x2.50 NBR70	45,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 46.00x2.50 NBR70	46,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 47.00x2.50 NBR70	47,00	2,50		DIN		500	4.500	5.000	12.000	12.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 48.00x2.50 NBR70	48,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 49.00x2.50 NBR70	49,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 50.00x2.50 NBR70	50,00	2,50		DIN		500	4.500	5.000	12.000	12.500
OR 51.00x2.50 NBR70	51,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 52.00x2.50 NBR70	52,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 53.00x2.50 NBR70	53,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 54.00x2.50 NBR70	54,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 55.00x2.50 NBR70	55,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 56.00x2.50 NBR70	56,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 57.00x2.50 NBR70	57,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 58.00x2.50 NBR70	58,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 59.00x2.50 NBR70	59,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 60.00x2.50 NBR70	60,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 61.00x2.50 NBR70	61,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 62.00x2.50 NBR70	62,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 63.00x2.50 NBR70	63,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 64.00x2.50 NBR70	64,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 65.00x2.50 NBR70	65,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 66.00x2.50 NBR70	66,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 67.00x2.50 NBR70	67,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 68.00x2.50 NBR70	68,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 69.00x2.50 NBR70	69,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 70.00x2.50 NBR70	70,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 71.00x2.50 NBR70	71,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 72.00x2.50 NBR70	72,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 73.00x2.50 NBR70	73,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 74.00x2.50 NBR70	74,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 75.00x2.50 NBR70	75,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 76.00x2.50 NBR70	76,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 77.00x2.50 NBR70	77,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 78.00x2.50 NBR70	78,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 79.00x2.50 NBR70	79,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 80.00x2.50 NBR70	80,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 81.00x2.50 NBR70	81,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 82.00x2.50 NBR70	82,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 83.00x2.50 NBR70	83,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 84.00x2.50 NBR70	84,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 85.00x2.50 NBR70	85,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 86.00x2.50 NBR70	86,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 87.00x2.50 NBR70	87,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 88.00x2.50 NBR70	88,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 89.00x2.50 NBR70	89,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 90.00x2.50 NBR70	90,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 91.00x2.50 NBR70	91,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 92.00x2.50 NBR70	92,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 93.00x2.50 NBR70	93,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 94.00x2.50 NBR70	94,00	2,50		DIN		250	2.250	2.500	6.000	6.250

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 95.00x2.50 NBR70	95,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 96.00x2.50 NBR70	96,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 97.00x2.50 NBR70	97,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 98.00x2.50 NBR70	98,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 99.00x2.50 NBR70	99,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 100.00x2.50 NBR70	100,00	2,50		DIN		250	2.250	2.500	6.000	6.250
OR 101.00x2.50 NBR70	101,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 102.00x2.50 NBR70	102,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 103.00x2.50 NBR70	103,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 104.00x2.50 NBR70	104,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 105.00x2.50 NBR70	105,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 106.00x2.50 NBR70	106,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 107.00x2.50 NBR70	107,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 108.00x2.50 NBR70	108,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 109.00x2.50 NBR70	109,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 110.00x2.50 NBR70	110,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 111.00x2.50 NBR70	111,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 112.00x2.50 NBR70	112,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 113.00x2.50 NBR70	113,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 114.00x2.50 NBR70	114,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 115.00x2.50 NBR70	115,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 116.00x2.50 NBR70	116,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 117.00x2.50 NBR70	117,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 118.00x2.50 NBR70	118,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 119.00x2.50 NBR70	119,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 120.00x2.50 NBR70	120,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 121.00x2.50 NBR70	121,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 122.00x2.50 NBR70	122,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 123.00x2.50 NBR70	123,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 124.00x2.50 NBR70	124,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 125.00x2.50 NBR70	125,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 126.00x2.50 NBR70	126,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 127.00x2.50 NBR70	127,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 128.00x2.50 NBR70	128,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 129.00x2.50 NBR70	129,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 130.00x2.50 NBR70	130,00	2,50		DIN		150	1.350	1.500	3.600	3.750
OR 131.00x2.50 NBR70	131,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 132.00x2.50 NBR70	132,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 133.00x2.50 NBR70	133,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 134.00x2.50 NBR70	134,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 135.00x2.50 NBR70	135,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 136.00x2.50 NBR70	136,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 137.00x2.50 NBR70	137,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 138.00x2.50 NBR70	138,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 139.00x2.50 NBR70	139,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 140.00x2.50 NBR70	140,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 141.00x2.50 NBR70	141,00	2,50		DIN		100	900	1.000	2.400	2.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 142.00x2.50 NBR70	142,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 143.00x2.50 NBR70	143,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 144.00x2.50 NBR70	144,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 145.00x2.50 NBR70	145,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 146.00x2.50 NBR70	146,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 147.00x2.50 NBR70	147,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 148.00x2.50 NBR70	148,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 149.00x2.50 NBR70	149,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 150.00x2.50 NBR70	150,00	2,50		DIN		100	900	1.000	2.400	2.500
OR 29.10x2.55 NBR70	29,10	2,55	R20b			1.000	9.000	10.000	24.000	25.000
OR 1.24x2.62 NBR70	1,24	2,62			102	3.000	27.000	30.000	72.000	75.000
OR 2.06x2.62 NBR70	2,06	2,62			103	3.000	27.000	30.000	72.000	75.000
OR 2.84x2.62 NBR70	2,84	2,62			104	3.000	27.000	30.000	72.000	75.000
OR 3.63x2.62 NBR70	3,63	2,62			105	3.000	27.000	30.000	72.000	75.000
OR 4.42x2.62 NBR70	4,42	2,62			106	3.000	27.000	30.000	72.000	75.000
OR 5.23x2.62 NBR70	5,23	2,62		3021	107	3.000	27.000	30.000	72.000	75.000
OR 6.02x2.62 NBR70	6,02	2,62		3024	108	3.000	27.000	30.000	72.000	75.000
OR 7.59x2.62 NBR70	7,59	2,62		3030	109	3.000	27.000	30.000	72.000	75.000
OR 9.13x2.62 NBR70	9,13	2,62		109		3.000	27.000	30.000	72.000	75.000
OR 9.19x2.62 NBR70	9,19	2,62		3037	110	3.000	27.000	30.000	72.000	75.000
OR 9.90x2.62 NBR70	9,90	2,62		112	613	3.000	27.000	30.000	72.000	75.000
OR 10.77x2.62 NBR70	10,77	2,62		3043	111	2.000	18.000	20.000	48.000	50.000
OR 11.91x2.62 NBR70	11,91	2,62		115	614	2.000	18.000	20.000	48.000	50.000
OR 12.37x2.62 NBR70	12,37	2,62		3050	112	2.000	18.000	20.000	48.000	50.000
OR 12.70x2.62 NBR70	12,70	2,62			807	2.000	18.000	20.000	48.000	50.000
OR 13.10x2.62 NBR70	13,10	2,62		117	615	2.000	18.000	20.000	48.000	50.000
OR 13.94x2.62 NBR70	13,94	2,62		3056	113	2.000	18.000	20.000	48.000	50.000
OR 15.08x2.62 NBR70	15,08	2,62		119	616	2.000	18.000	20.000	48.000	50.000
OR 15.54x2.62 NBR70	15,54	2,62		3062	114	1.000	9.000	10.000	24.000	25.000
OR 15.88x2.62 NBR70	15,88	2,62		121	809	1.000	9.000	10.000	24.000	25.000
OR 17.12x2.62 NBR70	17,12	2,62		3068	115	1.000	9.000	10.000	24.000	25.000
OR 17.46x2.62 NBR70	17,46	2,62			810	1.000	9.000	10.000	24.000	25.000
OR 17.86x2.62 NBR70	17,86	2,62		123	617	1.000	9.000	10.000	24.000	25.000
OR 18.72x2.62 NBR70	18,72	2,62		3075	116	1.000	9.000	10.000	24.000	25.000
OR 20.30x2.62 NBR70	20,30	2,62		3081	117	1.000	9.000	10.000	24.000	25.000
OR 20.64x2.62 NBR70	20,64	2,62		128	812	1.000	9.000	10.000	24.000	25.000
OR 21.89x2.62 NBR70	21,89	2,62		3087	118	1.000	9.000	10.000	24.000	25.000
OR 22.23x2.62 NBR70	22,23	2,62		130	813	1.000	9.000	10.000	24.000	25.000
OR 23.47x2.62 NBR70	23,47	2,62		3093	119	1.000	9.000	10.000	24.000	25.000
OR 23.81x2.62 NBR70	23,81	2,62		132	814	1.000	9.000	10.000	24.000	25.000
OR 25.07x2.62 NBR70	25,07	2,62		3100	120	1.000	9.000	10.000	24.000	25.000
OR 26.64x2.62 NBR70	26,64	2,62		3106	121	1.000	9.000	10.000	24.000	25.000
OR 28.24x2.62 NBR70	28,24	2,62		3112	122	1.000	9.000	10.000	24.000	25.000
OR 29.82x2.62 NBR70	29,82	2,62		3118	123	1.000	9.000	10.000	24.000	25.000
OR 31.42x2.62 NBR70	31,42	2,62		3125	124	500	4.500	5.000	12.000	12.500
OR 32.99x2.62 NBR70	32,99	2,62		3131	125	500	4.500	5.000	12.000	12.500
OR 34.59x2.62 NBR70	34,59	2,62		3137	126	500	4.500	5.000	12.000	12.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 36.17x2.62 NBR70	36,17	2,62		3143	127	500	4.500	5.000	12.000	12.500
OR 37.77x2.62 NBR70	37,77	2,62		3150	128	500	4.500	5.000	12.000	12.500
OR 39.34x2.62 NBR70	39,34	2,62		3156	129	500	4.500	5.000	12.000	12.500
OR 40.94x2.62 NBR70	40,94	2,62		3162	130	500	4.500	5.000	12.000	12.500
OR 42.52x2.62 NBR70	42,52	2,62		3168	131	500	4.500	5.000	12.000	12.500
OR 44.12x2.62 NBR70	44,12	2,62		3175	132	500	4.500	5.000	12.000	12.500
OR 45.69x2.62 NBR70	45,69	2,62		3181	133	500	4.500	5.000	12.000	12.500
OR 47.29x2.62 NBR70	47,29	2,62		3187	134	500	4.500	5.000	12.000	12.500
OR 48.90x2.62 NBR70	48,90	2,62		3193	135	500	4.500	5.000	12.000	12.500
OR 50.47x2.62 NBR70	50,47	2,62		3200	136	500	4.500	5.000	12.000	12.500
OR 52.07x2.62 NBR70	52,07	2,62		3206	137	500	4.500	5.000	12.000	12.500
OR 53.64x2.62 NBR70	53,64	2,62		3212	138	250	2.250	2.500	6.000	6.250
OR 55.25x2.62 NBR70	55,25	2,62		3218	139	250	2.250	2.500	6.000	6.250
OR 56.82x2.62 NBR70	56,82	2,62		3225	140	250	2.250	2.500	6.000	6.250
OR 58.42x2.62 NBR70	58,42	2,62		3231	141	250	2.250	2.500	6.000	6.250
OR 59.99x2.62 NBR70	59,99	2,62		3237	142	250	2.250	2.500	6.000	6.250
OR 61.60x2.62 NBR70	61,60	2,62		3243	143	250	2.250	2.500	6.000	6.250
OR 63.17x2.62 NBR70	63,17	2,62		3250	144	250	2.250	2.500	6.000	6.250
OR 64.77x2.62 NBR70	64,77	2,62		3256	145	250	2.250	2.500	6.000	6.250
OR 66.34x2.62 NBR70	66,34	2,62		3262	146	250	2.250	2.500	6.000	6.250
OR 67.95x2.62 NBR70	67,95	2,62		3268	147	250	2.250	2.500	6.000	6.250
OR 69.52x2.62 NBR70	69,52	2,62		3275	148	250	2.250	2.500	6.000	6.250
OR 71.12x2.62 NBR70	71,12	2,62		3281	149	250	2.250	2.500	6.000	6.250
OR 72.69x2.62 NBR70	72,69	2,62		3287	150	250	2.250	2.500	6.000	6.250
OR 74.30x2.62 NBR70	74,30	2,62			640	250	2.250	2.500	6.000	6.250
OR 75.87x2.62 NBR70	75,87	2,62		3300	151	250	2.250	2.500	6.000	6.250
OR 77.50x2.62 NBR70	77,50	2,62			641	250	2.250	2.500	6.000	6.250
OR 80.60x2.62 NBR70	80,60	2,62			642	250	2.250	2.500	6.000	6.250
OR 82.22x2.62 NBR70	82,22	2,62		3325	152	250	2.250	2.500	6.000	6.250
OR 83.80x2.62 NBR70	83,80	2,62			643	250	2.250	2.500	6.000	6.250
OR 88.57x2.62 NBR70	88,57	2,62		3350	153	250	2.250	2.500	6.000	6.250
OR 94.92x2.62 NBR70	94,92	2,62		3375	154	250	2.250	2.500	6.000	6.250
OR 101.27x2.62 NBR70	101,27	2,62		3400	155	150	1.350	1.500	3.600	3.750
OR 107.62x2.62 NBR70	107,62	2,62		3425	156	150	1.350	1.500	3.600	3.750
OR 113.97x2.62 NBR70	113,97	2,62		3450	157	150	1.350	1.500	3.600	3.750
OR 120.32x2.62 NBR70	120,32	2,62		3475	158	150	1.350	1.500	3.600	3.750
OR 126.67x2.62 NBR70	126,67	2,62		3500	159	150	1.350	1.500	3.600	3.750
OR 133.02x2.62 NBR70	133,02	2,62		3525	160	150	1.350	1.500	3.600	3.750
OR 139.37x2.62 NBR70	139,37	2,62		3550	161	100	900	1.000	2.400	2.500
OR 145.72x2.62 NBR70	145,72	2,62		3575	162	100	900	1.000	2.400	2.500
OR 152.07x2.62 NBR70	152,07	2,62		3600	163	100	900	1.000	2.400	2.500
OR 158.42x2.62 NBR70	158,42	2,62		3625	164	100	900	1.000	2.400	2.500
OR 164.77x2.62 NBR70	164,77	2,62		3650	165	100	900	1.000	2.400	2.500
OR 171.12x2.62 NBR70	171,12	2,62		3675	166	50	450	500	1.200	1.250
OR 177.47x2.62 NBR70	177,47	2,62		3700	167	50	450	500	1.200	1.250
OR 183.82x2.62 NBR70	183,82	2,62		3725	168	50	450	500	1.200	1.250
OR 190.17x2.62 NBR70	190,17	2,62		3750	169	50	450	500	1.200	1.250

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 196.52x2.62 NBR70	196,52	2,62		3775	170	50	450	500	1.200	1.250
OR 202.87x2.62 NBR70	202,87	2,62		3800	171	50	450	500	1.200	1.250
OR 209.22x2.62 NBR70	209,22	2,62		3825	172	50	450	500	1.200	1.250
OR 215.57x2.62 NBR70	215,57	2,62		3850	173	50	450	500	1.200	1.250
OR 221.92x2.62 NBR70	221,92	2,62		3875	174	50	450	500	1.200	1.250
OR 228.27x2.62 NBR70	228,27	2,62		3900	175	50	450	500	1.200	1.250
OR 234.62x2.62 NBR70	234,62	2,62		3925	176	50	450	500	1.200	1.250
OR 240.97x2.62 NBR70	240,97	2,62		3950	177	50	450	500	1.200	1.250
OR 247.32x2.62 NBR70	247,32	2,62		3975	178	50	450	500	1.200	1.250
OR 14.00x2.65 NBR70	14,00	2,65	ISO			2.000	18.000	20.000	48.000	50.000
OR 15.00x2.65 NBR70	15,00	2,65	ISO			2.000	18.000	20.000	48.000	50.000
OR 16.00x2.65 NBR70	16,00	2,65	ISO			1.000	9.000	10.000	24.000	25.000
OR 17.00x2.65 NBR70	17,00	2,65	ISO			1.000	9.000	10.000	24.000	25.000
OR 18.00x2.65 NBR70	18,00	2,65	ISO			1.000	9.000	10.000	24.000	25.000
OR 19.00x2.65 NBR70	19,00	2,65	ISO			1.000	9.000	10.000	24.000	25.000
OR 20.00x2.65 NBR70	20,00	2,65	ISO			1.000	9.000	10.000	24.000	25.000
OR 21.20x2.65 NBR70	21,20	2,65	ISO			1.000	9.000	10.000	24.000	25.000
OR 22.40x2.65 NBR70	22,40	2,65	ISO			1.000	9.000	10.000	24.000	25.000
OR 23.60x2.65 NBR70	23,60	2,65	ISO			1.000	9.000	10.000	24.000	25.000
OR 25.00x2.65 NBR70	25,00	2,65	ISO			1.000	9.000	10.000	24.000	25.000
OR 25.80x2.65 NBR70	25,80	2,65	ISO			1.000	9.000	10.000	24.000	25.000
OR 26.50x2.65 NBR70	26,50	2,65	ISO			1.000	9.000	10.000	24.000	25.000
OR 28.00x2.65 NBR70	28,00	2,65	ISO			1.000	9.000	10.000	24.000	25.000
OR 30.00x2.65 NBR70	30,00	2,65	ISO			1.000	9.000	10.000	24.000	25.000
OR 31.50x2.65 NBR70	31,50	2,65	ISO			500	4.500	5.000	12.000	12.500
OR 32.50x2.65 NBR70	32,50	2,65	ISO			500	4.500	5.000	12.000	12.500
OR 33.50x2.65 NBR70	33,50	2,65	ISO			500	4.500	5.000	12.000	12.500
OR 34.50x2.65 NBR70	34,50	2,65	ISO			500	4.500	5.000	12.000	12.500
OR 35.50x2.65 NBR70	35,50	2,65	ISO			500	4.500	5.000	12.000	12.500
OR 36.50x2.65 NBR70	36,50	2,65	ISO			500	4.500	5.000	12.000	12.500
OR 37.50x2.65 NBR70	37,50	2,65	ISO			500	4.500	5.000	12.000	12.500
OR 38.70x2.65 NBR70	38,70	2,65	ISO			500	4.500	5.000	12.000	12.500
OR 8.90x2.70 NBR70	8,90	2,70	R8			3.000	27.000	30.000	72.000	75.000
OR 10.50x2.70 NBR70	10,50	2,70	R9			2.000	18.000	20.000	48.000	50.000
OR 12.10x2.70 NBR70	12,10	2,70	R10			2.000	18.000	20.000	48.000	50.000
OR 13.60x2.70 NBR70	13,60	2,70	R11			2.000	18.000	20.000	48.000	50.000
OR 15.10x2.70 NBR70	15,10	2,70	R12			1.000	9.000	10.000	24.000	25.000
OR 16.90x2.70 NBR70	16,90	2,70	R13			1.000	9.000	10.000	24.000	25.000
OR 18.40x2.70 NBR70	18,40	2,70	R14			1.000	9.000	10.000	24.000	25.000
OR 27.30x2.70 NBR70	27,30	2,70	R20t			1.000	9.000	10.000	24.000	25.000
OR 21.92x2.95 NBR70	21,92	2,95			911	1.000	9.000	10.000	24.000	25.000
OR 23.47x2.95 NBR70	23,47	2,95			912	1.000	9.000	10.000	24.000	25.000
OR 25.04x2.95 NBR70	25,04	2,95			913	1.000	9.000	10.000	24.000	25.000
OR 26.59x2.95 NBR70	26,59	2,95			914	1.000	9.000	10.000	24.000	25.000
OR 29.74x2.95 NBR70	29,74	2,95			916	500	4.500	5.000	12.000	12.500
OR 34.42x2.95 NBR70	34,42	2,95			918	500	4.500	5.000	12.000	12.500
OR 3.00x3.00 NBR70	3,00	3,00		DIN		3.000	27.000	30.000	72.000	75.000

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 3.50x3.00 NBR70	3,50	3,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 4.00x3.00 NBR70	4,00	3,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 4.50x3.00 NBR70	4,50	3,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 5.00x3.00 NBR70	5,00	3,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 5.50x3.00 NBR70	5,50	3,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 6.00x3.00 NBR70	6,00	3,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 6.50x3.00 NBR70	6,50	3,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 7.00x3.00 NBR70	7,00	3,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 7.50x3.00 NBR70	7,50	3,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 8.00x3.00 NBR70	8,00	3,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 8.50x3.00 NBR70	8,50	3,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 9.00x3.00 NBR70	9,00	3,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 9.50x3.00 NBR70	9,50	3,00		DIN		3.000	27.000	30.000	72.000	75.000
OR 10.00x3.00 NBR70	10,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 10.50x3.00 NBR70	10,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 11.00x3.00 NBR70	11,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 11.50x3.00 NBR70	11,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 12.00x3.00 NBR70	12,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 12.50x3.00 NBR70	12,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 13.00x3.00 NBR70	13,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 13.50x3.00 NBR70	13,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 14.00x3.00 NBR70	14,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 14.50x3.00 NBR70	14,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 15.00x3.00 NBR70	15,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 15.50x3.00 NBR70	15,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 16.00x3.00 NBR70	16,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 16.50x3.00 NBR70	16,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 17.00x3.00 NBR70	17,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 17.50x3.00 NBR70	17,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 18.00x3.00 NBR70	18,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 18.50x3.00 NBR70	18,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 19.00x3.00 NBR70	19,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 19.20x3.00 NBR70	19,20	3,00				1.000	9.000	10.000	24.000	25.000
OR 19.50x3.00 NBR70	19,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 20.00x3.00 NBR70	20,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 20.50x3.00 NBR70	20,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 21.00x3.00 NBR70	21,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 21.50x3.00 NBR70	21,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 22.00x3.00 NBR70	22,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 22.20x3.00 NBR70	22,20	3,00				1.000	9.000	10.000	24.000	25.000
OR 22.50x3.00 NBR70	22,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 23.00x3.00 NBR70	23,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 23.50x3.00 NBR70	23,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.00x3.00 NBR70	24,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.20x3.00 NBR70	24,20	3,00				1.000	9.000	10.000	24.000	25.000
OR 24.50x3.00 NBR70	24,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.60x3.00 NBR70	24,60	3,00				1.000	9.000	10.000	24.000	25.000

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 25.00x3.00 NBR70	25,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 25.50x3.00 NBR70	25,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 26.00x3.00 NBR70	26,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 26.20x3.00 NBR70	26,20	3,00				1.000	9.000	10.000	24.000	25.000
OR 26.50x3.00 NBR70	26,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 27.00x3.00 NBR70	27,00	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 27.50x3.00 NBR70	27,50	3,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 28.00x3.00 NBR70	28,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 28.50x3.00 NBR70	28,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 29.00x3.00 NBR70	29,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 29.20x3.00 NBR70	29,20	3,00				500	4.500	5.000	12.000	12.500
OR 29.50x3.00 NBR70	29,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 30.00x3.00 NBR70	30,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 30.50x3.00 NBR70	30,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 31.00x3.00 NBR70	31,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 31.50x3.00 NBR70	31,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 32.00x3.00 NBR70	32,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 32.20x3.00 NBR70	32,20	3,00				500	4.500	5.000	12.000	12.500
OR 32.50x3.00 NBR70	32,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 33.00x3.00 NBR70	33,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 33.50x3.00 NBR70	33,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 34.00x3.00 NBR70	34,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 34.20x3.00 NBR70	34,20	3,00				500	4.500	5.000	12.000	12.500
OR 34.50x3.00 NBR70	34,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 35.00x3.00 NBR70	35,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 35.50x3.00 NBR70	35,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 36.00x3.00 NBR70	36,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 36.20x3.00 NBR70	36,20	3,00				500	4.500	5.000	12.000	12.500
OR 36.50x3.00 NBR70	36,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 37.00x3.00 NBR70	37,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 37.47x3.00 NBR70	37,47	3,00			920	500	4.500	5.000	12.000	12.500
OR 37.50x3.00 NBR70	37,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 38.00x3.00 NBR70	38,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 38.50x3.00 NBR70	38,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 39.00x3.00 NBR70	39,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 39.20x3.00 NBR70	39,20	3,00				500	4.500	5.000	12.000	12.500
OR 39.50x3.00 NBR70	39,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 40.00x3.00 NBR70	40,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 41.00x3.00 NBR70	41,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 41.50x3.00 NBR70	41,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 42.00x3.00 NBR70	42,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 42.20x3.00 NBR70	42,20	3,00				500	4.500	5.000	12.000	12.500
OR 42.50x3.00 NBR70	42,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 43.00x3.00 NBR70	43,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 43.69x3.00 NBR70	43,69	3,00			924	500	4.500	5.000	12.000	12.500
OR 44.00x3.00 NBR70	44,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 44.20x3.00 NBR70	44,20	3,00				500	4.500	5.000	12.000	12.500

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 44.50x3.00 NBR70	44,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 45.00x3.00 NBR70	45,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 46.00x3.00 NBR70	46,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 47.00x3.00 NBR70	47,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 48.00x3.00 NBR70	48,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 49.00x3.00 NBR70	49,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 49.50x3.00 NBR70	49,50	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 50.00x3.00 NBR70	50,00	3,00		DIN		500	4.500	5.000	12.000	12.500
OR 50.50x3.00 NBR70	50,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 51.00x3.00 NBR70	51,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 52.00x3.00 NBR70	52,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 53.00x3.00 NBR70	53,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 53.09x3.00 NBR70	53,09	3,00			928	250	2.250	2.500	6.000	6.250
OR 54.00x3.00 NBR70	54,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 54.50x3.00 NBR70	54,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 55.00x3.00 NBR70	55,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 56.00x3.00 NBR70	56,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 57.00x3.00 NBR70	57,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 58.00x3.00 NBR70	58,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 59.00x3.00 NBR70	59,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 59.36x3.00 NBR70	59,36	3,00			932	250	2.250	2.500	6.000	6.250
OR 59.50x3.00 NBR70	59,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 60.00x3.00 NBR70	60,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 61.00x3.00 NBR70	61,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 62.00x3.00 NBR70	62,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 63.00x3.00 NBR70	63,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 64.00x3.00 NBR70	64,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 64.50x3.00 NBR70	64,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 65.00x3.00 NBR70	65,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 66.00x3.00 NBR70	66,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 67.00x3.00 NBR70	67,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 68.00x3.00 NBR70	68,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 69.00x3.00 NBR70	69,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 69.50x3.00 NBR70	69,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 70.00x3.00 NBR70	70,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 71.00x3.00 NBR70	71,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 72.00x3.00 NBR70	72,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 73.00x3.00 NBR70	73,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 74.00x3.00 NBR70	74,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 74.50x3.00 NBR70	74,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 75.00x3.00 NBR70	75,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 76.00x3.00 NBR70	76,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 77.00x3.00 NBR70	77,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 78.00x3.00 NBR70	78,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 79.00x3.00 NBR70	79,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 79.50x3.00 NBR70	79,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 80.00x3.00 NBR70	80,00	3,00		DIN		250	2.250	2.500	6.000	6.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 81.00x3.00 NBR70	81,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 82.00x3.00 NBR70	82,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 83.00x3.00 NBR70	83,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 84.00x3.00 NBR70	84,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 84.50x3.00 NBR70	84,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 85.00x3.00 NBR70	85,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 86.00x3.00 NBR70	86,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 87.00x3.00 NBR70	87,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 88.00x3.00 NBR70	88,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 89.00x3.00 NBR70	89,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 89.50x3.00 NBR70	89,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 90.00x3.00 NBR70	90,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 91.00x3.00 NBR70	91,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 92.00x3.00 NBR70	92,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 93.00x3.00 NBR70	93,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 94.00x3.00 NBR70	94,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 94.50x3.00 NBR70	94,50	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 95.00x3.00 NBR70	95,00	3,00		DIN		250	2.250	2.500	6.000	6.250
OR 96.00x3.00 NBR70	96,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 97.00x3.00 NBR70	97,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 98.00x3.00 NBR70	98,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 99.00x3.00 NBR70	99,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 99.50x3.00 NBR70	99,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 100.00x3.00 NBR70	100,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 101.00x3.00 NBR70	101,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 102.00x3.00 NBR70	102,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 103.00x3.00 NBR70	103,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 104.00x3.00 NBR70	104,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 104.50x3.00 NBR70	104,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 105.00x3.00 NBR70	105,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 106.00x3.00 NBR70	106,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 107.00x3.00 NBR70	107,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 108.00x3.00 NBR70	108,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 109.00x3.00 NBR70	109,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 109.50x3.00 NBR70	109,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 110.00x3.00 NBR70	110,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 111.00x3.00 NBR70	111,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 112.00x3.00 NBR70	112,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 113.00x3.00 NBR70	113,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 114.00x3.00 NBR70	114,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 114.50x3.00 NBR70	114,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 115.00x3.00 NBR70	115,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 116.00x3.00 NBR70	116,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 117.00x3.00 NBR70	117,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 118.00x3.00 NBR70	118,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 119.00x3.00 NBR70	119,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 119.50x3.00 NBR70	119,50	3,00		DIN		150	1.350	1.500	3.600	3.750

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 120.00x3.00 NBR70	120,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 121.00x3.00 NBR70	121,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 122.00x3.00 NBR70	122,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 123.00x3.00 NBR70	123,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 124.00x3.00 NBR70	124,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 124.50x3.00 NBR70	124,50	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 125.00x3.00 NBR70	125,00	3,00		DIN		150	1.350	1.500	3.600	3.750
OR 126.00x3.00 NBR70	126,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 127.00x3.00 NBR70	127,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 128.00x3.00 NBR70	128,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 129.00x3.00 NBR70	129,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 129.50x3.00 NBR70	129,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 130.00x3.00 NBR70	130,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 131.00x3.00 NBR70	131,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 132.00x3.00 NBR70	132,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 133.00x3.00 NBR70	133,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 134.00x3.00 NBR70	134,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 134.50x3.00 NBR70	134,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 135.00x3.00 NBR70	135,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 136.00x3.00 NBR70	136,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 137.00x3.00 NBR70	137,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 138.00x3.00 NBR70	138,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 139.00x3.00 NBR70	139,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 139.50x3.00 NBR70	139,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 140.00x3.00 NBR70	140,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 141.00x3.00 NBR70	141,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 142.00x3.00 NBR70	142,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 143.00x3.00 NBR70	143,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 144.00x3.00 NBR70	144,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 144.50x3.00 NBR70	144,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 145.00x3.00 NBR70	145,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 146.00x3.00 NBR70	146,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 147.00x3.00 NBR70	147,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 148.00x3.00 NBR70	148,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 149.00x3.00 NBR70	149,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 149.50x3.00 NBR70	149,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 150.00x3.00 NBR70	150,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 151.00x3.00 NBR70	151,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 152.00x3.00 NBR70	152,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 153.00x3.00 NBR70	153,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 154.00x3.00 NBR70	154,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 154.50x3.00 NBR70	154,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 155.00x3.00 NBR70	155,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 156.00x3.00 NBR70	156,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 157.00x3.00 NBR70	157,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 158.00x3.00 NBR70	158,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 159.00x3.00 NBR70	159,00	3,00		DIN		100	900	1.000	2.400	2.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 159.50x3.00 NBR70	159,50	3,00		DIN		100	900	1.000	2.400	2.500
OR 160.00x3.00 NBR70	160,00	3,00		DIN		100	900	1.000	2.400	2.500
OR 161.00x3.00 NBR70	161,00	3,00		DIN		50	450	500	1.200	1.250
OR 162.00x3.00 NBR70	162,00	3,00		DIN		50	450	500	1.200	1.250
OR 163.00x3.00 NBR70	163,00	3,00		DIN		50	450	500	1.200	1.250
OR 164.00x3.00 NBR70	164,00	3,00		DIN		50	450	500	1.200	1.250
OR 164.50x3.00 NBR70	164,50	3,00		DIN		50	450	500	1.200	1.250
OR 165.00x3.00 NBR70	165,00	3,00		DIN		50	450	500	1.200	1.250
OR 166.00x3.00 NBR70	166,00	3,00		DIN		50	450	500	1.200	1.250
OR 167.00x3.00 NBR70	167,00	3,00		DIN		50	450	500	1.200	1.250
OR 168.00x3.00 NBR70	168,00	3,00		DIN		50	450	500	1.200	1.250
OR 169.00x3.00 NBR70	169,00	3,00		DIN		50	450	500	1.200	1.250
OR 169.50x3.00 NBR70	169,50	3,00		DIN		50	450	500	1.200	1.250
OR 170.00x3.00 NBR70	170,00	3,00		DIN		50	450	500	1.200	1.250
OR 171.00x3.00 NBR70	171,00	3,00		DIN		50	450	500	1.200	1.250
OR 172.00x3.00 NBR70	172,00	3,00		DIN		50	450	500	1.200	1.250
OR 173.00x3.00 NBR70	173,00	3,00		DIN		50	450	500	1.200	1.250
OR 174.00x3.00 NBR70	174,00	3,00		DIN		50	450	500	1.200	1.250
OR 174.50x3.00 NBR70	174,50	3,00		DIN		50	450	500	1.200	1.250
OR 175.00x3.00 NBR70	175,00	3,00		DIN		50	450	500	1.200	1.250
OR 176.00x3.00 NBR70	176,00	3,00		DIN		50	450	500	1.200	1.250
OR 177.00x3.00 NBR70	177,00	3,00		DIN		50	450	500	1.200	1.250
OR 178.00x3.00 NBR70	178,00	3,00		DIN		50	450	500	1.200	1.250
OR 179.00x3.00 NBR70	179,00	3,00		DIN		50	450	500	1.200	1.250
OR 179.50x3.00 NBR70	179,50	3,00		DIN		50	450	500	1.200	1.250
OR 180.00x3.00 NBR70	180,00	3,00		DIN		50	450	500	1.200	1.250
OR 181.00x3.00 NBR70	181,00	3,00		DIN		50	450	500	1.200	1.250
OR 182.00x3.00 NBR70	182,00	3,00		DIN		50	450	500	1.200	1.250
OR 183.00x3.00 NBR70	183,00	3,00		DIN		50	450	500	1.200	1.250
OR 184.00x3.00 NBR70	184,00	3,00		DIN		50	450	500	1.200	1.250
OR 184.50x3.00 NBR70	184,50	3,00		DIN		50	450	500	1.200	1.250
OR 185.00x3.00 NBR70	185,00	3,00		DIN		50	450	500	1.200	1.250
OR 186.00x3.00 NBR70	186,00	3,00		DIN		50	450	500	1.200	1.250
OR 187.00x3.00 NBR70	187,00	3,00		DIN		50	450	500	1.200	1.250
OR 188.00x3.00 NBR70	188,00	3,00		DIN		50	450	500	1.200	1.250
OR 189.00x3.00 NBR70	189,00	3,00		DIN		50	450	500	1.200	1.250
OR 189.50x3.00 NBR70	189,50	3,00		DIN		50	450	500	1.200	1.250
OR 190.00x3.00 NBR70	190,00	3,00		DIN		50	450	500	1.200	1.250
OR 191.00x3.00 NBR70	191,00	3,00		DIN		50	450	500	1.200	1.250
OR 192.00x3.00 NBR70	192,00	3,00		DIN		50	450	500	1.200	1.250
OR 193.00x3.00 NBR70	193,00	3,00		DIN		50	450	500	1.200	1.250
OR 194.00x3.00 NBR70	194,00	3,00		DIN		50	450	500	1.200	1.250
OR 194.50x3.00 NBR70	194,50	3,00		DIN		50	450	500	1.200	1.250
OR 195.00x3.00 NBR70	195,00	3,00		DIN		50	450	500	1.200	1.250
OR 196.00x3.00 NBR70	196,00	3,00		DIN		50	450	500	1.200	1.250
OR 197.00x3.00 NBR70	197,00	3,00		DIN		50	450	500	1.200	1.250
OR 198.00x3.00 NBR70	198,00	3,00		DIN		50	450	500	1.200	1.250

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 199.00x3.00 NBR70	199,00	3,00		DIN		50	450	500	1.200	1.250
OR 199.50x3.00 NBR70	199,50	3,00		DIN		50	450	500	1.200	1.250
OR 200.00x3.00 NBR70	200,00	3,00		DIN		50	450	500	1.200	1.250
OR 201.00x3.00 NBR70	201,00	3,00		DIN		50	450	500	1.200	1.250
OR 202.00x3.00 NBR70	202,00	3,00		DIN		50	450	500	1.200	1.250
OR 203.00x3.00 NBR70	203,00	3,00		DIN		50	450	500	1.200	1.250
OR 204.00x3.00 NBR70	204,00	3,00		DIN		50	450	500	1.200	1.250
OR 204.50x3.00 NBR70	204,50	3,00		DIN		50	450	500	1.200	1.250
OR 205.00x3.00 NBR70	205,00	3,00		DIN		50	450	500	1.200	1.250
OR 206.00x3.00 NBR70	206,00	3,00		DIN		50	450	500	1.200	1.250
OR 207.00x3.00 NBR70	207,00	3,00		DIN		50	450	500	1.200	1.250
OR 208.00x3.00 NBR70	208,00	3,00		DIN		50	450	500	1.200	1.250
OR 209.00x3.00 NBR70	209,00	3,00		DIN		50	450	500	1.200	1.250
OR 209.50x3.00 NBR70	209,50	3,00		DIN		50	450	500	1.200	1.250
OR 210.00x3.00 NBR70	210,00	3,00		DIN		50	450	500	1.200	1.250
OR 211.00x3.00 NBR70	211,00	3,00		DIN		50	450	500	1.200	1.250
OR 212.00x3.00 NBR70	212,00	3,00		DIN		50	450	500	1.200	1.250
OR 213.00x3.00 NBR70	213,00	3,00		DIN		50	450	500	1.200	1.250
OR 214.00x3.00 NBR70	214,00	3,00		DIN		50	450	500	1.200	1.250
OR 215.00x3.00 NBR70	215,00	3,00		DIN		50	450	500	1.200	1.250
OR 216.00x3.00 NBR70	216,00	3,00		DIN		50	450	500	1.200	1.250
OR 217.00x3.00 NBR70	217,00	3,00		DIN		50	450	500	1.200	1.250
OR 218.00x3.00 NBR70	218,00	3,00		DIN		50	450	500	1.200	1.250
OR 219.00x3.00 NBR70	219,00	3,00		DIN		50	450	500	1.200	1.250
OR 219.50x3.00 NBR70	219,50	3,00		DIN		50	450	500	1.200	1.250
OR 220.00x3.00 NBR70	220,00	3,00		DIN		50	450	500	1.200	1.250
OR 221.00x3.00 NBR70	221,00	3,00		DIN		50	450	500	1.200	1.250
OR 222.00x3.00 NBR70	222,00	3,00		DIN		50	450	500	1.200	1.250
OR 223.00x3.00 NBR70	223,00	3,00		DIN		50	450	500	1.200	1.250
OR 224.00x3.00 NBR70	224,00	3,00		DIN		50	450	500	1.200	1.250
OR 225.00x3.00 NBR70	225,00	3,00		DIN		50	450	500	1.200	1.250
OR 226.00x3.00 NBR70	226,00	3,00		DIN		50	450	500	1.200	1.250
OR 227.00x3.00 NBR70	227,00	3,00		DIN		50	450	500	1.200	1.250
OR 228.00x3.00 NBR70	228,00	3,00		DIN		50	450	500	1.200	1.250
OR 229.00x3.00 NBR70	229,00	3,00		DIN		50	450	500	1.200	1.250
OR 229.50x3.00 NBR70	229,50	3,00		DIN		50	450	500	1.200	1.250
OR 230.00x3.00 NBR70	230,00	3,00		DIN		50	450	500	1.200	1.250
OR 231.00x3.00 NBR70	231,00	3,00		DIN		50	450	500	1.200	1.250
OR 232.00x3.00 NBR70	232,00	3,00		DIN		50	450	500	1.200	1.250
OR 233.00x3.00 NBR70	233,00	3,00		DIN		50	450	500	1.200	1.250
OR 234.00x3.00 NBR70	234,00	3,00		DIN		50	450	500	1.200	1.250
OR 235.00x3.00 NBR70	235,00	3,00		DIN		50	450	500	1.200	1.250
OR 236.00x3.00 NBR70	236,00	3,00		DIN		50	450	500	1.200	1.250
OR 237.00x3.00 NBR70	237,00	3,00		DIN		50	450	500	1.200	1.250
OR 238.00x3.00 NBR70	238,00	3,00		DIN		50	450	500	1.200	1.250
OR 239.00x3.00 NBR70	239,00	3,00		DIN		50	450	500	1.200	1.250
OR 239.50x3.00 NBR70	239,50	3,00		DIN		50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 240.00x3.00 NBR70	240,00	3,00		DIN		50	450	500	1.200	1.250
OR 241.00x3.00 NBR70	241,00	3,00		DIN		50	450	500	1.200	1.250
OR 242.00x3.00 NBR70	242,00	3,00		DIN		50	450	500	1.200	1.250
OR 243.00x3.00 NBR70	243,00	3,00		DIN		50	450	500	1.200	1.250
OR 244.00x3.00 NBR70	244,00	3,00		DIN		50	450	500	1.200	1.250
OR 245.00x3.00 NBR70	245,00	3,00		DIN		50	450	500	1.200	1.250
OR 246.00x3.00 NBR70	246,00	3,00		DIN		50	450	500	1.200	1.250
OR 247.00x3.00 NBR70	247,00	3,00		DIN		50	450	500	1.200	1.250
OR 248.00x3.00 NBR70	248,00	3,00		DIN		50	450	500	1.200	1.250
OR 249.00x3.00 NBR70	249,00	3,00		DIN		50	450	500	1.200	1.250
OR 249.50x3.00 NBR70	249,50	3,00		DIN		50	450	500	1.200	1.250
OR 250.00x3.00 NBR70	250,00	3,00		DIN		50	450	500	1.200	1.250
OR 24.40x3.10 NBR70	24,40	3,10		G25		500	4.500	5.000	12.000	12.500
OR 29.40x3.10 NBR70	29,40	3,10		G30		500	4.500	5.000	12.000	12.500
OR 34.40x3.10 NBR70	34,40	3,10		G35		500	4.500	5.000	12.000	12.500
OR 39.40x3.10 NBR70	39,40	3,10		G40		500	4.500	5.000	12.000	12.500
OR 44.40x3.10 NBR70	44,40	3,10		G45		500	4.500	5.000	12.000	12.500
OR 49.40x3.10 NBR70	49,40	3,10		G50		500	4.500	5.000	12.000	12.500
OR 54.40x3.10 NBR70	54,40	3,10		G55		250	2.250	2.500	6.000	6.250
OR 59.40x3.10 NBR70	59,40	3,10		G60		250	2.250	2.500	6.000	6.250
OR 64.40x3.10 NBR70	64,40	3,10		G65		250	2.250	2.500	6.000	6.250
OR 69.40x3.10 NBR70	69,40	3,10		G70		250	2.250	2.500	6.000	6.250
OR 74.40x3.10 NBR70	74,40	3,10		G75		250	2.250	2.500	6.000	6.250
OR 79.40x3.10 NBR70	79,40	3,10		G80		250	2.250	2.500	6.000	6.250
OR 84.40x3.10 NBR70	84,40	3,10		G85		250	2.250	2.500	6.000	6.250
OR 89.40x3.10 NBR70	89,40	3,10		G90		250	2.250	2.500	6.000	6.250
OR 94.40x3.10 NBR70	94,40	3,10		G95		150	1.350	1.500	3.600	3.750
OR 99.40x3.10 NBR70	99,40	3,10		G100		150	1.350	1.500	3.600	3.750
OR 104.40x3.10 NBR70	104,40	3,10		G105		150	1.350	1.500	3.600	3.750
OR 109.40x3.10 NBR70	109,40	3,10		G110		150	1.350	1.500	3.600	3.750
OR 114.40x3.10 NBR70	114,40	3,10		G115		150	1.350	1.500	3.600	3.750
OR 119.40x3.10 NBR70	119,40	3,10		G120		150	1.350	1.500	3.600	3.750
OR 124.40x3.10 NBR70	124,40	3,10		G125		150	1.350	1.500	3.600	3.750
OR 129.40x3.10 NBR70	129,40	3,10		G130		150	1.350	1.500	3.600	3.750
OR 134.40x3.10 NBR70	134,40	3,10		G135		150	1.350	1.500	3.600	3.750
OR 139.40x3.10 NBR70	139,40	3,10		G140		150	1.350	1.500	3.600	3.750
OR 144.40x3.10 NBR70	144,40	3,10		G145		150	1.350	1.500	3.600	3.750
OR 8.00x3.50 NBR70	8,00	3,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 9.00x3.50 NBR70	9,00	3,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 10.00x3.50 NBR70	10,00	3,50		DIN		3.000	27.000	30.000	72.000	75.000
OR 11.00x3.50 NBR70	11,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 12.00x3.50 NBR70	12,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 13.00x3.50 NBR70	13,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 14.00x3.50 NBR70	14,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 15.00x3.50 NBR70	15,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 16.00x3.50 NBR70	16,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 17.00x3.50 NBR70	17,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 18.00x3.50 NBR70	18,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 19.00x3.50 NBR70	19,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 20.00x3.50 NBR70	20,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 21.00x3.50 NBR70	21,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 21.70x3.50 NBR70	21,70	3,50		P22A		1.000	9.000	10.000	24.000	25.000
OR 22.00x3.50 NBR70	22,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 22.10x3.50 NBR70	22,10	3,50		P22.4		1.000	9.000	10.000	24.000	25.000
OR 23.00x3.50 NBR70	23,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 23.70x3.50 NBR70	23,70	3,50		P24		1.000	9.000	10.000	24.000	25.000
OR 24.00x3.50 NBR70	24,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.70x3.50 NBR70	24,70	3,50		P25		1.000	9.000	10.000	24.000	25.000
OR 25.00x3.50 NBR70	25,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 25.20x3.50 NBR70	25,20	3,50		P25.5		1.000	9.000	10.000	24.000	25.000
OR 25.70x3.50 NBR70	25,70	3,50		P26		1.000	9.000	10.000	24.000	25.000
OR 26.00x3.50 NBR70	26,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 27.00x3.50 NBR70	27,00	3,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 27.70x3.50 NBR70	27,70	3,50		P28		1.000	9.000	10.000	24.000	25.000
OR 28.00x3.50 NBR70	28,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 28.70x3.50 NBR70	28,70	3,50		P29		500	4.500	5.000	12.000	12.500
OR 29.00x3.50 NBR70	29,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 29.20x3.50 NBR70	29,20	3,50		P29.5		500	4.500	5.000	12.000	12.500
OR 29.70x3.50 NBR70	29,70	3,50		P30		500	4.500	5.000	12.000	12.500
OR 30.00x3.50 NBR70	30,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 30.70x3.50 NBR70	30,70	3,50		P31		500	4.500	5.000	12.000	12.500
OR 31.00x3.50 NBR70	31,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 31.20x3.50 NBR70	31,20	3,50		P31.5		500	4.500	5.000	12.000	12.500
OR 31.70x3.50 NBR70	31,70	3,50		P32		500	4.500	5.000	12.000	12.500
OR 32.00x3.50 NBR70	32,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 33.00x3.50 NBR70	33,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 33.70x3.50 NBR70	33,70	3,50		P34		500	4.500	5.000	12.000	12.500
OR 34.00x3.50 NBR70	34,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 34.70x3.50 NBR70	34,70	3,50		P35		500	4.500	5.000	12.000	12.500
OR 35.00x3.50 NBR70	35,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 35.20x3.50 NBR70	35,20	3,50		P35.5		500	4.500	5.000	12.000	12.500
OR 35.70x3.50 NBR70	35,70	3,50		P36		500	4.500	5.000	12.000	12.500
OR 36.00x3.50 NBR70	36,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 37.00x3.50 NBR70	37,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 37.70x3.50 NBR70	37,70	3,50		P38		500	4.500	5.000	12.000	12.500
OR 38.00x3.50 NBR70	38,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 38.70x3.50 NBR70	38,70	3,50		P39		500	4.500	5.000	12.000	12.500
OR 39.00x3.50 NBR70	39,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 39.70x3.50 NBR70	39,70	3,50		P40		500	4.500	5.000	12.000	12.500
OR 40.00x3.50 NBR70	40,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 40.70x3.50 NBR70	40,70	3,50		P41		500	4.500	5.000	12.000	12.500
OR 41.00x3.50 NBR70	41,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 41.70x3.50 NBR70	41,70	3,50		P42		500	4.500	5.000	12.000	12.500
OR 42.00x3.50 NBR70	42,00	3,50		DIN		500	4.500	5.000	12.000	12.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 43.00x3.50 NBR70	43,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 43.70x3.50 NBR70	43,70	3,50		P44		500	4.500	5.000	12.000	12.500
OR 44.00x3.50 NBR70	44,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 44.70x3.50 NBR70	44,70	3,50		P45		500	4.500	5.000	12.000	12.500
OR 45.00x3.50 NBR70	45,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 45.70x3.50 NBR70	45,70	3,50		P46		500	4.500	5.000	12.000	12.500
OR 46.00x3.50 NBR70	46,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 47.00x3.50 NBR70	47,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 47.70x3.50 NBR70	47,70	3,50		P48		500	4.500	5.000	12.000	12.500
OR 48.00x3.50 NBR70	48,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 48.70x3.50 NBR70	48,70	3,50		P49		500	4.500	5.000	12.000	12.500
OR 49.00x3.50 NBR70	49,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 49.70x3.50 NBR70	49,70	3,50		P50		500	4.500	5.000	12.000	12.500
OR 50.00x3.50 NBR70	50,00	3,50		DIN		500	4.500	5.000	12.000	12.500
OR 51.00x3.50 NBR70	51,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 52.00x3.50 NBR70	52,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 53.00x3.50 NBR70	53,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 54.00x3.50 NBR70	54,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 55.00x3.50 NBR70	55,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 56.00x3.50 NBR70	56,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 57.00x3.50 NBR70	57,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 58.00x3.50 NBR70	58,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 59.00x3.50 NBR70	59,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 60.00x3.50 NBR70	60,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 61.00x3.50 NBR70	61,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 62.00x3.50 NBR70	62,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 63.00x3.50 NBR70	63,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 64.00x3.50 NBR70	64,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 65.00x3.50 NBR70	65,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 66.00x3.50 NBR70	66,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 67.00x3.50 NBR70	67,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 68.00x3.50 NBR70	68,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 69.00x3.50 NBR70	69,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 70.00x3.50 NBR70	70,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 71.00x3.50 NBR70	71,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 72.00x3.50 NBR70	72,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 73.00x3.50 NBR70	73,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 74.00x3.50 NBR70	74,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 75.00x3.50 NBR70	75,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 76.00x3.50 NBR70	76,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 77.00x3.50 NBR70	77,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 78.00x3.50 NBR70	78,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 79.00x3.50 NBR70	79,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 80.00x3.50 NBR70	80,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 81.00x3.50 NBR70	81,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 82.00x3.50 NBR70	82,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 83.00x3.50 NBR70	83,00	3,50		DIN		250	2.250	2.500	6.000	6.250

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 84.00x3.50 NBR70	84,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 85.00x3.50 NBR70	85,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 86.00x3.50 NBR70	86,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 87.00x3.50 NBR70	87,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 88.00x3.50 NBR70	88,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 89.00x3.50 NBR70	89,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 90.00x3.50 NBR70	90,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 91.00x3.50 NBR70	91,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 92.00x3.50 NBR70	92,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 93.00x3.50 NBR70	93,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 94.00x3.50 NBR70	94,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 95.00x3.50 NBR70	95,00	3,50		DIN		250	2.250	2.500	6.000	6.250
OR 96.00x3.50 NBR70	96,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 97.00x3.50 NBR70	97,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 98.00x3.50 NBR70	98,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 99.00x3.50 NBR70	99,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 100.00x3.50 NBR70	100,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 101.00x3.50 NBR70	101,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 102.00x3.50 NBR70	102,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 103.00x3.50 NBR70	103,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 104.00x3.50 NBR70	104,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 105.00x3.50 NBR70	105,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 106.00x3.50 NBR70	106,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 107.00x3.50 NBR70	107,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 108.00x3.50 NBR70	108,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 109.00x3.50 NBR70	109,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 110.00x3.50 NBR70	110,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 111.00x3.50 NBR70	111,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 112.00x3.50 NBR70	112,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 113.00x3.50 NBR70	113,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 114.00x3.50 NBR70	114,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 115.00x3.50 NBR70	115,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 116.00x3.50 NBR70	116,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 117.00x3.50 NBR70	117,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 118.00x3.50 NBR70	118,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 119.00x3.50 NBR70	119,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 120.00x3.50 NBR70	120,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 121.00x3.50 NBR70	121,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 122.00x3.50 NBR70	122,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 123.00x3.50 NBR70	123,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 124.00x3.50 NBR70	124,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 125.00x3.50 NBR70	125,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 126.00x3.50 NBR70	126,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 127.00x3.50 NBR70	127,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 128.00x3.50 NBR70	128,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 129.00x3.50 NBR70	129,00	3,50		DIN		150	1.350	1.500	3.600	3.750
OR 130.00x3.50 NBR70	130,00	3,50		DIN		100	900	1.000	2.400	2.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 131.00x3.50 NBR70	131,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 132.00x3.50 NBR70	132,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 133.00x3.50 NBR70	133,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 134.00x3.50 NBR70	134,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 135.00x3.50 NBR70	135,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 136.00x3.50 NBR70	136,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 137.00x3.50 NBR70	137,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 138.00x3.50 NBR70	138,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 139.00x3.50 NBR70	139,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 140.00x3.50 NBR70	140,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 141.00x3.50 NBR70	141,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 142.00x3.50 NBR70	142,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 143.00x3.50 NBR70	143,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 144.00x3.50 NBR70	144,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 145.00x3.50 NBR70	145,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 146.00x3.50 NBR70	146,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 147.00x3.50 NBR70	147,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 148.00x3.50 NBR70	148,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 149.00x3.50 NBR70	149,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 150.00x3.50 NBR70	150,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 151.00x3.50 NBR70	151,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 152.00x3.50 NBR70	152,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 153.00x3.50 NBR70	153,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 154.00x3.50 NBR70	154,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 155.00x3.50 NBR70	155,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 156.00x3.50 NBR70	156,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 157.00x3.50 NBR70	157,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 158.00x3.50 NBR70	158,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 159.00x3.50 NBR70	159,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 160.00x3.50 NBR70	160,00	3,50		DIN		100	900	1.000	2.400	2.500
OR 161.00x3.50 NBR70	161,00	3,50		DIN		50	450	500	1.200	1.250
OR 162.00x3.50 NBR70	162,00	3,50		DIN		50	450	500	1.200	1.250
OR 163.00x3.50 NBR70	163,00	3,50		DIN		50	450	500	1.200	1.250
OR 164.00x3.50 NBR70	164,00	3,50		DIN		50	450	500	1.200	1.250
OR 165.00x3.50 NBR70	165,00	3,50		DIN		50	450	500	1.200	1.250
OR 166.00x3.50 NBR70	166,00	3,50		DIN		50	450	500	1.200	1.250
OR 167.00x3.50 NBR70	167,00	3,50		DIN		50	450	500	1.200	1.250
OR 168.00x3.50 NBR70	168,00	3,50		DIN		50	450	500	1.200	1.250
OR 169.00x3.50 NBR70	169,00	3,50		DIN		50	450	500	1.200	1.250
OR 170.00x3.50 NBR70	170,00	3,50		DIN		50	450	500	1.200	1.250
OR 171.00x3.50 NBR70	171,00	3,50		DIN		50	450	500	1.200	1.250
OR 172.00x3.50 NBR70	172,00	3,50		DIN		50	450	500	1.200	1.250
OR 173.00x3.50 NBR70	173,00	3,50		DIN		50	450	500	1.200	1.250
OR 174.00x3.50 NBR70	174,00	3,50		DIN		50	450	500	1.200	1.250
OR 175.00x3.50 NBR70	175,00	3,50		DIN		50	450	500	1.200	1.250
OR 176.00x3.50 NBR70	176,00	3,50		DIN		50	450	500	1.200	1.250
OR 177.00x3.50 NBR70	177,00	3,50		DIN		50	450	500	1.200	1.250

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 178.00x3.50 NBR70	178,00	3,50		DIN		50	450	500	1.200	1.250
OR 179.00x3.50 NBR70	179,00	3,50		DIN		50	450	500	1.200	1.250
OR 180.00x3.50 NBR70	180,00	3,50		DIN		50	450	500	1.200	1.250
OR 181.00x3.50 NBR70	181,00	3,50		DIN		50	450	500	1.200	1.250
OR 182.00x3.50 NBR70	182,00	3,50		DIN		50	450	500	1.200	1.250
OR 183.00x3.50 NBR70	183,00	3,50		DIN		50	450	500	1.200	1.250
OR 184.00x3.50 NBR70	184,00	3,50		DIN		50	450	500	1.200	1.250
OR 185.00x3.50 NBR70	185,00	3,50		DIN		50	450	500	1.200	1.250
OR 186.00x3.50 NBR70	186,00	3,50		DIN		50	450	500	1.200	1.250
OR 187.00x3.50 NBR70	187,00	3,50		DIN		50	450	500	1.200	1.250
OR 188.00x3.50 NBR70	188,00	3,50		DIN		50	450	500	1.200	1.250
OR 189.00x3.50 NBR70	189,00	3,50		DIN		50	450	500	1.200	1.250
OR 190.00x3.50 NBR70	190,00	3,50		DIN		50	450	500	1.200	1.250
OR 191.00x3.50 NBR70	191,00	3,50		DIN		50	450	500	1.200	1.250
OR 192.00x3.50 NBR70	192,00	3,50		DIN		50	450	500	1.200	1.250
OR 193.00x3.50 NBR70	193,00	3,50		DIN		50	450	500	1.200	1.250
OR 194.00x3.50 NBR70	194,00	3,50		DIN		50	450	500	1.200	1.250
OR 195.00x3.50 NBR70	195,00	3,50		DIN		50	450	500	1.200	1.250
OR 196.00x3.50 NBR70	196,00	3,50		DIN		50	450	500	1.200	1.250
OR 197.00x3.50 NBR70	197,00	3,50		DIN		50	450	500	1.200	1.250
OR 198.00x3.50 NBR70	198,00	3,50		DIN		50	450	500	1.200	1.250
OR 199.00x3.50 NBR70	199,00	3,50		DIN		50	450	500	1.200	1.250
OR 200.00x3.50 NBR70	200,00	3,50		DIN		50	450	500	1.200	1.250
OR 201.00x3.50 NBR70	201,00	3,50		DIN		50	450	500	1.200	1.250
OR 202.00x3.50 NBR70	202,00	3,50		DIN		50	450	500	1.200	1.250
OR 203.00x3.50 NBR70	203,00	3,50		DIN		50	450	500	1.200	1.250
OR 204.00x3.50 NBR70	204,00	3,50		DIN		50	450	500	1.200	1.250
OR 205.00x3.50 NBR70	205,00	3,50		DIN		50	450	500	1.200	1.250
OR 206.00x3.50 NBR70	206,00	3,50		DIN		50	450	500	1.200	1.250
OR 207.00x3.50 NBR70	207,00	3,50		DIN		50	450	500	1.200	1.250
OR 208.00x3.50 NBR70	208,00	3,50		DIN		50	450	500	1.200	1.250
OR 209.00x3.50 NBR70	209,00	3,50		DIN		50	450	500	1.200	1.250
OR 210.00x3.50 NBR70	210,00	3,50		DIN		50	450	500	1.200	1.250
OR 215.00x3.50 NBR70	215,00	3,50		DIN		50	450	500	1.200	1.250
OR 220.00x3.50 NBR70	220,00	3,50		DIN		50	450	500	1.200	1.250
OR 225.00x3.50 NBR70	225,00	3,50		DIN		50	450	500	1.200	1.250
OR 230.00x3.50 NBR70	230,00	3,50		DIN		50	450	500	1.200	1.250
OR 235.00x3.50 NBR70	235,00	3,50		DIN		50	450	500	1.200	1.250
OR 240.00x3.50 NBR70	240,00	3,50		DIN		50	450	500	1.200	1.250
OR 245.00x3.50 NBR70	245,00	3,50		DIN		50	450	500	1.200	1.250
OR 250.00x3.50 NBR70	250,00	3,50		DIN		50	450	500	1.200	1.250
OR 255.00x3.50 NBR70	255,00	3,50		DIN		50	450	500	1.200	1.250
OR 260.00x3.50 NBR70	260,00	3,50		DIN		50	450	500	1.200	1.250
OR 265.00x3.50 NBR70	265,00	3,50		DIN		50	450	500	1.200	1.250
OR 270.00x3.50 NBR70	270,00	3,50		DIN		50	450	500	1.200	1.250
OR 275.00x3.50 NBR70	275,00	3,50		DIN		30	270	300	720	750
OR 280.00x3.50 NBR70	280,00	3,50		DIN		30	270	300	720	750

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 285.00x3.50 NBR70	285,00	3,50		DIN		30	270	300	720	750
OR 290.00x3.50 NBR70	290,00	3,50		DIN		30	270	300	720	750
OR 295.00x3.50 NBR70	295,00	3,50		DIN		30	270	300	720	750
OR 300.00x3.50 NBR70	300,00	3,50		DIN		30	270	300	720	750
OR 305.00x3.50 NBR70	305,00	3,50		DIN		30	270	300	720	750
OR 310.00x3.50 NBR70	310,00	3,50		DIN		30	270	300	720	750
OR 315.00x3.50 NBR70	315,00	3,50		DIN		30	270	300	720	750
OR 320.00x3.50 NBR70	320,00	3,50		DIN		30	270	300	720	750
OR 325.00x3.50 NBR70	325,00	3,50		DIN		30	270	300	720	750
OR 330.00x3.50 NBR70	330,00	3,50		DIN		30	270	300	720	750
OR 335.00x3.50 NBR70	335,00	3,50		DIN		30	270	300	720	750
OR 340.00x3.50 NBR70	340,00	3,50		DIN		30	270	300	720	750
OR 345.00x3.50 NBR70	345,00	3,50		DIN		30	270	300	720	750
OR 350.00x3.50 NBR70	350,00	3,50		DIN		30	270	300	720	750
OR 355.00x3.50 NBR70	355,00	3,50		DIN		30	270	300	720	750
OR 360.00x3.50 NBR70	360,00	3,50		DIN		30	270	300	720	750
OR 365.00x3.50 NBR70	365,00	3,50		DIN		20	180	200	480	500
OR 370.00x3.50 NBR70	370,00	3,50		DIN		20	180	200	480	500
OR 380.00x3.50 NBR70	380,00	3,50		DIN		20	180	200	480	500
OR 390.00x3.50 NBR70	390,00	3,50		DIN		20	180	200	480	500
OR 400.00x3.50 NBR70	400,00	3,50		DIN		20	180	200	480	500
OR 410.00x3.50 NBR70	410,00	3,50		DIN		20	180	200	480	500
OR 420.00x3.50 NBR70	420,00	3,50		DIN		20	180	200	480	500
OR 430.00x3.50 NBR70	430,00	3,50		DIN		20	180	200	480	500
OR 440.00x3.50 NBR70	440,00	3,50		DIN		20	180	200	480	500
OR 4.34x3.53 NBR70	4,34	3,53			201	3.000	27.000	30.000	72.000	75.000
OR 5.94x3.53 NBR70	5,94	3,53			202	3.000	27.000	30.000	72.000	75.000
OR 7.52x3.53 NBR70	7,52	3,53			203	3.000	27.000	30.000	72.000	75.000
OR 9.12x3.53 NBR70	9,12	3,53		4036	204	3.000	27.000	30.000	72.000	75.000
OR 10.69x3.53 NBR70	10,69	3,53		4042	205	1.000	9.000	10.000	24.000	25.000
OR 12.29x3.53 NBR70	12,29	3,53		4050	206	1.000	9.000	10.000	24.000	25.000
OR 13.87x3.53 NBR70	13,87	3,53		4055	207	1.000	9.000	10.000	24.000	25.000
OR 15.47x3.53 NBR70	15,47	3,53		4061	208	1.000	9.000	10.000	24.000	25.000
OR 17.04x3.53 NBR70	17,04	3,53		4067	209	1.000	9.000	10.000	24.000	25.000
OR 18.64x3.53 NBR70	18,64	3,53		4075	210	1.000	9.000	10.000	24.000	25.000
OR 20.22x3.53 NBR70	20,22	3,53		4081	211	1.000	9.000	10.000	24.000	25.000
OR 21.82x3.53 NBR70	21,82	3,53		4087	212	1.000	9.000	10.000	24.000	25.000
OR 23.39x3.53 NBR70	23,39	3,53		4093	213	1.000	9.000	10.000	24.000	25.000
OR 24.99x3.53 NBR70	24,99	3,53		4100	214	1.000	9.000	10.000	24.000	25.000
OR 25.80x3.53 NBR70	25,80	3,53		134	618	1.000	9.000	10.000	24.000	25.000
OR 26.57x3.53 NBR70	26,57	3,53		4106	215	1.000	9.000	10.000	24.000	25.000
OR 28.17x3.53 NBR70	28,17	3,53		4112	216	500	4.500	5.000	12.000	12.500
OR 29.74x3.53 NBR70	29,74	3,53		4118	217	500	4.500	5.000	12.000	12.500
OR 31.34x3.53 NBR70	31,34	3,53		4125	218	500	4.500	5.000	12.000	12.500
OR 32.92x3.53 NBR70	32,92	3,53		4131	219	500	4.500	5.000	12.000	12.500
OR 34.52x3.53 NBR70	34,52	3,53		4137	220	500	4.500	5.000	12.000	12.500
OR 36.09x3.53 NBR70	36,09	3,53		4143	221	500	4.500	5.000	12.000	12.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 37.69x3.53 NBR70	37,69	3,53		4150	222	500	4.500	5.000	12.000	12.500
OR 39.70x3.53 NBR70	39,70	3,53		144	824	500	4.500	5.000	12.000	12.500
OR 40.87x3.53 NBR70	40,87	3,53		4162	223	500	4.500	5.000	12.000	12.500
OR 41.28x3.53 NBR70	41,28	3,53		146	825	500	4.500	5.000	12.000	12.500
OR 42.86x3.53 NBR70	42,86	3,53		147	826	500	4.500	5.000	12.000	12.500
OR 44.04x3.53 NBR70	44,04	3,53		4175	224	500	4.500	5.000	12.000	12.500
OR 44.45x3.53 NBR70	44,45	3,53		149	827	500	4.500	5.000	12.000	12.500
OR 46.04x3.53 NBR70	46,04	3,53		150	828	500	4.500	5.000	12.000	12.500
OR 47.22x3.53 NBR70	47,22	3,53		4187	225	500	4.500	5.000	12.000	12.500
OR 47.62x3.53 NBR70	47,62	3,53		152	829	500	4.500	5.000	12.000	12.500
OR 49.20x3.53 NBR70	49,20	3,53		153	830	500	4.500	5.000	12.000	12.500
OR 50.39x3.53 NBR70	50,39	3,53		4200	226	250	2.250	2.500	6.000	6.250
OR 50.80x3.53 NBR70	50,80	3,53		155	831	250	2.250	2.500	6.000	6.250
OR 52.40x3.53 NBR70	52,40	3,53		156	832	250	2.250	2.500	6.000	6.250
OR 53.57x3.53 NBR70	53,57	3,53		4212	227	250	2.250	2.500	6.000	6.250
OR 53.97x3.53 NBR70	53,97	3,53		158	833	250	2.250	2.500	6.000	6.250
OR 55.56x3.53 NBR70	55,56	3,53		159	834	250	2.250	2.500	6.000	6.250
OR 56.74x3.53 NBR70	56,74	3,53		4225	228	250	2.250	2.500	6.000	6.250
OR 57.15x3.53 NBR70	57,15	3,53		161	835	250	2.250	2.500	6.000	6.250
OR 58.74x3.53 NBR70	58,74	3,53		162	836	250	2.250	2.500	6.000	6.250
OR 59.92x3.53 NBR70	59,92	3,53		4237	229	250	2.250	2.500	6.000	6.250
OR 60.32x3.53 NBR70	60,32	3,53		164	837	250	2.250	2.500	6.000	6.250
OR 61.90x3.53 NBR70	61,90	3,53		165	838	250	2.250	2.500	6.000	6.250
OR 63.09x3.53 NBR70	63,09	3,53		4250	230	250	2.250	2.500	6.000	6.250
OR 63.50x3.53 NBR70	63,50	3,53		167	839	250	2.250	2.500	6.000	6.250
OR 65.10x3.53 NBR70	65,10	3,53		168	840	250	2.250	2.500	6.000	6.250
OR 66.27x3.53 NBR70	66,27	3,53		4262	231	250	2.250	2.500	6.000	6.250
OR 66.67x3.53 NBR70	66,67	3,53		170	841	250	2.250	2.500	6.000	6.250
OR 68.26x3.53 NBR70	68,26	3,53		171	842	250	2.250	2.500	6.000	6.250
OR 69.44x3.53 NBR70	69,44	3,53		4275	232	250	2.250	2.500	6.000	6.250
OR 69.85x3.53 NBR70	69,85	3,53		173	843	250	2.250	2.500	6.000	6.250
OR 71.44x3.53 NBR70	71,44	3,53		174	844	250	2.250	2.500	6.000	6.250
OR 72.62x3.53 NBR70	72,62	3,53		4287	233	250	2.250	2.500	6.000	6.250
OR 73.02x3.53 NBR70	73,02	3,53		176	845	250	2.250	2.500	6.000	6.250
OR 74.60x3.53 NBR70	74,60	3,53		177	846	250	2.250	2.500	6.000	6.250
OR 75.79x3.53 NBR70	75,79	3,53		4300	234	250	2.250	2.500	6.000	6.250
OR 78.97x3.53 NBR70	78,97	3,53		4312	235	250	2.250	2.500	6.000	6.250
OR 82.14x3.53 NBR70	82,14	3,53		4325	236	250	2.250	2.500	6.000	6.250
OR 85.32x3.53 NBR70	85,32	3,53		4337	237	250	2.250	2.500	6.000	6.250
OR 88.49x3.53 NBR70	88,49	3,53		4350	238	250	2.250	2.500	6.000	6.250
OR 91.67x3.53 NBR70	91,67	3,53		4362	239	250	2.250	2.500	6.000	6.250
OR 94.84x3.53 NBR70	94,84	3,53		4375	240	250	2.250	2.500	6.000	6.250
OR 98.02x3.53 NBR70	98,02	3,53		4387	241	150	1.350	1.500	3.600	3.750
OR 101.19x3.53 NBR70	101,19	3,53		4400	242	150	1.350	1.500	3.600	3.750
OR 104.37x3.53 NBR70	104,37	3,53		4412	243	150	1.350	1.500	3.600	3.750
OR 107.54x3.53 NBR70	107,54	3,53		4425	244	150	1.350	1.500	3.600	3.750
OR 110.72x3.53 NBR70	110,72	3,53		4437	245	150	1.350	1.500	3.600	3.750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 113.89x3.53 NBR70	113,89	3,53		4450	246	150	1.350	1.500	3.600	3.750
OR 117.07x3.53 NBR70	117,07	3,53		4462	247	150	1.350	1.500	3.600	3.750
OR 120.24x3.53 NBR70	120,24	3,53		4475	248	150	1.350	1.500	3.600	3.750
OR 123.42x3.53 NBR70	123,42	3,53		4487	249	150	1.350	1.500	3.600	3.750
OR 126.59x3.53 NBR70	126,59	3,53		4500	250	150	1.350	1.500	3.600	3.750
OR 129.77x3.53 NBR70	129,77	3,53		4512	251	100	900	1.000	2.400	2.500
OR 132.94x3.53 NBR70	132,94	3,53		4525	252	100	900	1.000	2.400	2.500
OR 136.12x3.53 NBR70	136,12	3,53		4537	253	100	900	1.000	2.400	2.500
OR 139.29x3.53 NBR70	139,29	3,53		4550	254	100	900	1.000	2.400	2.500
OR 142.47x3.53 NBR70	142,47	3,53		4562	255	100	900	1.000	2.400	2.500
OR 145.64x3.53 NBR70	145,64	3,53		4575	256	100	900	1.000	2.400	2.500
OR 148.82x3.53 NBR70	148,82	3,53		4587	257	100	900	1.000	2.400	2.500
OR 151.99x3.53 NBR70	151,99	3,53		4600	258	100	900	1.000	2.400	2.500
OR 158.34x3.53 NBR70	158,34	3,53		4625	259	100	900	1.000	2.400	2.500
OR 164.69x3.53 NBR70	164,69	3,53		4650	260	50	450	500	1.200	1.250
OR 171.04x3.53 NBR70	171,04	3,53		4675	261	50	450	500	1.200	1.250
OR 177.39x3.53 NBR70	177,39	3,53		4700	262	50	450	500	1.200	1.250
OR 183.74x3.53 NBR70	183,74	3,53		4725	263	50	450	500	1.200	1.250
OR 190.09x3.53 NBR70	190,09	3,53		4750	264	50	450	500	1.200	1.250
OR 196.44x3.53 NBR70	196,44	3,53		4775	265	50	450	500	1.200	1.250
OR 202.79x3.53 NBR70	202,79	3,53		4800	266	50	450	500	1.200	1.250
OR 209.14x3.53 NBR70	209,14	3,53		4825	267	50	450	500	1.200	1.250
OR 215.49x3.53 NBR70	215,49	3,53		4850	268	50	450	500	1.200	1.250
OR 221.84x3.53 NBR70	221,84	3,53		4875	269	50	450	500	1.200	1.250
OR 228.19x3.53 NBR70	228,19	3,53		4900	270	50	450	500	1.200	1.250
OR 234.54x3.53 NBR70	234,54	3,53		4925	271	50	450	500	1.200	1.250
OR 240.89x3.53 NBR70	240,89	3,53		4950	272	50	450	500	1.200	1.250
OR 247.26x3.53 NBR70	247,26	3,53		4975	273	50	450	500	1.200	1.250
OR 253.59x3.53 NBR70	253,59	3,53		41000	274	50	450	500	1.200	1.250
OR 266.29x3.53 NBR70	266,29	3,53		41050	275	50	450	500	1.200	1.250
OR 278.99x3.53 NBR70	278,99	3,53		41100	276	30	270	300	720	750
OR 291.69x3.53 NBR70	291,69	3,53		41150	277	30	270	300	720	750
OR 304.39x3.53 NBR70	304,39	3,53		41200	278	30	270	300	720	750
OR 329.79x3.53 NBR70	329,79	3,53		41300	279	30	270	300	720	750
OR 355.19x3.53 NBR70	355,19	3,53		41400	280	30	270	300	720	750
OR 380.59x3.53 NBR70	380,59	3,53		41500	281	10	90	100	240	250
OR 405.26x3.53 NBR70	405,26	3,53		41600	282	10	90	100	240	250
OR 430.66x3.53 NBR70	430,66	3,53		41700	283	10	90	100	240	250
OR 456.06x3.53 NBR70	456,06	3,53		41800	284	10	90	100	240	250
OR 18.00x3.55 NBR70	18,00	3,55	ISO			1.000	9.000	10.000	24.000	25.000
OR 19.00x3.55 NBR70	19,00	3,55	ISO			1.000	9.000	10.000	24.000	25.000
OR 20.00x3.55 NBR70	20,00	3,55	ISO			1.000	9.000	10.000	24.000	25.000
OR 21.20x3.55 NBR70	21,20	3,55	ISO			1.000	9.000	10.000	24.000	25.000
OR 22.40x3.55 NBR70	22,40	3,55	ISO			1.000	9.000	10.000	24.000	25.000
OR 23.60x3.55 NBR70	23,60	3,55	ISO			1.000	9.000	10.000	24.000	25.000
OR 25.00x3.55 NBR70	25,00	3,55	ISO			1.000	9.000	10.000	24.000	25.000
OR 25.80x3.55 NBR70	25,80	3,55	ISO			1.000	9.000	10.000	24.000	25.000

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 26.50x3.55 NBR70	26,50	3,55	ISO			1.000	9.000	10.000	24.000	25.000
OR 28.00x3.55 NBR70	28,00	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 30.00x3.55 NBR70	30,00	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 31.50x3.55 NBR70	31,50	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 32.50x3.55 NBR70	32,50	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 33.50x3.55 NBR70	33,50	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 34.50x3.55 NBR70	34,50	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 35.50x3.55 NBR70	35,50	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 36.50x3.55 NBR70	36,50	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 37.50x3.55 NBR70	37,50	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 38.70x3.55 NBR70	38,70	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 40.00x3.55 NBR70	40,00	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 41.20x3.55 NBR70	41,20	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 42.50x3.55 NBR70	42,50	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 43.70x3.55 NBR70	43,70	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 45.00x3.55 NBR70	45,00	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 46.20x3.55 NBR70	46,20	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 47.50x3.55 NBR70	47,50	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 48.70x3.55 NBR70	48,70	3,55	ISO			500	4.500	5.000	12.000	12.500
OR 50.00x3.55 NBR70	50,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 51.50x3.55 NBR70	51,50	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 53.00x3.55 NBR70	53,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 54.50x3.55 NBR70	54,50	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 56.00x3.55 NBR70	56,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 58.00x3.55 NBR70	58,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 60.00x3.55 NBR70	60,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 61.50x3.55 NBR70	61,50	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 63.00x3.55 NBR70	63,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 65.00x3.55 NBR70	65,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 67.00x3.55 NBR70	67,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 69.00x3.55 NBR70	69,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 71.00x3.55 NBR70	71,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 73.00x3.55 NBR70	73,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 75.00x3.55 NBR70	75,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 77.50x3.55 NBR70	77,50	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 80.00x3.55 NBR70	80,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 82.50x3.55 NBR70	82,50	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 85.00x3.55 NBR70	85,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 87.50x3.55 NBR70	87,50	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 90.00x3.55 NBR70	90,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 92.50x3.55 NBR70	92,50	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 95.00x3.55 NBR70	95,00	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 97.50x3.55 NBR70	97,50	3,55	ISO			250	2.250	2.500	6.000	6.250
OR 100.00x3.55 NBR70	100,00	3,55	ISO			150	1.350	1.500	3.600	3.750
OR 103.00x3.55 NBR70	103,00	3,55	ISO			150	1.350	1.500	3.600	3.750
OR 106.00x3.55 NBR70	106,00	3,55	ISO			150	1.350	1.500	3.600	3.750
OR 109.00x3.55 NBR70	109,00	3,55	ISO			150	1.350	1.500	3.600	3.750

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 112.00x3.55 NBR70	112,00	3,55	ISO			150	1.350	1.500	3.600	3.750
OR 115.00x3.55 NBR70	115,00	3,55	ISO			150	1.350	1.500	3.600	3.750
OR 118.00x3.55 NBR70	118,00	3,55	ISO			150	1.350	1.500	3.600	3.750
OR 122.00x3.55 NBR70	122,00	3,55	ISO			150	1.350	1.500	3.600	3.750
OR 125.00x3.55 NBR70	125,00	3,55	ISO			150	1.350	1.500	3.600	3.750
OR 128.00x3.55 NBR70	128,00	3,55	ISO			150	1.350	1.500	3.600	3.750
OR 132.00x3.55 NBR70	132,00	3,55	ISO			100	900	1.000	2.400	2.500
OR 136.00x3.55 NBR70	136,00	3,55	ISO			100	900	1.000	2.400	2.500
OR 140.00x3.55 NBR70	140,00	3,55	ISO			100	900	1.000	2.400	2.500
OR 145.00x3.55 NBR70	145,00	3,55	ISO			100	900	1.000	2.400	2.500
OR 150.00x3.55 NBR70	150,00	3,55	ISO			100	900	1.000	2.400	2.500
OR 155.00x3.55 NBR70	155,00	3,55	ISO			100	900	1.000	2.400	2.500
OR 160.00x3.55 NBR70	160,00	3,55	ISO			50	450	500	1.200	1.250
OR 165.00x3.55 NBR70	165,00	3,55	ISO			50	450	500	1.200	1.250
OR 170.00x3.55 NBR70	170,00	3,55	ISO			50	450	500	1.200	1.250
OR 175.00x3.55 NBR70	175,00	3,55	ISO			50	450	500	1.200	1.250
OR 180.00x3.55 NBR70	180,00	3,55	ISO			50	450	500	1.200	1.250
OR 185.00x3.55 NBR70	185,00	3,55	ISO			50	450	500	1.200	1.250
OR 190.00x3.55 NBR70	190,00	3,55	ISO			50	450	500	1.200	1.250
OR 195.00x3.55 NBR70	195,00	3,55	ISO			50	450	500	1.200	1.250
OR 200.00x3.55 NBR70	200,00	3,55	ISO			50	450	500	1.200	1.250
OR 18.30x3.60 NBR70	18,30	3,60	R15			1.000	9.000	10.000	24.000	25.000
OR 19.80x3.60 NBR70	19,80	3,60	R16			1.000	9.000	10.000	24.000	25.000
OR 21.30x3.60 NBR70	21,30	3,60	R17			1.000	9.000	10.000	24.000	25.000
OR 23.00x3.60 NBR70	23,00	3,60	R18			1.000	9.000	10.000	24.000	25.000
OR 24.60x3.60 NBR70	24,60	3,60	R19			1.000	9.000	10.000	24.000	25.000
OR 26.20x3.60 NBR70	26,20	3,60	R20			1.000	9.000	10.000	24.000	25.000
OR 27.80x3.60 NBR70	27,80	3,60	R21			1.000	9.000	10.000	24.000	25.000
OR 29.30x3.60 NBR70	29,30	3,60	R22			500	4.500	5.000	12.000	12.500
OR 30.80x3.60 NBR70	30,80	3,60	R23			500	4.500	5.000	12.000	12.500
OR 32.50x3.60 NBR70	32,50	3,60	R24			500	4.500	5.000	12.000	12.500
OR 34.10x3.60 NBR70	34,10	3,60	R25			500	4.500	5.000	12.000	12.500
OR 35.60x3.60 NBR70	35,60	3,60	R26			500	4.500	5.000	12.000	12.500
OR 37.30x3.60 NBR70	37,30	3,60	R27			500	4.500	5.000	12.000	12.500
OR 43.40x3.60 NBR70	43,40	3,60	R29t			500	4.500	5.000	12.000	12.500
OR 4.00x4.00 NBR70	4,00	4,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 5.00x4.00 NBR70	5,00	4,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 6.00x4.00 NBR70	6,00	4,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 7.00x4.00 NBR70	7,00	4,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 8.00x4.00 NBR70	8,00	4,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 9.00x4.00 NBR70	9,00	4,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 10.00x4.00 NBR70	10,00	4,00		DIN		2.000	18.000	20.000	48.000	50.000
OR 11.00x4.00 NBR70	11,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 12.00x4.00 NBR70	12,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 13.00x4.00 NBR70	13,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 14.00x4.00 NBR70	14,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 15.00x4.00 NBR70	15,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 16.00x4.00 NBR70	16,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 17.00x4.00 NBR70	17,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 18.00x4.00 NBR70	18,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 19.00x4.00 NBR70	19,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 20.00x4.00 NBR70	20,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 21.00x4.00 NBR70	21,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 22.00x4.00 NBR70	22,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 23.00x4.00 NBR70	23,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 24.00x4.00 NBR70	24,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 25.00x4.00 NBR70	25,00	4,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 26.00x4.00 NBR70	26,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 27.00x4.00 NBR70	27,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 28.00x4.00 NBR70	28,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 29.00x4.00 NBR70	29,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 30.00x4.00 NBR70	30,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 31.00x4.00 NBR70	31,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 32.00x4.00 NBR70	32,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 33.00x4.00 NBR70	33,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 34.00x4.00 NBR70	34,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 35.00x4.00 NBR70	35,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 36.00x4.00 NBR70	36,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 37.00x4.00 NBR70	37,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 38.00x4.00 NBR70	38,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 39.00x4.00 NBR70	39,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 40.00x4.00 NBR70	40,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 41.00x4.00 NBR70	41,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 42.00x4.00 NBR70	42,00	4,00		DIN		500	4.500	5.000	12.000	12.500
OR 43.00x4.00 NBR70	43,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 44.00x4.00 NBR70	44,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 45.00x4.00 NBR70	45,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 46.00x4.00 NBR70	46,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 47.00x4.00 NBR70	47,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 48.00x4.00 NBR70	48,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 49.00x4.00 NBR70	49,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 50.00x4.00 NBR70	50,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 51.00x4.00 NBR70	51,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 52.00x4.00 NBR70	52,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 53.00x4.00 NBR70	53,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 54.00x4.00 NBR70	54,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 55.00x4.00 NBR70	55,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 56.00x4.00 NBR70	56,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 57.00x4.00 NBR70	57,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 58.00x4.00 NBR70	58,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 59.00x4.00 NBR70	59,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 60.00x4.00 NBR70	60,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 61.00x4.00 NBR70	61,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 62.00x4.00 NBR70	62,00	4,00		DIN		250	2.250	2.500	6.000	6.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 63.00x4.00 NBR70	63,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 64.00x4.00 NBR70	64,00	4,00		DIN		250	2.250	2.500	6.000	6.250
OR 65.00x4.00 NBR70	65,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 66.00x4.00 NBR70	66,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 67.00x4.00 NBR70	67,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 68.00x4.00 NBR70	68,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 69.00x4.00 NBR70	69,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 70.00x4.00 NBR70	70,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 71.00x4.00 NBR70	71,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 72.00x4.00 NBR70	72,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 73.00x4.00 NBR70	73,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 74.00x4.00 NBR70	74,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 75.00x4.00 NBR70	75,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 76.00x4.00 NBR70	76,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 77.00x4.00 NBR70	77,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 78.00x4.00 NBR70	78,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 79.00x4.00 NBR70	79,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 80.00x4.00 NBR70	80,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 81.00x4.00 NBR70	81,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 82.00x4.00 NBR70	82,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 83.00x4.00 NBR70	83,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 84.00x4.00 NBR70	84,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 85.00x4.00 NBR70	85,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 86.00x4.00 NBR70	86,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 87.00x4.00 NBR70	87,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 88.00x4.00 NBR70	88,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 89.00x4.00 NBR70	89,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 90.00x4.00 NBR70	90,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 91.00x4.00 NBR70	91,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 92.00x4.00 NBR70	92,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 93.00x4.00 NBR70	93,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 94.00x4.00 NBR70	94,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 95.00x4.00 NBR70	95,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 96.00x4.00 NBR70	96,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 97.00x4.00 NBR70	97,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 98.00x4.00 NBR70	98,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 99.00x4.00 NBR70	99,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 100.00x4.00 NBR70	100,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 101.00x4.00 NBR70	101,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 102.00x4.00 NBR70	102,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 103.00x4.00 NBR70	103,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 104.00x4.00 NBR70	104,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 105.00x4.00 NBR70	105,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 106.00x4.00 NBR70	106,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 107.00x4.00 NBR70	107,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 108.00x4.00 NBR70	108,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 109.00x4.00 NBR70	109,00	4,00		DIN		150	1.350	1.500	3.600	3.750

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 110.00x4.00 NBR70	110,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 111.00x4.00 NBR70	111,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 112.00x4.00 NBR70	112,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 113.00x4.00 NBR70	113,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 114.00x4.00 NBR70	114,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 115.00x4.00 NBR70	115,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 116.00x4.00 NBR70	116,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 117.00x4.00 NBR70	117,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 118.00x4.00 NBR70	118,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 119.00x4.00 NBR70	119,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 120.00x4.00 NBR70	120,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 121.00x4.00 NBR70	121,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 122.00x4.00 NBR70	122,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 123.00x4.00 NBR70	123,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 124.00x4.00 NBR70	124,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 125.00x4.00 NBR70	125,00	4,00		DIN		150	1.350	1.500	3.600	3.750
OR 126.00x4.00 NBR70	126,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 127.00x4.00 NBR70	127,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 128.00x4.00 NBR70	128,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 129.00x4.00 NBR70	129,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 130.00x4.00 NBR70	130,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 131.00x4.00 NBR70	131,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 132.00x4.00 NBR70	132,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 133.00x4.00 NBR70	133,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 134.00x4.00 NBR70	134,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 135.00x4.00 NBR70	135,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 136.00x4.00 NBR70	136,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 137.00x4.00 NBR70	137,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 138.00x4.00 NBR70	138,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 139.00x4.00 NBR70	139,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 140.00x4.00 NBR70	140,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 141.00x4.00 NBR70	141,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 142.00x4.00 NBR70	142,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 143.00x4.00 NBR70	143,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 144.00x4.00 NBR70	144,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 145.00x4.00 NBR70	145,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 146.00x4.00 NBR70	146,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 147.00x4.00 NBR70	147,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 148.00x4.00 NBR70	148,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 149.00x4.00 NBR70	149,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 150.00x4.00 NBR70	150,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 151.00x4.00 NBR70	151,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 152.00x4.00 NBR70	152,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 153.00x4.00 NBR70	153,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 154.00x4.00 NBR70	154,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 155.00x4.00 NBR70	155,00	4,00		DIN		100	900	1.000	2.400	2.500
OR 156.00x4.00 NBR70	156,00	4,00		DIN		50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 157.00x4.00 NBR70	157,00	4,00		DIN		50	450	500	1.200	1.250
OR 158.00x4.00 NBR70	158,00	4,00		DIN		50	450	500	1.200	1.250
OR 159.00x4.00 NBR70	159,00	4,00		DIN		50	450	500	1.200	1.250
OR 160.00x4.00 NBR70	160,00	4,00		DIN		50	450	500	1.200	1.250
OR 161.00x4.00 NBR70	161,00	4,00		DIN		50	450	500	1.200	1.250
OR 162.00x4.00 NBR70	162,00	4,00		DIN		50	450	500	1.200	1.250
OR 163.00x4.00 NBR70	163,00	4,00		DIN		50	450	500	1.200	1.250
OR 164.00x4.00 NBR70	164,00	4,00		DIN		50	450	500	1.200	1.250
OR 165.00x4.00 NBR70	165,00	4,00		DIN		50	450	500	1.200	1.250
OR 166.00x4.00 NBR70	166,00	4,00		DIN		50	450	500	1.200	1.250
OR 167.00x4.00 NBR70	167,00	4,00		DIN		50	450	500	1.200	1.250
OR 168.00x4.00 NBR70	168,00	4,00		DIN		50	450	500	1.200	1.250
OR 169.00x4.00 NBR70	169,00	4,00		DIN		50	450	500	1.200	1.250
OR 170.00x4.00 NBR70	170,00	4,00		DIN		50	450	500	1.200	1.250
OR 171.00x4.00 NBR70	171,00	4,00		DIN		50	450	500	1.200	1.250
OR 172.00x4.00 NBR70	172,00	4,00		DIN		50	450	500	1.200	1.250
OR 173.00x4.00 NBR70	173,00	4,00		DIN		50	450	500	1.200	1.250
OR 174.00x4.00 NBR70	174,00	4,00		DIN		50	450	500	1.200	1.250
OR 175.00x4.00 NBR70	175,00	4,00		DIN		50	450	500	1.200	1.250
OR 176.00x4.00 NBR70	176,00	4,00		DIN		50	450	500	1.200	1.250
OR 177.00x4.00 NBR70	177,00	4,00		DIN		50	450	500	1.200	1.250
OR 178.00x4.00 NBR70	178,00	4,00		DIN		50	450	500	1.200	1.250
OR 179.00x4.00 NBR70	179,00	4,00		DIN		50	450	500	1.200	1.250
OR 180.00x4.00 NBR70	180,00	4,00		DIN		50	450	500	1.200	1.250
OR 181.00x4.00 NBR70	181,00	4,00		DIN		50	450	500	1.200	1.250
OR 182.00x4.00 NBR70	182,00	4,00		DIN		50	450	500	1.200	1.250
OR 183.00x4.00 NBR70	183,00	4,00		DIN		50	450	500	1.200	1.250
OR 184.00x4.00 NBR70	184,00	4,00		DIN		50	450	500	1.200	1.250
OR 185.00x4.00 NBR70	185,00	4,00		DIN		50	450	500	1.200	1.250
OR 186.00x4.00 NBR70	186,00	4,00		DIN		50	450	500	1.200	1.250
OR 187.00x4.00 NBR70	187,00	4,00		DIN		50	450	500	1.200	1.250
OR 188.00x4.00 NBR70	188,00	4,00		DIN		50	450	500	1.200	1.250
OR 189.00x4.00 NBR70	189,00	4,00		DIN		50	450	500	1.200	1.250
OR 190.00x4.00 NBR70	190,00	4,00		DIN		50	450	500	1.200	1.250
OR 191.00x4.00 NBR70	191,00	4,00		DIN		50	450	500	1.200	1.250
OR 192.00x4.00 NBR70	192,00	4,00		DIN		50	450	500	1.200	1.250
OR 193.00x4.00 NBR70	193,00	4,00		DIN		50	450	500	1.200	1.250
OR 194.00x4.00 NBR70	194,00	4,00		DIN		50	450	500	1.200	1.250
OR 195.00x4.00 NBR70	195,00	4,00		DIN		50	450	500	1.200	1.250
OR 196.00x4.00 NBR70	196,00	4,00		DIN		50	450	500	1.200	1.250
OR 197.00x4.00 NBR70	197,00	4,00		DIN		50	450	500	1.200	1.250
OR 198.00x4.00 NBR70	198,00	4,00		DIN		50	450	500	1.200	1.250
OR 199.00x4.00 NBR70	199,00	4,00		DIN		50	450	500	1.200	1.250
OR 200.00x4.00 NBR70	200,00	4,00		DIN		50	450	500	1.200	1.250
OR 201.00x4.00 NBR70	201,00	4,00		DIN		50	450	500	1.200	1.250
OR 202.00x4.00 NBR70	202,00	4,00		DIN		50	450	500	1.200	1.250
OR 203.00x4.00 NBR70	203,00	4,00		DIN		50	450	500	1.200	1.250

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 204.00x4.00 NBR70	204,00	4,00		DIN		50	450	500	1.200	1.250
OR 205.00x4.00 NBR70	205,00	4,00		DIN		50	450	500	1.200	1.250
OR 206.00x4.00 NBR70	206,00	4,00		DIN		50	450	500	1.200	1.250
OR 207.00x4.00 NBR70	207,00	4,00		DIN		50	450	500	1.200	1.250
OR 208.00x4.00 NBR70	208,00	4,00		DIN		50	450	500	1.200	1.250
OR 209.00x4.00 NBR70	209,00	4,00		DIN		50	450	500	1.200	1.250
OR 210.00x4.00 NBR70	210,00	4,00		DIN		50	450	500	1.200	1.250
OR 211.00x4.00 NBR70	211,00	4,00		DIN		50	450	500	1.200	1.250
OR 212.00x4.00 NBR70	212,00	4,00		DIN		50	450	500	1.200	1.250
OR 213.00x4.00 NBR70	213,00	4,00		DIN		50	450	500	1.200	1.250
OR 214.00x4.00 NBR70	214,00	4,00		DIN		50	450	500	1.200	1.250
OR 215.00x4.00 NBR70	215,00	4,00		DIN		50	450	500	1.200	1.250
OR 216.00x4.00 NBR70	216,00	4,00		DIN		50	450	500	1.200	1.250
OR 217.00x4.00 NBR70	217,00	4,00		DIN		50	450	500	1.200	1.250
OR 218.00x4.00 NBR70	218,00	4,00		DIN		50	450	500	1.200	1.250
OR 219.00x4.00 NBR70	219,00	4,00		DIN		50	450	500	1.200	1.250
OR 220.00x4.00 NBR70	220,00	4,00		DIN		50	450	500	1.200	1.250
OR 221.00x4.00 NBR70	221,00	4,00		DIN		50	450	500	1.200	1.250
OR 222.00x4.00 NBR70	222,00	4,00		DIN		50	450	500	1.200	1.250
OR 223.00x4.00 NBR70	223,00	4,00		DIN		50	450	500	1.200	1.250
OR 224.00x4.00 NBR70	224,00	4,00		DIN		50	450	500	1.200	1.250
OR 225.00x4.00 NBR70	225,00	4,00		DIN		50	450	500	1.200	1.250
OR 226.00x4.00 NBR70	226,00	4,00		DIN		50	450	500	1.200	1.250
OR 227.00x4.00 NBR70	227,00	4,00		DIN		50	450	500	1.200	1.250
OR 228.00x4.00 NBR70	228,00	4,00		DIN		50	450	500	1.200	1.250
OR 229.00x4.00 NBR70	229,00	4,00		DIN		50	450	500	1.200	1.250
OR 230.00x4.00 NBR70	230,00	4,00		DIN		50	450	500	1.200	1.250
OR 231.00x4.00 NBR70	231,00	4,00		DIN		50	450	500	1.200	1.250
OR 232.00x4.00 NBR70	232,00	4,00		DIN		50	450	500	1.200	1.250
OR 233.00x4.00 NBR70	233,00	4,00		DIN		50	450	500	1.200	1.250
OR 234.00x4.00 NBR70	234,00	4,00		DIN		50	450	500	1.200	1.250
OR 235.00x4.00 NBR70	235,00	4,00		DIN		50	450	500	1.200	1.250
OR 236.00x4.00 NBR70	236,00	4,00		DIN		50	450	500	1.200	1.250
OR 237.00x4.00 NBR70	237,00	4,00		DIN		50	450	500	1.200	1.250
OR 238.00x4.00 NBR70	238,00	4,00		DIN		50	450	500	1.200	1.250
OR 239.00x4.00 NBR70	239,00	4,00		DIN		50	450	500	1.200	1.250
OR 240.00x4.00 NBR70	240,00	4,00		DIN		50	450	500	1.200	1.250
OR 241.00x4.00 NBR70	241,00	4,00		DIN		50	450	500	1.200	1.250
OR 242.00x4.00 NBR70	242,00	4,00		DIN		50	450	500	1.200	1.250
OR 243.00x4.00 NBR70	243,00	4,00		DIN		50	450	500	1.200	1.250
OR 244.00x4.00 NBR70	244,00	4,00		DIN		50	450	500	1.200	1.250
OR 245.00x4.00 NBR70	245,00	4,00		DIN		50	450	500	1.200	1.250
OR 246.00x4.00 NBR70	246,00	4,00		DIN		50	450	500	1.200	1.250
OR 247.00x4.00 NBR70	247,00	4,00		DIN		50	450	500	1.200	1.250
OR 248.00x4.00 NBR70	248,00	4,00		DIN		50	450	500	1.200	1.250
OR 249.00x4.00 NBR70	249,00	4,00		DIN		50	450	500	1.200	1.250
OR 250.00x4.00 NBR70	250,00	4,00		DIN		50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 251.00x4.00 NBR70	251,00	4,00		DIN		30	270	300	720	750
OR 252.00x4.00 NBR70	252,00	4,00		DIN		30	270	300	720	750
OR 253.00x4.00 NBR70	253,00	4,00		DIN		30	270	300	720	750
OR 254.00x4.00 NBR70	254,00	4,00		DIN		30	270	300	720	750
OR 255.00x4.00 NBR70	255,00	4,00		DIN		30	270	300	720	750
OR 256.00x4.00 NBR70	256,00	4,00		DIN		30	270	300	720	750
OR 257.00x4.00 NBR70	257,00	4,00		DIN		30	270	300	720	750
OR 258.00x4.00 NBR70	258,00	4,00		DIN		30	270	300	720	750
OR 259.00x4.00 NBR70	259,00	4,00		DIN		30	270	300	720	750
OR 260.00x4.00 NBR70	260,00	4,00		DIN		30	270	300	720	750
OR 261.00x4.00 NBR70	261,00	4,00		DIN		30	270	300	720	750
OR 262.00x4.00 NBR70	262,00	4,00		DIN		30	270	300	720	750
OR 263.00x4.00 NBR70	263,00	4,00		DIN		30	270	300	720	750
OR 264.00x4.00 NBR70	264,00	4,00		DIN		30	270	300	720	750
OR 265.00x4.00 NBR70	265,00	4,00		DIN		30	270	300	720	750
OR 266.00x4.00 NBR70	266,00	4,00		DIN		30	270	300	720	750
OR 267.00x4.00 NBR70	267,00	4,00		DIN		30	270	300	720	750
OR 268.00x4.00 NBR70	268,00	4,00		DIN		30	270	300	720	750
OR 269.00x4.00 NBR70	269,00	4,00		DIN		30	270	300	720	750
OR 270.00x4.00 NBR70	270,00	4,00		DIN		30	270	300	720	750
OR 271.00x4.00 NBR70	271,00	4,00		DIN		30	270	300	720	750
OR 272.00x4.00 NBR70	272,00	4,00		DIN		30	270	300	720	750
OR 273.00x4.00 NBR70	273,00	4,00		DIN		30	270	300	720	750
OR 274.00x4.00 NBR70	274,00	4,00		DIN		30	270	300	720	750
OR 275.00x4.00 NBR70	275,00	4,00		DIN		30	270	300	720	750
OR 276.00x4.00 NBR70	276,00	4,00		DIN		30	270	300	720	750
OR 277.00x4.00 NBR70	277,00	4,00		DIN		30	270	300	720	750
OR 279.00x4.00 NBR70	279,00	4,00		DIN		30	270	300	720	750
OR 280.00x4.00 NBR70	280,00	4,00		DIN		30	270	300	720	750
OR 281.00x4.00 NBR70	281,00	4,00		DIN		30	270	300	720	750
OR 282.00x4.00 NBR70	282,00	4,00		DIN		30	270	300	720	750
OR 284.00x4.00 NBR70	284,00	4,00		DIN		30	270	300	720	750
OR 285.00x4.00 NBR70	285,00	4,00		DIN		30	270	300	720	750
OR 286.00x4.00 NBR70	286,00	4,00		DIN		30	270	300	720	750
OR 287.00x4.00 NBR70	287,00	4,00		DIN		30	270	300	720	750
OR 288.00x4.00 NBR70	288,00	4,00		DIN		30	270	300	720	750
OR 289.00x4.00 NBR70	289,00	4,00		DIN		30	270	300	720	750
OR 290.00x4.00 NBR70	290,00	4,00		DIN		30	270	300	720	750
OR 291.00x4.00 NBR70	291,00	4,00		DIN		30	270	300	720	750
OR 292.00x4.00 NBR70	292,00	4,00		DIN		30	270	300	720	750
OR 293.00x4.00 NBR70	293,00	4,00		DIN		30	270	300	720	750
OR 294.00x4.00 NBR70	294,00	4,00		DIN		30	270	300	720	750
OR 295.00x4.00 NBR70	295,00	4,00		DIN		30	270	300	720	750
OR 296.00x4.00 NBR70	296,00	4,00		DIN		30	270	300	720	750
OR 297.00x4.00 NBR70	297,00	4,00		DIN		30	270	300	720	750
OR 298.00x4.00 NBR70	298,00	4,00		DIN		30	270	300	720	750
OR 300.00x4.00 NBR70	300,00	4,00		DIN		30	270	300	720	750

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 302.00x4.00 NBR70	302,00	4,00		DIN		30	270	300	720	750
OR 303.00x4.00 NBR70	303,00	4,00		DIN		30	270	300	720	750
OR 305.00x4.00 NBR70	305,00	4,00		DIN		30	270	300	720	750
OR 306.00x4.00 NBR70	306,00	4,00		DIN		30	270	300	720	750
OR 307.00x4.00 NBR70	307,00	4,00		DIN		30	270	300	720	750
OR 308.00x4.00 NBR70	308,00	4,00		DIN		30	270	300	720	750
OR 309.00x4.00 NBR70	309,00	4,00		DIN		30	270	300	720	750
OR 310.00x4.00 NBR70	310,00	4,00		DIN		30	270	300	720	750
OR 311.00x4.00 NBR70	311,00	4,00		DIN		30	270	300	720	750
OR 312.00x4.00 NBR70	312,00	4,00		DIN		30	270	300	720	750
OR 313.00x4.00 NBR70	313,00	4,00		DIN		30	270	300	720	750
OR 314.00x4.00 NBR70	314,00	4,00		DIN		30	270	300	720	750
OR 315.00x4.00 NBR70	315,00	4,00		DIN		30	270	300	720	750
OR 320.00x4.00 NBR70	320,00	4,00		DIN		30	270	300	720	750
OR 325.00x4.00 NBR70	325,00	4,00		DIN		30	270	300	720	750
OR 330.00x4.00 NBR70	330,00	4,00		DIN		30	270	300	720	750
OR 335.00x4.00 NBR70	335,00	4,00		DIN		30	270	300	720	750
OR 340.00x4.00 NBR70	340,00	4,00		DIN		30	270	300	720	750
OR 345.00x4.00 NBR70	345,00	4,00		DIN		30	270	300	720	750
OR 350.00x4.00 NBR70	350,00	4,00		DIN		30	270	300	720	750
OR 355.00x4.00 NBR70	355,00	4,00		DIN		30	270	300	720	750
OR 360.00x4.00 NBR70	360,00	4,00		DIN		30	270	300	720	750
OR 365.00x4.00 NBR70	365,00	4,00		DIN		20	180	200	480	500
OR 370.00x4.00 NBR70	370,00	4,00		DIN		20	180	200	480	500
OR 375.00x4.00 NBR70	375,00	4,00		DIN		20	180	200	480	500
OR 380.00x4.00 NBR70	380,00	4,00		DIN		20	180	200	480	500
OR 385.00x4.00 NBR70	385,00	4,00		DIN		20	180	200	480	500
OR 390.00x4.00 NBR70	390,00	4,00		DIN		20	180	200	480	500
OR 395.00x4.00 NBR70	395,00	4,00		DIN		20	180	200	480	500
OR 400.00x4.00 NBR70	400,00	4,00		DIN		20	180	200	480	500
OR 405.00x4.00 NBR70	405,00	4,00		DIN		10	90	100	240	250
OR 410.00x4.00 NBR70	410,00	4,00		DIN		10	90	100	240	250
OR 415.00x4.00 NBR70	415,00	4,00		DIN		10	90	100	240	250
OR 420.00x4.00 NBR70	420,00	4,00		DIN		10	90	100	240	250
OR 425.00x4.00 NBR70	425,00	4,00		DIN		10	90	100	240	250
OR 430.00x4.00 NBR70	430,00	4,00		DIN		10	90	100	240	250
OR 435.00x4.00 NBR70	435,00	4,00		DIN		10	90	100	240	250
OR 440.00x4.00 NBR70	440,00	4,00		DIN		10	90	100	240	250
OR 445.00x4.00 NBR70	445,00	4,00		DIN		10	90	100	240	250
OR 450.00x4.00 NBR70	450,00	4,00		DIN		10	90	100	240	250
OR 460.00x4.00 NBR70	460,00	4,00		DIN		10	90	100	240	250
OR 470.00x4.00 NBR70	470,00	4,00		DIN		10	90	100	240	250
OR 480.00x4.00 NBR70	480,00	4,00		DIN		10	90	100	240	250
OR 490.00x4.00 NBR70	490,00	4,00		DIN		10	90	100	240	250
OR 500.00x4.00 NBR70	500,00	4,00		DIN		10	90	100	240	250
OR 6.00x4.50 NBR70	6,00	4,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 8.00x4.50 NBR70	8,00	4,50		DIN		1.000	9.000	10.000	24.000	25.000

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 9.00x4.50 NBR70	9,00	4,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 9.50x4.50 NBR70	9,50	4,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 10.00x4.50 NBR70	10,00	4,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 10.50x4.50 NBR70	10,50	4,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 11.00x4.50 NBR70	11,00	4,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 12.00x4.50 NBR70	12,00	4,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 13.00x4.50 NBR70	13,00	4,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 15.00x4.50 NBR70	15,00	4,50		DIN		1.000	9.000	10.000	24.000	25.000
OR 15.50x4.50 NBR70	15,50	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 16.00x4.50 NBR70	16,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 17.00x4.50 NBR70	17,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 18.00x4.50 NBR70	18,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 19.00x4.50 NBR70	19,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 20.00x4.50 NBR70	20,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 21.00x4.50 NBR70	21,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 21.50x4.50 NBR70	21,50	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 22.00x4.50 NBR70	22,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 22.50x4.50 NBR70	22,50	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 23.00x4.50 NBR70	23,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 24.00x4.50 NBR70	24,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 24.50x4.50 NBR70	24,50	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 25.00x4.50 NBR70	25,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 26.00x4.50 NBR70	26,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 27.00x4.50 NBR70	27,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 27.50x4.50 NBR70	27,50	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 28.00x4.50 NBR70	28,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 28.50x4.50 NBR70	28,50	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 29.00x4.50 NBR70	29,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 29.50x4.50 NBR70	29,50	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 30.00x4.50 NBR70	30,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 31.00x4.50 NBR70	31,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 31.50x4.50 NBR70	31,50	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 32.00x4.50 NBR70	32,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 33.00x4.50 NBR70	33,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 34.00x4.50 NBR70	34,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 34.50x4.50 NBR70	34,50	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 35.00x4.50 NBR70	35,00	4,50		DIN		500	4.500	5.000	12.000	12.500
OR 35.50x4.50 NBR70	35,50	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 36.00x4.50 NBR70	36,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 37.00x4.50 NBR70	37,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 37.50x4.50 NBR70	37,50	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 38.00x4.50 NBR70	38,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 39.00x4.50 NBR70	39,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 40.00x4.50 NBR70	40,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 40.50x4.50 NBR70	40,50	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 41.00x4.50 NBR70	41,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 42.00x4.50 NBR70	42,00	4,50		DIN		250	2.250	2.500	6.000	6.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 43.00x4.50 NBR70	43,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 44.00x4.50 NBR70	44,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 45.00x4.50 NBR70	45,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 46.00x4.50 NBR70	46,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 47.00x4.50 NBR70	47,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 48.00x4.50 NBR70	48,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 49.00x4.50 NBR70	49,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 50.00x4.50 NBR70	50,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 51.00x4.50 NBR70	51,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 53.00x4.50 NBR70	53,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 56.00x4.50 NBR70	56,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 57.00x4.50 NBR70	57,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 60.00x4.50 NBR70	60,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 61.00x4.50 NBR70	61,00	4,50		DIN		250	2.250	2.500	6.000	6.250
OR 63.00x4.50 NBR70	63,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 64.00x4.50 NBR70	64,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 65.00x4.50 NBR70	65,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 66.00x4.50 NBR70	66,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 68.00x4.50 NBR70	68,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 69.00x4.50 NBR70	69,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 70.00x4.50 NBR70	70,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 71.00x4.50 NBR70	71,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 73.00x4.50 NBR70	73,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 74.00x4.50 NBR70	74,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 75.00x4.50 NBR70	75,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 76.00x4.50 NBR70	76,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 80.00x4.50 NBR70	80,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 81.00x4.50 NBR70	81,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 83.00x4.50 NBR70	83,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 85.00x4.50 NBR70	85,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 86.00x4.50 NBR70	86,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 89.00x4.50 NBR70	89,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 90.00x4.50 NBR70	90,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 92.00x4.50 NBR70	92,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 93.50x4.50 NBR70	93,50	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 95.00x4.50 NBR70	95,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 97.50x4.50 NBR70	97,50	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 98.00x4.50 NBR70	98,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 99.50x4.50 NBR70	99,50	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 100.00x4.50 NBR70	100,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 100.50x4.50 NBR70	100,50	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 101.00x4.50 NBR70	101,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 103.50x4.50 NBR70	103,50	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 105.00x4.50 NBR70	105,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 106.00x4.50 NBR70	106,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 110.00x4.50 NBR70	110,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 115.00x4.50 NBR70	115,00	4,50		DIN		150	1.350	1.500	3.600	3.750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 118.00x4.50 NBR70	118,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 120.00x4.50 NBR70	120,00	4,50		DIN		150	1.350	1.500	3.600	3.750
OR 122.00x4.50 NBR70	122,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 124.00x4.50 NBR70	124,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 126.00x4.50 NBR70	126,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 128.00x4.50 NBR70	128,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 130.00x4.50 NBR70	130,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 131.50x4.50 NBR70	131,50	4,50		DIN		100	900	1.000	2.400	2.500
OR 134.50x4.50 NBR70	134,50	4,50		DIN		100	900	1.000	2.400	2.500
OR 137.00x4.50 NBR70	137,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 140.00x4.50 NBR70	140,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 140.50x4.50 NBR70	140,50	4,50		DIN		100	900	1.000	2.400	2.500
OR 150.00x4.50 NBR70	150,00	4,50		DIN		100	900	1.000	2.400	2.500
OR 153.00x4.50 NBR70	153,00	4,50		DIN		50	450	500	1.200	1.250
OR 155.00x4.50 NBR70	155,00	4,50		DIN		50	450	500	1.200	1.250
OR 157.00x4.50 NBR70	157,00	4,50		DIN		50	450	500	1.200	1.250
OR 160.00x4.50 NBR70	160,00	4,50		DIN		50	450	500	1.200	1.250
OR 165.00x4.50 NBR70	165,00	4,50		DIN		50	450	500	1.200	1.250
OR 172.00x4.50 NBR70	172,00	4,50		DIN		50	450	500	1.200	1.250
OR 178.00x4.50 NBR70	178,00	4,50		DIN		50	450	500	1.200	1.250
OR 180.00x4.50 NBR70	180,00	4,50		DIN		50	450	500	1.200	1.250
OR 185.00x4.50 NBR70	185,00	4,50		DIN		50	450	500	1.200	1.250
OR 186.00x4.50 NBR70	186,00	4,50		DIN		50	450	500	1.200	1.250
OR 189.50x4.50 NBR70	189,50	4,50		DIN		50	450	500	1.200	1.250
OR 192.00x4.50 NBR70	192,00	4,50		DIN		50	450	500	1.200	1.250
OR 208.00x4.50 NBR70	208,00	4,50		DIN		50	450	500	1.200	1.250
OR 215.00x4.50 NBR70	215,00	4,50		DIN		50	450	500	1.200	1.250
OR 218.50x4.50 NBR70	218,50	4,50		DIN		50	450	500	1.200	1.250
OR 225.00x4.50 NBR70	225,00	4,50		DIN		50	450	500	1.200	1.250
OR 227.00x4.50 NBR70	227,00	4,50		DIN		50	450	500	1.200	1.250
OR 250.00x4.50 NBR70	250,00	4,50		DIN		50	450	500	1.200	1.250
OR 267.00x4.50 NBR70	267,00	4,50		DIN		30	270	300	720	750
OR 280.00x4.50 NBR70	280,00	4,50		DIN		30	270	300	720	750
OR 315.00x4.50 NBR70	315,00	4,50		DIN		30	270	300	720	750
OR 4.00x5.00 NBR70	4,00	5,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 5.00x5.00 NBR70	5,00	5,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 6.00x5.00 NBR70	6,00	5,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 7.00x5.00 NBR70	7,00	5,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 8.00x5.00 NBR70	8,00	5,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 9.00x5.00 NBR70	9,00	5,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 10.00x5.00 NBR70	10,00	5,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 11.00x5.00 NBR70	11,00	5,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 12.00x5.00 NBR70	12,00	5,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 13.00x5.00 NBR70	13,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 14.00x5.00 NBR70	14,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 15.00x5.00 NBR70	15,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 16.00x5.00 NBR70	16,00	5,00		DIN		500	4.500	5.000	12.000	12.500

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 17.00x5.00 NBR70	17,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 18.00x5.00 NBR70	18,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 19.00x5.00 NBR70	19,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 20.00x5.00 NBR70	20,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 21.00x5.00 NBR70	21,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 22.00x5.00 NBR70	22,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 23.00x5.00 NBR70	23,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 24.00x5.00 NBR70	24,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 25.00x5.00 NBR70	25,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 26.00x5.00 NBR70	26,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 27.00x5.00 NBR70	27,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 28.00x5.00 NBR70	28,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 29.00x5.00 NBR70	29,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 30.00x5.00 NBR70	30,00	5,00		DIN		500	4.500	5.000	12.000	12.500
OR 31.00x5.00 NBR70	31,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 32.00x5.00 NBR70	32,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 33.00x5.00 NBR70	33,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 34.00x5.00 NBR70	34,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 35.00x5.00 NBR70	35,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 36.00x5.00 NBR70	36,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 37.00x5.00 NBR70	37,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 38.00x5.00 NBR70	38,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 39.00x5.00 NBR70	39,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 40.00x5.00 NBR70	40,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 41.00x5.00 NBR70	41,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 42.00x5.00 NBR70	42,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 43.00x5.00 NBR70	43,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 44.00x5.00 NBR70	44,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 45.00x5.00 NBR70	45,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 46.00x5.00 NBR70	46,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 47.00x5.00 NBR70	47,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 48.00x5.00 NBR70	48,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 49.00x5.00 NBR70	49,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 50.00x5.00 NBR70	50,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 51.00x5.00 NBR70	51,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 52.00x5.00 NBR70	52,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 53.00x5.00 NBR70	53,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 54.00x5.00 NBR70	54,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 55.00x5.00 NBR70	55,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 56.00x5.00 NBR70	56,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 57.00x5.00 NBR70	57,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 58.00x5.00 NBR70	58,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 59.00x5.00 NBR70	59,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 60.00x5.00 NBR70	60,00	5,00		DIN		250	2.250	2.500	6.000	6.250
OR 61.00x5.00 NBR70	61,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 62.00x5.00 NBR70	62,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 63.00x5.00 NBR70	63,00	5,00		DIN		150	1.350	1.500	3.600	3.750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 64.00x5.00 NBR70	64,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 65.00x5.00 NBR70	65,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 66.00x5.00 NBR70	66,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 67.00x5.00 NBR70	67,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 68.00x5.00 NBR70	68,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 69.00x5.00 NBR70	69,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 70.00x5.00 NBR70	70,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 71.00x5.00 NBR70	71,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 72.00x5.00 NBR70	72,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 73.00x5.00 NBR70	73,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 74.00x5.00 NBR70	74,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 75.00x5.00 NBR70	75,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 76.00x5.00 NBR70	76,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 77.00x5.00 NBR70	77,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 78.00x5.00 NBR70	78,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 79.00x5.00 NBR70	79,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 80.00x5.00 NBR70	80,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 81.00x5.00 NBR70	81,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 82.00x5.00 NBR70	82,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 83.00x5.00 NBR70	83,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 84.00x5.00 NBR70	84,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 85.00x5.00 NBR70	85,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 86.00x5.00 NBR70	86,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 87.00x5.00 NBR70	87,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 88.00x5.00 NBR70	88,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 89.00x5.00 NBR70	89,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 90.00x5.00 NBR70	90,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 91.00x5.00 NBR70	91,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 92.00x5.00 NBR70	92,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 93.00x5.00 NBR70	93,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 94.00x5.00 NBR70	94,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 95.00x5.00 NBR70	95,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 96.00x5.00 NBR70	96,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 97.00x5.00 NBR70	97,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 98.00x5.00 NBR70	98,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 99.00x5.00 NBR70	99,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 100.00x5.00 NBR70	100,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 101.00x5.00 NBR70	101,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 102.00x5.00 NBR70	102,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 103.00x5.00 NBR70	103,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 104.00x5.00 NBR70	104,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 105.00x5.00 NBR70	105,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 106.00x5.00 NBR70	106,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 107.00x5.00 NBR70	107,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 108.00x5.00 NBR70	108,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 109.00x5.00 NBR70	109,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 110.00x5.00 NBR70	110,00	5,00		DIN		150	1.350	1.500	3.600	3.750

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 111.00x5.00 NBR70	111,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 112.00x5.00 NBR70	112,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 113.00x5.00 NBR70	113,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 114.00x5.00 NBR70	114,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 115.00x5.00 NBR70	115,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 116.00x5.00 NBR70	116,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 117.00x5.00 NBR70	117,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 118.00x5.00 NBR70	118,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 119.00x5.00 NBR70	119,00	5,00		DIN		150	1.350	1.500	3.600	3.750
OR 120.00x5.00 NBR70	120,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 121.00x5.00 NBR70	121,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 122.00x5.00 NBR70	122,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 123.00x5.00 NBR70	123,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 124.00x5.00 NBR70	124,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 125.00x5.00 NBR70	125,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 126.00x5.00 NBR70	126,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 127.00x5.00 NBR70	127,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 128.00x5.00 NBR70	128,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 129.00x5.00 NBR70	129,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 130.00x5.00 NBR70	130,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 131.00x5.00 NBR70	131,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 132.00x5.00 NBR70	132,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 133.00x5.00 NBR70	133,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 134.00x5.00 NBR70	134,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 135.00x5.00 NBR70	135,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 136.00x5.00 NBR70	136,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 137.00x5.00 NBR70	137,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 138.00x5.00 NBR70	138,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 139.00x5.00 NBR70	139,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 140.00x5.00 NBR70	140,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 141.00x5.00 NBR70	141,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 142.00x5.00 NBR70	142,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 143.00x5.00 NBR70	143,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 144.00x5.00 NBR70	144,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 145.00x5.00 NBR70	145,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 146.00x5.00 NBR70	146,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 147.00x5.00 NBR70	147,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 148.00x5.00 NBR70	148,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 149.00x5.00 NBR70	149,00	5,00		DIN		100	900	1.000	2.400	2.500
OR 150.00x5.00 NBR70	150,00	5,00		DIN		50	450	500	1.200	1.250
OR 151.00x5.00 NBR70	151,00	5,00		DIN		50	450	500	1.200	1.250
OR 152.00x5.00 NBR70	152,00	5,00		DIN		50	450	500	1.200	1.250
OR 153.00x5.00 NBR70	153,00	5,00		DIN		50	450	500	1.200	1.250
OR 154.00x5.00 NBR70	154,00	5,00		DIN		50	450	500	1.200	1.250
OR 155.00x5.00 NBR70	155,00	5,00		DIN		50	450	500	1.200	1.250
OR 156.00x5.00 NBR70	156,00	5,00		DIN		50	450	500	1.200	1.250
OR 157.00x5.00 NBR70	157,00	5,00		DIN		50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 158.00x5.00 NBR70	158,00	5,00		DIN		50	450	500	1.200	1.250
OR 159.00x5.00 NBR70	159,00	5,00		DIN		50	450	500	1.200	1.250
OR 160.00x5.00 NBR70	160,00	5,00		DIN		50	450	500	1.200	1.250
OR 161.00x5.00 NBR70	161,00	5,00		DIN		50	450	500	1.200	1.250
OR 162.00x5.00 NBR70	162,00	5,00		DIN		50	450	500	1.200	1.250
OR 163.00x5.00 NBR70	163,00	5,00		DIN		50	450	500	1.200	1.250
OR 164.00x5.00 NBR70	164,00	5,00		DIN		50	450	500	1.200	1.250
OR 165.00x5.00 NBR70	165,00	5,00		DIN		50	450	500	1.200	1.250
OR 166.00x5.00 NBR70	166,00	5,00		DIN		50	450	500	1.200	1.250
OR 167.00x5.00 NBR70	167,00	5,00		DIN		50	450	500	1.200	1.250
OR 168.00x5.00 NBR70	168,00	5,00		DIN		50	450	500	1.200	1.250
OR 169.00x5.00 NBR70	169,00	5,00		DIN		50	450	500	1.200	1.250
OR 170.00x5.00 NBR70	170,00	5,00		DIN		50	450	500	1.200	1.250
OR 171.00x5.00 NBR70	171,00	5,00		DIN		50	450	500	1.200	1.250
OR 172.00x5.00 NBR70	172,00	5,00		DIN		50	450	500	1.200	1.250
OR 173.00x5.00 NBR70	173,00	5,00		DIN		50	450	500	1.200	1.250
OR 174.00x5.00 NBR70	174,00	5,00		DIN		50	450	500	1.200	1.250
OR 175.00x5.00 NBR70	175,00	5,00		DIN		50	450	500	1.200	1.250
OR 176.00x5.00 NBR70	176,00	5,00		DIN		50	450	500	1.200	1.250
OR 177.00x5.00 NBR70	177,00	5,00		DIN		50	450	500	1.200	1.250
OR 178.00x5.00 NBR70	178,00	5,00		DIN		50	450	500	1.200	1.250
OR 179.00x5.00 NBR70	179,00	5,00		DIN		50	450	500	1.200	1.250
OR 180.00x5.00 NBR70	180,00	5,00		DIN		50	450	500	1.200	1.250
OR 181.00x5.00 NBR70	181,00	5,00		DIN		50	450	500	1.200	1.250
OR 182.00x5.00 NBR70	182,00	5,00		DIN		50	450	500	1.200	1.250
OR 183.00x5.00 NBR70	183,00	5,00		DIN		50	450	500	1.200	1.250
OR 184.00x5.00 NBR70	184,00	5,00		DIN		50	450	500	1.200	1.250
OR 185.00x5.00 NBR70	185,00	5,00		DIN		50	450	500	1.200	1.250
OR 186.00x5.00 NBR70	186,00	5,00		DIN		50	450	500	1.200	1.250
OR 187.00x5.00 NBR70	187,00	5,00		DIN		50	450	500	1.200	1.250
OR 188.00x5.00 NBR70	188,00	5,00		DIN		50	450	500	1.200	1.250
OR 189.00x5.00 NBR70	189,00	5,00		DIN		50	450	500	1.200	1.250
OR 190.00x5.00 NBR70	190,00	5,00		DIN		50	450	500	1.200	1.250
OR 191.00x5.00 NBR70	191,00	5,00		DIN		50	450	500	1.200	1.250
OR 192.00x5.00 NBR70	192,00	5,00		DIN		50	450	500	1.200	1.250
OR 193.00x5.00 NBR70	193,00	5,00		DIN		50	450	500	1.200	1.250
OR 194.00x5.00 NBR70	194,00	5,00		DIN		50	450	500	1.200	1.250
OR 195.00x5.00 NBR70	195,00	5,00		DIN		50	450	500	1.200	1.250
OR 196.00x5.00 NBR70	196,00	5,00		DIN		50	450	500	1.200	1.250
OR 197.00x5.00 NBR70	197,00	5,00		DIN		50	450	500	1.200	1.250
OR 198.00x5.00 NBR70	198,00	5,00		DIN		50	450	500	1.200	1.250
OR 199.00x5.00 NBR70	199,00	5,00		DIN		50	450	500	1.200	1.250
OR 200.00x5.00 NBR70	200,00	5,00		DIN		50	450	500	1.200	1.250
OR 201.00x5.00 NBR70	201,00	5,00		DIN		50	450	500	1.200	1.250
OR 202.00x5.00 NBR70	202,00	5,00		DIN		50	450	500	1.200	1.250
OR 203.00x5.00 NBR70	203,00	5,00		DIN		50	450	500	1.200	1.250
OR 204.00x5.00 NBR70	204,00	5,00		DIN		50	450	500	1.200	1.250

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 205.00x5.00 NBR70	205,00	5,00		DIN		50	450	500	1.200	1.250
OR 206.00x5.00 NBR70	206,00	5,00		DIN		50	450	500	1.200	1.250
OR 207.00x5.00 NBR70	207,00	5,00		DIN		50	450	500	1.200	1.250
OR 208.00x5.00 NBR70	208,00	5,00		DIN		50	450	500	1.200	1.250
OR 209.00x5.00 NBR70	209,00	5,00		DIN		50	450	500	1.200	1.250
OR 210.00x5.00 NBR70	210,00	5,00		DIN		50	450	500	1.200	1.250
OR 211.00x5.00 NBR70	211,00	5,00		DIN		50	450	500	1.200	1.250
OR 212.00x5.00 NBR70	212,00	5,00		DIN		50	450	500	1.200	1.250
OR 213.00x5.00 NBR70	213,00	5,00		DIN		50	450	500	1.200	1.250
OR 214.00x5.00 NBR70	214,00	5,00		DIN		50	450	500	1.200	1.250
OR 215.00x5.00 NBR70	215,00	5,00		DIN		50	450	500	1.200	1.250
OR 216.00x5.00 NBR70	216,00	5,00		DIN		50	450	500	1.200	1.250
OR 217.00x5.00 NBR70	217,00	5,00		DIN		50	450	500	1.200	1.250
OR 218.00x5.00 NBR70	218,00	5,00		DIN		50	450	500	1.200	1.250
OR 219.00x5.00 NBR70	219,00	5,00		DIN		50	450	500	1.200	1.250
OR 220.00x5.00 NBR70	220,00	5,00		DIN		50	450	500	1.200	1.250
OR 221.00x5.00 NBR70	221,00	5,00		DIN		30	270	300	720	750
OR 222.00x5.00 NBR70	222,00	5,00		DIN		30	270	300	720	750
OR 223.00x5.00 NBR70	223,00	5,00		DIN		30	270	300	720	750
OR 224.00x5.00 NBR70	224,00	5,00		DIN		30	270	300	720	750
OR 225.00x5.00 NBR70	225,00	5,00		DIN		30	270	300	720	750
OR 226.00x5.00 NBR70	226,00	5,00		DIN		30	270	300	720	750
OR 227.00x5.00 NBR70	227,00	5,00		DIN		30	270	300	720	750
OR 228.00x5.00 NBR70	228,00	5,00		DIN		30	270	300	720	750
OR 229.00x5.00 NBR70	229,00	5,00		DIN		30	270	300	720	750
OR 230.00x5.00 NBR70	230,00	5,00		DIN		30	270	300	720	750
OR 231.00x5.00 NBR70	231,00	5,00		DIN		30	270	300	720	750
OR 232.00x5.00 NBR70	232,00	5,00		DIN		30	270	300	720	750
OR 233.00x5.00 NBR70	233,00	5,00		DIN		30	270	300	720	750
OR 234.00x5.00 NBR70	234,00	5,00		DIN		30	270	300	720	750
OR 235.00x5.00 NBR70	235,00	5,00		DIN		30	270	300	720	750
OR 236.00x5.00 NBR70	236,00	5,00		DIN		30	270	300	720	750
OR 237.00x5.00 NBR70	237,00	5,00		DIN		30	270	300	720	750
OR 238.00x5.00 NBR70	238,00	5,00		DIN		30	270	300	720	750
OR 239.00x5.00 NBR70	239,00	5,00		DIN		30	270	300	720	750
OR 240.00x5.00 NBR70	240,00	5,00		DIN		30	270	300	720	750
OR 241.00x5.00 NBR70	241,00	5,00		DIN		30	270	300	720	750
OR 242.00x5.00 NBR70	242,00	5,00		DIN		30	270	300	720	750
OR 243.00x5.00 NBR70	243,00	5,00		DIN		30	270	300	720	750
OR 244.00x5.00 NBR70	244,00	5,00		DIN		30	270	300	720	750
OR 245.00x5.00 NBR70	245,00	5,00		DIN		30	270	300	720	750
OR 246.00x5.00 NBR70	246,00	5,00		DIN		30	270	300	720	750
OR 247.00x5.00 NBR70	247,00	5,00		DIN		30	270	300	720	750
OR 248.00x5.00 NBR70	248,00	5,00		DIN		30	270	300	720	750
OR 249.00x5.00 NBR70	249,00	5,00		DIN		30	270	300	720	750
OR 250.00x5.00 NBR70	250,00	5,00		DIN		30	270	300	720	750
OR 255.00x5.00 NBR70	255,00	5,00		DIN		30	270	300	720	750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 260.00x5.00 NBR70	260,00	5,00		DIN		30	270	300	720	750
OR 265.00x5.00 NBR70	265,00	5,00		DIN		30	270	300	720	750
OR 270.00x5.00 NBR70	270,00	5,00		DIN		30	270	300	720	750
OR 275.00x5.00 NBR70	275,00	5,00		DIN		30	270	300	720	750
OR 280.00x5.00 NBR70	280,00	5,00		DIN		30	270	300	720	750
OR 285.00x5.00 NBR70	285,00	5,00		DIN		30	270	300	720	750
OR 290.00x5.00 NBR70	290,00	5,00		DIN		30	270	300	720	750
OR 295.00x5.00 NBR70	295,00	5,00		DIN		30	270	300	720	750
OR 300.00x5.00 NBR70	300,00	5,00		DIN		30	270	300	720	750
OR 305.00x5.00 NBR70	305,00	5,00		DIN		30	270	300	720	750
OR 310.00x5.00 NBR70	310,00	5,00		DIN		30	270	300	720	750
OR 315.00x5.00 NBR70	315,00	5,00		DIN		30	270	300	720	750
OR 320.00x5.00 NBR70	320,00	5,00		DIN		30	270	300	720	750
OR 325.00x5.00 NBR70	325,00	5,00		DIN		30	270	300	720	750
OR 330.00x5.00 NBR70	330,00	5,00		DIN		30	270	300	720	750
OR 335.00x5.00 NBR70	335,00	5,00		DIN		30	270	300	720	750
OR 340.00x5.00 NBR70	340,00	5,00		DIN		30	270	300	720	750
OR 345.00x5.00 NBR70	345,00	5,00		DIN		30	270	300	720	750
OR 350.00x5.00 NBR70	350,00	5,00		DIN		30	270	300	720	750
OR 355.00x5.00 NBR70	355,00	5,00		DIN		20	180	200	480	500
OR 360.00x5.00 NBR70	360,00	5,00		DIN		20	180	200	480	500
OR 365.00x5.00 NBR70	365,00	5,00		DIN		20	180	200	480	500
OR 370.00x5.00 NBR70	370,00	5,00		DIN		20	180	200	480	500
OR 375.00x5.00 NBR70	375,00	5,00		DIN		20	180	200	480	500
OR 380.00x5.00 NBR70	380,00	5,00		DIN		20	180	200	480	500
OR 385.00x5.00 NBR70	385,00	5,00		DIN		20	180	200	480	500
OR 390.00x5.00 NBR70	390,00	5,00		DIN		20	180	200	480	500
OR 395.00x5.00 NBR70	395,00	5,00		DIN		20	180	200	480	500
OR 400.00x5.00 NBR70	400,00	5,00		DIN		20	180	200	480	500
OR 40.00x5.30 NBR70	40,00	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 41.20x5.30 NBR70	41,20	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 41.40x5.30 NBR70	41,40	5,30	29bis			250	2.250	2.500	6.000	6.250
OR 42.50x5.30 NBR70	42,50	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 43.70x5.30 NBR70	43,70	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 45.00x5.30 NBR70	45,00	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 46.20x5.30 NBR70	46,20	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 47.50x5.30 NBR70	47,50	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 48.70x5.30 NBR70	48,70	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 50.00x5.30 NBR70	50,00	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 51.50x5.30 NBR70	51,50	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 53.00x5.30 NBR70	53,00	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 54.40x5.30 NBR70	54,40	5,30	33bis			250	2.250	2.500	6.000	6.250
OR 54.50x5.30 NBR70	54,50	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 56.00x5.30 NBR70	56,00	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 58.00x5.30 NBR70	58,00	5,30	ISO			250	2.250	2.500	6.000	6.250
OR 60.00x5.30 NBR70	60,00	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 61.50x5.30 NBR70	61,50	5,30	ISO			150	1.350	1.500	3.600	3.750

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 63.00x5.30 NBR70	63,00	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 65.00x5.30 NBR70	65,00	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 67.00x5.30 NBR70	67,00	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 69.00x5.30 NBR70	69,00	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 71.00x5.30 NBR70	71,00	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 73.00x5.30 NBR70	73,00	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 75.00x5.30 NBR70	75,00	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 77.50x5.30 NBR70	77,50	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 80.00x5.30 NBR70	80,00	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 82.50x5.30 NBR70	82,50	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 85.00x5.30 NBR70	85,00	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 87.50x5.30 NBR70	87,50	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 90.00x5.30 NBR70	90,00	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 92.50x5.30 NBR70	92,50	5,30	ISO			150	1.350	1.500	3.600	3.750
OR 95.00x5.30 NBR70	95,00	5,30	ISO			100	900	1.000	2.400	2.500
OR 97.50x5.30 NBR70	97,50	5,30	ISO			100	900	1.000	2.400	2.500
OR 100.00x5.30 NBR70	100,00	5,30	ISO			100	900	1.000	2.400	2.500
OR 103.00x5.30 NBR70	103,00	5,30	ISO			100	900	1.000	2.400	2.500
OR 106.00x5.30 NBR70	106,00	5,30	ISO			100	900	1.000	2.400	2.500
OR 109.00x5.30 NBR70	109,00	5,30	ISO			100	900	1.000	2.400	2.500
OR 112.00x5.30 NBR70	112,00	5,30	ISO			100	900	1.000	2.400	2.500
OR 115.00x5.30 NBR70	115,00	5,30	ISO			100	900	1.000	2.400	2.500
OR 118.00x5.30 NBR70	118,00	5,30	ISO			100	900	1.000	2.400	2.500
OR 122.00x5.30 NBR70	122,00	5,30	ISO			100	900	1.000	2.400	2.500
OR 125.00x5.30 NBR70	125,00	5,30	ISO			100	900	1.000	2.400	2.500
OR 128.00x5.30 NBR70	128,00	5,30	ISO			100	900	1.000	2.400	2.500
OR 132.00x5.30 NBR70	132,00	5,30	ISO			100	900	1.000	2.400	2.500
OR 136.00x5.30 NBR70	136,00	5,30	ISO			100	900	1.000	2.400	2.500
OR 140.00x5.30 NBR70	140,00	5,30	ISO			50	450	500	1.200	1.250
OR 145.00x5.30 NBR70	145,00	5,30	ISO			50	450	500	1.200	1.250
OR 150.00x5.30 NBR70	150,00	5,30	ISO			50	450	500	1.200	1.250
OR 155.00x5.30 NBR70	155,00	5,30	ISO			50	450	500	1.200	1.250
OR 160.00x5.30 NBR70	160,00	5,30	ISO			50	450	500	1.200	1.250
OR 165.00x5.30 NBR70	165,00	5,30	ISO			50	450	500	1.200	1.250
OR 170.00x5.30 NBR70	170,00	5,30	ISO			50	450	500	1.200	1.250
OR 175.00x5.30 NBR70	175,00	5,30	ISO			50	450	500	1.200	1.250
OR 180.00x5.30 NBR70	180,00	5,30	ISO			50	450	500	1.200	1.250
OR 185.00x5.30 NBR70	185,00	5,30	ISO			50	450	500	1.200	1.250
OR 190.00x5.30 NBR70	190,00	5,30	ISO			50	450	500	1.200	1.250
OR 195.00x5.30 NBR70	195,00	5,30	ISO			50	450	500	1.200	1.250
OR 200.00x5.30 NBR70	200,00	5,30	ISO			50	450	500	1.200	1.250
OR 10.46x5.33 NBR70	10,46	5,33		6042	309	1.000	9.000	10.000	24.000	25.000
OR 12.07x5.33 NBR70	12,07	5,33		6050	310	1.000	9.000	10.000	24.000	25.000
OR 13.64x5.33 NBR70	13,64	5,33		6055	311	500	4.500	5.000	12.000	12.500
OR 15.24x5.33 NBR70	15,24	5,33		6060	312	500	4.500	5.000	12.000	12.500
OR 16.81x5.33 NBR70	16,81	5,33		6065	313	500	4.500	5.000	12.000	12.500
OR 18.42x5.33 NBR70	18,42	5,33		6075	314	500	4.500	5.000	12.000	12.500

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 19.99x5.33 NBR70	19,99	5,33		6080	315	500	4.500	5.000	12.000	12.500
OR 21.59x5.33 NBR70	21,59	5,33		6085	316	500	4.500	5.000	12.000	12.500
OR 23.16x5.33 NBR70	23,16	5,33		6090	317	500	4.500	5.000	12.000	12.500
OR 24.77x5.33 NBR70	24,77	5,33		6100	318	500	4.500	5.000	12.000	12.500
OR 26.34x5.33 NBR70	26,34	5,33		6105	319	500	4.500	5.000	12.000	12.500
OR 27.94x5.33 NBR70	27,94	5,33		6110	320	500	4.500	5.000	12.000	12.500
OR 29.51x5.33 NBR70	29,51	5,33		6115	321	500	4.500	5.000	12.000	12.500
OR 31.12x5.33 NBR70	31,12	5,33		6125	322	250	2.250	2.500	6.000	6.250
OR 32.69x5.33 NBR70	32,69	5,33		6130	323	250	2.250	2.500	6.000	6.250
OR 34.29x5.33 NBR70	34,29	5,33		6135	324	250	2.250	2.500	6.000	6.250
OR 37.47x5.33 NBR70	37,47	5,33	R28	6150	325	250	2.250	2.500	6.000	6.250
OR 40.64x5.33 NBR70	40,64	5,33	R29	6162	326	250	2.250	2.500	6.000	6.250
OR 43.82x5.33 NBR70	43,82	5,33	R30	6175	327	250	2.250	2.500	6.000	6.250
OR 46.99x5.33 NBR70	46,99	5,33	R31	6187	328	250	2.250	2.500	6.000	6.250
OR 50.17x5.33 NBR70	50,17	5,33	R32	6200	329	250	2.250	2.500	6.000	6.250
OR 53.34x5.33 NBR70	53,34	5,33	R33	6212	330	250	2.250	2.500	6.000	6.250
OR 56.52x5.33 NBR70	56,52	5,33	R34	6225	331	250	2.250	2.500	6.000	6.250
OR 59.69x5.33 NBR70	59,69	5,33	R35	6237	332	150	1.350	1.500	3.600	3.750
OR 62.87x5.33 NBR70	62,87	5,33	R36	6250	333	150	1.350	1.500	3.600	3.750
OR 66.04x5.33 NBR70	66,04	5,33	R37	6262	334	150	1.350	1.500	3.600	3.750
OR 69.22x5.33 NBR70	69,22	5,33	R38	6275	335	150	1.350	1.500	3.600	3.750
OR 72.39x5.33 NBR70	72,39	5,33	R39	6287	336	150	1.350	1.500	3.600	3.750
OR 74.63x5.33 NBR70	74,63	5,33		178	619	150	1.350	1.500	3.600	3.750
OR 75.57x5.33 NBR70	75,57	5,33	R40	6300	337	150	1.350	1.500	3.600	3.750
OR 78.74x5.33 NBR70	78,74	5,33	R41	6312	338	150	1.350	1.500	3.600	3.750
OR 79.73x5.33 NBR70	79,73	5,33		181	620	150	1.350	1.500	3.600	3.750
OR 81.92x5.33 NBR70	81,92	5,33	R42	6325	339	150	1.350	1.500	3.600	3.750
OR 85.09x5.33 NBR70	85,09	5,33	R43	6337	340	150	1.350	1.500	3.600	3.750
OR 88.27x5.33 NBR70	88,27	5,33	R44	6350	341	150	1.350	1.500	3.600	3.750
OR 89.69x5.33 NBR70	89,69	5,33		185	621	150	1.350	1.500	3.600	3.750
OR 91.44x5.33 NBR70	91,44	5,33	R45	6362	342	150	1.350	1.500	3.600	3.750
OR 94.62x5.33 NBR70	94,62	5,33	R46	6375	343	100	900	1.000	2.400	2.500
OR 97.79x5.33 NBR70	97,79	5,33	R47	6387	344	100	900	1.000	2.400	2.500
OR 100.00x5.33 NBR70	100,00	5,33		189	622	100	900	1.000	2.400	2.500
OR 100.97x5.33 NBR70	100,97	5,33	R48	6400	345	100	900	1.000	2.400	2.500
OR 104.14x5.33 NBR70	104,14	5,33	R49	6412	346	100	900	1.000	2.400	2.500
OR 107.32x5.33 NBR70	107,32	5,33	R50	6425	347	100	900	1.000	2.400	2.500
OR 109.54x5.33 NBR70	109,54	5,33		193	623	100	900	1.000	2.400	2.500
OR 110.49x5.33 NBR70	110,49	5,33	R51	6437	348	100	900	1.000	2.400	2.500
OR 113.67x5.33 NBR70	113,67	5,33	R52	6450	349	100	900	1.000	2.400	2.500
OR 116.84x5.33 NBR70	116,84	5,33			350	100	900	1.000	2.400	2.500
OR 117.48x5.33 NBR70	117,48	5,33		199	860	100	900	1.000	2.400	2.500
OR 120.02x5.33 NBR70	120,02	5,33			351	100	900	1.000	2.400	2.500
OR 120.65x5.33 NBR70	120,65	5,33		201	861	100	900	1.000	2.400	2.500
OR 123.19x5.33 NBR70	123,19	5,33			352	100	900	1.000	2.400	2.500
OR 123.83x5.33 NBR70	123,83	5,33		203	862	100	900	1.000	2.400	2.500
OR 126.37x5.33 NBR70	126,37	5,33			353	100	900	1.000	2.400	2.500

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 127.00x5.33 NBR70	127,00	5,33		206	863	100	900	1.000	2.400	2.500
OR 129.54x5.33 NBR70	129,54	5,33			354	100	900	1.000	2.400	2.500
OR 130.18x5.33 NBR70	130,18	5,33		208	864	100	900	1.000	2.400	2.500
OR 132.72x5.33 NBR70	132,72	5,33			355	100	900	1.000	2.400	2.500
OR 133.35x5.33 NBR70	133,35	5,33		210	865	100	900	1.000	2.400	2.500
OR 135.89x5.33 NBR70	135,89	5,33			356	100	900	1.000	2.400	2.500
OR 136.53x5.33 NBR70	136,53	5,33		213	866	100	900	1.000	2.400	2.500
OR 139.07x5.33 NBR70	139,07	5,33			357	100	900	1.000	2.400	2.500
OR 139.70x5.33 NBR70	139,70	5,33		215	867	50	450	500	1.200	1.250
OR 142.24x5.33 NBR70	142,24	5,33			358	50	450	500	1.200	1.250
OR 142.88x5.33 NBR70	142,88	5,33		217	868	50	450	500	1.200	1.250
OR 145.42x5.33 NBR70	145,42	5,33			359	50	450	500	1.200	1.250
OR 146.05x5.33 NBR70	146,05	5,33		219	869	50	450	500	1.200	1.250
OR 148.59x5.33 NBR70	148,59	5,33			360	50	450	500	1.200	1.250
OR 149.23x5.33 NBR70	149,23	5,33		221	870	50	450	500	1.200	1.250
OR 151.77x5.33 NBR70	151,77	5,33		6600	361	50	450	500	1.200	1.250
OR 155.00x5.33 NBR70	155,00	5,33			644	50	450	500	1.200	1.250
OR 158.12x5.33 NBR70	158,12	5,33		6625	362	50	450	500	1.200	1.250
OR 161.30x5.33 NBR70	161,30	5,33			645	50	450	500	1.200	1.250
OR 164.47x5.33 NBR70	164,47	5,33		6645	363	50	450	500	1.200	1.250
OR 167.70x5.33 NBR70	167,70	5,33			646	50	450	500	1.200	1.250
OR 170.82x5.33 NBR70	170,82	5,33		6670	364	50	450	500	1.200	1.250
OR 174.00x5.33 NBR70	174,00	5,33			647	50	450	500	1.200	1.250
OR 177.17x5.33 NBR70	177,17	5,33		6700	365	50	450	500	1.200	1.250
OR 183.52x5.33 NBR70	183,52	5,33		6720	366	50	450	500	1.200	1.250
OR 189.87x5.33 NBR70	189,87	5,33		6745	367	50	450	500	1.200	1.250
OR 196.22x5.33 NBR70	196,22	5,33		6775	368	50	450	500	1.200	1.250
OR 202.57x5.33 NBR70	202,57	5,33		6795	369	30	270	300	720	750
OR 208.92x5.33 NBR70	208,92	5,33		6820	370	30	270	300	720	750
OR 215.27x5.33 NBR70	215,27	5,33		6850	371	30	270	300	720	750
OR 221.62x5.33 NBR70	221,62	5,33		6870	372	30	270	300	720	750
OR 227.97x5.33 NBR70	227,97	5,33		6895	373	30	270	300	720	750
OR 234.32x5.33 NBR70	234,32	5,33		6920	374	30	270	300	720	750
OR 240.67x5.33 NBR70	240,67	5,33		6945	375	30	270	300	720	750
OR 247.02x5.33 NBR70	247,02	5,33		6975	376	30	270	300	720	750
OR 253.37x5.33 NBR70	253,37	5,33		6995	377	30	270	300	720	750
OR 266.07x5.33 NBR70	266,07	5,33		61050	378	30	270	300	720	750
OR 278.77x5.33 NBR70	278,77	5,33		61100	379	30	270	300	720	750
OR 291.47x5.33 NBR70	291,47	5,33		61150	380	30	270	300	720	750
OR 304.17x5.33 NBR70	304,17	5,33		61200	381	30	270	300	720	750
OR 329.57x5.33 NBR70	329,57	5,33		61300	382	30	270	300	720	750
OR 354.97x5.33 NBR70	354,97	5,33		61400	383	20	180	200	480	500
OR 380.37x5.33 NBR70	380,37	5,33		61500	384	20	180	200	480	500
OR 405.26x5.33 NBR70	405,26	5,33		61600	385	10	90	100	240	250
OR 430.66x5.33 NBR70	430,66	5,33		61700	386	10	90	100	240	250
OR 456.06x5.33 NBR70	456,06	5,33		61800	387	10	90	100	240	250
OR 481.41x5.33 NBR70	481,41	5,33		61900	388	5	45	50	120	125

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 506.81x5.33 NBR70	506,81	5,33		62000	389	5	45	50	120	125
OR 532.21x5.33 NBR70	532,21	5,33		62100	390	5	45	50	120	125
OR 557.61x5.33 NBR70	557,61	5,33		62200	391	5	45	50	120	125
OR 582.68x5.33 NBR70	582,68	5,33		62300	392	5	45	50	120	125
OR 608.08x5.33 NBR70	608,08	5,33		62400	393	5	45	50	120	125
OR 633.48x5.33 NBR70	633,48	5,33		62500	394	5	45	50	120	125
OR 658.88x5.33 NBR70	658,88	5,33		62600	395	5	45	50	120	125
OR 44.20x5.70 NBR70	44,20	5,70				250	2.250	2.500	6.000	6.250
OR 44.30x5.70 NBR70	44,30	5,70				250	2.250	2.500	6.000	6.250
OR 45.30x5.70 NBR70	45,30	5,70				250	2.250	2.500	6.000	6.250
OR 47.60x5.70 NBR70	47,60	5,70		P48A		250	2.250	2.500	6.000	6.250
OR 49.20x5.70 NBR70	49,20	5,70				250	2.250	2.500	6.000	6.250
OR 49.30x5.70 NBR70	49,30	5,70				250	2.250	2.500	6.000	6.250
OR 49.60x5.70 NBR70	49,60	5,70		P50A		250	2.250	2.500	6.000	6.250
OR 51.60x5.70 NBR70	51,60	5,70		P52		250	2.250	2.500	6.000	6.250
OR 52.30x5.70 NBR70	52,30	5,70				250	2.250	2.500	6.000	6.250
OR 52.50x5.70 NBR70	52,50	5,70		DIN		250	2.250	2.500	6.000	6.250
OR 52.60x5.70 NBR70	52,60	5,70		P53		250	2.250	2.500	6.000	6.250
OR 54.20x5.70 NBR70	54,20	5,70				250	2.250	2.500	6.000	6.250
OR 54.30x5.70 NBR70	54,30	5,70				250	2.250	2.500	6.000	6.250
OR 54.60x5.70 NBR70	54,60	5,70		P55		150	1.350	1.500	3.600	3.750
OR 55.30x5.70 NBR70	55,30	5,70				150	1.350	1.500	3.600	3.750
OR 55.60x5.70 NBR70	55,60	5,70		P56		150	1.350	1.500	3.600	3.750
OR 57.60x5.70 NBR70	57,60	5,70		P58		150	1.350	1.500	3.600	3.750
OR 59.20x5.70 NBR70	59,20	5,70				150	1.350	1.500	3.600	3.750
OR 59.30x5.70 NBR70	59,30	5,70				150	1.350	1.500	3.600	3.750
OR 59.60x5.70 NBR70	59,60	5,70		P60		150	1.350	1.500	3.600	3.750
OR 59.70x5.70 NBR70	59,70	5,70		DIN		150	1.350	1.500	3.600	3.750
OR 61.60x5.70 NBR70	61,60	5,70		P62		150	1.350	1.500	3.600	3.750
OR 62.00x5.70 NBR70	62,00	5,70		DIN		150	1.350	1.500	3.600	3.750
OR 62.30x5.70 NBR70	62,30	5,70				150	1.350	1.500	3.600	3.750
OR 62.60x5.70 NBR70	62,60	5,70		P63		150	1.350	1.500	3.600	3.750
OR 64.00x5.70 NBR70	64,00	5,70		DIN		150	1.350	1.500	3.600	3.750
OR 64.20x5.70 NBR70	64,20	5,70				150	1.350	1.500	3.600	3.750
OR 64.30x5.70 NBR70	64,30	5,70				150	1.350	1.500	3.600	3.750
OR 64.60x5.70 NBR70	64,60	5,70		P65		150	1.350	1.500	3.600	3.750
OR 66.60x5.70 NBR70	66,60	5,70		P67		150	1.350	1.500	3.600	3.750
OR 69.00x5.70 NBR70	69,00	5,70		DIN		150	1.350	1.500	3.600	3.750
OR 69.20x5.70 NBR70	69,20	5,70				150	1.350	1.500	3.600	3.750
OR 69.30x5.70 NBR70	69,30	5,70				150	1.350	1.500	3.600	3.750
OR 69.60x5.70 NBR70	69,60	5,70		P70		150	1.350	1.500	3.600	3.750
OR 70.60x5.70 NBR70	70,60	5,70		P71		150	1.350	1.500	3.600	3.750
OR 74.00x5.70 NBR70	74,00	5,70		DIN		150	1.350	1.500	3.600	3.750
OR 74.20x5.70 NBR70	74,20	5,70				150	1.350	1.500	3.600	3.750
OR 74.30x5.70 NBR70	74,30	5,70				150	1.350	1.500	3.600	3.750
OR 74.60x5.70 NBR70	74,60	5,70		P75		150	1.350	1.500	3.600	3.750
OR 79.00x5.70 NBR70	79,00	5,70		DIN		150	1.350	1.500	3.600	3.750

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 79.20x5.70 NBR70	79,20	5,70				150	1.350	1.500	3.600	3.750
OR 79.30x5.70 NBR70	79,30	5,70				150	1.350	1.500	3.600	3.750
OR 79.60x5.70 NBR70	79,60	5,70		P80		150	1.350	1.500	3.600	3.750
OR 84.00x5.70 NBR70	84,00	5,70		DIN		100	900	1.000	2.400	2.500
OR 84.10x5.70 NBR70	84,10	5,70				100	900	1.000	2.400	2.500
OR 84.30x5.70 NBR70	84,30	5,70				100	900	1.000	2.400	2.500
OR 84.60x5.70 NBR70	84,60	5,70		P85		100	900	1.000	2.400	2.500
OR 89.00x5.70 NBR70	89,00	5,70		DIN		100	900	1.000	2.400	2.500
OR 89.10x5.70 NBR70	89,10	5,70				100	900	1.000	2.400	2.500
OR 89.30x5.70 NBR70	89,30	5,70				100	900	1.000	2.400	2.500
OR 89.60x5.70 NBR70	89,60	5,70		P90		100	900	1.000	2.400	2.500
OR 94.00x5.70 NBR70	94,00	5,70		DIN		100	900	1.000	2.400	2.500
OR 94.10x5.70 NBR70	94,10	5,70				100	900	1.000	2.400	2.500
OR 94.30x5.70 NBR70	94,30	5,70				100	900	1.000	2.400	2.500
OR 94.60x5.70 NBR70	94,60	5,70		P95		100	900	1.000	2.400	2.500
OR 99.00x5.70 NBR70	99,00	5,70		DIN		100	900	1.000	2.400	2.500
OR 99.10x5.70 NBR70	99,10	5,70				100	900	1.000	2.400	2.500
OR 99.30x5.70 NBR70	99,30	5,70				100	900	1.000	2.400	2.500
OR 99.60x5.70 NBR70	99,60	5,70		P100		100	900	1.000	2.400	2.500
OR 101.60x5.70 NBR70	101,60	5,70		P102		100	900	1.000	2.400	2.500
OR 104.00x5.70 NBR70	104,00	5,70		DIN		100	900	1.000	2.400	2.500
OR 104.10x5.70 NBR70	104,10	5,70				100	900	1.000	2.400	2.500
OR 104.30x5.70 NBR70	104,30	5,70				100	900	1.000	2.400	2.500
OR 104.60x5.70 NBR70	104,60	5,70		P105		100	900	1.000	2.400	2.500
OR 109.00x5.70 NBR70	109,00	5,70		DIN		100	900	1.000	2.400	2.500
OR 109.10x5.70 NBR70	109,10	5,70				100	900	1.000	2.400	2.500
OR 109.30x5.70 NBR70	109,30	5,70				100	900	1.000	2.400	2.500
OR 109.60x5.70 NBR70	109,60	5,70		P110		100	900	1.000	2.400	2.500
OR 111.60x5.70 NBR70	111,60	5,70		P112		100	900	1.000	2.400	2.500
OR 114.00x5.70 NBR70	114,00	5,70		DIN		100	900	1.000	2.400	2.500
OR 114.30x5.70 NBR70	114,30	5,70				100	900	1.000	2.400	2.500
OR 114.60x5.70 NBR70	114,60	5,70		P115		100	900	1.000	2.400	2.500
OR 119.00x5.70 NBR70	119,00	5,70		DIN		100	900	1.000	2.400	2.500
OR 119.30x5.70 NBR70	119,30	5,70				100	900	1.000	2.400	2.500
OR 119.60x5.70 NBR70	119,60	5,70		P120		100	900	1.000	2.400	2.500
OR 124.00x5.70 NBR70	124,00	5,70		DIN		100	900	1.000	2.400	2.500
OR 124.30x5.70 NBR70	124,30	5,70				100	900	1.000	2.400	2.500
OR 124.60x5.70 NBR70	124,60	5,70		P125		100	900	1.000	2.400	2.500
OR 129.30x5.70 NBR70	129,30	5,70				100	900	1.000	2.400	2.500
OR 129.60x5.70 NBR70	129,60	5,70		P130		50	450	500	1.200	1.250
OR 131.60x5.70 NBR70	131,60	5,70		P132		50	450	500	1.200	1.250
OR 134.30x5.70 NBR70	134,30	5,70				50	450	500	1.200	1.250
OR 134.60x5.70 NBR70	134,60	5,70		P135		50	450	500	1.200	1.250
OR 139.30x5.70 NBR70	139,30	5,70				50	450	500	1.200	1.250
OR 139.60x5.70 NBR70	139,60	5,70		P140		50	450	500	1.200	1.250
OR 144.30x5.70 NBR70	144,30	5,70				50	450	500	1.200	1.250
OR 144.60x5.70 NBR70	144,60	5,70		P145		50	450	500	1.200	1.250

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 149.30x5.70 NBR70	149,30	5,70		G150		50	450	500	1.200	1.250
OR 149.60x5.70 NBR70	149,60	5,70		P150		50	450	500	1.200	1.250
OR 154.30x5.70 NBR70	154,30	5,70		G155		50	450	500	1.200	1.250
OR 159.30x5.70 NBR70	159,30	5,70		G160		50	450	500	1.200	1.250
OR 164.30x5.70 NBR70	164,30	5,70		G165		50	450	500	1.200	1.250
OR 169.30x5.70 NBR70	169,30	5,70		G170		50	450	500	1.200	1.250
OR 174.30x5.70 NBR70	174,30	5,70		G175		50	450	500	1.200	1.250
OR 179.30x5.70 NBR70	179,30	5,70		G180		50	450	500	1.200	1.250
OR 184.30x5.70 NBR70	184,30	5,70		G185		50	450	500	1.200	1.250
OR 189.30x5.70 NBR70	189,30	5,70		G190		30	270	300	720	750
OR 194.30x5.70 NBR70	194,30	5,70		G195		30	270	300	720	750
OR 199.30x5.70 NBR70	199,30	5,70		G200		30	270	300	720	750
OR 209.30x5.70 NBR70	209,30	5,70		G210		30	270	300	720	750
OR 219.30x5.70 NBR70	219,30	5,70		G220		30	270	300	720	750
OR 229.30x5.70 NBR70	229,30	5,70		G230		30	270	300	720	750
OR 239.30x5.70 NBR70	239,30	5,70		G240		30	270	300	720	750
OR 249.30x5.70 NBR70	249,30	5,70		G250		30	270	300	720	750
OR 259.30x5.70 NBR70	259,30	5,70		G260		30	270	300	720	750
OR 269.30x5.70 NBR70	269,30	5,70		G270		30	270	300	720	750
OR 279.30x5.70 NBR70	279,30	5,70		G280		30	270	300	720	750
OR 289.30x5.70 NBR70	289,30	5,70		G290		30	270	300	720	750
OR 299.30x5.70 NBR70	299,30	5,70		G706		30	270	300	720	750
OR 319.30x5.70 NBR70	319,30	5,70				30	270	300	720	750
OR 329.30x5.70 NBR70	329,30	5,70				20	180	200	480	500
OR 339.30x5.70 NBR70	339,30	5,70				20	180	200	480	500
OR 359.30x5.70 NBR70	359,30	5,70				20	180	200	480	500
OR 379.30x5.70 NBR70	379,30	5,70				20	180	200	480	500
OR 399.30x5.70 NBR70	399,30	5,70				20	180	200	480	500
OR 419.30x5.70 NBR70	419,30	5,70				10	90	100	240	250
OR 439.30x5.70 NBR70	439,30	5,70				10	90	100	240	250
OR 459.30x5.70 NBR70	459,30	5,70				10	90	100	240	250
OR 479.30x5.70 NBR70	479,30	5,70				5	45	50	120	125
OR 499.30x5.70 NBR70	499,30	5,70				5	45	50	120	125
OR 6.00x6.00 NBR70	6,00	6,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 7.00x6.00 NBR70	7,00	6,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 9.00x6.00 NBR70	9,00	6,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 10.00x6.00 NBR70	10,00	6,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 11.00x6.00 NBR70	11,00	6,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 12.00x6.00 NBR70	12,00	6,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 13.00x6.00 NBR70	13,00	6,00		DIN		1.000	9.000	10.000	24.000	25.000
OR 14.00x6.00 NBR70	14,00	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 15.00x6.00 NBR70	15,00	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 16.00x6.00 NBR70	16,00	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 18.00x6.00 NBR70	18,00	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 19.00x6.00 NBR70	19,00	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 19.50x6.00 NBR70	19,50	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 20.00x6.00 NBR70	20,00	6,00		DIN		500	4.500	5.000	12.000	12.500

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 21.00x6.00 NBR70	21,00	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 22.00x6.00 NBR70	22,00	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 23.00x6.00 NBR70	23,00	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 23.50x6.00 NBR70	23,50	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 24.00x6.00 NBR70	24,00	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 25.00x6.00 NBR70	25,00	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 26.00x6.00 NBR70	26,00	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 27.00x6.00 NBR70	27,00	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 28.00x6.00 NBR70	28,00	6,00		DIN		500	4.500	5.000	12.000	12.500
OR 29.00x6.00 NBR70	29,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 30.00x6.00 NBR70	30,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 31.00x6.00 NBR70	31,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 32.00x6.00 NBR70	32,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 33.00x6.00 NBR70	33,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 34.00x6.00 NBR70	34,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 35.00x6.00 NBR70	35,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 36.00x6.00 NBR70	36,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 37.00x6.00 NBR70	37,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 38.00x6.00 NBR70	38,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 39.00x6.00 NBR70	39,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 39.50x6.00 NBR70	39,50	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 40.00x6.00 NBR70	40,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 41.00x6.00 NBR70	41,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 41.50x6.00 NBR70	41,50	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 42.00x6.00 NBR70	42,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 43.00x6.00 NBR70	43,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 44.00x6.00 NBR70	44,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 44.50x6.00 NBR70	44,50	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 45.00x6.00 NBR70	45,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 46.00x6.00 NBR70	46,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 47.00x6.00 NBR70	47,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 48.00x6.00 NBR70	48,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 49.00x6.00 NBR70	49,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 50.00x6.00 NBR70	50,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 51.00x6.00 NBR70	51,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 52.00x6.00 NBR70	52,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 53.00x6.00 NBR70	53,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 54.00x6.00 NBR70	54,00	6,00		DIN		250	2.250	2.500	6.000	6.250
OR 55.00x6.00 NBR70	55,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 56.00x6.00 NBR70	56,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 57.00x6.00 NBR70	57,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 58.00x6.00 NBR70	58,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 59.50x6.00 NBR70	59,50	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 60.00x6.00 NBR70	60,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 61.00x6.00 NBR70	61,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 62.00x6.00 NBR70	62,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 63.00x6.00 NBR70	63,00	6,00		DIN		150	1.350	1.500	3.600	3.750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 64.00x6.00 NBR70	64,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 65.00x6.00 NBR70	65,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 66.00x6.00 NBR70	66,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 67.00x6.00 NBR70	67,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 68.00x6.00 NBR70	68,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 69.00x6.00 NBR70	69,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 70.00x6.00 NBR70	70,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 72.00x6.00 NBR70	72,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 73.00x6.00 NBR70	73,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 74.00x6.00 NBR70	74,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 75.00x6.00 NBR70	75,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 76.00x6.00 NBR70	76,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 78.00x6.00 NBR70	78,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 78.50x6.00 NBR70	78,50	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 79.00x6.00 NBR70	79,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 80.00x6.00 NBR70	80,00	6,00		DIN		150	1.350	1.500	3.600	3.750
OR 81.00x6.00 NBR70	81,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 81.50x6.00 NBR70	81,50	6,00		DIN		100	900	1.000	2.400	2.500
OR 84.00x6.00 NBR70	84,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 85.00x6.00 NBR70	85,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 86.00x6.00 NBR70	86,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 88.00x6.00 NBR70	88,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 90.00x6.00 NBR70	90,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 92.00x6.00 NBR70	92,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 93.00x6.00 NBR70	93,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 95.00x6.00 NBR70	95,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 96.00x6.00 NBR70	96,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 98.00x6.00 NBR70	98,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 99.00x6.00 NBR70	99,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 100.00x6.00 NBR70	100,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 101.00x6.00 NBR70	101,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 103.00x6.00 NBR70	103,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 104.00x6.00 NBR70	104,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 104.50x6.00 NBR70	104,50	6,00		DIN		100	900	1.000	2.400	2.500
OR 105.00x6.00 NBR70	105,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 106.00x6.00 NBR70	106,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 108.00x6.00 NBR70	108,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 110.00x6.00 NBR70	110,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 111.00x6.00 NBR70	111,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 112.00x6.00 NBR70	112,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 114.00x6.00 NBR70	114,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 115.00x6.00 NBR70	115,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 118.00x6.00 NBR70	118,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 120.00x6.00 NBR70	120,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 122.00x6.00 NBR70	122,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 123.00x6.00 NBR70	123,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 124.00x6.00 NBR70	124,00	6,00		DIN		100	900	1.000	2.400	2.500

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 125.00x6.00 NBR70	125,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 128.00x6.00 NBR70	128,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 130.00x6.00 NBR70	130,00	6,00		DIN		100	900	1.000	2.400	2.500
OR 132.00x6.00 NBR70	132,00	6,00		DIN		50	450	500	1.200	1.250
OR 134.00x6.00 NBR70	134,00	6,00		DIN		50	450	500	1.200	1.250
OR 135.00x6.00 NBR70	135,00	6,00		DIN		50	450	500	1.200	1.250
OR 136.00x6.00 NBR70	136,00	6,00		DIN		50	450	500	1.200	1.250
OR 138.00x6.00 NBR70	138,00	6,00		DIN		50	450	500	1.200	1.250
OR 139.20x6.00 NBR70	139,20	6,00		DIN		50	450	500	1.200	1.250
OR 140.00x6.00 NBR70	140,00	6,00		DIN		50	450	500	1.200	1.250
OR 142.00x6.00 NBR70	142,00	6,00		DIN		50	450	500	1.200	1.250
OR 145.00x6.00 NBR70	145,00	6,00		DIN		50	450	500	1.200	1.250
OR 146.00x6.00 NBR70	146,00	6,00		DIN		50	450	500	1.200	1.250
OR 148.00x6.00 NBR70	148,00	6,00		DIN		50	450	500	1.200	1.250
OR 150.00x6.00 NBR70	150,00	6,00		DIN		50	450	500	1.200	1.250
OR 153.00x6.00 NBR70	153,00	6,00		DIN		50	450	500	1.200	1.250
OR 154.00x6.00 NBR70	154,00	6,00		DIN		50	450	500	1.200	1.250
OR 155.00x6.00 NBR70	155,00	6,00		DIN		50	450	500	1.200	1.250
OR 155.50x6.00 NBR70	155,50	6,00		DIN		50	450	500	1.200	1.250
OR 156.00x6.00 NBR70	156,00	6,00		DIN		50	450	500	1.200	1.250
OR 157.00x6.00 NBR70	157,00	6,00		DIN		50	450	500	1.200	1.250
OR 158.00x6.00 NBR70	158,00	6,00		DIN		50	450	500	1.200	1.250
OR 159.00x6.00 NBR70	159,00	6,00		DIN		50	450	500	1.200	1.250
OR 160.00x6.00 NBR70	160,00	6,00		DIN		50	450	500	1.200	1.250
OR 162.00x6.00 NBR70	162,00	6,00		DIN		50	450	500	1.200	1.250
OR 165.00x6.00 NBR70	165,00	6,00		DIN		50	450	500	1.200	1.250
OR 166.00x6.00 NBR70	166,00	6,00		DIN		50	450	500	1.200	1.250
OR 169.00x6.00 NBR70	169,00	6,00		DIN		50	450	500	1.200	1.250
OR 170.00x6.00 NBR70	170,00	6,00		DIN		50	450	500	1.200	1.250
OR 172.00x6.00 NBR70	172,00	6,00		DIN		50	450	500	1.200	1.250
OR 175.00x6.00 NBR70	175,00	6,00		DIN		50	450	500	1.200	1.250
OR 176.00x6.00 NBR70	176,00	6,00		DIN		50	450	500	1.200	1.250
OR 180.00x6.00 NBR70	180,00	6,00		DIN		50	450	500	1.200	1.250
OR 182.00x6.00 NBR70	182,00	6,00		DIN		50	450	500	1.200	1.250
OR 184.00x6.00 NBR70	184,00	6,00		DIN		50	450	500	1.200	1.250
OR 185.00x6.00 NBR70	185,00	6,00		DIN		50	450	500	1.200	1.250
OR 188.00x6.00 NBR70	188,00	6,00		DIN		30	270	300	720	750
OR 190.00x6.00 NBR70	190,00	6,00		DIN		30	270	300	720	750
OR 191.20x6.00 NBR70	191,20	6,00		DIN		30	270	300	720	750
OR 193.00x6.00 NBR70	193,00	6,00		DIN		30	270	300	720	750
OR 195.00x6.00 NBR70	195,00	6,00		DIN		30	270	300	720	750
OR 196.00x6.00 NBR70	196,00	6,00		DIN		30	270	300	720	750
OR 198.00x6.00 NBR70	198,00	6,00		DIN		30	270	300	720	750
OR 200.00x6.00 NBR70	200,00	6,00		DIN		30	270	300	720	750
OR 201.00x6.00 NBR70	201,00	6,00		DIN		30	270	300	720	750
OR 202.00x6.00 NBR70	202,00	6,00		DIN		30	270	300	720	750
OR 203.00x6.00 NBR70	203,00	6,00		DIN		30	270	300	720	750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 203.50x6.00 NBR70	203,50	6,00		DIN		30	270	300	720	750
OR 204.00x6.00 NBR70	204,00	6,00		DIN		30	270	300	720	750
OR 205.00x6.00 NBR70	205,00	6,00		DIN		30	270	300	720	750
OR 208.00x6.00 NBR70	208,00	6,00		DIN		30	270	300	720	750
OR 210.00x6.00 NBR70	210,00	6,00		DIN		30	270	300	720	750
OR 212.00x6.00 NBR70	212,00	6,00		DIN		30	270	300	720	750
OR 215.00x6.00 NBR70	215,00	6,00		DIN		30	270	300	720	750
OR 216.00x6.00 NBR70	216,00	6,00		DIN		30	270	300	720	750
OR 217.00x6.00 NBR70	217,00	6,00		DIN		30	270	300	720	750
OR 218.00x6.00 NBR70	218,00	6,00		DIN		30	270	300	720	750
OR 220.00x6.00 NBR70	220,00	6,00		DIN		30	270	300	720	750
OR 221.00x6.00 NBR70	221,00	6,00		DIN		30	270	300	720	750
OR 225.00x6.00 NBR70	225,00	6,00		DIN		30	270	300	720	750
OR 226.00x6.00 NBR70	226,00	6,00		DIN		30	270	300	720	750
OR 229.00x6.00 NBR70	229,00	6,00		DIN		30	270	300	720	750
OR 230.00x6.00 NBR70	230,00	6,00		DIN		30	270	300	720	750
OR 235.00x6.00 NBR70	235,00	6,00		DIN		30	270	300	720	750
OR 236.00x6.00 NBR70	236,00	6,00		DIN		30	270	300	720	750
OR 237.00x6.00 NBR70	237,00	6,00		DIN		30	270	300	720	750
OR 237.50x6.00 NBR70	237,50	6,00		DIN		30	270	300	720	750
OR 238.00x6.00 NBR70	238,00	6,00		DIN		30	270	300	720	750
OR 240.00x6.00 NBR70	240,00	6,00		DIN		30	270	300	720	750
OR 242.00x6.00 NBR70	242,00	6,00		DIN		30	270	300	720	750
OR 244.00x6.00 NBR70	244,00	6,00		DIN		30	270	300	720	750
OR 247.00x6.00 NBR70	247,00	6,00		DIN		30	270	300	720	750
OR 249.00x6.00 NBR70	249,00	6,00		DIN		30	270	300	720	750
OR 250.00x6.00 NBR70	250,00	6,00		DIN		30	270	300	720	750
OR 258.00x6.00 NBR70	258,00	6,00		DIN		30	270	300	720	750
OR 259.00x6.00 NBR70	259,00	6,00		DIN		30	270	300	720	750
OR 260.00x6.00 NBR70	260,00	6,00		DIN		30	270	300	720	750
OR 262.00x6.00 NBR70	262,00	6,00		DIN		30	270	300	720	750
OR 265.00x6.00 NBR70	265,00	6,00		DIN		30	270	300	720	750
OR 266.00x6.00 NBR70	266,00	6,00		DIN		30	270	300	720	750
OR 270.00x6.00 NBR70	270,00	6,00		DIN		30	270	300	720	750
OR 278.00x6.00 NBR70	278,00	6,00		DIN		30	270	300	720	750
OR 280.00x6.00 NBR70	280,00	6,00		DIN		30	270	300	720	750
OR 284.00x6.00 NBR70	284,00	6,00		DIN		30	270	300	720	750
OR 285.00x6.00 NBR70	285,00	6,00		DIN		30	270	300	720	750
OR 288.00x6.00 NBR70	288,00	6,00		DIN		30	270	300	720	750
OR 290.00x6.00 NBR70	290,00	6,00		DIN		30	270	300	720	750
OR 294.00x6.00 NBR70	294,00	6,00		DIN		30	270	300	720	750
OR 295.00x6.00 NBR70	295,00	6,00		DIN		30	270	300	720	750
OR 300.00x6.00 NBR70	300,00	6,00		DIN		30	270	300	720	750
OR 305.00x6.00 NBR70	305,00	6,00		DIN		30	270	300	720	750
OR 310.00x6.00 NBR70	310,00	6,00		DIN		30	270	300	720	750
OR 315.00x6.00 NBR70	315,00	6,00		DIN		30	270	300	720	750
OR 320.00x6.00 NBR70	320,00	6,00		DIN		30	270	300	720	750

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 325.00x6.00 NBR70	325,00	6,00		DIN		20	180	200	480	500
OR 330.00x6.00 NBR70	330,00	6,00		DIN		20	180	200	480	500
OR 335.00x6.00 NBR70	335,00	6,00		DIN		20	180	200	480	500
OR 338.00x6.00 NBR70	338,00	6,00		DIN		20	180	200	480	500
OR 340.00x6.00 NBR70	340,00	6,00		DIN		20	180	200	480	500
OR 345.00x6.00 NBR70	345,00	6,00		DIN		20	180	200	480	500
OR 348.00x6.00 NBR70	348,00	6,00		DIN		20	180	200	480	500
OR 350.00x6.00 NBR70	350,00	6,00		DIN		20	180	200	480	500
OR 355.00x6.00 NBR70	355,00	6,00		DIN		20	180	200	480	500
OR 358.00x6.00 NBR70	358,00	6,00		DIN		20	180	200	480	500
OR 360.00x6.00 NBR70	360,00	6,00		DIN		20	180	200	480	500
OR 365.00x6.00 NBR70	365,00	6,00		DIN		20	180	200	480	500
OR 368.00x6.00 NBR70	368,00	6,00		DIN		20	180	200	480	500
OR 370.00x6.00 NBR70	370,00	6,00		DIN		20	180	200	480	500
OR 375.00x6.00 NBR70	375,00	6,00		DIN		20	180	200	480	500
OR 376.00x6.00 NBR70	376,00	6,00		DIN		20	180	200	480	500
OR 380.00x6.00 NBR70	380,00	6,00		DIN		20	180	200	480	500
OR 385.00x6.00 NBR70	385,00	6,00		DIN		20	180	200	480	500
OR 386.00x6.00 NBR70	386,00	6,00		DIN		20	180	200	480	500
OR 388.00x6.00 NBR70	388,00	6,00		DIN		20	180	200	480	500
OR 389.00x6.00 NBR70	389,00	6,00		DIN		20	180	200	480	500
OR 390.00x6.00 NBR70	390,00	6,00		DIN		20	180	200	480	500
OR 392.00x6.00 NBR70	392,00	6,00		DIN		20	180	200	480	500
OR 394.00x6.00 NBR70	394,00	6,00		DIN		20	180	200	480	500
OR 395.00x6.00 NBR70	395,00	6,00		DIN		20	180	200	480	500
OR 398.00x6.00 NBR70	398,00	6,00		DIN		20	180	200	480	500
OR 400.00x6.00 NBR70	400,00	6,00		DIN		20	180	200	480	500
OR 415.00x6.00 NBR70	415,00	6,00		DIN		10	90	100	240	250
OR 422.00x6.00 NBR70	422,00	6,00		DIN		10	90	100	240	250
OR 429.00x6.00 NBR70	429,00	6,00		DIN		10	90	100	240	250
OR 446.00x6.00 NBR70	446,00	6,00		DIN		10	90	100	240	250
OR 448.00x6.00 NBR70	448,00	6,00		DIN		10	90	100	240	250
OR 450.00x6.00 NBR70	450,00	6,00		DIN		10	90	100	240	250
OR 470.00x6.00 NBR70	470,00	6,00		DIN		5	45	50	120	125
OR 478.00x6.00 NBR70	478,00	6,00		DIN		5	45	50	120	125
OR 480.00x6.00 NBR70	480,00	6,00		DIN		5	45	50	120	125
OR 486.00x6.00 NBR70	486,00	6,00		DIN		5	45	50	120	125
OR 489.00x6.00 NBR70	489,00	6,00		DIN		5	45	50	120	125
OR 500.00x6.00 NBR70	500,00	6,00		DIN		5	45	50	120	125
OR 504.00x6.00 NBR70	504,00	6,00		DIN		5	45	50	120	125
OR 505.00x6.00 NBR70	505,00	6,00		DIN		5	45	50	120	125
OR 508.00x6.00 NBR70	508,00	6,00		DIN		5	45	50	120	125
OR 510.00x6.00 NBR70	510,00	6,00		DIN		5	45	50	120	125
OR 516.00x6.00 NBR70	516,00	6,00		DIN		5	45	50	120	125
OR 530.00x6.00 NBR70	530,00	6,00		DIN		5	45	50	120	125
OR 540.00x6.00 NBR70	540,00	6,00		DIN		5	45	50	120	125
OR 544.00x6.00 NBR70	544,00	6,00		DIN		5	45	50	120	125

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 549.00x6.00 NBR70	549,00	6,00		DIN		5	45	50	120	125
OR 555.00x6.00 NBR70	555,00	6,00		DIN		5	45	50	120	125
OR 560.00x6.00 NBR70	560,00	6,00		DIN		5	45	50	120	125
OR 569.00x6.00 NBR70	569,00	6,00		DIN		5	45	50	120	125
OR 575.00x6.00 NBR70	575,00	6,00		DIN		5	45	50	120	125
OR 579.00x6.00 NBR70	579,00	6,00		DIN		5	45	50	120	125
OR 113.67x6.99 NBR70	113,67	6,99	R53	8450	425	100	900	1.000	2.400	2.500
OR 114.70x6.99 NBR70	114,70	6,99		197	624	100	900	1.000	2.400	2.500
OR 116.84x6.99 NBR70	116,84	6,99	R54	8462	426	100	900	1.000	2.400	2.500
OR 120.02x6.99 NBR70	120,02	6,99	R55	8475	427	100	900	1.000	2.400	2.500
OR 123.19x6.99 NBR70	123,19	6,99	R56	8487	428	50	450	500	1.200	1.250
OR 124.60x6.99 NBR70	124,60	6,99		204	625	50	450	500	1.200	1.250
OR 126.37x6.99 NBR70	126,37	6,99	R57	8500	429	50	450	500	1.200	1.250
OR 129.54x6.99 NBR70	129,54	6,99	R58	8512	430	50	450	500	1.200	1.250
OR 132.72x6.99 NBR70	132,72	6,99	R59	8525	431	50	450	500	1.200	1.250
OR 134.50x6.99 NBR70	134,50	6,99		211	626	50	450	500	1.200	1.250
OR 135.89x6.99 NBR70	135,89	6,99	R60	8537	432	50	450	500	1.200	1.250
OR 139.07x6.99 NBR70	139,07	6,99	R61	8550	433	50	450	500	1.200	1.250
OR 142.24x6.99 NBR70	142,24	6,99	R62	8562	434	50	450	500	1.200	1.250
OR 145.42x6.99 NBR70	145,42	6,99	R63	8575	435	50	450	500	1.200	1.250
OR 148.59x6.99 NBR70	148,59	6,99	R64	8587	436	50	450	500	1.200	1.250
OR 151.77x6.99 NBR70	151,77	6,99	R65	8600	437	50	450	500	1.200	1.250
OR 155.60x6.99 NBR70	155,60	6,99		223	872	50	450	500	1.200	1.250
OR 158.12x6.99 NBR70	158,12	6,99	R66	8625	438	50	450	500	1.200	1.250
OR 159.50x6.99 NBR70	159,50	6,99		225	627	50	450	500	1.200	1.250
OR 161.90x6.99 NBR70	161,90	6,99		226	874	50	450	500	1.200	1.250
OR 164.47x6.99 NBR70	164,47	6,99	R67	8650	439	50	450	500	1.200	1.250
OR 166.70x6.99 NBR70	166,70	6,99		228	628	50	450	500	1.200	1.250
OR 168.30x6.99 NBR70	168,30	6,99		229	876	50	450	500	1.200	1.250
OR 170.82x6.99 NBR70	170,82	6,99	R68	8675	440	50	450	500	1.200	1.250
OR 174.60x6.99 NBR70	174,60	6,99		231	878	50	450	500	1.200	1.250
OR 177.17x6.99 NBR70	177,17	6,99	R69	8700	441	50	450	500	1.200	1.250
OR 181.00x6.99 NBR70	181,00	6,99		233	880	30	270	300	720	750
OR 183.52x6.99 NBR70	183,52	6,99	R70	8725	442	30	270	300	720	750
OR 187.30x6.99 NBR70	187,30	6,99		235	882	30	270	300	720	750
OR 189.87x6.99 NBR70	189,87	6,99	R71	8750	443	30	270	300	720	750
OR 193.70x6.99 NBR70	193,70	6,99		237	884	30	270	300	720	750
OR 196.22x6.99 NBR70	196,22	6,99	R72	8775	444	30	270	300	720	750
OR 200.00x6.99 NBR70	200,00	6,99		239	886	30	270	300	720	750
OR 202.57x6.99 NBR70	202,57	6,99	R73	8800	445	30	270	300	720	750
OR 208.92x6.99 NBR70	208,92	6,99		8825	674	30	270	300	720	750
OR 215.27x6.99 NBR70	215,27	6,99	R74	8850	446	30	270	300	720	750
OR 221.62x6.99 NBR70	221,62	6,99		8875	676	30	270	300	720	750
OR 227.97x6.99 NBR70	227,97	6,99	R75	8900	447	30	270	300	720	750
OR 234.32x6.99 NBR70	234,32	6,99		8925	678	30	270	300	720	750
OR 240.67x6.99 NBR70	240,67	6,99	R76	8950	448	30	270	300	720	750
OR 247.00x6.99 NBR70	247,00	6,99		8975	680	30	270	300	720	750

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 253.37x6.99 NBR70	253,37	6,99	R77	81000	449	30	270	300	720	750
OR 259.70x6.99 NBR70	259,70	6,99		81025	682	30	270	300	720	750
OR 266.07x6.99 NBR70	266,07	6,99	R78	81050	450	30	270	300	720	750
OR 272.40x6.99 NBR70	272,40	6,99		81075	684	30	270	300	720	750
OR 278.77x6.99 NBR70	278,77	6,99	R79	81100	451	30	270	300	720	750
OR 285.10x6.99 NBR70	285,10	6,99		81125	686	30	270	300	720	750
OR 291.47x6.99 NBR70	291,47	6,99	R80	81150	452	30	270	300	720	750
OR 297.80x6.99 NBR70	297,80	6,99		81175	688	30	270	300	720	750
OR 304.17x6.99 NBR70	304,17	6,99	R81	81200	453	30	270	300	720	750
OR 310.50x6.99 NBR70	310,50	6,99			648	20	180	200	480	500
OR 316.87x6.99 NBR70	316,87	6,99	R82	81250	454	20	180	200	480	500
OR 323.20x6.99 NBR70	323,20	6,99			649	20	180	200	480	500
OR 329.57x6.99 NBR70	329,57	6,99	R83	81300	455	20	180	200	480	500
OR 335.90x6.99 NBR70	335,90	6,99			650	20	180	200	480	500
OR 342.27x6.99 NBR70	342,27	6,99	R84	81350	456	20	180	200	480	500
OR 354.97x6.99 NBR70	354,97	6,99	R85	81400	457	20	180	200	480	500
OR 367.67x6.99 NBR70	367,67	6,99	R86	81450	458	20	180	200	480	500
OR 380.37x6.99 NBR70	380,37	6,99	R87	81500	459	20	180	200	480	500
OR 393.07x6.99 NBR70	393,07	6,99	R88	81550	460	20	180	200	480	500
OR 405.26x6.99 NBR70	405,26	6,99		81600	461	10	90	100	240	250
OR 417.96x6.99 NBR70	417,96	6,99		81650	462	10	90	100	240	250
OR 430.66x6.99 NBR70	430,66	6,99		81700	463	10	90	100	240	250
OR 443.36x6.99 NBR70	443,36	6,99		81750	464	5	45	50	120	125
OR 456.06x6.99 NBR70	456,06	6,99		81800	465	5	45	50	120	125
OR 468.76x6.99 NBR70	468,76	6,99		81850	466	5	45	50	120	125
OR 481.46x6.99 NBR70	481,46	6,99		81900	467	5	45	50	120	125
OR 494.16x6.99 NBR70	494,16	6,99		81950	468	5	45	50	120	125
OR 506.86x6.99 NBR70	506,86	6,99		82000	469	5	45	50	120	125
OR 532.26x6.99 NBR70	532,26	6,99		82100	470	5	45	50	120	125
OR 557.66x6.99 NBR70	557,66	6,99		82200	471	5	45	50	120	125
OR 582.68x6.99 NBR70	582,68	6,99		82300	472	5	45	50	120	125
OR 608.08x6.99 NBR70	608,08	6,99		82400	473	5	45	50	120	125
OR 633.48x6.99 NBR70	633,48	6,99		82500	474	5	45	50	120	125
OR 658.88x6.99 NBR70	658,88	6,99		82600	475	5	45	50	120	125
OR 206.00x7.00 NBR70	206,00	7,00	ISO			30	270	300	720	750
OR 212.00x7.00 NBR70	212,00	7,00	ISO			30	270	300	720	750
OR 218.00x7.00 NBR70	218,00	7,00	ISO			30	270	300	720	750
OR 224.00x7.00 NBR70	224,00	7,00	ISO			30	270	300	720	750
OR 230.00x7.00 NBR70	230,00	7,00	ISO			30	270	300	720	750
OR 236.00x7.00 NBR70	236,00	7,00	ISO			30	270	300	720	750
OR 243.00x7.00 NBR70	243,00	7,00	ISO			30	270	300	720	750
OR 250.00x7.00 NBR70	250,00	7,00	ISO			30	270	300	720	750
OR 258.00x7.00 NBR70	258,00	7,00	ISO			30	270	300	720	750
OR 265.00x7.00 NBR70	265,00	7,00	ISO			30	270	300	720	750
OR 272.00x7.00 NBR70	272,00	7,00	ISO			30	270	300	720	750
OR 280.00x7.00 NBR70	280,00	7,00	ISO			30	270	300	720	750
OR 290.00x7.00 NBR70	290,00	7,00	ISO			30	270	300	720	750

 DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 300.00x7.00 NBR70	300,00	7,00	ISO			30	270	300	720	750
OR 307.00x7.00 NBR70	307,00	7,00	ISO			20	180	200	480	500
OR 315.00x7.00 NBR70	315,00	7,00	ISO			20	180	200	480	500
OR 325.00x7.00 NBR70	325,00	7,00	ISO			20	180	200	480	500
OR 335.00x7.00 NBR70	335,00	7,00	ISO			20	180	200	480	500
OR 345.00x7.00 NBR70	345,00	7,00	ISO			20	180	200	480	500
OR 355.00x7.00 NBR70	355,00	7,00	ISO			20	180	200	480	500
OR 365.00x7.00 NBR70	365,00	7,00	ISO			20	180	200	480	500
OR 375.00x7.00 NBR70	375,00	7,00	ISO			20	180	200	480	500
OR 387.00x7.00 NBR70	387,00	7,00	ISO			20	180	200	480	500
OR 400.00x7.00 NBR70	400,00	7,00	ISO			20	180	200	480	500
OR 412.00x7.00 NBR70	412,00	7,00	ISO			10	90	100	240	250
OR 425.00x7.00 NBR70	425,00	7,00	ISO			10	90	100	240	250
OR 437.00x7.00 NBR70	437,00	7,00	ISO			10	90	100	240	250
OR 450.00x7.00 NBR70	450,00	7,00	ISO			5	45	50	120	125
OR 457.20x7.00 NBR70	457,20	7,00		DIN		5	45	50	120	125
OR 462.00x7.00 NBR70	462,00	7,00	ISO			5	45	50	120	125
OR 475.00x7.00 NBR70	475,00	7,00	ISO			5	45	50	120	125
OR 487.00x7.00 NBR70	487,00	7,00	ISO			5	45	50	120	125
OR 494.67x7.00 NBR70	494,67	7,00		DIN		5	45	50	120	125
OR 500.00x7.00 NBR70	500,00	7,00	ISO			5	45	50	120	125
OR 515.00x7.00 NBR70	515,00	7,00	ISO			5	45	50	120	125
OR 530.00x7.00 NBR70	530,00	7,00	ISO			5	45	50	120	125
OR 545.00x7.00 NBR70	545,00	7,00	ISO			5	45	50	120	125
OR 545.47x7.00 NBR70	545,47	7,00		DIN		5	45	50	120	125
OR 560.00x7.00 NBR70	560,00	7,00	ISO			5	45	50	120	125
OR 580.00x7.00 NBR70	580,00	7,00	ISO			5	45	50	120	125
OR 596.27x7.00 NBR70	596,27	7,00		DIN		5	45	50	120	125
OR 600.00x7.00 NBR70	600,00	7,00	ISO			5	45	50	120	125
OR 615.00x7.00 NBR70	615,00	7,00	ISO			5	45	50	120	125
OR 630.00x7.00 NBR70	630,00	7,00	ISO			5	45	50	120	125
OR 647.07x7.00 NBR70	647,07	7,00		DIN		5	45	50	120	125
OR 650.00x7.00 NBR70	650,00	7,00	ISO			5	45	50	120	125
OR 670.00x7.00 NBR70	670,00	7,00	ISO			5	45	50	120	125
OR 144.10x8.40 NBR70	144,10	8,40				30	270	300	720	750
OR 149.10x8.40 NBR70	149,10	8,40				30	270	300	720	750
OR 149.50x8.40 NBR70	149,50	8,40		P150A		30	270	300	720	750
OR 154.10x8.40 NBR70	154,10	8,40				30	270	300	720	750
OR 154.50x8.40 NBR70	154,50	8,40		P155		30	270	300	720	750
OR 159.10x8.40 NBR70	159,10	8,40				30	270	300	720	750
OR 159.50x8.40 NBR70	159,50	8,40		P160		30	270	300	720	750
OR 164.10x8.40 NBR70	164,10	8,40				30	270	300	720	750
OR 164.50x8.40 NBR70	164,50	8,40		P165		30	270	300	720	750
OR 169.10x8.40 NBR70	169,10	8,40				30	270	300	720	750
OR 169.50x8.40 NBR70	169,50	8,40		P170		30	270	300	720	750
OR 174.10x8.40 NBR70	174,10	8,40				30	270	300	720	750
OR 174.50x8.40 NBR70	174,50	8,40		P175		30	270	300	720	750

DESCRIZIONE DESCRIPTION	DIMENSIONI IN MM DIMENSIONS IN MM		SPECIFICHE REFERENCES			QUANTITÀ - QUANTITY				
	DIAMETRO INTERNO - INTERNAL DIAMETER	DIMENSIONE CORDA - CROSS SECTION	F	I - JIS	AS - BS	1		2		3
						DA - FROM	A - TO	DA - FROM	A - TO	DA - FROM
OR 179.10x8.40 NBR70	179,10	8,40				20	180	200	480	500
OR 179.50x8.40 NBR70	179,50	8,40		P180		20	180	200	480	500
OR 184.10x8.40 NBR70	184,10	8,40				20	180	200	480	500
OR 184.50x8.40 NBR70	184,50	8,40		P185		20	180	200	480	500
OR 189.10x8.40 NBR70	189,10	8,40				20	180	200	480	500
OR 189.50x8.40 NBR70	189,50	8,40		P190		20	180	200	480	500
OR 194.10x8.40 NBR70	194,10	8,40				20	180	200	480	500
OR 194.50x8.40 NBR70	194,50	8,40		P195		20	180	200	480	500
OR 199.10x8.40 NBR70	199,10	8,40				20	180	200	480	500
OR 199.50x8.40 NBR70	199,50	8,40		P200		20	180	200	480	500
OR 204.10x8.40 NBR70	204,10	8,40				20	180	200	480	500
OR 204.50x8.40 NBR70	204,50	8,40		P205		20	180	200	480	500
OR 208.50x8.40 NBR70	208,50	8,40		P209		20	180	200	480	500
OR 209.10x8.40 NBR70	209,10	8,40				20	180	200	480	500
OR 209.50x8.40 NBR70	209,50	8,40		P210		20	180	200	480	500
OR 214.50x8.40 NBR70	214,50	8,40		P215		20	180	200	480	500
OR 219.10x8.40 NBR70	219,10	8,40				20	180	200	480	500
OR 219.50x8.40 NBR70	219,50	8,40		P220		20	180	200	480	500
OR 224.50x8.40 NBR70	224,50	8,40		P225		20	180	200	480	500
OR 229.10x8.40 NBR70	229,10	8,40				20	180	200	480	500
OR 229.50x8.40 NBR70	229,50	8,40		P230		20	180	200	480	500
OR 234.10x8.40 NBR70	234,10	8,40				20	180	200	480	500
OR 234.50x8.40 NBR70	234,50	8,40		P235		20	180	200	480	500
OR 239.10x8.40 NBR70	239,10	8,40				20	180	200	480	500
OR 239.50x8.40 NBR70	239,50	8,40		P240		20	180	200	480	500
OR 244.50x8.40 NBR70	244,50	8,40		P245		20	180	200	480	500
OR 249.10x8.40 NBR70	249,10	8,40				20	180	200	480	500
OR 249.50x8.40 NBR70	249,50	8,40		P250		20	180	200	480	500
OR 254.50x8.40 NBR70	254,50	8,40		P255		20	180	200	480	500
OR 259.50x8.40 NBR70	259,50	8,40		P260		20	180	200	480	500
OR 264.50x8.40 NBR70	264,50	8,40		P265		20	180	200	480	500
OR 269.50x8.40 NBR70	269,50	8,40		P270		20	180	200	480	500
OR 274.50x8.40 NBR70	274,50	8,40		P275		20	180	200	480	500
OR 279.50x8.40 NBR70	279,50	8,40		P280		20	180	200	480	500
OR 284.50x8.40 NBR70	284,50	8,40		P285		20	180	200	480	500
OR 289.50x8.40 NBR70	289,50	8,40		P290		20	180	200	480	500
OR 294.50x8.40 NBR70	294,50	8,40		P295		20	180	200	480	500
OR 299.50x8.40 NBR70	299,50	8,40		P300		20	180	200	480	500
OR 314.50x8.40 NBR70	314,50	8,40		P315		20	180	200	480	500
OR 319.50x8.40 NBR70	319,50	8,40		P320		20	180	200	480	500
OR 334.50x8.40 NBR70	334,50	8,40		P335		20	180	200	480	500
OR 339.50x8.40 NBR70	339,50	8,40		P340		20	180	200	480	500
OR 354.50x8.40 NBR70	354,50	8,40		P355		20	180	200	480	500
OR 359.50x8.40 NBR70	359,50	8,40		P360		20	180	200	480	500
OR 374.50x8.40 NBR70	374,50	8,40		P375		20	180	200	480	500
OR 384.50x8.40 NBR70	384,50	8,40		P385		20	180	200	480	500
OR 399.50x8.40 NBR70	399,50	8,40		P400		20	180	200	480	500

O RING DI GRANDI DIMENSIONI IN NBR / LARGE DIMENSIONS O RING

MESCOLA/COMPOUND	DIAMETRO INTERNO / INTERNAL DIAMETER		SEZIONE CORDA	QUANTITÀ
NBR (SH)	DA/ FROM (MM)	A/TO (MM)	CROSS SECTION (MM)	QUANTITY
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	2,62	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	3,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	3,53	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	4,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	4,50	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	5,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	5,33	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	5,50	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	5,70	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	6,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	6,35	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	6,50	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	7,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	7,50	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	8,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	8,40	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	9,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	9,50	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	10,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	10,82	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	11,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	12,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	12,70	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	13,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	14,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	14,40	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	15,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	16,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	17,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	18,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	19,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	20,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	22,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	24,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	25,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	26,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	28,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST
NBR50, NBR60, NBR70, NBR80, NBR90	200	10000	30,00	IN BASE ALLA RICHIESTA DEL CLIENTE/UPON CUSTOMER REQUEST

* O RING DI GRANDI DIMENSIONI FORNIBILI ANCHE IN HNBR, FKM, EPDM E VMQ

* LARGE DIMENSIONS O RING AVAILABLE ALSO IN HNBR, FKM, EPDM E VMQ



IMGT srl



IMGT_SRL





IMGT srl

Via Pelizza da Volpedo, 84 - 20085 Locate Di Triulzi MI
Tel. +39 0290733010 - info@imgtsrl.com - www.imgtguarnizioni.it