

# DYNAMIC SOLUTIONS INNOVATION

Since 1984 Digger Specialties, Inc. (DSI) has been manufacturing quality products for the outdoor living industry.

At DSI we are continually working to provide solutions through innovative product development and design to bring the best products to our customers, the marketplace, and the home owner.

Our Regis® Aluminum
Fencing offers a variety of
colors, styles, and options to
enhance your outdoor living
experience. This premium
line of fencing also provides
a great investment in your
home or business.



Transforming the Outdoor Living Experience®



# **TABLE OF CONTENTS**

Features	2
Product Details	3
Aluminum Colors	4
Powder Coating Process	5
Flat Top Models	6-9
Spear Top Models	10-12
Arched Picket Top	13
Gates	14-15
Gate Hardware	16
Options	17
Posts & Mounts	18
Accessories	19
Section Packaging	20
Specialties	21

Cover Photo: Regis 4000 Series (4230)

### **FEATURES**



#### **Lifetime Limited Warranty**

Digger Specialties, Inc. is proud to offer one of the strongest warranties in the industry. Regis® Aluminum Fencing is covered by our Aluminum Lifetime Limited Warranty. Our Warranty demonstrates our faith in our product and our commitment to you.



Click QR Code to view and register a DSI warranty or visit the DSI website.



# Committed to the Environment and our Community

DSI is proud to be an environmentally aware company that continues to update practices to reduce our carbon foot-print. DSI consistently recycles cardboard, wood, steel banding, zinc die cast, and heat shrink scrap. DSI also utilizes both aluminum and vinyl extrusions that contain recycled content. DSI is pleased to support our community by outsourcing a portion of our packaging functions to a local company that provides meaningful employment to individuals with disabilities.



#### **Notched Rails**

Our 3000, 4000, and 5000 Series notched rails secure the section into the routed holes of the post.



2

#### **Hidden E-Clips**

Our patented Hidden Picket Fasteners eliminate scratches and unsightly screws for 3000, 4000, and 5000 Series.



Patent #US 7,152,849 B2



#### **Welded Gates**

Regis® Aluminum Gate rails and pickets are welded at each connection for added strength and durability.





# Assembled Sections

Regis® Aluminum Fencing sections come factory assembled for quick installation.





#### **Pool Code Approved**

Regis® Aluminum Fencing combines safety with style. Fence models marked with this symbol comply with ASTM F1908 for height and spacing. See individual model charts on pages 7 – 12 for availability and restrictions. Check with your local building code officials as local codes may differ.



#### **Puppy Picket Option (Short Picket Option)**

Regis® Aluminum Fencing offers pet owners peace of mind. Fence models marked with this symbol offer a Puppy Picket Option (short picket option). See individual model charts on pages 7 – 12 for availability and restrictions. These added pickets help keep animals in or out of your yard. For more information see Page 17.







	3000 Series	4000 Series	5000 Series	6000 Series
Heights	36", 42", 48", 50", 55", 60", 72"	36", 42", 48", 48.5", 54", 60", 72"	48", 54", 55", 60", 72", 84", 96"	48", 55", 60"
Section Width	6' Centers	8' Centers 6' Centers (Select Models See Page 8)	8' Centers	6' Centers
Rails	1-1/8" W (.065") x 1" H (.085")	1-1/4" W (.070") x 1-1/2" H (.110")	1-1/2" W (.070") x 1-1/2" H (.095")	1" x 1" (.050")
Spear/Finial Pickets	5/8" x 5/8" (.045")	3/4" x 3/4" (.053")	1" x 1" (.062")	5/8" x 5/8" (.035")
Non-Spear/ Finial Pickets	5/8" x 5/8" (.045")	3/4" x 3/4" (.045")	1" x 1" (.062")	5/8" x 5/8" (.035")
Picket Spacing	3-13/16" Between Pickets	3-15/16" Between Pickets Pool Models and 6' Centers have 3-9/16" Between Pickets	3-3/4" Between Pickets	3-13/16" Between Pickets
Section Racking*	Standard Sections Rack 20" in 6' Double Punch Sections Rack 40" in 6'	Standard Sections Rack 20" in 8' Double Punch Sections Rack 35" in 8'	Standard Sections Rack 17" in 8' Double Punch Sections Rack 26" in 8'	Standard Sections Rack 22" in 6' Double Punch Sections Rack 44" in 6'
Posts See the Posts & Mounts page for additional information.	2" x 2" (.060") 36"-60" Heights Only 2" x 2" (.090") 2" x 2" (.125") 4" x 4" (.125") 6" x 6" (.185")	2-1/2" x 2-1/2" (.065") Recessed 2-1/2" x 2-1/2" (.090") Recessed 2-1/2" x 2-1/2" (.125") Recessed 4" x 4" (.125") Recessed 6" x 6" (.185")	2-1/2" x 2-1/2" (.090") Recessed 48"-72" Heights Only 2-1/2" x 2-1/2" (.125") Recessed 4" x 4" (.125") Recessed 6" x 6" (.185")	2" x 2" (.060") 2" x 2" (.125") 4" x 4" (.125")
Post Caps	Flat Caps: 2", 4", 6" Ball Caps: 2", 4"	Flat Caps: 2-1/2", 4", 6" Ball Caps: 2-1/2", 4"	Flat Caps: 2-1/2", 4", 6" Ball Caps: 2-1/2", 4"	Flat Caps: 2", 4"
Standard Single Gate Opening Sizes	36", 42", 48", 60", 72"	36", 42", 48", 60", 72"	36", 42", 48", 60", 72"	48", 60"



\* Some DSI options (rings, puppy pickets, etc.) affect Section Racking.

Click the QR Code for a detailed Racking Help Sheet.

### **ALUMINUM COLORS**

Regis® 3000, 4000, and 5000 Series are offered in 12 standard AAMA 2604 colors, from satin colors to textured colors, to complement your project. Custom colors and AAMA 2605 colors are available by special order.







Regis® 6000 Series is available in AAMA 2604 Satin Black.

Colors shown are a close approximation of the true color. Please request actual samples for accurate powder coating colors.

#### **Textured Colors**



#### **Non Textured Colors**



#### **Optional Color**



Gold Accent Fine Texture (Upcharge may apply)

Select Regis® 3000, 4000, and 5000 Series accessories are available in an optional Gold Accent color. See pages 17 and 19 for more information on the items available.

#### 6000 Series



Satin Black

Regis® 6000 Series is available in Satin Black only.



# POWDER COATING PROCESS

#### **Exclusive DSI Powder Coating Process**

DSI is an industry leader in Powder Coated Aluminum Products. State-of-the-art technology is used to provide a high-quality and durable finish that is more resistant to the effects of impacts, chemicals, ultra-violet light, moisture, and extreme weather conditions.

The process begins with a system certified by the Powder Coating Institute (PCI) and continues with the American Architectural Manufacturers Association (AAMA) / Fenestration and Glazing Industry Alliance (FGIA) verifying our Powder Coating. These stringent processes provide homeowners with peace of mind in their investment.

Our Aluminum Lifetime Limited Warranty includes a Fade Warranty as well as a Salt and Abrasive Environments Warranty providing one of the best warranties in the industry.



The raw premium-grade aluminum is inspected to be free of blemishes and is not exposed to the outdoor elements.



The product enters a heated cleaning stage to remove extrusion debris and fabrication oils.



**Clean:** City water rinse **Cleaner:** Recycling reverse osmosis water rinse

**Cleanest:** Pure reverse osmosis water rinse **Sealer:** Dried-in-place aluminum sealer




A 200 MPH air blast removes water drops from the pre-treated aluminum.

**A convection oven** completes the dry-off process.



**Powder is applied** with 18 automated and 2 manual spray guns. Compressed process air is dried to -35°F Dew Point for superior adhesion.




The powder coating is then bonded and adhered to the aluminum substrate in a 400 degree cure stage.





# FLAT TOP MODELS






Perfect for around a pool, the Classic Flat Top offers clean and simple lines in 2, 3, or 4 rail designs. Double Picket models and optional rings are available to add definition to your outdoor living space.

#### **CLASSIC FLAT TOP**

#### 2-RAIL



Flush Bottom Pool

Models	Heights
3220 FB Pool	48"
4220 FB Pool	48.5", 54"
5220 FB Pool	54"
6220 FB Pool	48"

#### 3-RAIL



60" height 3230 60" and 72" heights 5230 60" height 6230


Models	Heights
3230	36", 42", 48", 60"
4230	48", 60", 72"
5230	48", 60", 72"
6230	48", 60"



Flush Bottom 60" height


Models	Heights
3230 FB	48", 60"
6230 FB	48"

#### 3-RAIL




Flush Bottom Pool

Models	Heights
3230 FB Pool	55"
4230 FB Pool	54"
5230 FB Pool	55"
6230 FB Pool	55"



Flush Bottom Pool w 1" b/t Top & Mid-Rail

Models	Heights
3230 FB Pool w/1" b/t Top & Mid-Rail	50"



Double Pickets to Mid-Rail 60" height

Models	Heights
3230 Dbl Pkts to Mid-Rail	48", 60"
4230 Dbl Pkts to Mid-Rail	48", 60"



#### **CLASSIC FLAT TOP**

#### 4-RAIL




	Models	Heights
- ;	3240	72"
Ţ	5240	84", 96"

#### **SECTION SPOTLIGHT**

Select Regis\* 4000 Fence models are available as six foot wide sections in addition to the standard eight foot wide sections.

Six foot sections are available in the following models:



Flush Bottom Pool 48.5" Height



**4230** 48" Height



Flush Bottom Pool 54" Height



Flat Top Alternating Spear Top offers a modern design by combining the safety of a smooth top rail with the traditional alternating spears between the top and mid-rail.


#### **FLAT TOP ALTERNATING SPEAR TOP**

#### 3-RAIL




60" height 3233 60" and 72" heights 5233

Models	Heights
3233	36", 42", 48", 60"
4233	48", 60", 72"
5233	48", 60", 72"
6233	48"



Flush Bottom

Models	Heights
3233 FB	48"



Flush Bottom Pool

Models	Heights
3233 FB Pool	55"
4233 FB Pool	54"
5233 FB Pool	55"
6233 FB Pool	55"

#### 4-RAIL




Models	Heights
3243	72"
5243	84", 96





# SPEAR TOP MODELS






The Traditional Spear Top offers pressed point pickets with optional finials – Quad, Triad, or Fleur-de-Lis. This model is a great addition to any residential, commercial, or industrial property.

The Spear Top offers multiple options for defining your outdoor living space by adding Rings or Concave and Convex Models.

# TRADITIONAL SPEAR TOP




#### 3-RAIL




72" height 5131

Models	Heights
3131	36", 42", 48", 60"
4131	48", 60", 72"
5131	48", 54", 60", 72"
6131	48"




Concaro	
Models	Heights
3131 Concave	48", 60"




Models	Heights
3131 Convex	48", 60"

#### 4-RAIL



Models	Heights
3141	72"
5141	84", 96"



Models Heights
3141 Concave 72"



Models	Heights
3141 Convex	72"

# **SPEAR TOP**MODELS

Alternating Spear Top offers the aesthetic appeal of pressed point pickets in alternating heights. Optional finials are available in Quad, Triad, or Fleur-de-Lis.

#### **ALTERNATING SPEAR TOP**

#### 3-RAIL



72" height 5132

Models	Heights				
3132	36", 42", 48", 60"				
4132	48", 60", 72"				
5132	48", 54", 60", 72"				

#### 4-RAIL



Models	Heights		
3142	72"		
5142	84", 96"		





Recognized by its curved design, the Arched Picket

Top is a great decorative fence for landscaped and garden

areas. With Spear point and finial options including Quad, Triad, or

Fleur-de-Lis, this fence is sure to accent any outdoor living space.

#### **ARCHED PICKET TOP**

#### 2-RAIL




Sections Do Not Rack

Models	Heights			
3124	36", 42", 48"			
4124	36", 42", 48"			





# GATES





Regis® Gates are available in the same models and heights as our fencing. Whether you are looking for a gate that blends in or stands out, options like Arches and Rings allow you to create the perfect gate for your fence and outdoor living space.

#### **WALK GATES**

#### **U-Frame**

3000, 4000, and 5000 Series 36" - 72" Single Gate Openings 72" - 144" Double Gate Openings



#### **Arched U-Frame**

3000, 4000, and 5000 Series 36" - 72" Single Gate Openings 72" - 144" Double Gate Openings



#### **U-Frame**


6000 Series 48", 60" Single Gate Openings 96", 120" Double Gate Openings




#### **Arched U-Frame**

6000 Series

48", 60" Single Gate Openings 96", 120" Double Gate Openings




#### **ENTRY GATES**



#### **Standard**

84" - 192" Single Gate Openings

168" - 384" Double Gate Openings



#### **Continuous** Arch **Double Gate**


168" - 384" Openings



Arched

84" - 192" Single Gate Openings

Gate Openings



**Designer Arch Double Gate** 

168" - 384" Openings

Gate Openings over 12' Single and 24' Double include bracing. Custom gate sizes are available. Contact Customer Service for more information.

# **GATE** HARDWARE

#### **Hinges**



Tru-Close Hinge



Kwik Fit Hinge



SS Med Duty Hinge



HD Adjustable Hinge For 2" Gate Sides



Tiger Self Close Hinge

#### **Latches**



Lokk Latch



Lokk Latch Deluxe



Lokk Latch Magnetic



Magna Latch Vertical Pull 6"



Magna Latch Top Pull 20-1/4"



SS Gravity Latch



FortiMa Latch



Lock Box with Handle



Keeper for Lock Box



Push Bar for Lock Box


#### **Canebolts**



Canebolt Lockable



Canebolt Lockable Receiver



Canebolt (Drop Pin Kit)

Not all hinges and latches work for all gate configurations. For more information on gates and hardware visit our website <u>diggerspecialties.com</u>

# **OPTIONS**



#### **Ring Bars**









2 Ring Bar 3000 and 4000 Series

5 Ring Bar 5000 Series

#### **Finials**





Quad 3000, 4000, and 5000 Series



Triad 3000, 4000, and 5000 Series



Fleur-de-Lis 3000 and 4000 Series 5/8" Shown

#### **Double Punch**




Double Punch increases the racking angle. Double Punch not available for Sections with Rings.


Click the QR Code for a detailed Racking Help Sheet.




# **Puppy Pickets (Short Pickets)**









Flat Top



Spear/Finial Top Standard



Spear/Finial Top Flat Puppy Picket Rail Option Available Upon Request



Flat Top

Puppy Pickets (Short Pickets) go to the Mid-Rail for 36" & 42" heights.


Puppy Pickets (Short Pickets) are 20" tall with an additional rail for heights 48" and above.


# **POSTS** & MOUNTS

#### **Post Types**

#### **Line Post**


Line Posts have holes on opposite sides and are used as intermediate posts.






#### **Corner Post**

Corner Posts have holes on adjacent sides to create a 90 degree turn.



#### 3-Way Post


3-Way Posts have holes on three sides to continue a fence line and turn a corner.



#### **End Post**

End Posts have holes on one side only to terminate a fence line.





#### **Post Sizes**

	2"	2"	2"	2-1/2" Recessed	2-1/2" Recessed	2-1/2" Recessed	4"	4" Recessed	6"
Lengths	Short Posts†: 42", 48", 54", 61", 66", 78" 5-1/2', 6', 6-1/2', 7', 7-1/2'	5-1/2', 6', 6-1/2', 7', 7-1/2', 8-1/2'	5-1/2', 6', 6-1/2', 7', 7-1/2', 8-1/2'	5-1/2', 6', 6-1/2', 7', 7-1/2', 8-1/2'	5-1/2', 6', 6-1/2', 7', 7-1/2', 8-1/2'	6', 6-1/2', 7', 7-1/2', 8-1/2', 10', 11'	5-1/2', 6', 6-1/2', 7', 7-1/2', 8-1/2'	5-1/2', 6', 6-1/2', 7', 7-1/2', 8-1/2', 10', 11'	6; 6-1/2", 7; 7-1/2', 8; 9; 10; 11'
Wall Thickness*	.060"	.090"	.125"	.065"	.090"	.125"	.125"	.125"	.185"
Post Type	Line Corner 3-Way End	Line Corner 3-Way End	End	Line Corner 3-Way End	Line Corner 3-Way End	Line Corner 3-Way End	End	End	End

<sup>\*</sup>Aluminum Stiffeners can be added to End and Blank Posts to increase the wall thickness.

# **Section Mounts**

Optional section mounts are available. These mounts can be used in cases where a routed post cannot be used.



Wall Mount 3000 Series



Wall Mount 4000 Series



Wall Mount 5000 Series



Swivel Mount 3000, 4000, 5000 Series



End Mount 4000 Series

<sup>2&</sup>quot; Posts: .060" Post with Stiffener = .310"W, .090" Post with Stiffener = .270"W

<sup>2-1/2&</sup>quot; Recessed Posts: .065" Post with Stiffener = .190"W

 $<sup>\</sup>dagger$ Short Posts are intended for installations where the post is not buried in the ground.


# **ACCESSORIES**



#### **Post Caps**



#### **Post Mounts & Flairs**



Flat Cap 2", 2-1/2", 4", 6"



Ball Cap 2", 2-1/2", 4"



2" Post Mount (Includes Flair)



2-1/2" Post Mount (Includes Flair)



Welded Plate Option



Post Flair (2-piece) 2", 2-1/2", 4", 6" For Welded Plate Option & Core Drilled Posts

#### **Tools**



Rail Remover (Set of 3)



Post Routing Template Kit



Rail Notching Tool

### **Touch Up Paint**



Spray All Standard Colors



Gloss Beige, Satin Black, Chocolate, Gloss White

### Magena Star® Lighting

Magena Star® Ornamental Low Voltage Lights. Visit magenastar.com for more information.



Post Cap Light 2", 2-1/2", 4"



Downward Post Cap Light 2", 2-1/2", 4"



Combo Post Cap Light 2", 2-1/2", 4"

# SECTION PACKAGING

#### **Fence Stacker Unit**

Full Bundle Quantity of 3000 and 4000 Series Sections

Full bundle quantities of Regis® 3000 and 4000 Series Sections are shipped in our Fence Stacker Unit. These custom built shipping units are designed with spacers to prevent shifting during shipment. Every Fence Stacker Unit is a fully enclosed six-sided unit with support rails for easy access.

Simply slide out each individual section as needed. The remaining sections stay secure and protected.




#### **Skid with Section Clips**

Less Than Full Bundle Quantities of 3000 and 4000 Series Sections and All 6000 Series Sections


Less than full bundle quantities of Regis® 3000 and 4000 Series Sections and all Regis® 6000 Series Sections are shipped using clips created specifically for the sections. These clips separate the sections during shipping and lessen the risk of damage.



3000 Series Clip



4000 Series Clip



6000 Series Clip



#### **Skid with Foam**

#### **All 5000 Series Sections**

All Regis® 5000 Series Sections are shipped using foam to separate the sections. The foam protects the sections and reduces the risk of damage during shipping.



# **SPECIALTIES**



### We put the "special" in Digger Specialties!

Let DSI help solve your unique installation challenges and design needs. Our team in Technical Services can make your dream a reality.
















#### **DSI FAMILY OF PRODUCTS**





Stay Connected diggerspecialties.com











