

Bar6 Manufacturing

[Home](#) [About](#) [Feed dispensers](#) [Overhead Bulk bins](#) [Deer Feeders](#) [Gate Latches](#) [Contact](#)

Feed dispensers

The **Bar Six Cattle Feed Dispenser** is designed to dispense feed supplements of whole grain, range cubes, feed pellets and other materials up to 1 inch, at the rate of 6 to 10 pounds per second. These mobile feeders will dispense hog feed, poultry feed and all livestock rations with equal satisfaction. As an added bonus, these mobile feed dispensers allow your feedlot operation to take advantage of bulk feed transportation saving you fuel by allowing you to use your Bar Six Feed Dispenser.

Eliminate lifting, tugging and back breaking work with complete automation. Reduce cost of ingredients by making complete bulk purchases possible. Enable quick even distribution of ingredients to individual animals with trouble free equipment – no tack welds, all metal seams welded solid. This equipment is tested to withstand rough ranch conditions. Reduce waste of feed through bulk handling both winter and summer.

Model 250

Model 450

Model B

Model C

Model D

Model E

Model F

Model G Special

Model H Special

Scroll down to view details of each.

Extra Options:

Rain caps- For extra protection against harsh weather conditions

Jackshaft- Gear reduction system to slow down the amount of feed your cake box dispenses. The Bar Six feed dispenser will dispense about 6-10 pounds per second. Adding the jackshaft will slow your auger down by about 40 percent.



Revolution Counters- Counts the revolutions of the auger to be more precise on the amount of feed you're dispensing

Scales- Weighs the amount of feed in your cake box to be exact on the amount of feed you're dispensing

Diamonds- Window that allows you to see through your cake box so you're able to back up to trailers or just see behind you

Model 250

250 lbs. Feed Capacity

Width: 20"

Height: "

Shipping Weight:

[\[Show as slideshow\]](#)



Model 450

450 lbs. Feed Capacity

Width:

Height:

Shipping Weight:

[\[Show as slideshow\]](#)



Model B

800 lbs. Feed Capacity

Width: 28"

Height: 33"

Length: 65"

Shipping Weight: 300 lbs.

[\[Show as slideshow\]](#)



Model C

1200 lbs Feed Capacity

Width: 30"

Height: 37"

Length: 65"

Shipping Weight: 325 lbs.

[\[Show as slideshow\]](#)





Model D

1800 lbs Feed Capacity

Width: 40"

Height: 45"

Length: 65"

Shipping Weight: 350 lbs.

[\[Show as slideshow\]](#)



Model E

2500 lbs Feed Capacity

Width: 44"

Height: 56"

Length: 65"

Shipping Weight: 400 lbs.

[\[Show as slideshow\]](#)



Model F

3200 lbs Feed Capacity

Width: 50"

Height: 60"

Length: 65"

Shipping Weight: 450 lbs.

[\[Show as slideshow\]](#)





Model G Special

1000 lbs Feed Capacity

Width: 20"

Height: 42"

Length: 77"

Shipping Weight: 300 lbs.

[\[Show as slideshow\]](#)



Model H Special

1600 lbs Feed Capacity

Width: 30"

Height: 42"

Length: 77"

Shipping Weight: 350 lbs.

[\[Show as slideshow\]](#)

