



SUPER DUTY F-SERIES
ELECTRICAL WIRING
CUSTOMER ACCESS CIRCUITS

2009
MODEL YEAR




SUPER DUTY F-SERIES
ELECTRICAL WIRING
CUSTOMER ACCESS CIRCUITS

2009
MODEL YEAR



SUPER DUTY F-SERIES
ELECTRICAL WIRING
CUSTOMER ACCESS CIRCUITS

2009
MODEL YEAR




SUPER DUTY F-SERIES
ELECTRICAL WIRING
CUSTOMER ACCESS CIRCUITS — TRAILER TOW


2009
MODEL YEAR

Page 364 ELECTRICAL


F-Super Duty F-350, F-450, F-550 Chassis Cabs



F-Super Duty F-250, F-350 Pickups with Box Delete



F-Super Duty F-250, F-350, F-450 Pickup (Reference)



Color Codes	Wire Color Codes Description	Wire Function	Maximum Allowable Current	Maximum Trailer Wire Lengths		Minimum Wire Gauge
				Regular Cab	Chassis Cab	
BK/GY	Black/Gray	To Right Hand inner cowl Ground				
BU	Blue	Trailer electric brake feed (output from electric brake)	21	42.5 ft	39 ft	12
BN	Brown	Trailer running lamps	15.5A	52 ft	49 ft	16
GY/BN	Gray/Brown	Trailer Back Up Lamps	Combined	59 ft	55.5 ft	16
GY/RD	Gray/Red	Trailer Electric Brake Control				
GN	Green	Trailer right stop/turn lamp	5.8	219.5 ft	219.5 ft	12
GN/BN	Green/Brown	Backup Relay to Fuse				
OG	Orange	Trailer battery feed (hot with key in run only)	21	49 ft	49 ft	12
RD	Red	Trailer electric brake control feed				
WH	White	Ground				
YE	Yellow	Trailer left stop/turn lamp	5.8	219.5 ft	219.5 ft	12
YE/GN	Yellow/Green	Stop lamp feed to brake control				