

[Back to Products](#)

Hydraulic Powered Post Hole Diggers

[Overview](#)

- [Features](#)
- [Home](#)
- [Media](#)
- [Products](#)
- [Specifications](#)
- [Drivers and Diggers](#)
- [Post Hole Diggers](#)



Two great hydraulic powered models to choose from.

Shaver's lineup of hydraulically powered diggers includes two models. The Model 510 gives you 700 foot-pounds of torque and requires 5-10 gpm. The Model 1020 offers 1,000 foot-pounds of torque with a hydraulic requirement of 10-20 gpm.

Standard Auger Options

Shaver offers a wide variety of augers, including diameters from 4 to 30 inches. Our augers come in a standard length of 42 inches and are available in semi-double flight and double flight. Bolt-on auger extensions at 9 and 14 inches are available when added depth is needed.

Orchard Augers

Shaver orchard augers are especially designed for the needs of the nursery and orchard industry. They come in standard diameters of 16, 18, 24 and 30 inches with a standard length of 30 inches. The points on these augers are made of extremely hard austempered ductile iron for longer wear. Cutting teeth are made from forged steel and are bolted on so that they can be easily replaced when worn.

Rock Augers

Designed for extremely rugged conditions in loose rock, solid rock, dirt and clay, Shaver rock augers can be used on any Shaver post hole digger model (depending on size). They're available in diameters ranging from 4 1/2 to 30 inches. These augers feature replaceable carbide bullet teeth, a 3/4-inch-thick double-flight boring head and 3/8-inch-thick flighting with Rockwell 65 hardfacing.

Down Pressure Kit

Shaver's Down Pressure Kit gives you heavier-duty digging power by supplying an additional 500 lbs. of downward force on the unit. The unit easily attaches to both hydraulic and PTO diggers and is powered using the hydraulics from your skid steer loader or tractor, so it doesn't interfere with the regular operation of the digger. This option is ideal if you're working in compact soil, rocky areas or semi-frozen ground.

Features

Flexibility

Both models feature a variety of auger width options ranging from 4 to 14 inches (24 inches on the larger Model 1020).

Simplicity


Our hydraulic post hole diggers offer easy assembly and mounting, as well as a variety of mounting options: boom/three-point mount, bolt-on bucket mount and skid loader fast-tach mount.

Reliability

When it comes to reliability, both units have totally enclosed gearboxes with limited five-year warranties and hydraulic motors with limited one-year warranties. Plus, they have only a few moving parts to ensure a long machine life.

Media

Check out the media available for Hydraulic Powered Post Hole Diggers.



Post Hole Digger Skid Loader Attachment

Post Hole diggers give you the power to dig holes to the depth and diameter you want quickly and efficiently.

[Watch Video](#)

Specifications

	Model 510	Model 1020
Bolt-On Bucket Mount	Optional	Optional
Boom/3-Point Mount	Optional	Optional
Skid Loader Fast-Tach Mount	Optional	Optional
Gearbox	3.18:1 ratio	3.18:1 ratio
Bearings	Tapered roller, straddle mounted, one each side of each gear for rigidity, strength, compact design	Tapered roller, straddle mounted, one each side of each gear for rigidity, strength, compact design
Seals	Completely enclosed dual lip, high-quality spring loaded	Completely enclosed dual lip, high-quality spring loaded
Input Shaft	1 1/4" diameter	1 1/4" diameter
Output Shaft	2" solid	2" solid
Hydraulic Motor	5-10 gpm, 1,500-3,000 PSI, 1 1/4" output shaft, max. torque 700 ft. lbs.	10-20 gpm, 1,500-3,000 PSI, 1 1/4" output shaft, max. torque 1,000 ft. lbs.

	Model 510	Model 1020
Standard Augers	42" length; 4", 6", 9", 12" and 14" semi-double flight or double flight	42" length; 4", 6", 9", 12" and 14" semi-double flight or double flight; 16", 18" and 24" double flight
Auger Extensions	9" and 14"	9" and 14"
Orchard Augers	N/A	16", 18", 24" double flight
Auger Point	Austempered ductile iron replaceable on 6", 9" and 12" augers	Austempered ductile iron replaceable on 6-24" augers
Cutting Teeth	Bolted on, forged steel replaceable on 6", 9" and 12" augers	Bolted on, forged steel replaceable on 6-24" augers
Shipping Weight	113 lbs.	115 lbs.
Down Pressure Kit	500 lbs. additional pressure, 2"-diameter cylinder, 8" stroke, 2-way valve for use with boom/3-pt. mount	500 lbs. additional pressure, 2"-diameter cylinder, 8" stroke, 2-way valve for use with boom/3-pt. mount

The specifications for Hydraulic Powered Post Hole Diggers are subject to change without notice.

[Shaver Manufacturing, Making hard work easy](#)

- [Home](#)
- [About Us](#)
- [Contact](#)
- [Products](#)
- [Where to Buy](#)
- [Parts & Services](#)
- [Shows](#)

[Shaver Manufacturing](#)

Shaver Manufacturing is a leading manufacturer of fencing equipment.

We manufacture a complete lineup of post drivers, post hole diggers, stump grinders and log splitters. We're proud of the fact that our

equipment is made in the Heartland of America—Graettinger, Iowa.



© 2012 Shaver. All rights reserved.

- [About Shaver](#)
- [Sitemap](#)

**Shaver Manufacturing
Company**

PO Box 359
Graettinger, Iowa 53142
(712) 859-3293
(712) 859-3294 (fax)
sales@shavermfg.com

OF SITES

Part of the **HCC FAMILY**