


COMPACT TRACTOR BUCKET

UNIVERSAL MOUNT

Introducing Rock Solid Attachment's new Compact Tractor Bucket with Universal Hook-Up. Built tough for smaller machines, this bucket delivers big performance in a compact size. Designed with intent, steel reinforcement components are placed exactly where they're needed for optimized durability and cost. The universal hook-up ensures compatibility across a wide range of compact tractors, making it a versatile addition to your equipment lineup.

Common uses: Material handling, landscaping, property maintenance, and general purpose.

- Formed in reinforcement across the back of bucket for stiffness
- 3/16" A36 Steel Body
- 3/16" A36 Steel Ends
- Universal Mount
- Powder coat finish





MODEL #	INSIDE (IN.)	OUTSIDE (IN.)	HEIGHT (A) (IN.)	DEPTH (B) (IN.)	WEIGHT (LBS.)	BACK ANGLE (C) (DEGREES)	STRUCK CAPACITY (CU.FT.)
FS3CTB-54	54.0	56.0	19.93	25.02	230	60°	8.01
FS3CTB-60	60.0	62.0	19.93	25.02	247	60 °	8.90
FS3CTB-66	66.0	68.0	19.93	25.02	264	60°	9.79
FS3CTB-72	72.0	74.0	19.93	25.02	282	60°	10.68



COMPACT TRACTOR BUCKET

JOHN DEERE MOUNT


Introducing Rock Solid Attachment's new Compact Tractor Bucket with John Deere Hook-Up. Purpose-built for John Deere compact tractors, this bucket combines durability, efficiency, and perfect fit. Designed with intent, steel reinforcement components are placed exactly where they're needed for optimized strength and cost. The John Deere hook-up provides seamless compatibility, giving you a rugged, ready-to-work tool for all-around tasks.


Common uses: Material handling, landscaping, property maintenance, and general purpose.











FS3CTBJD1-60	60.0	62.U	19.93	25.02	267	60°	8.90
FS3CTBJD1-66	66.0	68.0	19.93	25.02	285	60°	9.79
 For a superior of the state of							

FS3CTBJD1-72 72.0 74.0 19.93 25.02 302 60° 10.68



Introducing Rock Solid Attachment's new Compact Tractor Bucket. Built tough for smaller machines, this bucket delivers big performance in a compact size. Designed with intent, steel reinforcement components are placed exactly where they're needed for optimized durability and cost. Available with either a Universal Hook-Up or a John Deere Hook-Up, it's ready to fit your setup and tackle everyday jobs with ease.

> Common uses: Material handling, landscaping, property maintenance, and general purpose.

- Formed in reinforcement across the back of bucket for stiffness
- 3/16" A36 Steel Body
- **3/16" A36 Steel Ends**
- **John Deere Mount**
- **Powder coat finish**

			1	4	— В ———	-			
	MODEL #	INSIDE (IN.)	OUTSIDE (IN.)	HEIGHT (A) (IN.)	DEPTH (B) (IN.)	WEIGHT (LBS.)	BACK ANGLE (C) (DEGREES)	STRUCK CAPACITY (CU.FT.)	
	FS3CTBJD1-54*	54.0	56.0	19.93	25.02	250	60 °	8.01	
A TO	FS3CTBJD1-60*	60.0	62.0	19.93	25.02	267	60 °	8.90	
	FS3CTBJD1-66*	66.0	68.0	19.93	25.02	285	60 °	9.79	
	FS3CTBJD1-72*	72.0	74.0	19.93	25.02	302	60 °	10.68	
	FS3CTB-54	54.0	56.0	19.93	25.02	230	60°	8.01	
	FS3CTB-60	60.0	62.0	19.93	25.02	247	60°	8.90	
	FS3CTB-66	66.0	68.0	19.93	25.02	264	60°	9.79	
	FS3CTB-72	72.0	74.0	19.93	25.02	282	60°	10.68	

*John Deere Mount