

# Citadel 2

## Ordering Guide: 2ft model





### Description

The Citadel2™ Vapor Tight Linear LED Light is engineered for the harshest environments. Constructed from impact-resistant fiberglass with a poured-in-place gasket, this fixture achieves IP65, IP66, IP67, and NEMA 4X ratings to withstand moisture, dust, and high-pressure washdowns. NSF-certified for food processing, it delivers reliable performance in freezers, parking garages, chemical plants, and manufacturing facilities where durability isn't optional.




### Features

- Sizes include 2ft, 4ft, and 8 ft
- UL 5VA chemical resistant fiberglass housing, will not melt or burn
- Captive latches will not fall off during maintenance
- Acrylic or PC Lenses are both available in clear or frosted variations
- Polyurethane or silicone gasket for a watertight seal
- Made in USA with BAA/BABA compliance



# Citadel 2

## Ordering Guide



### Housing and Hardware

| Description   | Part #      | Quantity Per Unit |
|---------------|-------------|-------------------|
| Housing       | CT2-HV5-2L2 | 1                 |
| Housing Screw | CT-SCRW     | 2                 |

### Lens

|                 |                   |   |
|-----------------|-------------------|---|
| Frosted Acrylic | CT2-CIRA-2L2-FR50 | 1 |
|-----------------|-------------------|---|

### Driver Tray and Hardware

|                           |             |   |
|---------------------------|-------------|---|
| Driver Tray               | CT-LED-DT-L | 1 |
| Universal Gear Tray Screw | CT-SCRW-UGT | 4 |

### Board Tray and Hardware

|                          |                        |         |
|--------------------------|------------------------|---------|
| Board Tray               | CT2-LED-BT1-2L2-1R-080 | 1       |
| Board Tray Retainer Clip | CT-RC                  | 2       |
| Board Retention Clip     | CT-LED-BRC-SM-S        | *varies |

### Latches / Clips

|                       |             |   |
|-----------------------|-------------|---|
| Stainless Steel Latch | CT2-LATCHSS | 6 |
|-----------------------|-------------|---|

### Mounting

|                  |           |   |
|------------------|-----------|---|
| Mounting Bracket | CT2-MB-2L | 2 |
|------------------|-----------|---|

### End Plug

|          |              |   |
|----------|--------------|---|
| End Plug | CT-ENDPLUG-B | 2 |
|----------|--------------|---|

### Housing

| Width  | Length | Material                                | Part #             | PCS/CTN | Full Skid Quantity |
|--------|--------|-----------------------------------------|--------------------|---------|--------------------|
| Narrow | 4'     | 5VA (f1) Fiberglass (UL)                | CT2-HV5-1L4        | 30      | 360                |
|        | 2'     | 5VA (f1) Fiberglass (UL)                | CT2-HV5-2L2        | 20      | 240                |
|        |        | 5VA (f1) Fiberglass (UL) Single Pendant | CT2-HV5-2L2-CH1.25 | 20      | 240                |
| Wide   |        | 5VA (f1) Fiberglass (UL)                | CT2-HV5-2L4        | 20      | 240                |
|        | 4'     | 5VA (f1) Fiberglass (UL) Single Pendant | CT2-HV5-2L4-CH1.25 | 20      | 240                |
|        |        | 5VA (f1) Fiberglass (UL) Double Pendant | CT2-HV5-2L4-2H8.75 | 20      | 240                |
|        | 8'     | 5VA (f1) Fiberglass (UL)                | CT2-HV5-2L8        | 60      | 240                |
|        |        |                                         |                    |         |                    |

### Single Row (1R) Board Trays or Dual Row with Retention Clips

| Width | Length | Description                                    | Material           | Part #                   |
|-------|--------|------------------------------------------------|--------------------|--------------------------|
| Wide  | 2'     | Board Tray FOR CENTER ROW BOARDS OF 0.80" WIDE | White Enamel Sheet | CT2-LED-BT1-2L2-1R-080 * |
|       | 4'     | Board Tray FOR CENTER ROW BOARDS OF 0.80" WIDE | White Enamel Sheet | CT2-LED-BT1-2L4-1R-080 * |
|       | 8'     | Board Tray FOR CENTER ROW BOARDS OF 0.80" WIDE | White Enamel Sheet | CT2-LED-BT1-2L8-1R-080 * |
|       | 2'     | Board Tray FOR CENTER ROW BOARDS OF 0.95" WIDE | White Enamel Sheet | CT2-LED-BT1-2L2-1R-095   |
|       | 4'     | Board Tray FOR CENTER ROW BOARDS OF 0.95" WIDE | White Enamel Sheet | CT2-LED-BT1-2L4-1R-095   |
|       | 8'     | Board Tray FOR CENTER ROW BOARDS OF 0.95" WIDE | White Enamel Sheet | CT2-LED-BT1-2L8-1R-095   |
|       | 2'     | Board Tray FOR CENTER ROW BOARDS OF 1.60" WIDE | White Enamel Sheet | CT2-LED-BT1-2L2-1R-160   |
|       | 4'     | Board Tray FOR CENTER ROW BOARDS OF 1.60" WIDE | White Enamel Sheet | CT2-LED-BT1-2L4-1R-160   |
|       | 8'     | Board Tray FOR CENTER ROW BOARDS OF 1.60" WIDE | White Enamel Sheet | CT2-LED-BT1-2L8-1R-160   |

Note: Boards and drivers provided by others. All 1R board trays require CT-RC-WIDE and only use the "L" Driver Tray.  
Custom board tray sizes are available upon request.

\*Products are stocked items for faster shipping.

### Single or Dual Row (2R) Board Trays

| Width | Length | Description                                            | Material           | Part #               |
|-------|--------|--------------------------------------------------------|--------------------|----------------------|
| Wide  | 2'     | Board Tray/Gear Tray FOR 1 ROW or 2 ROWS LED or T-LEDs | White Enamel Sheet | CT2-LED-BTGT-2L2-U * |
|       | 4'     | Board Tray/Gear Tray FOR 2 ROWS LED or T-LEDs          | White Enamel Sheet | CT2-LED-BTGT-2L4-U * |
|       | 8'     | Board Tray/Gear Tray FOR 2 ROWS LED or T-LEDs          | White Enamel Sheet | CT2-LED-BTGT-2L8-U * |

Product offering and specifications subject to change without notice.

### Mounting

| Width  | Description                                | Material        | Part #        | PCS/BAG | PCS/CTN |
|--------|--------------------------------------------|-----------------|---------------|---------|---------|
| Narrow | Chain Hang: Mounting Bail (2 per Housing)  | Stainless Steel | CT-BAIL       | 100     | 5,000   |
|        | Mounting Bracket (2 per Housing)           | Stainless Steel | CT2-MB-2L     |         | 400     |
|        | Prepackaged 2 per Bag                      | Stainless Steel | CT2-MB-2L-2   | 2       | 250     |
|        | Dual Pendant Mount Bracket (2 per Housing) | Stainless Steel | CT2-MB-2L-MCH |         | 500     |
| Wide   | 45° Mounting Bracket Pack                  | Stainless Steel | CT2-MB-2L45-2 | 2       |         |
|        | 45° Mounting Bracket Pack                  | Stainless Steel | CT2-MB-2L45-2 | 2       |         |

| Description                                        | Part #          | PCS/BAG | PCS/CTN |
|----------------------------------------------------|-----------------|---------|---------|
| Board Retention Clip                               | CT-LED-BRC-SM   | 200     |         |
| Board Retention Clip Single Row                    | CT-LED-BRC-SM-S | 200     |         |
| 2R Board Tray Retainer Clip                        | CT-RC           | 200     | 2,400   |
| 1R Wide Board Tray Retainer Clip                   | CT-RC-WIDE      | 200     |         |
| Housing Screw                                      | CT-SCRW         | 100     | 10,000  |
| Driver Tray Screw                                  | CT-SCRW-UGT     | 100     | 10,000  |
| 1/2" Hub                                           | CT-DCB-50       | 200     |         |
| 3/4" Hub                                           | CT-DCB-75       | 100     |         |
| Driver Tray "L" Shape for One Driver (16.9" long)  | CT-LED-DT-L     | 200     |         |
| Driver Tray "U" Shape for Two Drivers (14.4" long) | CT-LED-DT-U     | 336     |         |
| Tray Safety Straps                                 | CT-SST          | 100     | 10,000  |
| Lens Tether                                        | CT-LT12         | 20      | 2,000   |
| Gasket and Shim                                    | CT-DA5          | 100     | 1,000   |
| End Plugs                                          | CT-ENDPLUG-B    | 200     | 2,000   |

Product offering and specifications subject to change without notice.

### Diffusers & Lenses

| Width | Length | Design        | Material                 | Part # for Clear | Part # for FR50™ Frosted | PCS/CTN | Full Skid Quantity |
|-------|--------|---------------|--------------------------|------------------|--------------------------|---------|--------------------|
| Wide  | 2'     | Lineal Ribbed | Impact Resistant Acrylic | CT2-DIRA-2L2     | CT2-DIRA-2L2-FR50        | 20      | 180                |
|       |        | Smooth        | Polycarbonate            | CT2-CP-2L2       | CT2-CP-2L2-FR50          | 20      | 180                |
|       |        | Smooth        | Impact Resistant Acrylic | CT2-CIRA-2L2     | CT2-CIRA-2L2-FR50        | 20      | 180                |
|       |        | Deep          | Impact Resistant Acrylic | CT2-LIRA-2L2     | CT2-LIRA-2L2-FR50        | 20      | 180                |
|       | 4'     | Lineal Ribbed | Impact Resistant Acrylic | CT2-DIRA-2L4     | CT2-DIRA-2L4-FR50        | 20      | 240                |
|       |        | Smooth        | Polycarbonate            | CT2-CP-2L4       | CT2-CP-2L4-FR50          | 20      | 240                |
|       |        | Smooth        | Impact Resistant Acrylic | CT2-CIRA-2L4     | CT2-CIRA-2L4-FR50        | 20      | 240                |
|       |        | Deep          | Impact Resistant Acrylic | CT2-LIRA-2L4     | CT2-LIRA-2L4-FR50        | 20      | 240                |
|       | 8'     | Lineal Ribbed | Impact Resistant Acrylic | CT2-DIRA-2L8     | CT2-DIRA-2L8-FR50        | 10      | 240                |
|       |        | Deep          | Impact Resistant Acrylic | CT2-LIRA-2L8     | CT2-LIRA-2L8-FR50        | 10      | 120                |
|       |        | Smooth        | Polycarbonate            | CT2-CP-2L8       | CT2-CP-2L8-FR50          | 20      | 240                |
|       |        | Smooth        | Impact Resistant Acrylic | CT2-CIRA-2L8     | CT2-CIRA-2L8-FR50        | 20      | 240                |

### Latches

| Length | Description                                           | Material         | Part #       | PCS/BAG | PCS/CTN |
|--------|-------------------------------------------------------|------------------|--------------|---------|---------|
| Bulk   | Stainless Steel Latch                                 | 316 Stainless    | CT2-LATCHSS  | 200     | 1,000   |
|        | White Secure Locking Plastic Latch                    | Acetal Copolymer | CT2-LATCHW   | 200     | 1,600   |
|        | Clear Secure Locking Plastic Latch                    | Polycarbonate    | CT2-LAWTCHCC | 200     | 1,600   |
| 2'     | White Secure Locking Plastic Latch                    | Acetal Copolymer | CT2-LATCH2W  | 6       | 100     |
|        | Clear Secure Locking Plastic Latch                    | Polycarbonate    | CT2-LATCH2CC | 6       | 100     |
| 4'     | Stainless Steel Latch Bag with End Plugs              | 316 Stainless    | CT2-LATCH4SS | 8       | 175     |
|        | White Secure Locking Plastic Latch Bag with End Plugs | Acetal Copolymer | CT2-LATCH4W  | 8       | 100     |
|        | Clear Secure Locking Plastic Latch Bag with End Plugs | Polycarbonate    | CT2-LATCH4CC | 8       | 100     |
| 8'     | Stainless Steel Latch Bag with End Plugs              | 316 Stainless    | CT2-LATCH8SS | 14      | 100     |
|        | White Secure Locking Plastic Latch Bag with End Plugs | Acetal Copolymer | CT2-LATCH8W  | 14      | 150     |
|        | Clear Secure Locking Plastic Latch Bag with End Plugs | Polycarbonate    | CT2-LATCH8CC | 14      | 80      |

Product offering and specifications subject to change without notice.  
 Latch bags include latches and 2 end plugs.