

Citadel 2

Ordering Guide





Description

The Citadel2™ Vapor Tight Linear LED Light is engineered for the harshest environments. Constructed from impact-resistant fiberglass with a poured-in-place gasket, this fixture achieves IP65, IP66, IP67, and NEMA 4X ratings to withstand moisture, dust, and high-pressure washdowns. NSF-certified for food processing, it delivers reliable performance in freezers, parking garages, chemical plants, and manufacturing facilities where durability isn't optional.




Features

- Sizes include 2ft, 4ft, and 8 ft
- UL 5VA chemical resistant fiberglass housing, will not melt or burn
- Captive latches will not fall off during maintenance
- Acrylic or PC Lenses are both available in clear or frosted variations
- Polyurethane or silicone gasket for a watertight seal
- Made in USA with BAA/BABA compliance



Citadel 2

Ordering Guide



Housing and Hardware

Description	Part #	Quantity Per Unit
Housing	CT2-HV5-2L4	1
Housing Screw	CT-SCRW	2

Lens

Frosted Acrylic	CT2-CIRA-2L4-FR50	1
-----------------	-------------------	---

Driver Tray and Hardware

Driver Tray	CT-LED-DT-L	1
Universal Gear Tray Screw	CT-SCRW-UGT	4

Board Tray and Hardware

Board Tray	CT2-LED-BT1-2L4-1R-080	1
Board Tray Retainer Clip	CT-RC	2
Board Retention Clip	CT-LED-BRC-SM-S	*varies

Latches / Clips

Stainless Steel Latch	CT2-LATCHSS	8
-----------------------	-------------	---

Mounting

Mounting Bracket	CT2-MB-2L	2
------------------	-----------	---

End Plug

End Plug	CT-ENDPLUG-B	2
----------	--------------	---

Housing

Width	Length	Material	Part #	PCS/CTN	Full Skid Quantity
Narrow	4'	5VA (f1) Fiberglass (UL)	CT2-HV5-1L4	30	360
	2'	5VA (f1) Fiberglass (UL)	CT2-HV5-2L2	20	240
Wide	4'	5VA (f1) Fiberglass (UL) Single Pendant	CT2-HV5-2L2-CH1.25	20	240
		5VA (f1) Fiberglass (UL)	CT2-HV5-2L4	20	240
		5VA (f1) Fiberglass (UL)	CT2-HV5-2L4	20	240
		5VA (f1) Fiberglass (UL) Single Pendant	CT2-HV5-2L4-CH1.25	20	240
		5VA (f1) Fiberglass (UL) Double Pendant	CT2-HV5-2L4-2H8.75	20	240
	8'	5VA (f1) Fiberglass (UL)	CT2-HV5-2L8	60	240

Single Row (1R) Board Trays or Dual Row with Retention Clips

Width	Length	Description	Material	Part #
Wide	2'	Board Tray FOR CENTER ROW BOARDS OF 0.80" WIDE	White Enamel Sheet	CTVS-LED-BTGT-1L4-U
	4'	Board Tray FOR CENTER ROW BOARDS OF 0.80" WIDE	White Enamel Sheet	CTVS-LED-BTGT-1L4-U
	8'	Board Tray FOR CENTER ROW BOARDS OF 0.80" WIDE	White Enamel Sheet	CTVS-LED-BTGT-1L4-U
	2'	Board Tray FOR CENTER ROW BOARDS OF 0.80" WIDE	White Enamel Sheet	CT2-LED-BT1-2L2-1R-080
	4'	Board Tray FOR CENTER ROW BOARDS OF 0.80" WIDE	White Enamel Sheet	CT2-LED-BT1-2L4-1R-080
	8'	Board Tray FOR CENTER ROW BOARDS OF 0.80" WIDE	White Enamel Sheet	CT2-LED-BT1-2L8-1R-080
	2'	Board Tray FOR CENTER ROW BOARDS OF 0.95" WIDE	White Enamel Sheet	CT2-LED-BT1-2L2-1R-095
	4'	Board Tray FOR CENTER ROW BOARDS OF 0.95" WIDE	White Enamel Sheet	CT2-LED-BT1-2L4-1R-095
	8'	Board Tray FOR CENTER ROW BOARDS OF 0.95" WIDE	White Enamel Sheet	CT2-LED-BT1-2L8-1R-095
	2'	Board Tray FOR CENTER ROW BOARDS OF 1.60" WIDE	White Enamel Sheet	CT2-LED-BT1-2L2-1R-160
	4'	Board Tray FOR CENTER ROW BOARDS OF 1.60" WIDE	White Enamel Sheet	CT2-LED-BT1-2L4-1R-160
	8'	Board Tray FOR CENTER ROW BOARDS OF 1.60" WIDE	White Enamel Sheet	CT2-LED-BT1-2L8-1R-160

Note: Boards and drivers provided by others. All 1R board trays require CT-RC-WIDE and only use the "L" Driver Tray.
Custom board tray sizes are available upon request.

Single or Dual Row (2R) Board Trays

Width	Length	Description	Material	Part #
Wide	2'	Board Tray/Gear Tray FOR 1 ROW or 2 ROWS LED or T-LEDs	White Enamel Sheet	CT2-LED-BTGT-2L2-U
	4'	Board Tray/Gear Tray FOR 2 ROWS LED or T-LEDs	White Enamel Sheet	CT2-LED-BTGT-2L4-U
	8'	Board Tray/Gear Tray FOR 2 ROWS LED or T-LEDs	White Enamel Sheet	CT2-LED-BTGT-2L8-U

Product offering and specifications subject to change without notice.

Mounting

Width	Description	Material	Part #	PCS/BAG	PCS/CTN
Narrow	Narrow Mounting Bracket (2 per Housing)	Stainless Steel	CT2-MB-1L		250
	Prepackaged 2 per Bag	Stainless Steel	CT2-MB-1L-2	2	250
	Chain Hang: Mounting Bail (2 per Housing)	Stainless Steel	CT-BAIL	100	5,000
Wide	Narrow Mounting Bracket (2 per Housing)	Stainless Steel	CT2-MB-2L		400
	Prepackaged 2 per Bag	Stainless Steel	CT2-MB-2L-2	2	250
	Dual Pendant Mount Bracket (2 per Housing)	Stainless Steel	CT2-MB-2L-MCH		500
	45° Mounting Bracket Pack	Stainless Steel	CT2-MB-2L45-2	2	
	45° Mounting Bracket Pack	Stainless Steel	CT2-MB-2L45-2	2	

Hardware

Description	Part #	PCS/BAG	PCS/CTN
Board Retention Clip	CT-LED-BRC-SM	200	
Board Retention Clip Single Row	CT-LED-BRC-SM-S	200	
2R Board Tray Retainer Clip	CT-RC	200	2,400
1R Wide Board Tray Retainer Clip	CT-RC-WIDE	200	
Housing Screw	CT-SCRW	100	10,000
Driver Tray Screw	CT-SCRW-UGT	100	10,000
1/2" Hub	CT-DCB-50	200	
3/4" Hub	CT-DCB-75	100	
Driver Tray "L" Shape for One Driver (16.9" long)	CT-LED-DT-L	200	
Driver Tray "U" Shape for Two Drivers (14.4" long)	CT-LED-DT-U	336	
Tray Safety Straps	CT-SST	100	10,000
Lens Tether	CT-LT12	20	2,000
Gasket and Shim	CT-DA5	100	1,000
End Plugs	CT-ENDPLUG-B	200	2,000

Product offering and specifications subject to change without notice.

Diffusers & Lenses

Width	Length	Design	Material	Part # for Clear	Part # for FR50™ Frosted	PCS/CTN	Full Skid Quantity
Narrow	4'	Lineal Ribbed	Impact Resistant Acrylic	CT2-DIRA-1L4	CT2-DIRA-1L4-FR50	30	360
		Smooth	Polycarbonate	CT2-CP-1L4	CT2-CP-1L4-FR50	40	360
		Smooth	Impact Resistant Acrylic	CT2-CIRA-1L4	CT2-CIRA-1L4-FR50	40	360
Wide	2'	Lineal Ribbed	Impact Resistant Acrylic	CT2-DIRA-2L2	CT2-DIRA-2L2-FR50	20	180
		Smooth	Polycarbonate	CT2-CP-2L2	CT2-CP-2L2-FR50	20	180
		Smooth	Impact Resistant Acrylic	CT2-CIRA-2L2	CT2-CIRA-2L2-FR50	20	180
		Deep	Impact Resistant Acrylic	CT2-LIRA-2L2	CT2-LIRA-2L2-FR50	20	180
	4'	Lineal Ribbed	Impact Resistant Acrylic	CT2-DIRA-2L4	CT2-DIRA-2L4-FR50	20	240
		Smooth	Polycarbonate	CT2-CP-2L4	CT2-CP-2L4-FR50	20	240
		Smooth	Impact Resistant Acrylic	CT2-CIRA-2L4	CT2-CIRA-2L4-FR50	20	240
		Deep	Impact Resistant Acrylic	CT2-LIRA-2L4	CT2-LIRA-2L4-FR50	20	240
	8'	Lineal Ribbed	Impact Resistant Acrylic	CT2-DIRA-2L8	CT2-DIRA-2L8-FR50	10	240
		Deep	Impact Resistant Acrylic	CT2-LIRA-2L8	CT2-LIRA-2L8-FR50	10	120
		Smooth	Polycarbonate	CT2-CP-2L8	CT2-CP-2L8-FR50	20	240
		Smooth	Impact Resistant Acrylic	CT2-CIRA-2L8	CT2-CIRA-2L8-FR50	20	240

Latches

Length	Description	Material	Part #	PCS/BAG	PCS/CTN
Bulk	Citadel 2 Stainless Latch	316 Stainless	CT2-LATCHSS	200	1,000
	White Secure Locking Plastic Latch	Acetal Copolymer	CT2-LATCHW	200	1,600
	Clear Secure Locking Plastic Latch	Polycarbonate	CT2-LAWTCHCC	200	1,600
2'	White Secure Locking Plastic Latch	Acetal Copolymer	CT2-LATCH2W	6	100
	Clear Secure Locking Plastic Latch	Polycarbonate	CT2-LATCH2CC	6	100
4'	Stainless Steel Latch Bag with End Plugs	316 Stainless	CT2-LATCH4SS	8	175
	White Secure Locking Plastic Latch Bag with End Plugs	Acetal Copolymer	CT2-LATCH4W	8	100
	Clear Secure Locking Plastic Latch Bag with End Plugs	Polycarbonate	CT2-LATCH4CC	8	100
8'	Stainless Steel Latch Bag with End Plugs	316 Stainless	CT2-LATCH8SS	14	100
	White Secure Locking Plastic Latch Bag with End Plugs	Acetal Copolymer	CT2-LATCH8W	14	150
	Clear Secure Locking Plastic Latch Bag with End Plugs	Polycarbonate	CT2-LATCH8CC	14	80

Product offering and specifications subject to change without notice.
 Latch bags include latches and 2 end plugs.