

Sales pack





What is a yurt

A yurt is a circular tent-like structure that originated from Central Asia and has been used for centuries by nomadic people. Yurts are versatile, durable, and eco-friendly and can be used for various purposes, such as homes, studios, offices, retreats, or event spaces.

What makes Yurts for You different?

At "Yurts for you", we are proud to offer you the only yurts produced in New Zealand with a 2m wall height. This feature provides several benefits that make our yurts stand out. The increased wall height, and overall hight of the yurt allows for more headroom and a greater sense of spaciousness inside the yurt, which is especially important if you plan to build a loft in your yurt.





What sizes can you make?

We have a range of standard sizes to suit your needs, from 6m to 9m in diameter. These sizes correspond to the following floor areas:

- 6m diameter: 28.27 sqm
- 7m diameter: 38.46 sqm
- 8m diameter: 50.26 sqm
- 9m diameter: 63.61 sqm

- We can also organise larger sizes upon request.

Yurts For You MADE WITH PASSION

Standard Featers




Lattices wall

Our yurt walls are made of 46 x 22mm locally sourced eucalypt lattices, finished with a wood penetrating oil to preserve their natural colour and texture. The llattices are assembled with brass fasteners that are sturdy and durable. A 6mm diameter stainless steel wire is weaved between the 'V' and joined with cable grips. The rafters from the roof will rest on this cable.

Raftes

Our yurt rafters are made of high-quality, untreated SG10-graded Douglas fir wood that is strong and durable. The wood is untreated and has a natural grain and colour. The rafters are sanded and finished with a wood-penetrating oil that protects them from moisture and insects.

The rafters are connected to a mid-span wire tensioned with a turn-buckle. This wire helps to support the rafters and keep them in place



Centre Ring

Our center ring is the heart of the yurt, where the rafters meet and form a stunning pattern. The ring is made of a combination of structural grade plywood and Douglas fir wood, with a thin high-grade plywood finish. The ring is glued with marine-grade adhesive and certified by an engineer for safety and durability. The ring also has a hole for the dome, allowing natural light and ventilation to enter the yurt.

Standard Featers





Doors

Our yurts can accommodate one or two doors, depending on your site and style. We partner with Renall doors and parklands to provide you with high-quality timber doors that suit your yurt. We also suggest adding a porch or an awning to your yurt to shield your door from the weather. Alternatively, you can provide your own doors and we will make custom door jambs that fit the lattice wall. We prefer timber doors and frames that match the size and shape of the yurt and are no wider than 1.60m.

https://renalldoors.co.nz/products/ https://parkwooddoors.co.nz

Windows

Our yurts have windows made of clear vinyl that is durable and marine-grade. You can decide how many windows you want and where to put them, based on your site and preference. The vinyl is the same as the one used for car and boat covers, and it lasts for 5-8 years in outdoor conditions. To protect the windows from UV rays, we offer canvas shutters that can be rolled down and secured with zips or ties. The shutters can also have insulation for extra warmth. Windows can also have flyscreens to keep out insects.



PVC Roof

Our yurts have PVC roof covers made of Diamond 700 fabric, which is a high-quality fabric produced by Sattler industries in Austria for Contender fabrics. The fabric has a smooth and even vinyl coating with an acrylic top coat, making it superior to most PVC fabrics. The fabric can last for more than 10 years outdoors, if it is kept clean from dirt and dust. To prolong its life, it can be recoated with products like Dulux Hypersheild. Our yurt roof covers are welded rather than sewn for most of the parts, ensuring a waterproof membrane. The roof covers and the wall panels can be replaced easily if needed.

Standard Featers





Walls

The canvas wall claddings of our yurts are made of Wax Converters Textile DX12, a high-performance fabric that is suitable for the NZ weather conditions. This fabric has been coloured and waterproofed, and it has been treated with a special agent that protects it from mold, mildew and UV rays. To ensure the longevity of the fabric, we recommend that you apply the WCT proofing agent every two years. This will enable the fabric to last for more than 8 years outdoors. Our yurts are not only aesthetically pleasing, but also reliable and functional.

Extra Options





Insulation

Our yurts are insulated with terra lanna natural wool insulation, which is made in NZ from a wool/polyester blend that is thermally bonded. This insulation is breathable and can absorb and release moisture, preventing dampness. It is also safe, natural, odourless and compostable.

Extra Options





Inner lining

Our yurts have a cozy and elegant interior that covers the whole structure. The roof has a single sheet that fits over the rafters, creating a smooth and seamless look. The walls are lined with insulation that is stitched with the fabric, making it easy to set up and giving it a nice finish. The lining is secured to the cable at the top.

Additional Fabric Windows

Make your yurt brighter and fresher with our extra windows. These windows are made of clear vinyl that lets you enjoy the view. They also have zippered flaps that protect you from the weather. You can open the windows from the outside and adjust them to your liking. They can be as wide as 1.60 meters.





Dome skylight with opener

Enjoy the natural light and the starry sky with our yurts. They have a clear acrylic dome on top that lets you see the beauty of the night. You can also open the dome to release any hot air or moisture that may build up inside. This way, you can stay cool and comfortable in our yurts. The dome comes with an extension handle for easy opening and closing.

Wall Colours





DX12 Canvas Wall

Our DX12 canvas is a medium weight, general-purpose outdoor canvas that is ideal for your yurt. It is made of a polyester/cotton blend that offers the best UV resistance and durability12. It is finished with the Dynaproof process, which makes it waterproof, rot proof, and breathable.

Available colours



13. Maroon

14. Bright Green

12. Dark Green

11. Navy

16. Camo

15. Dark Navy

Roof Colours





Diomand 700 PVC Roof

Our Diamond 700 series roof cover is a waterproof PVC fabric that protects your yurt from sun, wind, and rain. It is made of polyester fabric with a transparent and weather-resistant PVC coating. It is produced in Austria and has been tested in New Zealand conditions for over 25 years. We have a range of colours available, but the most popular one is 736, which we usually have in stock.

Available colours





Southern41[™] Thermal

A unique system for a healthy home, all year 'round

Southern41™Thermal is a 41mm residential aluminium joinery system with a unique thermal break built into the frame to improve the insulation of your home, making it ideal for use in any climate.

Modern and sleek flat faced frame profiles are available across all frame types. Flat faced frames seamlessly blend with our Pacific52™ Thermal system, where required.

The unique Southern41™ thermal break not only builds on the impressive insulating properties of double glazing, it also delivers uncomparable structural strength whilst combining traditional and modern aesthetic options. All to provide you a comfier, healthier home, all year round.

All products within the Southern41™ Thermal range can accommodate double glazed units up to 30mm in width.

Just as double glazing prevents warmth or coldness from escaping through glass, the thermal break in an aluminium frame does the same for your joinery by stopping any heat transfer via the metal. The result is an increased R-value enabling Southern41™ Thermal to provide maximum protection against condensation making it easier for you to maintain your home at an optimal 'healthy home' minimum temperature of 18° Celsius, not to mention the significant energy savings on offer.

The R-value* is a measure of how well a product insulates – the greater the value the greater the insulation properties.

But what is it exactly that makes Southern41™ Thermal different from other thermally broken products available in New Zealand? As they say, the devil is in the detail. Southern41™ thermally broken joinery is made using the 'Pour and Debridge' manufacturing method. This involves filling (the 'Pour') a channel designed into the aluminium frame with a resin. The back of the channel is then milled out (the 'Debridge') to sever the link between the front and the back of the aluminium and create a 5mm thermal break in the frame.

The resin is incredibly strong so the Southern41™ Thermal System can withstand virtually any climatic conditions, including Extra High wind zones. In fact, Southern41™ Thermal is so strong it exhibits the same performance characteristics of a regular aluminium section. This great strength also makes Southern41™ Thermal suitable for larger windows and doors, with door unit up to 2.4m* for hinged and bifold doors, weighing up to 60kgs and up to 2.6m* high for sliding panels, these weighing up to 220kg, both offer wide glass openings for impressive uninterrupted views and access.

The Southern41™ Thermal System can accommodate almost any combination of window and door configuration, while the framing itself has a sleek square profile, not rounded, to suit modern architectural aesthetics. Innovative products such as the iconic Ranchslider™, functional Levelstep™, and the premium Euroslider™ are all available within the system.


Suitable across multiple market segments; Standard Residential-Mid Level Architectural homes, Multiresidential, Light Commercial Applications and A&A (Additions and Alterations).

Performance up to and exceeding Extra High wind zone rating.




*2.4m high is recommended. Larger sizes may be possible, please contact your local fabricator for advice

The thermal break provides added insulation for your windows and doors



Eurostacker™ Door



NZ's top 6 trending colours



Finishes

20S1364M

LRV: 89

Metro Silver Pearl Kinetic Satin 928

21P7831S LRV: 46

Grey Friars Matt

20S7809M LRV: 10




Ironsand Matt

902 LRV: 7 20S8383N



Flax Pod Matt



Black Matt

20S9041M

Appliance White Matt



Off White Matt

Canvas Cloth

Desert Sand

20S3239M LRV: 45

Permanent Green

20S6450M LRV: 10

Scoria Matt

Matt [†]

Matt

20S7830M LRV: 63

Matt

20S3240M LRV: 77

20S1358S LRV: 82



Kinetic Matt 21P1367M LRV: 89

Bronco Matt

20S2253M LRV: 38

Bond Rivergum

Karaka Matt

Anotec Mid

Bronze Matt

20S8385M


20S6446M LRV: 7

20S6448M LRV: 19

Warm White Pearl

20S1365G LRV: 85





20S6449M LRV: 26

Lichen Matt

Thunder Grey

20S7825M LRV: 12

Window Bronze

Kinetic Matt

Metro Electric

Cow Kinetic Matt

21P8394M

Matt [†]







Sandstone Grey

20S7807M LRV: 25

Matt











Metro Coal Dust

Kinetic Matt

21P9221M

Matt


















Flat

NZ's popular colours

Pure White Gloss

Ghost Grey Matt 20S7829M LRV: 44





New Denim Blue Matt 20S5392M LRV: 11



Slate Blue Matt





Charcoal Matt





20S7824M LRV: 6



Protexture Black

Stellar Doors[™] are powder coated to provide both decorative and protective advantages. A wide range of attractive powder coat finishes are available, including bright finish and textured wood grain finish. Aluminium doors that are powder coated require little maintenance, are long lasting and durable.

Bright Finish Options

Stellar Doors™ offer six bright colour power coat finishes. Opting for a bright coloured front door makes a stunning statement to the entrance way and home. The intensity colour range from Dulux have a 15 year warranty.



Wood Grain Finish

The latest range of textured wood grain finishes are available to give Stellar Doors™ the look and feel of timber. This is a practical way of incorporating the timber style with the durability of aluminium.

Duralloy® +Plus Contemporary

The Altus Contemporary Collection spans the colour spectrum from subtle neutral tones that blend naturally with New Zealand's environment, to bold dramatic colours that express individuality – perfect for city style. The range caters to traditional homes as easily as it caters to modern trends in building design.

Duralloy® Plus Urban Collection

These colours are a selection of the latest innovations in powder coating finishes. Created to complement new architectural trends, these shades add a new aesthetic dimension to aluminium joinery with their pearlescent finishes.

Protexture[™]

A highly mar and scuff resistant fine textured finish designed to protect. The advanced highly durable powder technology significantly reduces the visible mar and scuffing that happens day-to-day.

Available in a range of popular colours. Ask your local fabricator for a list of available options.




Can't find the colour you're looking for? Please speak to your local Fabricator. Colours may carry a price premium.





name:	
Phone:	
Email:	

Yurt Design



Window 1 style _______
Window 2 style ______
Window 3 style ______
Window 4 style ______
Window 5 style ______



ORDER FORM

021 2054 020 info@yurtsforyou.co.nz

NAME:				PHON	PHONE:			
ADDRESS:				EMAIL:				
YURT _ LOCATION: _								
YURT								
YURT DIAMTER: _	6M		7M		8M	Yes 9M		
TOP COVER								
TOP COVER:	pvc	canvas						
COLOUR:								
SIDE COVER								
COLOUR: _	M A	ADE	WITH					
DOORS								
Door Awning: _ DOOR 1: _	Yes Manufact		Yes		Model:			
Handle on:	Inwards Left	Outwards Right	Size:					
Screen door:	Yes	No	Yes					
Location:	6 O,CFC	CK	3 O'CLOCK	9 O	CLOCK	12 0'CLCOK		
Door Awning: _	Yes	No						
DOOR 1:	Manufact Inwards		Size:		Model:			
Handle on:	Left	Outwards Right	Size:					
Screen door:	Yes	No						
Location:	6 O'CLC		3 O'CLOCK	90	CLOCK	12 0'CLCOK		

WINDOWS						
AMOUNT OF WINDOWS:	1	2	3	4	5	
SIZE: _ TYPE:						
-	6 O'CLOCK		3 O'CLOCK		9 O'CLOCK	12 0'CLCOK
INSULATION						
TYPE:	Terra la	na wool				
-		Roof		-	Walls	
OPTIONALS						
WINDOW :	Yes	No				
Stove Flashing	Yes	No				
					12	
Location			Size: H	×W		
_	Window 1:					
-	Window 2:				9 —	3
Optional extra					Door	
	Window 3:				6	
-	Window 4:				_	

Window 5:

Second door:



Placing an Order

Instructions:

To place an order, please download the order form from our website. Complete the form with accurate details and specifications. Once the form is filled out, please email it to info@yurtsforyou.co.nz We will contact you by phone to assist you in verifying the order details and guide you through the process. Following the confirmation of the order, a detailed quote will be provided for your review.

Deposit:

To initiate the order process for a yurt from Yurts For You Ltd, a deposit of \$1000.00 is required. This deposit secures your place in our production queue. If you cancel your order before work begins, the deposit is 50% refundable (\$500).

Production Commencement:

Production will start once we receive confirmation of your order and the initial deposit. When production starts, a second payment of 50% of the total order amount will be due. The payment must be made within 30 days of the invoice date (unless agreed otherwise) to ensure your spot in the production queue is secured.

Final Payment and Delivery Fees:

Upon completion of the yurt, the final payment, which includes the remaining 50% of the total order amount and any applicable delivery fees, is required before the yurt is dispatched for delivery. We will invoice you for this final payment upon completion of the manufacturing process. Payment is due within 30 days of invoice. (unless otherwise agreed with us).

Order Completion and Delivery:

We will notify you upon completion of the yurt and provide details regarding the outstanding balance. Delivery fees will be communicated and included in the final payment.

Once the final payment is received, we will arrange to deliver the yurt to the agreed-upon location.

Cancellation Policy:

In the event you cance the order before the start of the production, the initial \$1000.00 deposit is 50% refundable.

Once we have received the second deposit and started work on your order, the deposit is refundable minus any losses we will incur either modifying or on-selling the item.



Modification Requests:

Any modifications requested after production commencement may incur additional costs, and you will be informed of such fees before proceeding.

Late Payment:

Late payments may result in delayed delivery or additional charges. We reserve the right to withhold delivery until full payment is received and to seek interest and recovery costs from you as provided in our terms and conditions.

Legal Jurisdiction:

All orders are governed by the laws of New Zealand, and any disputes shall be settled within New Zealand's courts.

You acknowledge and agree to this order process and our terms and conditions by proceeding with our order.



Summary Terms and Conditions of Trade

Definitions:

"Yurts For You" means Yurts For You Ltd Limited. In this document, we use "we," "us," and "our" to mean Yurts For You Ltd. "Client" means the person or people who buy the Goods. In this document, we use "you" and "your" to mean the Client.

Acceptance:

You agree to these terms and conditions when you order or receive the Goods. If you want to change these terms, you need to request it in writing, and we need to approve it.

Change in Control:

Notify us at least 14 days before selling your business or changing any details. Failure to do so may result in financial responsibility for any losses we incur.

Price and Payment:

The Price is as shown on the invoice or the quoted price, valid for the specified period or 30 days. We may change the Price under certain conditions, such as variations in Goods or Services and increased labour or material costs. A non-refundable deposit may be required, with the total Price due before delivery. Payment methods include cash, cheque, bank cheque, electronic/online banking, or as agreed. Unless stated otherwise, the Price excludes GST.

Delivery of Goods:

Delivery occurs when you or your carrier takes possession at our address or when we deliver to your chosen address. Delivery costs will be decided per order and added to the final invoice. You must accept delivery; failure may result in fees for redelivery or storage. Any delivery time is an estimate; we are not liable for late delivery.

Risk:

Risk passes to you on delivery. You must ensure the Goods are in good order on or before delivery. Colour variations are inherent in fabric dye lots; we are not liable for such variations.

Onsite Installation:

During onsite installation, you are responsible for site readiness, necessary consents, and providing required information. You are liable for installation quality and any associated costs.



Title:

You will only own the goods once payment is complete. Until then, you hold the goods for us and must keep them insured. You must not sell, dispose of, or alter the goods. We reserve the right to reclaim goods in transit.

PPSA:

By agreeing to these terms, you acknowledge that they constitute a security agreement under the PPSA. We have a security interest in all goods provided. You agree to cooperate in PPSA registration processes and cover associated costs.

Client's Disclaimer:

You waive the right to end or cancel a contract, acknowledging purchases are based on your skill and judgment.

Defects:

Inspect goods upon receipt; report any issues within five (5) days. For faulty goods, return conditions apply as outlined in writing.

Returns:

Returns are accepted only if conditions in clause 10.1 are met. Goods must be returned within ten (10) working days at your expense, in original condition.

Warranty:

If reported promptly, we promise to replace or fix faulty workmanship within two (2) years. Warranty conditions apply; we are not liable for misuse or damage.

Consumer Guarantees Act 1993:

For business purchases, the Consumer Guarantees Act 1993 does not apply.

Intellectual Property:

We own rights to designs and documents. Ensure provided materials comply with patents, designs, or trademarks; you agree to defend us against any third-party claims.

Default and Consequences:

Late payments incur interest. You are responsible for costs incurred in debt recovery. Failure to comply may result in supply termination. We reserve the right to cancel orders if payment conditions are not met.



Compliance with Laws:

Both parties agree to abide by all applicable laws and safety standards during Services.

Cancellation:

Either party can cancel a contract by mutual agreement in writing. Both parties will be reimbursed in case of cancellation, and we are not responsible for associated losses.

Privacy Act 1993:

Both parties consent to information exchange for credit checks and marketing purposes. Rights under the Privacy Act 1993 are acknowledged.

Unpaid Seller's Rights:

We retain a lien on items until payment is complete, with the right to sell or retain per legal requirements.

Construction Contract Act 2002:

We may stop work if payment is not received; consequences as per the Construction Contract Act 2002 apply.

General:

Unused terms do not forfeit their validity. These terms are governed by New Zealand law; Nelson Courts have jurisdiction. Neither party is liable for events beyond their control.



