

SALT CREEK Drainage Basin Sanitary District

Comprehensive Sewer Use and Regulation Ordinance

Effective August 17, 1981

201 South Route 83
Post Office Box 445
Villa Park, Illinois 60181

ORDINANCE NO. 189

COMPREHENSIVE SEWER USE, COLLECTION AND
TREATMENT REGULATION ORDINANCE OF THE SALT
CREEK DRAINAGE BASIN SANITARY DISTRICT,
VILLA PARK, DU PAGE COUNTY, ILLINOIS.

WHEREAS, the boundries and jurisdiction of the Salt
Creek Drainage Basin Sanitary District have been enlarged; and

WHEREAS, the volume and variety of usage in the
District has increased; and

WHEREAS, the United States Environmental Protection
Agency and the Illinois Environmental Protection Agency have im-
posed regulations governing sewage treatment works;

NOW, THEREFORE BE IT ORDAINED BY THE BOARD OF TRUSTEES
OF THE SALT CREEK DRAINAGE BASIN SANITARY DISTRICT THAT:

ARTICLE I DEFINITIONS

Unless the context specifically indicates otherwise,
the meaning of the terms used in this ordinance shall be as follows:

SECTION 1. BOARD OF TRUSTEES or TRUSTEES is the BOARD OF TRUSTEES
OF THE SALT CREEK DRAINAGE BASIN SANITARY DISTRICT.

SECTION 2. B O D means Biochemical Oxygen Demand which is the
quantity of oxygen utilized in the biochemical oxid-
ation of organic matter under standard laboratory pro-
cedure in five(5) days at 20 degrees C., expressed
in milligrams per liter.

SECTION 3. BUILDING DRAIN is that part of the lowest horizontal
piping of a drainage system which receives the dis-
charge from soil, waste and other drainage pipes inside
the walls of the building and conveys it to the build-
ing sewer.

SECTION 4. BUILDING SEWER is the extension from the building drain to the public sewer or other place of disposal.

SECTION 5. COMBINED SEWER is a sewer receiving storm or surface water and sewage.

SECTION 6. DISTRICT is the SALT CREEK DRAINAGE BASIN SANITARY DISTRICT.

SECTION 7. ENGINEER is the duly appointed and qualified ENGINEER of the SALT CREEK DRAINAGE BASIN SANITARY DISTRICT, or his authorized representative.

SECTION 8. GARBAGE is solid wastes from the domestic and commercial preparation, cooking and dispensing of food, and from the handling, storage and sale of perishable produce.

SECTION 9. IEPA is the ILLINOIS ENVIRONMENTAL PROTECTION AGENCY.

SECTION 10. INDUSTRIAL WASTE is any and all wastes whether liquid or solid, in solution or in suspension, arising or produced by factories, industries, plants, garages and other business or manufacturing institutions which are injurious or detrimental to the sewers, sewerage system or treatment works of the DISTRICT or any of the appurtenances thereof or injurious or detrimental to the bacterial or chemical action of the sewage treatment works; and such industrial wastes shall also include and are defined to be:

- (a) waste containing or carrying settleable solids, or floating material of whatever character.
- (b) waste containing or carrying soluble or insoluble

matter which is putrescible or capable of putrefaction.

- (c) waste containing or carrying chemicals, acids, alkalies, corrosive, metallic or other compounds, whether soluble or insoluble, organic or inorganic.
 - (i) which are putrescible or capable of putrefaction.
 - (ii) which adversely affect bacterial action, or
 - (iii) which injure or tend to injure, by deposition or corrosion, the outlets, sewers, sewerage system, works, structures, or instrumentalities of the DISTRICT.
- (iv) waste carrying, containing or composed, wholly or in part, of volatile or flammable materials, fats, oils, grease, tar, kerosene, gasoline or similar materials.
- (v) waste containing or carrying chemicals, acids, alkalies, corrosive, metallic or other compounds, sediment or suspended matter, or mineral matter in solution or any other material, substance, liquid, or thing which is detrimental to or interferes or tends to interfere with the operation of the outlets, sewers, sewerage system, works, structures, instrumentalities or processes of the DISTRICT, by causing or resulting in deposits therein by settlement, precipitation, or otherwise or in any other manner injuring, damaging or interfering with any of the instrumentalities, works or processes of the DISTRICT.

SECTION 11. NATURAL OUTLET is any outlet into a watercourse, pond,

ditch, lake or other body of surface or groundwater.

SECTION 12. PERSON is any individual, firm, company, association, society, corporation or group.

SECTION 13. pH is the logarithm of the reciprocal of the weight of hydrogen ions in grams per liter of solution.

SECTION 14. PPM is parts per million by weight.

SECTION 15. SHREDDED GARBAGE is the wastes from the preparation, cooking and dispensing of food that has been shredded to such a degree that all particles will be carried freely under the flow conditions normally prevailing in public sewers, with no particle greater than one-half($\frac{1}{2}$) inch in dimension.

SECTION 16. PUBLIC SEWER is a sewer in which all owners of abutting properties have equal rights, and is controlled by a public authority.

SECTION 17. SANITARY SEWAGE includes domestic sewage and sewage discharged from the sanitary convenience of dwellings and other buildings and places in which sanitary conveniences are used or installed.

SECTION 18. SANITARY SEWER is a sewer which carries sewage and to which storm, surface and groundwaters are not intentionally admitted.

SECTION 19. SEWAGE is a combination of the water carried wastes from residences, business buildings, institutions and industrial establishments, together with such ground, surface and storm waters as may be present.

SECTION 20. SEWAGE TREATMENT PLANT is any arrangement of devices and structures for treating sewage.

SECTION 21. SEWAGE WORKS are all facilities for collecting, pumping, treating and disposing of sewage.

SECTION 22. SHALL is mandatory; MAY is permissive

SECTION 23. SLUG is a discharge of water, sewage or industrial waste to the treatment works which amount is five (5) times an average twenty-four (24) hour strength or flow and which continues for more than fifteen (15) minutes.

SECTION 24. SOLID WASTES include trash, garbage, ashes, rags, manure of domestic animals, food stuffs, and the waste thereof, other than normally contained in domestic sewage; offal, dead animals or portions thereof, and all other solid objects, materials, refuse and debris. The term ASHES includes the residuum resulting from the combustion of coal, coke, wood or other material or substance, and soot, cinders, slag or charcoal.

SECTION 25. STORM SEWER is a sewer which carries storm and surface waters and drainage, but excludes sewage and industrial wastes other than unpolluted cooling waters.

SECTION 26. SUPERINTENDENT is the duly appointed and qualified Superintendent of the DISTRICT, or his authorized assistant, deputy, agent or representative.

SECTION 27. SUSPENDED SOLIDS are solids that either float on the surface of, or are in suspension in water, sewage, or other liquids, and which are removable by Laboratory filtering.

SECTION 28. UNCONTAMINATED INDUSTRIAL WASTE is waste water which has not come into contact with any substance used in or incidental to industrial processing operations.

SECTION 29. USEPA is the UNITED STATES ENVIRONMENTAL PROTECTION AGENCY.

SECTION 30. USER is any person using the services of the DISTRICT, or who owns real estate within the DISTRICT, or otherwise comes within the jurisdiction of the DISTRICT.

SECTION 31. WATERCOURSE is a channel in which a flow of water occurs, either continuously or intermittently.

ARTICLE II

SEWAGE COLLECTION AND TREATMENT REGULATIONS

SECTION 1. CONDITIONS FOR DISCHARGE TO THE SYSTEM

- (a) Public wastewater collection facilities are required to be used for deposit of human waste, garbage, or wastes that cannot be discharged to a receiving stream.
- (b) It shall be unlawful for any person to place, deposit or discharge, or to cause to be placed, deposited or discharged, upon public or privately owned property any wastewaters within the corporate limits of the DISTRICT unless within adequately sized holding facilities approved by all applicable Federal, State and local agencies.
- (c) It shall be unlawful for any person to deposit or discharge, or to cause to be deposited or discharged, to any wastewater collection facility any solid, liquid or gaseous waste unless through an approved connection.
- (d) It shall be unlawful for any person to discharge to the environment any sewage, waste or material, industrial waste or polluted water except where such person has made and provided treatment therefor rendering the content of such discharge in accordance with District, State and Federal laws, ordinances and regulations.
- (e) In the case of natural outlet discharges, at the time construction is commenced, each such Owner or Operator shall furnish the DISTRICT an approved NPDES Permit,

which shall set forth the effluent limits to be achieved by such pretreatment facilities and a schedule for the achievement of compliance with such limits by the required date. Such permit shall be kept on file in the office of the DISTRICT, and be updated by such information as periodically required by the DISTRICT, local governments, or State and Federal agencies.

- (f) Any person owning property situated within the corporate limits of the DISTRICT, which property is improved with one or more residences, houses, buildings or structures used or intended to be used for human use, occupancy, employment or any other similar purpose whatever, and which abuts on any street, alley or right-of-way in which there is located a sewer within forty(40) feet from the nearest property line shall, within ninety(90) days after such sewer is in service, at his expense install suitable waste disposal facilities therein, and connect such facilities directly with the public sewer in accordance with the terms and provisions of this ordinance.
- (g) No person shall avoid connection to such sewer by reason of the distance from the building or structure to the connection point at such sewer.

SECTION 2. CONNECTIONS AND USAGE

- (a) No person shall connect or cause to be connected any building or any part thereof to any sewer unless the

entire property shall first be situated within the corporate limits of the DISTRICT, except as provided in Section 6, supra.

- (b) No municipality, shall permit the connection for, or discharge of other than sanitary sewage into a sewer system which is connected directly or indirectly to the sewage treatment plant of the District, or which discharges into Salt Creek or any other watercourse within the jurisdiction of the DISTRICT, before permission has been granted for such discharge by the DISTRICT in writing.
- (c) When the wastes to be removed from a building consist of both sanitary sewage and industrial wastes, separate building sewers shall be provided to carry the sanitary sewage and industrial wastes to the public sewer so that the industrial waste may be tested and measured from time to time.
- (d) Any person or persons granted permission for connection by the DISTRICT in writing as described in Section 2(b) hereof, their heirs, administrators, successors or assigns in interest, shall indemnify and save harmless the DISTRICT from any and all loss, cost, expense or damage including any and all liability for and on account of any accident or accidents, injury, illness, death or disability caused by or in any manner arising from or growing out of or related to such connection or discharge of wastes.

SECTION 3. LIMITATIONS ON DISCHARGE

- (a) No person shall discharge or cause to be discharged any stormwater, foundation drainwater, groundwater, roof runoff, surface drainage, or unpolluted industrial cooling waters to any sanitary sewer.
- (b) Except as hereinafter provided, no person shall discharge or cause to be discharged any of the following material to any sewer, the Salt Creek or any other watercourse within the jurisdiction of the DISTRICT.
 - 1. Any liquid or vapor having a temperature high enough to created damaging or adverse effects on the treatment process or which prevents DISTRICT compliance with IEPA and USEPA regulations.
 - 2. Any water or waste which contains more than 100 parts per million by weight of fat, oil, grease, or hexane extractable material.
 - 3. Gasoline, benzene, naptha, fuel, oil, or other combustible, flammable or explosive liquid, solid or gas of whatsoever kind or nature.
 - 4. Any gases, ashes, cinders, sand, mud, straw, shavings, metal, glass, rags, feathers, tar, plastics, wood, paunch manure or any solid or viscous substance capable of causing obstruction to the flow in sewers or interference with the operation of the sewage works.
 - 5. Any garbage that has not been shredded.
 - 6. Any waters or wastes having a ph lower than 5.5 or higher than 9.5 or having other corrosive property capable of causing damage or hazard to sewers,

structures, equipment and personnel of the sewage works.

7. Any waters or wastes containing any toxic or poisonous substance in sufficient quantity to injure or interfere with the sewage treatment process or would constitute a hazard to humans or animals, or could create any hazard in the receiving waters of the sewage treatment plant.
8. Any user, engaged in manufacture or other process, including deactivation processes, in which cyanide or cyanogen compounds are used, shall have each and every room where said components are used or stored, so constructed that none of said components can escape therefrom by means of a building sewer, drain or otherwise directly or indirectly into any sewer, Salt Creek, or to any other watercourse within the jurisdiction of the DISTRICT.
9. Any waters or wastes containing BOD or suspended solids of such character and quantity that unusual attention or expense is required to handle such materials at the sewage treatment plant, except as may be permitted by specific, written agreement with the DISTRICT, which agreement may provide for special charges, payments or provisions of treating and testing equipment.
10. Any noxious or malodorous gas or substance capable of creating a public nuisance.
11. Any amount of the following constituents exceeding the limits set forth.

Aluminum	800.0	milligrams per liter
Arsenic	0.25	milligrams per liter
Barium	2.0	milligrams per liter
Boron	1.0	milligrams per liter
Cadmium	2.0	milligrams per liter
Chlorides	700.0	milligrams per liter
Chromium, total	21.8	milligrams per liter
Copper	17.6	milligrams per liter
Chromium (hexavalent)	3.6	milligrams per liter
Cyanide	0.25	milligrams per liter
Flourides	2.5	milligrams per liter
Iron, total	56.0	milligrams per liter
Lead	1.5	milligrams per liter
Manganese	1.0	milligrams per liter
Mercury	0.0005	milligrams per liter
Nickel	6.7	milligrams per liter
Phenols	0.3	milligrams per liter
Selenium	1.0	milligrams per liter
Silver	0.1	milligrams per liter
Total dissovled solids	1500.0	milligrams per liter
Zinc	16.5	milligrams per liter

12. Ammonia nitrogen that would cause the DISTRICT to be in violation of IEPA regulations.
13. Nothing contained herein shall be deemed to require lesser standards for discharge than are or may be imposed by the USEPA or the IEPA.

SECTION 4. PRETREATMENT

- (a) Whenever the DISTRICT requires pretreatment of any of material set forth in Section 3, the user producing such material into the public sewers shall construct, install and operate, at its sole expense, such preliminary treatment plant, facilities and such other appurtenances as may be required by the DISTRICT to:
 1. Reduce the BOD to 300 ppm and the suspended solids to 350 ppm.
 2. Reduce characteristics or constituents to the limits prescribed in Section 3, supra.

3. Control the quantities and rate of discharge of such material.
 4. Facilitate the observation, sampling and measuring of the material in a safe, accessible location.
- (b) No preliminary treatment plant or facility shall be constructed or operated, unless all plans, specifications, operating data pertinent to its proposed operation and maintenance shall conform to all DISTRICT, USEPA, IEPA and municipal, State and Federal agency regulations, and written approval, where required, of plans, specifications, operational data and sludge disposal has been obtained from the USEPA, IEPA, and any other municipal, State or Federal agency having regulatory authority in respect thereto.
- (c) All preliminary treatment facilities required hereunder shall be maintained in satisfactory operating condition by the user operating or maintaining it, at its sole expense.
- (d) Nothing contained herein shall be construed to prevent or prohibit a separate agreement between the DISTRICT and an industrial user whereby industrial waste of unusual strength, character or composition may be accepted by the DISTRICT for treatment; subject to an additional payment therefor by such user; provided that such agreement shall be approved by the Board.
- (e) Grease, oil or sand interceptors or retainers are to be installed by a user at its expense when they are

necessary for the handling of wastes containing grease, oil or sand. Each interceptor is to be of a type and capacity approved by the DISTRICT.

- (f) All grease, oil or sand interceptors shall be maintained by the user and shall be continuous, efficient in operation at all times.
- (g) A user shall make an immediate report to the DISTRICT, whenever there occurs an admission into a sewer of any material, waters or wastes having any of the following characteristics:
 - 1. A five(5) day BOD greater than 300 ppm, or
 - 2. More than 350 ppm of suspended solids, or
 - 3. Any quantity of a substance having the characteristics set forth in Section 3, supra, or
 - 4. Flow greater than the maximum flow allowed by the discharge permit of the user.
- (h) The DISTRICT reserves the right to reject admission to the system of any waste harmful to its treatment or collection works or to the receiving stream.

SECTION 5. PRIVATE SEWAGE TREATMENT AND DISPOSAL

- (a) When a public sewer is not available as set forth in Section 1, supra, a building or structure shall be connected to a private sewer disposal of treatment system, constructed in compliance with all DISTRICT, municipal, County, State or Federal regulations.
- (b) Before construction of such a system, the owner shall obtain a permit from the DISTRICT. The application

for the permit shall be on forms prescribed by the DISTRICT, supplemented by such information as may be required by the DISTRICT. Such permit shall be in addition to any permit required by any other governmental authority having jurisdiction over such an installation.

- (c) A permit for a private sewage disposal system shall not become effective until the installation is completed in accordance with the plans and specifications approved by the DISTRICT. The DISTRICT shall inspect the work during the construction and is to be notified when the work is ready for final inspection, before any underground portions are covered. The inspection shall be made within forty-eight (48) hours of the receipt of written notices by the DISTRICT.
- (d) The type, capacities, locations and layout of a private sewage disposal system shall comply with the requirements of IEPA and each municipality applicable thereto. No permit shall be issued for any private sewage disposal system employing sub-surface soil absorption facilities where the area of the lot is less than twenty thousand (20,000) square feet. No septic tank or cesspool shall be permitted to discharge to any natural outlet.
- (e) Nothing contained herein shall be construed as to

conflict with the requirements that may be imposed by the Du Page County Board of Health.

- (f) When a public sewer becomes available, the building sewer shall be connected to said sewer within ninety (90) days and the private sewage disposal system shall be cleaned of sludge and filled with clean bank-run gravel or dirt.

SECTION 6. SERVICE TO OUTLYING TERRITORY

- (a) The DISTRICT, by resolution of the Board, shall have the right, upon such terms and conditions as it may impose, to contract in writing for the right to service any sewer serving property wholly or partly outside its corporate limits.
- (b) In the event such a contract is entered into, the user shall be subject to all of the ordinances, rules and regulations of the DISTRICT as would a user situated within the corporate limits of the DISTRICT.
- (c) If an owner of property situated outside the corporate limits of the DISTRICT and not contiguous thereto, desires to connect such property to a sewer which transports sewage to the treatment works of the DISTRICT, the DISTRICT shall permit such connection provided however that the owner has entered into a written agreement which shall contain the following:
 - 1. The owner may connect only the buildings situated on the premises set forth in the agreement, in accordance with all applicable laws, ordinances and regulations of the DISTRICT, State, Federal and municipal governments.

2. The wastes and material discharged into such sewer shall meet all USEPA, IEPA and DISTRICT standards for composition and volume.
3. The owner, its successors and assigns shall further agree to pay all connection, user, treatment or service charges which are applicable to all property owners throughout the DISTRICT.
4. The owner, his successors, and assigns shall pay annually an amount equivalent to DISTRICT taxes computed in the following manner:
 - (i) The assessed value of the owner's property, or any subdivided part or separate tract thereof, as determined by the assessor, shall be multiplied by the DISTRICT'S rate of tax upon real estate and personal property situated within its corporate area for said year, when the same is determined.
 - (ii) Said amount, when computed by the DISTRICT, shall be charged to the owner, its successors and assigns, and said statement shall be paid within thirty(30) days thereafter. Any amount remaining unpaid after due date shall draw interest at the rate of 12 percent per annum until paid.
 - (iii) Such amount, for partial years, shall be prorated from the date of the contract.
 - (iv) If the owner or its successors or assigns shall fail to pay said amount when due, each and every sewer upon the property, or any subdivided tract thereof,

for which payment is not made shall be disconnected by the owner from any other sewer which is legally connected and ultimately attaches to the DISTRICT'S treatment plant. The owner shall cause or require its sewer system to be constructed within the property in order that separate tracts may be so disconnected, and hereby gives and grants the DISTRICT an irrevocable easement for the purpose of going upon the property and disconnecting any such sewer if the owner, its successors or assigns fails to do so when directed by the DISTRICT.

- (v) In addition to the right of disconnection, the DISTRICT shall have a lien upon said property in the amount of any unpaid charges due the DISTRICT. Upon filing of notice thereof, said lien shall be deemed perfected, and the same may be foreclosed in the same manner as mortgages on real estate.
 - (vi) In addition, the DISTRICT may file a civil suit to recover (a) the amount of said lien, (2) the full cost incurred in disconnection, and (3) all its reasonable expenses and attorney's fees incurred as a result of such action.
 - (vii) No sewer shall be re-connected until the DISTRICT is paid in full for all amounts due.
5. No private or public sewer system shall be dedicated to the DISTRICT without its written consent. The owner, its successors and assigns, shall maintain the

same at its sole cost; provided, however, that this provision shall not be construed to prohibit the dedication of all or any part of said sewer system to another unit of government.

6. Upon conveyance by the owner of all or any subdivided portion or tract of said property, its successor in title shall succeed to all rights and liabilities hereunder, and said owner shall have no future liability to the DISTRICT thereunder as respects such tract except as shall have accrued as of the date the instrument of conveyance is recorded in the Office of the Recorder of Deeds of Du Page County, Illinois.
7. In the event that such property, or any subdivided tract, thereof, which is included in an agreement with the DISTRICT, is annexed to the DISTRICT, then such agreement shall be terminated.
8. The agreement described above shall be recorded in the Office of the Recorder of Deeds of Du Page County, Illinois and all subsequent transfers of any property, or part thereof, shall be expressly subject to such recorded agreement.
9. If any section, clause, sentence or provision of the agreement shall be found, by a court of competent jurisdiction, to be invalid, then the entire agreement shall terminate and all sewers within the property shall be promptly disconnected from any such system which connects to the DISTRICT'S treatment plant.

SECTION 7. DISCHARGE PERMITS

- (a) No commercial or industrial user shall discharge material to a sewer without having first applied for and obtained a discharge permit from the DISTRICT. Upon notification by the DISTRICT, each such person presently discharging material to the system shall apply for and obtain such a discharge permit within ninety(90) days from the issue date of the notification.
- (b) The DISTRICT hereby adopts Classification Codes under which discharge permits will be issued for connections to a sewer as provided by and set forth in the United States Standard Industrial Classification Manual, 1972 Edition, and subsequent editions thereof.
- (c) The application for a discharge permit shall be made on a form provided by the DISTRICT, and shall be submitted by the owner, user, or a duly authorized officer, agent or representative thereof, under oath and acknowledged. Each person making application shall submit with it such scientific or testing data, or other information as may be required by the DISTRICT. The DISTRICT shall have the right to inspect the premises, equipment, material or laboratory testing facilities of the applicant.
- (d) No discharge permit shall be issued by the DISTRICT to any person whose discharge of material to the sewer, whether shown upon the application or determined after inspection and testing by the DISTRICT, is not in conformity with Federal, State or DISTRICT

laws, ordinances, rules and regulations, unless a waiver or variance of such standards and requirements is granted by the Board in the manner hereinafter set forth. The DISTRICT shall state the reason or reasons for denial of the permit in writing, mailed to the applicant within ten(10) days after denial, by certified mail.

- (e) In the event the type or volume of material from the property for which a discharge permit was previously granted shall materially or substantially change, the person granted such permit shall make a new application to the DISTRICT, in the same manner and form as originally made.
- (f) If the application is denied by the DISTRICT, and a waiver or variance thereof is requested, the user may have review of the denial or its application or request a waiver or a variance from the Board, provided he shall give written notice of his request within thirty (30) days after receipt of such denial. The Board shall review the permit application, the denial and such other evidence and matters as the applicant and Superintendent may present at its next regular meeting following receipt of request for its review, and the decision of the Board rendered publicly at said meeting shall be final.
- (g) In the event that any discharge of material to a sewer shall materially and substantially differ in type and

volume from that allowed by the permit; the user shall immediately, upon order of the DISTRICT, cease and desist from such discharge, and may also be subject to disconnection, fine or other penalties herein provided.

- (h) A grant of a waiver or a variance of the permit conditions by the Board shall set forth such conditions, exceptions, time limitations, durations and expirations as the Board deems necessary and proper.

SECTION 8. BUILDING SEWERS AND CONNECTIONS

- (a) No unauthorized person shall uncover, make any connections with, or opening into; use; or disturb any public sewer or appurtenance thereof without first obtaining a permit issued by the DISTRICT.
- (b) Any discharge into the sewer system is unlawful except those discharges in compliance with applicable Federal, State and local laws, rules and regulations.
- (c) There are two (2) classes of building sewer permits:
 - (1) for residential and commercial service,
 - (2) for service to establishments producing industrial wastes. In either case, the owner or his agent shall make application on a form furnished by the DISTRICT. The permit application shall be supplemented by any plans, specifications, or other information considered pertinent in the judgment of the DISTRICT.

The applicant, as a condition for the issuance of a permit shall provide information describing its wastewater characteristics and its type of activity.

- (d) A building sewer permit will be issued and a sewer connection will be allowed when it is demonstrated that the downstream sewerage facilities, including sewers, pump stations and wastewater treatment facilities, have sufficient reserve capacity to treat the additional waste load in conformity with USEPA and IEPA standards.
- (e) All costs and expenses incident to the installation and connection of the building sewer to the public sewer shall be borne by the owner. The owner shall indemnify the District from any loss or damage to the DISTRICT or its facilities that may be caused directly or indirectly by the installation of the building sewer.
- (f) A separate and independent building sewer shall be provided for every building, except that where one building stands at the rear of another on an interior lot and no private sewer is available or can be constructed to the rear building through an adjoining alley, court, yard, or driveway, the building sewer from the front building may be extended to the rear building and the whole considered as one building sewer.
- (g) Existing building sewers may be used in connection with new buildings only when they are found, on examination

and testing by the DISTRICT to meet all the requirements of this ordinance.

- (h) The size, slope, alignment, materials and the methods to be used in excavating, placing of the pipe, jointing testing and backfilling the trench, shall conform to the requirements of the building and plumbing code or other applicable rules and regulations of the DISTRICT, and the Village of Villa Park.
- (i) Whenever possible, the building sewer shall be brought to the building at an elevation below the basement floor. In all buildings in which any drain is too low to permit gravity flow to the public sewer, sanitary sewage carried by such building drain shall be elevated and discharged to the building sewer.
- (j) No one shall make connection of roof downspouts, exterior foundation drains, or other sources of surface runoff or groundwater to a building sewer or building drain which in turn is connected directly or indirectly to a public sanitary sewer.
- (k) The connection of the building sewer into the public sewer shall conform to the requirements of the building and plumbing code of the Village of Villa Park, or other applicable rules and regulations of the DISTRICT. All such connections shall be made gastight and watertight. Any deviation from the prescribed procedures and materials must be approved by the DISTRICT before installation.
- (l) The applicant for the building sewer permit shall notify

the DISTRICT when the building sewer is ready for inspection and connection to the public sewer. The connection shall be made under the supervision of the DISTRICT.

- (m) All excavations for building sewer installation shall be adequately guarded with barricades and lights so as to protect the public from injury. Streets, sidewalks, parkways, and other public property disturbed in the course of the work shall be restored in a manner satisfactory to the DISTRICT.

SECTION 9. REPORTING REQUIREMENTS FOR NON-RESIDENTIAL USERS

- (a) The DISTRICT may require from any non-residential user, the submission quarterly to the DISTRICT, on forms provided by the DISTRICT, a certified statement of the characteristics of its industrial wastes discharged to the sewers and sewage works of the DISTRICT or to any sewer connected herewith. Such documents shall be filed with the DISTRICT not later than the tenth day of the month following the quarter for which the report is required.
- (b) The waste characteristics to be measured and certified by the user shall be:
 - 1. BOD in mg/l
 - 2. Suspended solids in mg/l
 - 3. Such other constituents of wastewater as directed by the DISTRICT.
- (c) Should there be a difference in understanding between

the District and the user as to the characteristics in (b) above, the District reserves the right to use its results from its analyses for purposes of billing. If no report is made by the user, the District shall use its results from analyses for purposes of billing.

- (d) Whenever required by the District, the owner of any property serviced by a building sewer carrying non-residential wastewater and material shall install a manhole or sampling chamber in the building sewer in accordance with the plans and specifications approved by the District. There shall be ample room in each sampling chamber to obtain accurate composite samples for analysis. The chamber shall be easily and safely accessible to authorized representatives of the District at all times. Where construction of a sampling chamber is not feasible, alternate arrangements for sampling shall be made at the direction of the District.
- (e) Each sampling chamber shall contain a Parshall flume, weir or similar device with a recording and totalizing register for measurement of the liquid quantity. The metered water supply to the industrial plant may be used as the liquid quantity where it is shown that the metered water supply and waste quantities are approximately the same, or where a measurable adjustment is agreed to by the District.
- (f) Sampling shall be done as prescribed by the District to insure representative quantities for the entire reporting

period. Minimum requirements for determination of representative quantities or characteristics shall include re-evaluation during each 12 month period. The determination of representative quantities and characteristics shall include not less than seven consecutive calendar days of 24 hour composite samplings taken during periods of normal operation, together with acceptable flow measurements.

- (g) The frequency of sampling, sampling chamber, metering device, sampling methods and analyses of samples are subject to inspection and verification by the District, at any time.
- (h) All measurements, tests and analyses of the characteristics of waters and wastes to which reference is made in this Section shall be determined in accordance with "Standard Methods for the Examination of Water and Wasterwater" and the manual published by the USEPA entitled "Methods for Chemical Analysis of Water and Wastes", or a method approved by the District.
- (i) The District may direct that the metering and sample collections be done by the industrial user's personnel and that the composite samples be delivered to the District laboratory for analysis.

SECTION 10. SEPTIC HAULERS

- (a) Liquid wastes from industrial and non-industrial users hauled to the plant shall be charged user charge unit charges on the volume of billable flow and billable BOD and TSS as determined by the District.

- (b) Liquid waste hauled to the plant containing concentrations of constituents in excess of the limits set forth in Article II, SECTION 3, shall not be accepted.

ARTICLE III

ANNEXATION, CONNECTION AND PERMIT FEES

SECTION 1. All annexations of territory to the DISTRICT shall be made pursuant to the requirements of Chapter 42, Section 298.99 et. seq., Illinois Revised Statutes, 1979, as amended.

SECTION 2. Each petition for annexation shall include a Plat of Survey of the territory sought to be annexed.

SECTION 3. The fee for annexation shall be computed as follows:

- (a) For a single family residence or lot \$200.00 per lot
- (b) For a multi-family residence, lot, condominium or planned unit development \$200.00 per dwelling unit or condominium unit.
- (c) For a commercial, industrial, or planned unit development 300.00 per lot or \$1,500.00 per acre if the lot is more than 7,500 square feet in area.
- (d) Annexation fees are due and payable when the petition for annexation is filed with the DISTRICT.

SECTION 4. Connection fees for connection to a sewer system which delivers sewage to the wastewater treatment plant of the DISTRICT shall be computed as follows:

- (a) Detached single family residence \$300.00
- (b) Multiple family residence, including apartment buildings, townhouses and condominiums \$300.00 per dwelling unit

- (c) Commercial, Industrial or Institutional use \$750.00
- (d) All connection fees are due and payable at the time a building permit application is filed with the DISTRICT or the Village of Villa Park.

SECTION 5. A private sewage treatment and disposal permit fee. \$250.00

SECTION 6. Building sewer permit and inspection fee for Commercial building. \$400.00

SECTION 7. The Village of Villa Park is authorized to collect, on behalf of the DISTRICT, all applicable connection fees at the time a building permit application is filed with it.

SECTION 8. The Village of Villa Park shall transmit to the DISTRICT all connection fees collected by it, on behalf of the DISTRICT. The Village shall receive a fee of five percent (5%) of all DISTRICT connection fees collected by it.

SECTION 9. The Village of Villa Park shall send or cause to be sent to the DISTRICT, (2) two copies of all the plans submitted by each applicant for a building permit or sewer connection permit.

SECTION 10. Annexation and connection fees are in addition to all other applicable fees and costs of the DISTRICT.

ARTICLE IV

POWERS AND AUTHORITY OF INSPECTORS

SECTION 1. The duly authorized employees of the DISTRICT, the USEPA and the IEPA, bearing proper credentials and identification, shall be permitted to enter all properties for the purposes of inspection, observation, measurement, sampling, and testing in accordance with the provisions of this ordinance. The DISTRICT or its representatives have the authority to inquire into any processes having a direct bearing on the kind and source of discharge to the sewers or waterway or facilities for waste treatment.

SECTION 2. When performing work on private property, the duly authorized employees of the DISTRICT, the USEPA and the IEPA shall observe all safety rules applicable to the premises established by the company and the company shall be held harmless for injury or death to the DISTRICT employees and against all claims and demands for injury or damage asserted against the company arising out of such inspection, except as such may be caused by negligence or failure of the company to maintain safe conditions as required in Article II, Section 9(d)

SECTION 3. The duly authorized employees of the DISTRICT shall be permitted to enter any private property through which the DISTRICT holds an easement for the purposes of, but not limited to, inspection, observation,

measurement, sampling, repair, and maintenance of any portion of the sewage works lying within said easement. Any such entry and work in said easement, shall be done in accordance with the terms of the easement, rights granted to the DISTRICT.

ARTICLE V

PENALTIES

SECTION 1. VIOLATIONS

- (a) Any person who violates any provision of this ordinance shall be guilty of a misdemeanor, and upon conviction thereof shall be subject to a fine of not more than \$500.00. Each day in which any such violation shall continue shall be deemed a separate offense.
- (b) Any person who violates any provision of this ordinance shall also be:
 - 1. Liable to the DISTRICT for all costs, expenses, loss or damage, if any, incurred by the DISTRICT as a result of such violation.
 - 2. Subject to immediate disconnection of the sewer serving the property upon or in connection with which the violations occurred.
 - 3. Subject to a lien upon said property for the amount of any costs incurred by the DISTRICT.

ARTICLE VI

SECTION 1. VALIDITY

The invalidity of any Section, clause, sentence or provision of this ordinance shall not affect the validity of any other part of this ordinance which can be given effect without such invalid part or parts.


SECTION 2. REPEAL

All ordinances or parts of ordinances in conflict herewith are hereby repealed.

SECTION 3. EFFECTIVE DATE

This ordinance shall be in full force and effect from and after its passage, approval and publication as provided by law.


Passed and approved by the Board of Trustees of SALT CREEK DRAINAGE BASIN SANITARY DISTRICT, Villa Park, Du Page County, State of Illinois, this 28th day of July, 1981 A.D.


PRESIDENT

ATTEST:

ayes: 3

nays: 0


CLERK

PASSED:

Published in pamphlet form

ORDINANCE NO. 235

AN ORDINANCE AMENDING ORDINANCE NO. 189,
PASSED AND APPROVED JULY 28, 1981.

WHEREAS, the costs to the District of providing certain services has increased; and

WHEREAS, certain fees for annexations, connections and inspections were last established in 1981;

NOW THEREFORE BE IT ORDAINED BY THE BOARD OF TRUSTEES OF THE SALT CREEK DRAINAGE BASIN SANITARY DISTRICT:

Section 1. That Article III of Ordinance number 189, passed and approved by the Board of Trustees on July 28, 1981 be amended as follows:

"Section 3. The fee for annexation shall be computed as follows:

- (a) For a single family residence or lot \$200.00 per lot
- (b) For a multi-family residence, lot
condominium or planned unit develop- \$200.00 per
ment dwelling unit or condominium unit

Section 4. Connection fees for connection to a sewer system which delivers sewage to the wastewater treatment plant of the District shall be computed as follows:

- (a) Detached single family residence \$300.00
- (b) Multiple family residence including
apartment buildings, townhouses and
condominiums \$300.00
- (c) Commercial, industrial or insti-
tutional use \$750.00

Section 5. Private sewage treatment and dis-
posal permit fee \$250.00

Section 6. Building sewer permit and inspection
fee for commercial or industrial
building \$400.00

Section 2. All ordinances or parts of ordinances in conflict herewith are hereby repealed.

Section 3. The invalidity of any section, clause, sentence or provision of this ordinance shall not affect the validity of any other part of this ordinance which can be given effect without such invalid part or parts.

Section 4. This ordinance shall be in full force and effect from and after its passage, approval and publication as provided by law.

PASSED AND APPROVED by the Board of Trustees of Salt Creek Drainage Basin Sanitary District, Villa Park, Du Page County, Illinois this 3RD day of APRIL, 1990.

S/S James D. Nicholls
President

ATTEST:

SS James H. Rothe
Clerk

AYES 3

NAYS 0

Published _____

ORDINANCE NO. 196

AN ORDINANCE AMENDING ORDINANCE NO. 189

WHEREAS, it is necessary to add an additional classification for the purpose of computing connection fees;

NOW, THEREFORE, BE IT ORDAINED BY THE BOARD OF TRUSTEES OF THE SALT CREEK DRAINAGE BASIN SANITARY DISTRICT:

SECTION 1. Article III, Section 4 shall be amended by the addition of the following subsection:

(d) Motel/hotel use \$75.00
per each rental room.

SECTION 2. Article III, Section 4, subsection (d) shall be renumbered as Article III, Section 4, subsection (e).

SECTION 3. This amendment shall be inserted in the proper place in the published pamphlet of Ordinance 189.

SECTION 4. All ordinances, or parts of ordinances in conflict with the provisions of this ordinance are hereby repealed.

SECTION 5. This ordinance shall be in full force and effect from and after its passage, approval and publication as provided by law.

PASSED AND APPROVED BY THE BOARD OF TRUSTEES OF THE SALT CREEK DRAINAGE BASIN SANITARY DISTRICT, VILLA PARK, DU PAGE COUNTY, ILLINOIS THIS 13th DAY OF July, 1982.

s/s James D. Nicholls
President

ATTEST:

SS James R. Roche
Clerk

AYES 3

NAYS 0

Published: JULY 13 1982

ORDINANCE NO. 278

AN ORDINANCE AMENDING ORDINANCE 189
TO LIMIT THE PERMISSIBLE pH LEVELS OF MATERIAL
DISCHARGED INTO THE SEWERS

WHEREAS, THE SALT CREEK SANITARY DISTRICT BOARD OF TRUSTEES HAS HERETOFORE PASSED ORDINANCE 189 ENTITLED, "COMPREHENSIVE SEWER USE, COLLECTION AND TREATMENT REGULATION ORDINANCE OF THE SALT CREEK DRAINAGE BASIN SANITARY DISTRICT, VILLAGE PARK, DU PAGE COUNTY, ILLINOIS; AND

WHEREAS, THE SALT CREEK SANITARY DISTRICT ("DISTRICT") DESIRES TO MORE STRICTLY LIMIT THE PERMISSIBLE pH LEVELS OF MATERIAL DISCHARGED INTO ANY SEWER, THE SALT CREEK OR ANY OTHER WATERCOURSE WITHIN THE JURISDICTION OF THE DISTRICT.

NOW, THEREFORE, BE IT ORDAINED BY THE BOARD OF TRUSTEES OF THE SALT CREEK SANITARY DISTRICT, DUPAGE COUNTY, ILLINOIS, AS FOLLOWS:

SECTION 1. THAT ARTICLE II, SECTION 3(b)6 OF ORDINANCE NO. 189 BE AND THE SAME IS HEREBY AMENDED BY DELETING THAT SUBSECTION (b)6 IN ITS ENTIRETY AND BY SUBSTITUTING, THEREFOR, THE FOLLOWING:

"(b)6. Any waters or wastes having a pH lower than 6 or higher than 9 or having any other corrosive property capable of causing damage or hazard to sewers, structures, equipment or personnel of the sewage works."

SECTION 2. THIS AMENDMENT SHALL BE INSERTED IN THE PROPER PLACE IN THE PUBLISHED PAMPHLET OF ORDINANCE NO. 189.

SECTION 3. THIS ORDINANCE SHALL BE IN FULL FORCE AND EFFECT UPON ITS PASSAGE, APPROVAL AND PUBLICATION AS PROVIDED BY LAW.

PASSED AND APPROVED BY THE BOARD OF TRUSTEES OF THE SALT CREEK SANITARY DISTRICT THIS 10 DAY OF April, 1996.

JAMES D. NICHOLLS, PRESIDENT

ATTEST;

EDITH A. LASKERO, CLERK

AYES: 3

NAYS: 0

ABSTENTIONS: _____

ABSENT: _____

Long...
Edith A. Laskero

ORDINANCE NO. 283

AN ORDINANCE TO INCREASE THE MAXIMUM FINE
FOR VIOLATION OF ORDINANCE 189

WHEREAS, THE SALT CREEK SANITARY DISTRICT BOARD OF TRUSTEES HAS HERETOFORE PASSED ORDINANCE 189 ENTITLED, "COMPREHENSIVE SEWER USE, COLLECTION AND TREATMENT REGULATION ORDINANCE OF THE SALT CREEK DRAINAGE BASIN SANITARY DISTRICT, VILLA PARK, DU PAGE COUNTY, ILLINOIS;" AND

WHEREAS, THE SALT CREEK SANITARY DISTRICT ("DISTRICT") DESIRES TO INCREASE FROM FIVE HUNDRED DOLLARS (\$500.00) TO ONE THOUSAND DOLLARS (\$1,000.00) THE MAXIMUM FINE WHICH MAY BE IMPOSED FOR VIOLATION OF ORDINANCE NO. 189.

NOW, THEREFORE, BE IT ORDAINED BY THE BOARD OF TRUSTEES OF THE SALT CREEK SANITARY DISTRICT, DUPAGE COUNTY, ILLINOIS, AS FOLLOWS:

SECTION 1. THAT ARTICLE V, SECTION 1(a) OF ORDINANCE NO. 189 BE AND THE SAME IS HEREBY AMENDED BY DELETING THAT SUBSECTION (a) IN ITS ENTIRETY AND BY SUBSTITUTING, THEREFOR, THE FOLLOWING:

"(a) Any person who violates any provision of this ordinance shall be guilty of a misdemeanor, and upon conviction thereof shall be subject to a fine of not more than One Thousand Dollars (\$1,000.00). Each day on which any such violation shall continue shall be deemed a separate offense."

SECTION 2. THIS AMENDMENT SHALL BE INSERTED IN THE PROPER PLACE IN THE PUBLISHED PAMPHLET OF ORDINANCE NO. 189.

SECTION 3. THIS ORDINANCE SHALL BE IN FULL FORCE AND EFFECT UPON ITS PASSAGE, APPROVAL AND PUBLICATION AS PROVIDED BY LAW.

PASSED AND APPROVED BY THE BOARD OF TRUSTEES OF THE SALT CREEK SANITARY DISTRICT THIS 12 DAY OF June, 1996.

James D. Nicholls
JAMES D. NICHOLLS, PRESIDENT

ATTEST;

Fay Zarogian
~~EDITH A. TASKERO, CLERK~~ FAY ZAROOGIAN, DEPUTY CLERK

AYES: 2

NAYS: 0

ABSTENTIONS: 0

ABSENT: 1

CERTIFICATE OF PUBLICATION

STATE OF ILLINOIS }
COUNTY OF DUPAGE } SS.

I, Gail A. Alvarez

do _____ hereby certify that Scott MacKay the publisher of the

Lombard/Villa Park Review, which is now

and has been for more than one year prior to the first publica-

tion of this notice hereto annexed, a weekly newspaper of

general circulation, printed and published in the villages of

Lombard/Villa Park in said County, and that the said advertise-

ment or notice relating to the matter of _____

Salt Creek Sanitary District-Ordinance No. 283

has been published in said paper every onw time con:

June 26 A.D. 19 96, and ending June 2

which are the dates of the first and last papers containing the same.

Given under my hand this 26th day of Jun

Printer's Fee \$ 54.60

Paid _____ 19 _____

By Scott MacKay

Publisher.

Copy

ed To

WHEREAS, the Salt Creek Sanitary District Board of Trustees has heretofore passed Ordinance 189 entitled, "Comprehensive sewer use, collection and treatment regula-tion ordinance of the Salt Creek Drainage Basin Sanitary District, Villa Park, DuPage County, Illinois;" and

WHEREAS, the Salt Creek Sanitary District ("District") desires to increase from five hundred dollars (\$500.00) to one thousand dollars (\$1,000.00) the maximum fine which may be imposed for violation of Ordinance No. 189.

NOW, therefore, be it ordained by the Board of Trustees of the Salt Creek Sanitary District, DuPage County, Illinois, as follows:

SECTION 1. That Article V, Section 1 (a) of Ordinance No. 189 be and the same is hereby amended by deleting that subsection (a) in its entirety and by substituting, therefor, the following:

"(a) Any person who violates any provision of this ordinance shall be guilty of a misdemeanor, and upon conviction thereof shall be subject to a fine of not more than One Thousand Dollars (\$1,000.00). Each day on which any such violation shall continue shall be deemed a separate offense."

SECTION 2. This Amend-9 96.

ment shall be inserted in the proper place in the published pamphlet of Ordinance No. 189.

SECTION 3. This ordinance

shall be in full force and effect upon its passage, approval and publication as provided by law.

Passed and approved by the Board of Trustees of the Salt Creek Sanitary District this 12th day of June, 1996.

James D. Nicholls, President
ATTEST:
Fay Zarogian, Deputy Clerk

Ayes: 2
Nays: 0
Abstentions: 0
Absent: 1

Published in E.A. MacKay Legal Enterprises June 26, 1996. Legal No. 45635.

"OFI
GAIL

Notary P

My Commis

SALT CREEK SANITARY DISTRICT

A. MacKay Enterprises
3 S. MAIN STREET
LOMBARD, ILLINOIS 60148

ANNUAL
PERCENTAGE
RATE

billings for purchases are payable upon receipt of the monthly statement. No FINANCE CHARGE is imposed unless you have not paid your bill from the date of the monthly statement. If payment is not received within this time, a FINANCE CHARGE may be imposed on the outstanding payments & credits. The FINANCE CHARGE is a minimum of \$1.00 or the percentage listed above.

ORDINANCE NO. 286

**AN ORDINANCE AMENDING ORDINANCE 189
TO INCREASE THE CONNECTION FEE FOR MOTEL/HOTEL USERS**

WHEREAS, THE SALT CREEK SANITARY DISTRICT BOARD OF TRUSTEES HAS HERETOFORE PASSED ORDINANCE 189 ENTITLED, "COMPREHENSIVE SEWER USE, COLLECTION AND TREATMENT REGULATION ORDINANCE OF THE SALT CREEK DRAINAGE BASIN SANITARY DISTRICT, VILLA PARK, DU PAGE COUNTY, ILLINOIS"; AND

WHEREAS, SAID ORDINANCE WAS SUBSEQUENTLY AMENDED BY ORDINANCE NO. 196 ON JULY 13, 1982, TO ADD THE CATEGORY OF HOTEL/MOTEL USE TO THE FEE SCHEDULE; AND

WHEREAS, THE SALT CREEK SANITARY DISTRICT ("DISTRICT") DESIRES TO INCREASE THE MOTEL/HOTEL USE CONNECTION FEE FROM SEVENTY-FIVE DOLLARS (\$75.00) PER RENTAL ROOM TO ONE HUNDRED FIFTY DOLLARS (\$150.00) PER RENTAL ROOM; AND

WHEREAS, THE DISTRICT ALSO DESIRES TO DELETE REFERENCE IN SECTIONS 7 AND 8 TO COLLECTION OF CONNECTION FEES BY THE VILLAGE OF VILLA PARK.

NOW, THEREFORE, BE IT ORDAINED BY THE BOARD OF TRUSTEES OF THE SALT CREEK SANITARY DISTRICT, DUPAGE COUNTY, ILLINOIS, AS FOLLOWS:

SECTION 1: THAT ARTICLE III, SECTION 4 OF ORDINANCE NO. 189, AS AMENDED BY ORDINANCE NO. 196, BE AND THE SAME IS HEREBY AMENDED BY DELETING THAT SECTION 4 IN ITS ENTIRETY AND BY SUBSTITUTING, THEREFORE, THE FOLLOWING:

Section 4: Connection fees for connection to a sewer system which delivers sewage to the wastewater treatment plant of the DISTRICT shall be computed as follows:


- (a) Detached single family residence \$300.00
- (b) Multiple family residence, including apartment buildings, townhouses and condominiums
per dwelling unit \$300.00
- (c) Commercial, Industrial or Institutional use \$750.00
- (d) Motel/Hotel use, per rental room \$150.00
- (e) All connection fees are due and payable at the time a building permit application is filed with the DISTRICT or the Village of Villa Park

SECTION 2: THAT SECTIONS 7 AND 8 IN ARTICLE III OF ORDINANCE NO. 189 ARE HEREBY AMENDED BY DELETING THEM IN THEIR ENTIRETY AND BY RENUMBERING SECTIONS "9" AND "10", AS SECTIONS "7" AND "8" RESPECTIVELY.


SECTION 3: THIS ORDINANCE SHALL BE PUBLISHED AS REQUIRED BY LAW.

SECTION 4: THIS ORDINANCE SHALL BE IN FULL FORCE AND EFFECT UPON ITS PASSAGE, APPROVAL AND PUBLICATION AS PROVIDED BY LAW.

PASSED AND APPROVED BY THE BOARD OF TRUSTEES OF THE SALT CREEK
SANITARY DISTRICT THIS 14 DAY OF JAN, 1998.


JAMES D. NICHOLLS, PRESIDENT

ATTEST:


EDITH A. LASKERO, CLERK

AYES: 3
NAYS: 0
ABSTENTIONS: 0
ABSENT: 0

RTCK:kas
rtck\scsd\ord97.001
12/16/97

ORDINANCE NO. 392

AN ORDINANCE AMENDING ORDINANCE NO. 189
REGARDING LIMITATIONS ON DISCHARGE INTO
THE SANITARY SEWER OF THE SALT CREEK SANITARY DISTRICT

WHEREAS, THE SALT CREEK SANITARY DISTRICT HAS PASSED ORDINANCE NO. 189
TO PROVIDE FOR COMPREHENSIVE SEWER USE, COLLECTION AND TREATMENT
REGULATION FOR THE SEWAGE SYSTEM.

WHEREAS, ORDINANCE NO. 189, IN PART, SETS CERTAIN LIMITATIONS ON THE
MATERIAL DISCHARGED INTO THE SEWER, THE SALT CREEK OR ANY OTHER WATER
COURSE IN THE SALT CREEK SANITARY DISTRICT JURISDICTION.

WHEREAS, THE BOARD OF TRUSTEES AT THE SALT CREEK SANITARY DISTRICT
DESIRES TO MODIFY AND AMEND THE LIMITATIONS ON THE MATERIALS DISCHARGED
INTO THE SYSTEM.

NOW, THEREFORE, BE IT ORDAINED BY THE BOARD OF TRUSTEES OF THE SALT
CREEK SANITARY DISTRICT, DUPAGE COUNTY, ILLINOIS AS FOLLOWS:

SECTION 1. THE FOREGOING RECITALS ARE INCORPORATED HEREIN AS IF FULLY
SET FORTH.

SECTION 2. ARTICLE II SECTION 3(B)11 OF ORDINANCE NO. 189 OF THE SALT CREEK SANITARY DISTRICT IS HEREBY AMENDED BY DELETING THAT SUBSECTION IN ITS ENTIRETY AND BY ADDING THERETO THE FOLLOWING NEW SUBSECTION:

"11. Any amount of the following constituents exceeding the limits set forth below:

<u>CONSTITUENT</u>	<u>LIMIT</u>
Arsenic	0.25 mg/L
Barium	2.0 mg/L
Cadmium (total)	0.15 mg/L
Chromium (total)	1.0 mg/L
Chromium (hexavalent)	0.3 mg/L
Copper	1.0 mg/L
Cyanide	0.025 mg/L
Flouride (total)	2.5 mg/L
Iron (total)	2 mg/L
Iron (dissolved)	0.5 mg/L
Lead (total)	0.1 mg/L
Manganese (total)	1.0 mg/L
Mercury (total)	0.0005 mg/L
Nickel (total)	1.0 mg/L
Fats, Oils and Grease (hexane solubles or equivalent) (total)	100 mg/L
Phenols	0.3 mg/L
Phosphorous as P	1.0 mg/L
Selenium (total)	1.0 mg/L
Silver	0.1 mg/L
Zinc (total)	1.0 mg/L"

SECTION 3 ARTICLE III, SECTIONS 3, 4, 5 AND 6 ARE HEREBY AMENDED BY DELETING THOSE SECTIONS IN THEIR ENTIRETY AND BY ADDING THERETO THE FOLLOWING NEW SECTIONS:

"Section 3

The fee for annexation shall be computed as follows:

- | | | |
|-----|---|---|
| (a) | For a single family residence or lot | \$300.00 per lot |
| (b) | For a multi-family residence, lot,
condominium or planned unit development | \$300.00 per dwelling unit or
condominium unit |

- (c) For a commercial, industrial, or planned unit development or \$2,500.00 per acre if the lot is more than 7,500 square feet in area. \$500.00 per lot
- (d) Annexation fees are due and payable when the petition for annexation is filed with the District."

Section 4: Connection fees for connection to a sewer system which delivers sewage to the wastewater treatment plant of the District shall be computed as follows:

- (a) Detached single family residence \$500.00
- (b) Multiple family residence, including apartment buildings, townhouses and condominiums per dwelling unit \$500.00
- (c) Commercial, industrial or institutional use \$1,250.00
- (d) Motel/Hotel use per each rental room \$225.00
- (e) All connection fees are due and payable at the time a building permit application is filed with the District or the Village of Villa Park.


Section 5: A private sewage treatment and disposal permit fee. \$500.00

Section 6: Building sewer permit and inspection fee for Commercial building." \$600.00

SECTION 4. THIS ORDINANCE SHALL BE IN FULL FORCE AND EFFECT FROM AND AFTER MAY 1, 2004 AND AFTER PUBLICATION IN THE MANNER PROVIDED BY LAW.

AYES: 3
NAYS: 0
ABSENT: 0
ABSTAIN: 0

PASSED AND APPROVED this 9th day of April, 2004.


PRESIDENT

CLERK

ORDINANCE NO. 393

AN ORDINANCE AMENDING ORDINANCE NO. 189
MAKING A TECHNICAL CHANGE CONCERNING INDUSTRIAL
BUILDING PERMITS AND FEES

BE IT ORDAINED BY THE BOARD OF TRUSTEES OF THE SALT CREEK SANITARY
DISTRICT, DUPAGE COUNTY, ILLINOIS AS FOLLOWS:

SECTION 1 ARTICLE III, SECTION 6 IS HEREBY AMENDED BY DELETING THAT
SECTION IN ITS ENTIRETY AND BY ADDING THERETO THE FOLLOWING NEW SECTION:

Section 6: Building sewer permit and inspection fee for \$600.00
Commercial and Industrial building."

SECTION 2. THIS ORDINANCE SHALL BE IN FULL FORCE AND EFFECT FROM AND

AFTER MAY 1, 2004.

AYES: 3
NAYS: 0
ABSENT: 0
ABSTAIN: 0

PASSED AND APPROVED this 14 day of May, 2004.

Gail Carlson
CLERK

Richard W. Sice
PRESIDENT

ORDINANCE NO. 486

**AN ORDINANCE AMENDING ORDINANCE NO. 189
REGARDING FEES FOR CONNECTION TO THE SALT CREEK SANITARY DISTRICT**

WHEREAS, THE SALT CREEK SANITARY DISTRICT HAS PASSED ORDINANCE NO. 189 TO PROVIDE FOR COMPREHENSIVE SEWER USE, COLLECTION AND TREATMENT REGULATION FOR THE SEWAGE SYSTEM;

WHEREAS, ORDINANCE NO. 189, IN PART, SETS CERTAIN CONNECTION FEES FOR CONNECTION TO SEWER SYSTEM THAT DISCHARGES SEWAGE INTO THE DISTRICT'S WASTEWATER TREATMENT PLANT;

WHEREAS, THE BOARD OF TRUSTEES AT THE SALT CREEK SANITARY DISTRICT DESIRES TO MODIFY AND AMEND CONNECTION FEE.

NOW, THEREFORE, BE IT ORDAINED BY THE BOARD OF TRUSTEES OF THE SALT CREEK SANITARY DISTRICT, DUPAGE COUNTY, ILLINOIS AS FOLLOWS:

SECTION 1. THE FOREGOING RECITALS ARE INCORPORATED HEREIN AS IF FULLY SET FORTH.

SECTION 2. ARTICLE III, SECTION 4 IS HEREBY AMENDED BY DELETING THAT SECTION IN ITS ENTIRETY AND BY ADDING THERETO THE FOLLOWING NEW SECTION:


"Section 4: Connection fees for connection to a sewer system which delivers sewage to the wastewater treatment plant of the District shall be computed as follows:


- (a) Detached single family residence \$1,000
- (b) Multiple family residence, including apartment buildings, townhouses and condominiums per dwelling unit \$1,000
- (c) Commercial, industrial or institutional use \$2,500
- (d) Motel/Hotel use per each rental room \$500
- (e) All connection fees are due and payable at the time a building permit application is filed with the District"

SECTION 3. ALL ORDINANCES OR PARTS OF ORDINANCES IN CONFLICT WITH THE PROVISIONS OF THIS ORDINANCE ARE HEREBY REPEALED TO THE EXTENT OF ANY SUCH CONFLICT.

SECTION 4. THIS ORDINANCE SHALL BE IN FULL FORCE AND EFFECT FROM AND AFTER JANUARY 1, 2010 AND AFTER PUBLICATION IN THE MANNER PROVIDED BY LAW.

PASSED AND APPROVED BY THE BOARD OF TRUSTEES OF THE SALT CREEK SANITARY DISTRICT, VILLA PARK, DUPAGE COUNTY, ILLINOIS THIS 15th DAY OF DECEMBER, 2009.


GAIL G. CARLSON, CLERK


WALTER L. ALLEN, JR., ACTING PRESIDENT

AYES: ALLEN, CARLSON

NAYS: 0

ABSENT: 0

ABSTAIN: 0

ORDINANCE NO. 488

AN ORDINANCE AMENDING ORDINANCE NO. 189
REGARDING ANNEXATION TO THE SALT CREEK SANITARY DISTRICT

WHEREAS, THE SALT CREEK SANITARY DISTRICT HAS PASSED ORDINANCE NO. 189
TO PROVIDE FOR COMPREHENSIVE SEWER USE, COLLECTION AND TREATMENT
REGULATION FOR THE SEWAGE SYSTEM.

WHEREAS, ORDINANCE NO. 189, IN PART, SETS CERTAIN FEES FOR ANNEXATION
INTO THE SALT CREEK SANITARY DISTRICT JURISDICTION.

WHEREAS, THE BOARD OF TRUSTEES AT THE SALT CREEK SANITARY DISTRICT
DESIRES TO INCREASE FEES CHARGED FOR ANNEXATION.

NOW, THEREFORE, BE IT ORDAINED BY THE BOARD OF TRUSTEES OF THE SALT
CREEK SANITARY DISTRICT, DUPAGE COUNTY, ILLINOIS AS FOLLOWS:

SECTION 1. THE FOREGOING RECITALS ARE INCORPORATED HEREIN AS IF
FULLY SET FORTH.

SECTION 2 ARTICLE III, SECTIONS 3 IS HEREBY AMENDED BY DELETING THAT
SECTION IN ITS ENTIRETY AND BY ADDING THERETO THE FOLLOWING NEW SECTION:

"Section 3

The fee for annexation shall be computed as follows:


- (a) For a single family residence or lot \$800.00 per lot
- (b) For a multi-family residence, lot, condominium or planned unit development \$800.00 per dwelling unit or condominium unit
- (c) For a commercial, industrial, or planned unit development or \$3,000.00 per acre if the lot is more than 7,500 square feet in area. \$1,000.00 per lot
- (d) Annexation fees are due and payable when the petition for annexation is filed with the District."


SECTION 3. ALL ORDINANCES OR PARTS OF ORDINANCES IN CONFLICT WITH THE PROVISIONS OF THIS ORDINANCE ARE HEREBY REPEALED TO THE EXTENT OF ANY SUCH CONFLICT.

SECTION 4. THIS ORDINANCE SHALL BE IN FULL FORCE AND EFFECT FROM AND AFTER MAY 1, 2010 AND AFTER PUBLICATION IN THE MANNER PROVIDED BY LAW.

AYES: 3
NAYS: 0
ABSENT: 0
ABSTAIN: 0

PASSED AND APPROVED this 15th day of March, 2010.


CLERK


PRESIDENT

ORDINANCE NO. 532

AN ORDINANCE AMENDING ORDINANCE 189
TO ESTABLISH THE FEE FOR LIQUID SEPTAGE
WASTE FROM RECREATIONAL VEHICLES

WHEREAS, THE SALT CREEK SANITARY DISTRICT BOARD OF TRUSTEES HAS HERETOFORE PASSED ORDINANCE 189 ENTITLED, "COMPREHENSIVE SEWER USE, COLLECTION AND TREATMENT REGULATION ORDINANCE OF THE SALT CREEK DRAINAGE BASIN SANITARY DISTRICT, VILLA PARK, DUPAGE COUNTY, ILLINOIS"; AND

WHEREAS, THE SALT CREEK SANITARY DISTRICT ("DISTRICT") DESIRES TO AMEND THE FEE SCHEDULE FOR ACCEPTANCE AND TREATMENT OF LIQUID SEPTAGE WASTE FROM RECREATIONAL VEHICLES.

NOW, THEREFORE, BE IT ORDAINED BY THE BOARD OF TRUSTEES OF THE SALT CREEK SANITARY DISTRICT, DUPAGE COUNTY, ILLINOIS, AS FOLLOWS:

SECTION 1: THAT ARTICLE II, SECTION 10 OF ORDINANCE NO. 189, AS AMENDED, BE AND THE SAME IS HEREBY AMENDED BY DELETING THAT SECTION 10 IN ITS ENTIRETY AND BY SUBSTITUTING, THEREFORE, THE FOLLOWING:

"Section 10: SEPTIC HAULERS


(a) Liquid non-industrial wastes from recreational vehicles hauled to the plant may, in the sole discretion of the District, be accepted. Fees for such acceptance shall be \$20.00 per vehicle.

(b) All other septage shall not be accepted."

SECTION 2: THIS ORDINANCE SHALL BE PUBLISHED AS REQUIRED BY LAW.

SECTION 3: THIS ORDINANCE SHALL BE IN FULL FORCE AND EFFECT UPON ITS
PASSAGE, APPROVAL AND PUBLICATION AS PROVIDED BY LAW.

PASSED AND APPROVED BY THE BOARD OF TRUSTEES OF THE SALT CREEK
SANITARY DISTRICT THIS 15th DAY OF June, 2015.


WILLIAM R. DEWYER, PRESIDENT

ATTEST:


RAYMOND E. HENSLEY, CLERK

AYES: 2

NAYS: 0

ABSTENTIONS: -

ABSENT: 1