


## ■ NON-FIRE RATED DOOR SYSTEMS



# Model HS100

## Horizontal Acting Service Door

The HS100 and HSL150 are horizontal coiling service doors that are designed to close off openings in horizontal and inclined planes. Horizontal coiling service doors can be designed in sizes up to 20 feet in width and 100 feet in length. These units are primarily motor operated systems that are designed and engineered for daily operation. They are available in aluminum with various anodized finishes; in stainless steel type 304 or type 316 with number 4 finish; and in galvanized steel with either a prime paint finish or powder coated finish of color as selected.



This technology is the subject of US Patent No. 9,267,326.

# HS100

## ■ NON-FIRE RATED DOOR SYSTEMS

# Service & Security Doors

McKEON offers a wide selection of non-fire rated custom service doors. These assemblies can be manufactured in literally any size or for any function including insulated and sound rated, with either solid or perforated slats. All of these slat configurations are available in 16, 18, 20 or 22 gauge. Finishes include McKEON galvanized standard sterling gray, custom powder coat of color as selected, stainless steel No. 4 polish or No. 8 mirror finish, anodized or powder-coat aluminum. Service doors can be oriented to any custom-fit scenario – vertical coiling, side acting, side coiling or horizontal coiling.

MODEL	OPEN/CLOSE	FUNCTION
PF1000	Power Operator	Vertical coiling, perforated, self-opening security door
PF3000	Power or Manual* Operator	Vertical coiling perforated security door
SD3000	Power or Manual* Operator	Vertical coiling service door
CS3000	Power or Manual* Operator	Vertical coiling service counter shutter
IS3000	Power or Manual* Operator	Vertical coiling insulated service door – insulated for sound & temperature abatement; self-opening available
HS100	Power Operator	Horizontal coiling service door
HSL 150 (Curved)	Power Operator	Horizontal and vertical coiling service door with curve

\*Manual operation is limited by size, consult the factory

