



NON-FIRE RATED DOOR SYSTEMS




SC3000 Series

Side Coiling Security Grille & Service Doors

SC3000 Series security grille and service doors are side activated closures constructed of solid curtain slats, perforated curtain slats or of a security open-type grille curtain. Side coiling closures enable the designer to close off areas where head room and side room restrictions exist and where conventional coiling overhead doors and grilles do not solve the problem. These closures are capable of navigating around a radius as small as 12 inches. All SC3000 side coiling closures are available with an optional floor track.

The SC3000 Series is available in four models:

- SC3000G - side coiling security grille
- SC3000D - side coiling service door
- SC3000D-IS - side coiling insulated service door
- SC3000PF - side coiling perforated service door



This technology is the subject of US Patent No. 9,267,326.

SC3000

NON-FIRE RATED DOOR SYSTEMS

Service & Security Doors

McKEON offers a wide selection of non-fire rated custom service doors. These assemblies can be manufactured in literally any size or for any function including insulated and sound rated, with either solid or perforated slats. All of these slat configurations are available in 16, 18, 20 or 22 gauge. Finishes include McKEON galvanized standard sterling gray, custom powder coat of color as selected, stainless steel No. 4 polish or No. 8 mirror finish, anodized or powder-coat aluminum. Service doors can be oriented to any custom-fit scenario – vertical coiling, side acting, side coiling or horizontal coiling.

MODEL	OPEN/CLOSE	FUNCTION
PF1000	Power Operator	Vertical coiling, perforated, self-opening security door
PF3000	Power or Manual* Operator	Vertical coiling perforated security door
SD3000	Power or Manual* Operator	Vertical coiling service door
SC3000D	Power Operator	Side coiling service door
SC3000D-IS	Power Operator	Side coiling insulated service door
SC3000PF	Power Operator	Side coiling perforated service door
CS3000	Power or Manual* Operator	Vertical coiling service counter shutter
IS3000	Power or Manual* Operator	Vertical coiling insulated service door – insulated for sound & temperature abatement; self-opening available
HS100	Power Operator	Horizontal coiling service door
HSL 150 (Curved)	Power Operator	Horizontal and vertical coiling service door with curve

*Manual operation is limited by size, consult the factory



44 Sawgrass Drive, Bellport, NY 11713 | 800.266.9392 | www.McKeonDoor.com | Info@McKeonDoor.com

NON-FIRE RATED DOOR SYSTEMS

Service & Security Grilles

McKEON grille assemblies are custom-designed to meet your specific needs. There are more than six curtain patterns and anodized finishes to chose from, either vertical or side coiling. The self-opening models are designed to provide exiting when security is desired in the path of the means of egress. Using fail-safe mechanical technology a self-opening grille will provide adequate egress in the path of exit every time.

MODEL	OPEN/CLOSE	EGRESS	FUNCTION
SG3000	Power or Manual* Operator	N/A	Vertical coiling security grille
G1000	Power Operator	Fail-safe mechanical open	Vertical coiling, self-opening security grille
G1500	Power Operator	Fail-safe mechanical open and swing doors	Vertical coiling, self-opening security grille with deployable swinging egress door(s)
SC3000G	Power Operator	N/A	Side coiling security grille
G4000	Power Operator	Fail-safe mechanical open	Side coiling, self-opening security grille
G4500	Power Operator	Fail-safe mechanical open and/or swing doors	Side coiling, self-opening security grille with fixed swinging egress door(s)

*Manual operation is limited by size, consult the factory.



44 Sawgrass Drive, Bellport, NY 11713 | 800.266.9392 | www.McKeonDoor.com | Info@McKeonDoor.com