

Catalogue

Matting Solutions – 2025



naguprint.

Our offering.




A product
for every need



Floor mats



Bar & counter mats



Specialty mats

Floor mats.



A product
for every need



- Colorstar
- Classic Impressions
- Promo Floor Mat
- Berber Impressions
- Promo Scrape Impressions
- SuperScrape Impressions

Colorstar

→ LOGO MAT • INDOOR





→ WHY CHOOSE THIS MAT?

ColorStar mats feature your custom logo or artwork digitally printed on recycled PET material. Choose from 66 standard color options.

- The top layer of the mat contains **100% recycled PET material**
- Photographic Print Quality
- Incredible **stain resistance**: no cross staining, easy to clean
- Produced within **24 hours**
- Also available as unicolor mat

→ SPECIFICATIONS

Yarn	100% post-consumer recycled PET fibers, twisted and heat-treated • Yarn weight: 900 g/m²
Backing	• Primary backing: 100% recycled PET non-woven • Rubber backing: 100% nitrile rubber with 34% post-industrial recycled content in the polymer – For maximum oil resistance, durability, and performance. – Compression-molded with reinforced borders on all four sides • Thickness: 1.5 mm – Also available in 3mm rubber backing
Border	• Thickness: 2.5 mm • Width: 2 cm
Other properties	• Pile thickness: 11 mm • Total weight: 2,9 kg/m²
Safety	• Static control: ISO 6356 (2012) Determination of the static electrical propensity – walking test: -0.3 kVolts. Satisfies IBM test requirements • Flammability: Cfl / s1 according EN 13501-1. Passes BS 4790 (1987) determination of the flammability of textile floor coverings: Low radius of effects of ignition.
Recommended use	Recommended for indoor commercial use at entryways, in lobbies, at front desks or anywhere you want to display your company logo, slogan, artwork, or message to customers/visitors or employees



→ STANDARD SIZES

40x60	50x75	60x85	75x85
85x115	85x150	85x300	115x180
115x200	115x240	115x250	115x300
150x200	150x240	150x250	150x300
200x200	200x300		

→ SPECIAL SIZES

Max. size: 200 cm x 550 cm

Size Tolerance: +/- 2%

Weight Tolerance: +/- 5%

→ COLOURS



→ How much plastic bottles do we save?

60 x 85 → 33	115 x 200 → 147	150 x 250 → 240
75 x 85 → 41	115 x 240 → 176	150 x 300 → 288
85 x 115 → 62	115 x 250 → 192	200 x 200 → 256
85 x 150 → 82	115 x 300 → 221	200 x 300 → 384
85 x 300 → 164	150 x 200 → 192	
115 x 180 → 132	150 x 240 → 230	

→ **CLEANING INSTRUCTIONS**



Colorstar mats can be cleaned in several different ways:

1. They can be commercially laundered (see Laundering Instructions)
2. Vacuumed regularly (daily in high-traffic areas; weekly in lower-traffic applications)
3. Cleaned with an extractor, or hosed off as necessary to remove heavy soil

Hang to dry. Mats should always be dry before they are placed back in service.

Laundering Instructions


1. Flush, 2-3 Min. on a medium water level with a maximum temperature of 49°C
2. Flush (optional), 2-3 Min. on a medium water level with a maximum temperature of 49°C
3. Break, 2-3 Min. on a high water level with a maximum temperature of 49 °C
4. Rinse, 2 Min. on a high water level with cold temperature
5. Rinse, 2 Min. on a high water level with cold temperature
6. Extract on low speed, 1-2 Min.
7. Shake out with the drum turning, 1 Min.
8. Extract, on a maximum of 250G, 3-5 Min.
9. Dry (optional), 5-10 Min. with a maximum basket temperature of 82 °C
10. Cool down, 5 Min.

Additional recommendations

- For Heavy Soiled Mats, increase the temperature up to max. 60°C.
- The wash or rinse baths should have a pH between 6 and 9.5; use low pH non-ionic detergents.
- Do not overdry mats; Basket-temperature of the dryer should not exceed 82 °C.
- If mats are not dried, the final rinse can be increased to 49 °C. This will reduce moisture retention following extraction.
- Lay mats flat following removal from washer; allow mats to cool before rolling.

Classic Impressions

→ LOGO MAT • INDOOR




→ WHY CHOOSE THIS MAT?

These mats are produced with high quality dyes, giving vibrant colour and clarity to your company's logo or message. Available with a choice of durable rubber backings to suit different locations.

- Manufactured using our state-of-the-art **ChromoJET printer**.
- Choose from our wide palette of **130 colours**.
- **ECONYL® Yarn** is a groundbreaking alternative to traditional nylon, crafted entirely from waste products. By transforming discarded materials into high-quality yarn, ECONYL® helps preserve natural resources and reduce waste.

→ SPECIFICATIONS

Yarn	ECONYL® Regenerated Nylon 1/8th gauge cut pile
Backing	• Primary backing: Non woven spun bonded polyester • Rubber backing: 100% nitrile rubber with 34% post-industrial recycled content in the polymer - phthalate free - For maximum oil resistance, durability, and performance. Compression - molded with reinforced borders on all four sides. • Pattern: Smooth or Claw • Thickness: 1.4 mm (also available in 2.5 mm)
Other properties	• Pile weight: 625 g/m² • Pile height: 6 mm • Total weight: 2300 g/m² (± 4 %)



→ STANDARD SIZES

60x85	85x300	115x300	200x200
75x85	115x180	150x200	200x300
85x115	115x200	150x240	
85x150	115x240	150x250	
85x240	115x250	150x300	

→ SPECIAL SIZES





Max. width:
Smooth backing, with border: 240 cm
Smooth backing, no border: 235 cm
Claw backing: 200 cm

Max. length: 600 cm

Size Tolerance: +/- 2%

Weight Tolerance: +/- 5%

→ COLOURS

 130	 110	 469	 439	 389	 369	 101	 420	 382
 402	 430	 464	 112	 445	 429	 388	 480	 473
 426	 412	 103	 440	 460	 404	 308	 121	 383
 104	 431	 127	 451	 458	 427	 387	 481	 401
 423	 366	 463	 452	 457	 417	 436	 446	 474
 432	 433	 396	 409	 393	 428	 448	 400	 102
 117	 434	 126	 311	 413	 408	 449	 419	 467
 385	 470	 465	 407	 478	 406	 411	 140	 363
 386	 403	 415	 335	 105	 306	 444	 447	 418
 399	 128	 443	 459	 479	 422	 384	 120	 476
 435	 416	 390	 392	 454	 106	 471	 123	
 472	 394	 397	 119	 391	 405	 483	 477	
 437	 395	 442	 455	 107	 115	 108	 381	
 466	 109	 100	 453	 398	 450	 482	 475	
 340	 468	 114	 414	 118	 116	 421	 111	

→ CLEANING INSTRUCTIONS



1. Pre-wash	2-3 mins	Medium	Cold
2. Drain	1 min		
3. Pre-wash ¹	2-3 mins	Medium	Cold
4. Drain	1 min		
5. Main wash ²	5-8 mins	High	40-50 °C
6. Drain	1 min		
7. Rinse 1	2 mins	High	Cold
8. Drain	1 min		
9. Rinse 2	2 mins	High	Cold
10. Drain	1 min		
11. Extract ³	8-10 mins		

Notes

1. Optional

2. A neutral (pH 7) nonionic detergent is recommended for printed mats. The use of Alkaline built products is not recommended.

3. When extracting perforated mats a single high-speed extraction is recommended. If non perforated mats or mixed loads of perforated mats are being extracted then a split extraction cycle, as below, is recommended to achieve optimum water extraction.

Split Extraction Cycle and Drying



1. Extract	2 mins	Low speed
2. Drain	1 min	Wash Speed
3. Extract	5 mins	High speed



1. Dry	10-15 mins	Max. 80°C
2. Cool down	5 mins	

Notes

Lay mats flat following removal from dryer. Allow mats to cool before rolling. Roll mats pile out for delivery. Never store printed mats folded or layed pile to pile when damp, to avoid colour transfer.

Promo Floor Mat

→ LOGO MAT • INDOOR



→ WHY CHOOSE THIS MAT?

Our Promo Floor Mats are a fantastic and functional way to promote your brand effectively. They offer stunning quality, full colour print to a 100% recycled polyester surface on premium rubber backing.

- Ideal product for Point of Purchase applications
- Photographic HD Sublimation Print Quality
- 100% High Quality, knitted polyester surface
- Anti-slip rubber backing made with 32% recycled polymer

→ SPECIFICATIONS

Surface	100% Recycled brush knitted polyester F/C printed surface
Backing	• 100% nitrilrubber backing (32% recycled polymer) • Smooth
Other properties	• Thickness: 1.4 mm • Weight: 2 kg/m²
Border	• Width: 2 cm • Available with and without rubber border
Recommended use	Recommended for indoor use in retail and leisure settings for added brand awareness and messaging opportunities.

→ STANDARD SIZES



60 x 40 cm	60 x 85 cm	75 x 50 cm
85 x 120 cm	85 x 150 cm	85 x 300 cm
115 x 180 cm	150 x 300 cm	

Size Tolerance: +/- 3%

→ CLEANING INSTRUCTIONS

Promo Floor Mats can be cleaned in two different ways:

1. They can be rinsed off under the sink.
2. They can be washed in a standard washing machine under 30°C with a mild detergent. Allow to dry naturally.



Berber Impressions

→ LOGO MAT • OUTDOOR & INDOOR



→ WHY CHOOSE THIS MAT?

Berber Impressions mats feature your custom logo or message digitally printed on a Berber mat. These mats are ideal for use as slip-resistant entrance mats to showcase your custom logo or artwork, or in any area where moisture, tracking, or dripping occurs.



- **Durable** – The tight weave of Berber makes it durable enough to withstand heavy foot traffic while scraping dirt and moisture from shoes to minimize tracking
- **High Definition** – The Berber fabric features allows for crisp printing definition
- **Sustainable** – These mats are made with PET (polyethylene terephthalate), a type of polyester yarn that features 85% recycled content reclaimed from plastic drink bottles
- **Easy to Clean** – PET fabric is naturally stain resistant
- **Attractive** – The loop pile “berber” construction features a hobnail design for an upscale look
- **Safe** – Durable rubber backing keeps the mat in place to minimize slipping hazards
- **56 standard colour options**
- Choice of **smooth or universal cleated** rubber backing
- There is **34% post-industrial recycled content** in the rubber polymer

→ SPECIFICATIONS

Yarn	PET with 85% recycled content
Backing	100% nitrile rubber with 34% post-industrial recycled content in the polymer – phthalate free – For maximum oil resistance, durability, and performance. Compression-molded with reinforced borders on all four sides.
Other properties	• Total weight: 3,4 kg/m² • Thickness: 1,5 mm with 2,5 mm reinforced borders
Colours	56 standard colour options
Recommended use	Intended for indoor or outdoor covered use; not intended for use in direct sunlight as fading can occur.

→ CLEANING INSTRUCTIONS

- NOT LAUNDERABLE in commercial washers
- Vacuum regularly: Daily in high traffic applications, weekly in lower traffic applications.
- Extract, clean or hose off as needed to remove heavy soil.
- Hang mats to dry
- Mats should be dry before placing back in service.



→ COLOURS

A1		C4		E7	
A2		C5		E8	
A3		C6		F1	
A4		C7		F2	
A5		C8		F3	
A6		D1		F4	
A7		D2		F5	
A8		D3		F6	
B1		D4		F7	
B2		D5		F8	
B3		D6		G1	
B4		D7		G2	
B5		D8		G3	
B6		E1		G4	
B7		E2		G5	
B8		E3		G6	
C1		E4		G7	
C2		E5		G8	
C3		E6			

→ STANDARD SIZES

60x85	85x115	85x150	85x300
115x180	115x300	150x240	150x300
180x300	180x360		

Size tolerance: +/- 5%

→ SPECIAL SIZES

Max. size: 180 cm x 360 cm

Promo Scrape Impressions

→ LOGO MAT • OUTDOOR & INDOOR



→ WHY CHOOSE THIS MAT?



Promo Scraper Impressions feature your custom logo or artwork on nylon fibers.

- Unique blend of nylon fibres provides **superior scraping** action against dirt and debris
- High-quality dyes offer brilliant **colour fastness** and **image durability**
- Strong rubber backing provides maximum durability in **high traffic** applications
- In-house designers for a **quick** turnaround time
- **Drainage holes** available for sizes up to 130 x 200 cm
- Fully launderable

→ SPECIFICATIONS

Yarn	ECONYL® Regenerated Nylon 1/8th gauge cut pile Mat weight: 3.9 kg/m²
Backing	• Primary backing: Non woven spun bonded polyester • Rubber backing: 100% nitrile rubber with 34% post-industrial recycled content in the polymer - phthalate free - For maximum oil resistance, durability, and performance. Compression-molded with reinforced borders on all four sides. • Pattern: Claw • Thickness: 3 mm • Drainage holes (optional): Ø 7mm
Border	• Width: 20 mm • Thickness: 2,5 mm • Available with and without rubber border
Other properties	• Pile weight: 715 g/m² • Pile height: 7 mm • Stitch rate: 6 spi • Total weight: 3,9 kg/m² • Water retention: 3.160 kg/m²

Size Tolerance: +/- 2% -
Weight Tolerance: +/- 5%



→ COLOURS

A1		B8		D5	
A2		B9		D6	
A3		B10		D7	
A4		C1		D8	
A5		C2		D9	
A6		C3		D10	
A7		C4		E1	
A8		C5		E2	
A9		C6		E3	
A10		C7		E4	
B1		C8		E5	
B2		C9		E6	
B3		C10		E7	
B4		D1		E8	
B5		D2		E9	
B6		D3		E10	
B7		D4			

→ STANDARD SIZES

* No drainage holes Only

60x85	85x300*	115x240*	150x250*
75x85	115x180	115x250*	150x300*
85x115	115x200	200x200*	200x300*
85x150	115x300*	150x200*	
85x240*	115x200*	150x240*	

→ SPECIAL SIZES

No drainage holes – Max. size: 200 cm x 600 cm
With drainage holes – Max. size: 130 cm x 200 cm

→ CLEANING INSTRUCTIONS

			
1. Pre-wash	2-3 mins	Medium	Cold
2. Drain	1 min		
3. Pre-wash ¹	2-3 mins	Medium	Cold
4. Drain	1 min		
5. Main wash ²	5-8 mins	High	40-50 °C
6. Drain	1 min		
7. Rinse 1	2 mins	High	Cold
8. Drain	1 min		
9. Rinse 2	2 mins	High	Cold
10. Drain	1 min		
11. Extract ³	8-10 mins		

Notes

1. Optional

2. A neutral (pH 7) nonionic detergent is recommended for printed mats. The use of Alkaline built products is not recommended.

3. When extracting perforated mats a single high speed extraction is recommended (maximum G Force 600G). If non perforated mats or mixed loads of perforated mats are being extracted then a split extraction cycle, as below, is recommended to achieve optimum water extraction.

4. Due to the abrasive nature of the pile, the logo scraper mat may attract lint if washed with other mat types, it is therefore recommended that logo scraper mats are not mixed with other mat types during washing. If however mixed products are washed together, to minimise the linting, the mats should be tumble dried.

Split Extraction Cycle and Drying

		
1. Extract	2 mins	Low speed
2. Drain	1 min	Wash Speed
3. Extract	5 mins	High speed

		
1. Dry	10-15 mins	Max. 80°C
2. Cool down	5 mins	

Notes

Lay mats flat following removal from dryer. Allow mats to cool before rolling. Roll mats pile out for delivery. Never store printed mats folded or layed pile to pile when damp, to avoid colour transfer.

SuperScrape Impressions

→ LOGO MAT • INDOOR & OUTDOOR



→ WHY CHOOSE THIS MAT?

SuperScape Impressions mats feature your custom logo or artwork overlaid onto a SuperScape mat. Multi-colour images are created by molding a digitally printed polymeric material into the durable nitrile rubber surface of the mat.

- **High Definition Photographic quality** images are printed on thermoplastic material and molded into rubber
- Textured **slip resistant** surface effectively removes dirt and soil
- Rubber that is resistant to chemical, greases and oil
- **80 standard colour options**
- Rubber anti-slip backing with 34% post-industrial recycled content in the rubber polymer

→ SPECIFICATIONS

Material	• 100% Nitrile Rubber with 34% post-industrial recycled content in the polymer – phthalate free – For maximum oil resistance, durability, and performance. Compression –molded with reinforced borders on all four sides.
Other properties	• Thickness: 3.5 mm • Total weight: 4,3 kg/m² • Durometer: 65 • Tensil: 1600
Colour	80 standard colours
Recommended use	Recommended for use in commercial and industrial settings where branding or messaging is required/preferred along with the debris removal qualities of a scraper mat. Excellent for customization with a company logo, slogan, or safety and quality reminders.

→ STANDARD SIZES

60x40 (max. logo size: 50x30)




75x85 (max. logo size: 55x65)

85x150 (max. logo size: 65x130)

115x180 (max. logo size: 95x160)

150x250 (max. logo size: 110x230)

Size Tolerance: +/- 5%



→ CLEANING INSTRUCTIONS

SuperScape Impressions mats can be commercially laundered (see laundering instructions) or cleaned using the instructions below:


1. Scrub with a deck brush (when needed) using detergent with a neutral PH
2. Rinse with a hose or pressure washer
3. Lay flat or hang to dry

→ LAUNDERING INSTRUCTIONS

SuperScape Impressions mats can be commercially laundered periodically to remove soil. The formula below does not require extensive mechanical action or drying.

1. Flush 2-3 minutes, medium water level, cold water
2. Break 5-10 minutes, high water level, 49 °C
3. Rinse 2 minutes, high water level, cold water
4. Rinse 2 minutes, high water level, cold water
5. Drain 2 minutes
6. Lay mats flat following removal from washer. Allow to cool before rolling.

→ COLOURS

								
S1	S2	S3	S4	S5	S6	S7	S8	S9
								
S10	S11	S12	S13	S14	S15	S16	S17	S18
								
S19	S20	S21	S22	S23	S24	S25	S26	S27
								
S28	S29	S30	S31	S32	S33	S34	S35	S36
								
S37	S38	S39	S40	S41	S42	S43	S44	S45
								
S46	S47	S48	S49	S50	S51	S52	S53	S54
								
S55	S56	S57	S58	S59	S60	S61	S62	S63
								
S64	S65	S66	S67	S68	S69	S70	S71	S72
								
S73	S74	S75	S76	S77	S78	S79	S80	

Bar & counter mats.




A product
for every need



- CounterFlex
- Counter Impressions
- Standard Bar & Counter Mat
- Premium Bar & Counter Mat

CounterFlex

→ COUNTER MAT • INDOOR



→ WHY CHOOSE THIS MAT?

The CounterFlex is our latest innovation in premium point of sale solutions. The surface can be full colour printed and is wipeable.

- Lightning fast production
- Ideal product for counter top Point of Purchase applications
- Low minimum order quantity
- Photographic quality logos
- Full bleed print area

→ SPECIFICATIONS

Material	Digitally printed Thermo-plastic
Backing	• Rubber • Smooth backing
Other properties	• Total weight: 0.22 kg • Overall thickness: 1.5 mm
Recommended use	Recommended for promotional use at bars, counters and customer touchpoints.

→ STANDARD SIZES




200 x 550 mm

340 x 550 mm

Size Tolerance: +/- 2%


→ CLEANING INSTRUCTIONS

CounterFlex Mats are a wipeable counter solution. Simply empty liquids and wash with warm soapy water or wipe clean using standard counter cleaning products and leave to dry.



Counter Impressions

→ COUNTER MAT • INDOOR



→ WHY CHOOSE THIS MAT?

The Counter Impressions is our latest innovation in premium point of sale solutions. The full colour printed, wipeable surface is combined with a tactile and highly functional dimpled recessed design for containment of liquids.

- Lightning fast production
- Ideal product for counter top Point of Purchase applications
- Low minimum order quantity
- Photographic quality logos
- Full bleed print area

→ SPECIFICATIONS

Material	Digitally printed Thermo-plastic
Backing	• Rubber • Smooth backing
Other properties	• Total weight: 4.7 kg/m² • Overall thickness: 4 mm
Recommended use	Recommended for promotional use at bars, counters and customer touchpoints.



→ STANDARD SIZES

100 x 500 mm 200 x 550 mm 355 x 355 mm

Size Tolerance: +/- 2%


→ CLEANING INSTRUCTIONS

Counter Impressions Mats are a wipeable counter solution. Simply empty liquids and wash with warm soapy water or wipe clean using standard counter cleaning products and leave to dry.



Standard Bar & Counter Mat

→ COUNTER MAT • INDOOR



→ WHY CHOOSE THIS MAT?

The hardwearing surface of our bar mats can be fully customised with your choice of vibrant, photographic quality design. The soft natural rubber backing offers protection for surfaces and has outstanding lay flat properties.

- The perfect product for point of **purchase visibility**
- **Photographic HD Sublimation Print Quality**
- High quality printed **neoprene satin polyester**
- 100% natural rubber **anti-slip backing**

→ SPECIFICATIONS

Material	Printed neoprene satin polyester
Backing	• Rubber • Anti-slip backing
Print type	CMYK sublimation
Border	Available with both curved or square corners
Other properties	• Overall thickness: 1.5 mm (Also available in 2 mm & 2.8 mm upon request) • Overall weight: 1.1 kg/m²
Recommended use	Recommended for promotional use at bars, counters and customer touchpoints.



→ STANDARD SIZES

41 x 22 cm 60 x 19 cm 82 x 21 cm

Bespoke sizes available

→ CLEANING INSTRUCTIONS

Machine wash with a mild detergent. Allow to dry naturally.



Premium Bar & Counter Mat

→ COUNTER MAT • INDOOR



→ WHY CHOOSE THIS MAT?

The hardwearing, recycled knitted polyester surface of our bar mats can be fully customised with your choice of vibrant, photographic quality design. The durable nitrile backing offers protection for surfaces and has outstanding lay flat properties.

- The perfect product for point of **purchase visibility**
- **Photographic HD Sublimation Print Quality**
- **High quality 100% recycled** knitted polyester surface
- 100% Nitrile rubber anti-slip backing (32% recycled polymer)

→ SPECIFICATIONS

Material	100% recycled PET knitted polyester
Backing	• Nitrile rubber (32% recycled polymer) • Anti-slip backing
Print type	CMYK sublimation
Border	• Width: 12 mm • Available with and without rubber border
Other properties	• Overall thickness: 1 mm • Overall weight: 1.75 kg/m²
Recommended use	Recommended for promotional use at bars, counters and customer touchpoints.



→ STANDARD SIZES

434 x 234 mm	600 x 190 mm	234 x 600 mm
225 x 830 mm	894 x 244 mm	

→ CLEANING INSTRUCTIONS

Premium Bar & Counter Mats can be cleaned in two different ways:


1. They can be rinsed off under the sink.
2. They can be washed in a standard washing machine under 30°C with a mild detergent. Allow to dry naturally.



Specialty mats.



A product
for every need



- Mattress Foot Protectors
- Premium Office Desk Mat

Mattress Foot Protectors

→ LOGO MAT • INDOOR



→ WHY CHOOSE THIS MAT?

Our bedmats are designed for use in manufacturer or third party showrooms. Whatever the size of mattress we have a bedmat to suit. Also ideal for trade shows, our quality bedmats are easily rolled, distributed and transported, making your life easier while growing your brand awareness and sales figures.

- **Anti-slip** – the mat will hold its form and stay in position on the mattress
- **Standard** and **bespoke sizes** available
- **Easily cleaned** with vacuum or steam cleaner
- Made in EU and PVC-free
- Advertise logos, pictures and your marketing message in **high quality full colour**, attracting customers and increasing your sales
- **Protect** your mattresses from dirt and stains from footwear
- **Easily rolled up** and can be changed and transported with ease
- Distinguishes your brand from the rest

→ SPECIFICATIONS

Surface	Printed neoprene satin polyester
Backing	• Rubber • Anti-slip backing
Print type	CMYK sublimation
Border	Available with both curved or square corners
Recommended use	Recommended for use in retail settings and showrooms.



→ STANDARD SIZES

67 x 40 cm	80 x 45 cm	89 x 45 cm
137 x 44 cm	180 x 44 cm	200 x 44 cm
220 x 44 cm	240 x 44 cm	

Bespoke sizes available


→ CLEANING INSTRUCTIONS

Machine wash with a mild detergent. Allow to dry naturally.



Premium Office Desk Mat

→ LOGO MAT • INDOOR



→ WHY CHOOSE THIS MAT?

The hardwearing, recycled knitted polyester surface of our desk mats can be fully customised with your choice of vibrant, photographic quality design. The durable nitrile backing offers protection for surfaces and has outstanding lay flat properties.

- The perfect product for point of **purchase visibility**
- **Photographic HD Sublimation Print Quality**
- **High quality 100% recycled** knitted polyester surface
- 100% Nitrile rubber anti-slip backing (32% recycled polymer)

→ SPECIFICATIONS

Material	100% recycled PET knitted polyester
Backing	• Nitrile rubber (32% recycled polymer) • Anti-slip backing
Print type	CMYK sublimation
Border	• Width: 12 mm • Available with and without rubber border
Other properties	• Overall thickness: 1 mm • Overall weight: 1.75 kg/m²
Recommended use	Recommended for promotional gifting, office branding and desktop promotions.

→ SIZES

Standard size: 440 x 900 mm

Special size available upon request

→ CLEANING INSTRUCTIONS

Premium Office Desk Mats can be cleaned in two different ways:

1. They can be rinsed off under the sink.
2. They can be washed in a standard washing machine under 30°C with a mild detergent. Allow to dry naturally.

