

## Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Above	100.0%
	Follow-up at Six Months	-	-
	Response at Six Months	-	-
	Remission at Six Months	-	-
	Follow-up at 12 Months	-	-
	Response at 12 Months	-	-
	Remission at 12 Months	-	-
Adult Depression	PHQ-9 Utilization*	Above	100.0%
	Follow-up at Six Months	Above Expected	71.1%
	Response at Six Months	Above Expected	33.0%
	Remission at Six Months	Above Expected	22.7%
	Follow-up at 12 Months	Expected	62.9%
	Response at 12 Months	Expected	29.9%
	Remission at 12 Months	Expected	19.1%
Adolescent Mental Health and/or Depression Screening*		Below	65.8%
Colorectal Cancer Screening		Above Expected	79.7%
Optimal Asthma Control - Adults		Expected	61.6%
Optimal Asthma Control - Children		Expected	56.9%
Optimal Diabetes Care		Expected	55.3%
HbA1c Control		Expected	73.6%
BP Control		Above Expected	89.1%
Daily Aspirin Use		Expected	99.6%
Statin Use		Expected	90.9%
Tobacco-Free		Expected	88.5%
Optimal Vascular Care		Expected	61.4%
BP Control		Above Expected	89.7%
Daily Aspirin Use		Expected	84.0%
Statin Use		Below Expected	86.5%
Tobacco-Free		Expected	88.3%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

### Ratings

**Above:** Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).