

**Clinical Quality Measures**

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	-	-
	Follow-up at Six Months	-	-
	Response at Six Months	-	-
	Remission at Six Months	-	-
	Follow-up at 12 Months	-	-
	Response at 12 Months	-	-
	Remission at 12 Months	-	-
Adult Depression	PHQ-9 Utilization*	Above	93.6%
	Follow-up at Six Months	Expected	66.2%
	Response at Six Months	Expected	30.8%
	Remission at Six Months	Expected	15.4%
	Follow-up at 12 Months	Expected	55.4%
	Response at 12 Months	Expected	29.2%
	Remission at 12 Months	Expected	18.5%
Adolescent Mental Health and/or Depression Screening*		Average	90.8%
Colorectal Cancer Screening		Expected	61.9%
Optimal Asthma Control - Adults		Above Expected	60.2%
Optimal Asthma Control - Children		Above Expected	71.7%
Optimal Diabetes Care		Above Expected	45.9%
HbA1c Control		Expected	73.2%
BP Control		Expected	80.7%
Daily Aspirin Use		Expected	99.5%
Statin Use		Expected	89.2%
Tobacco-Free		Expected	82.8%
Optimal Vascular Care		Expected	52.2%
BP Control		Expected	81.9%
Daily Aspirin Use		Above Expected	93.7%
Statin Use		Above Expected	96.3%
Tobacco-Free		Expected	69.3%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

**Ratings**

**Above:** Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).