

## Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Average	89.7%
	Follow-up at Six Months	Expected	46.0%
	Response at Six Months	Expected	20.3%
	Remission at Six Months	Expected	14.9%
	Follow-up at 12 Months	Expected	41.9%
	Response at 12 Months	Expected	16.2%
	Remission at 12 Months	Expected	10.8%
Adult Depression	PHQ-9 Utilization*	Above	93.3%
	Follow-up at Six Months	Expected	51.8%
	Response at Six Months	Expected	16.1%
	Remission at Six Months	Expected	8.7%
	Follow-up at 12 Months	Expected	55.9%
	Response at 12 Months	Expected	22.0%
	Remission at 12 Months	Expected	13.7%
Adolescent Mental Health and/or Depression Screening*		Above	99.7%
Colorectal Cancer Screening		Above Expected	75.7%
Optimal Asthma Control - Adults		Above Expected	73.8%
Optimal Asthma Control - Children		Above Expected	71.4%
Optimal Diabetes Care		Expected	49.3%
HbA1c Control		Expected	72.2%
BP Control		Above Expected	87.5%
Daily Aspirin Use		Expected	98.4%
Statin Use		Above Expected	91.6%
Tobacco-Free		Below Expected	81.3%
Optimal Vascular Care		Expected	51.7%
BP Control		Expected	81.0%
Daily Aspirin Use		Expected	87.5%
Statin Use		Expected	93.5%
Tobacco-Free		Below Expected	77.5%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

### Ratings

**Above:** Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).