

## Clinical Quality Measures

2023 measurement year

| Measure   |                         | Rating         | Rate  |
|---|-------------------------|----------------|-------|
| Adolescent Depression                                 | PHQ-9 Utilization*      | -              | -     |
|   | Follow-up at Six Months | -              | -     |
|   | Response at Six Months  | -              | -     |
|   | Remission at Six Months | -              | -     |
|   | Follow-up at 12 Months  | -              | -     |
|   | Response at 12 Months   | -              | -     |
|   | Remission at 12 Months  | -              | -     |
| Adult Depression                                      | PHQ-9 Utilization*      | -              | -     |
|   | Follow-up at Six Months | -              | -     |
|   | Response at Six Months  | -              | -     |
|   | Remission at Six Months | -              | -     |
|   | Follow-up at 12 Months  | -              | -     |
|   | Response at 12 Months   | -              | -     |
|   | Remission at 12 Months  | -              | -     |
| Adolescent Mental Health and/or Depression Screening* |                         | Above          | 98.5% |
| Colorectal Cancer Screening                           |                         | Expected       | 74.1% |
| Optimal Asthma Control - Adults                       |                         | Below Expected | 41.5% |
| Optimal Asthma Control - Children                     |                         | Below Expected | 45.1% |
| Optimal Diabetes Care                                 |                         | Expected       | 48.5% |
| HbA1c Control   |                         | Expected       | 74.3% |
| BP Control  |                         | Expected       | 83.8% |
| Daily Aspirin Use                                     |                         | Above Expected | 99.4% |
| Statin Use  |                         | Expected       | 87.3% |
| Tobacco-Free  |                         | Below Expected | 84.3% |
| Optimal Vascular Care                                 |                         | Expected       | 58.7% |
| BP Control  |                         | Expected       | 82.5% |
| Daily Aspirin Use                                     |                         | Above Expected | 91.7% |
| Statin Use  |                         | Expected       | 93.1% |
| Tobacco-Free  |                         | Below Expected | 80.2% |

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

### Ratings

**Above:** Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).