

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Average	87.4%
	Follow-up at Six Months	Expected	55.0%
	Response at Six Months	Expected	25.0%
	Remission at Six Months	Expected	20.0%
	Follow-up at 12 Months	Expected	43.3%
	Response at 12 Months	Expected	20.0%
	Remission at 12 Months	Expected	11.7%
Adult Depression	PHQ-9 Utilization*	Below	70.3%
	Follow-up at Six Months	Above Expected	72.3%
	Response at Six Months	Above Expected	35.9%
	Remission at Six Months	Above Expected	21.1%
	Follow-up at 12 Months	Above Expected	67.9%
	Response at 12 Months	Above Expected	34.9%
	Remission at 12 Months	Above Expected	22.5%
Adolescent Mental Health and/or Depression Screening*		Average	94.5%
Colorectal Cancer Screening		Above Expected	81.4%
Optimal Asthma Control - Adults		Above Expected	62.7%
Optimal Asthma Control - Children		Above Expected	65.6%
Optimal Diabetes Care		Expected	50.7%
HbA1c Control		Expected	74.3%
BP Control		Above Expected	84.7%
Daily Aspirin Use		Expected	99.2%
Statin Use		Expected	90.4%
Tobacco-Free		Expected	85.5%
Optimal Vascular Care		Above Expected	65.0%
BP Control		Above Expected	87.0%
Daily Aspirin Use		Above Expected	91.0%
Statin Use		Expected	91.8%
Tobacco-Free		Expected	85.3%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).