

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Average	91.0%
	Follow-up at Six Months	Above Expected	69.8%
	Response at Six Months	Expected	24.5%
	Remission at Six Months	Expected	7.6%
	Follow-up at 12 Months	Expected	62.3%
	Response at 12 Months	Expected	24.5%
	Remission at 12 Months	Expected	9.4%
Adult Depression	PHQ-9 Utilization*	Below	75.9%
	Follow-up at Six Months	Above Expected	71.0%
	Response at Six Months	Above Expected	38.9%
	Remission at Six Months	Above Expected	21.2%
	Follow-up at 12 Months	Above Expected	68.4%
	Response at 12 Months	Above Expected	35.5%
	Remission at 12 Months	Above Expected	21.2%
Adolescent Mental Health and/or Depression Screening*		Above	99.3%
Colorectal Cancer Screening		Above Expected	76.5%
Optimal Asthma Control - Adults		Above Expected	70.5%
Optimal Asthma Control - Children		Above Expected	71.3%
Optimal Diabetes Care		Above Expected	55.2%
HbA1c Control		Above Expected	80.4%
BP Control		Above Expected	87.9%
Daily Aspirin Use		Above Expected	99.6%
Statin Use		Expected	90.5%
Tobacco-Free		Expected	85.0%
Optimal Vascular Care		Above Expected	63.0%
BP Control		Above Expected	88.2%
Daily Aspirin Use		Above Expected	93.4%
Statin Use		Expected	91.7%
Tobacco-Free		Expected	83.5%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).