

## Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Average	93.5%
	Follow-up at Six Months	-	-
	Response at Six Months	-	-
	Remission at Six Months	-	-
	Follow-up at 12 Months	-	-
	Response at 12 Months	-	-
	Remission at 12 Months	-	-
Adult Depression	PHQ-9 Utilization*	Above	86.7%
	Follow-up at Six Months	Above Expected	78.4%
	Response at Six Months	Above Expected	27.8%
	Remission at Six Months	Expected	15.8%
	Follow-up at 12 Months	Above Expected	74.9%
	Response at 12 Months	Above Expected	31.3%
	Remission at 12 Months	Above Expected	17.4%
Adolescent Mental Health and/or Depression Screening*		Average	93.7%
Colorectal Cancer Screening		Above Expected	75.1%
Optimal Asthma Control - Adults		Above Expected	70.6%
Optimal Asthma Control - Children		Above Expected	79.0%
Optimal Diabetes Care		Above Expected	55.2%
HbA1c Control		Above Expected	81.0%
BP Control		Above Expected	86.5%
Daily Aspirin Use		Expected	99.3%
Statin Use		Expected	87.7%
Tobacco-Free		Expected	86.2%
Optimal Vascular Care		Expected	55.7%
BP Control		Expected	81.8%
Daily Aspirin Use		Expected	85.8%
Statin Use		Expected	90.6%
Tobacco-Free		Expected	79.3%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

### Ratings

**Above:** Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).