

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	-	-
	Follow-up at Six Months	-	-
	Response at Six Months	-	-
	Remission at Six Months	-	-
	Follow-up at 12 Months	-	-
	Response at 12 Months	-	-
	Remission at 12 Months	-	-
Adult Depression	PHQ-9 Utilization*	Below	67.2%
	Follow-up at Six Months	Above Expected	77.1%
	Response at Six Months	Above Expected	30.5%
	Remission at Six Months	Above Expected	18.4%
	Follow-up at 12 Months	Above Expected	71.8%
	Response at 12 Months	Above Expected	29.6%
	Remission at 12 Months	Above Expected	16.6%
Adolescent Mental Health and/or Depression Screening*		Above	100.0%
Colorectal Cancer Screening		Above Expected	71.5%
Optimal Asthma Control - Adults		Above Expected	54.5%
Optimal Asthma Control - Children		Expected	64.2%
Optimal Diabetes Care		Expected	48.3%
HbA1c Control		Expected	73.7%
BP Control		Above Expected	89.0%
Daily Aspirin Use		Above Expected	99.7%
Statin Use		Above Expected	92.0%
Tobacco-Free		Below Expected	75.9%
Optimal Vascular Care		Expected	57.8%
BP Control		Above Expected	88.3%
Daily Aspirin Use		Above Expected	94.3%
Statin Use		Expected	93.8%
Tobacco-Free		Below Expected	71.7%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).