

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	-	-
	Follow-up at Six Months	Above Expected	77.1%
	Response at Six Months	Above Expected	37.1%
	Remission at Six Months	Expected	25.7%
	Follow-up at 12 Months	Expected	51.4%
	Response at 12 Months	Expected	31.4%
	Remission at 12 Months	Above Expected	25.7%
Adult Depression	PHQ-9 Utilization*	Above	94.8%
	Follow-up at Six Months	Above Expected	79.7%
	Response at Six Months	Above Expected	38.7%
	Remission at Six Months	Above Expected	26.5%
	Follow-up at 12 Months	Above Expected	73.2%
	Response at 12 Months	Above Expected	40.2%
	Remission at 12 Months	Above Expected	26.8%
Adolescent Mental Health and/or Depression Screening*		Above	97.7%
Colorectal Cancer Screening		Above Expected	80.2%
Optimal Asthma Control - Adults		Above Expected	76.5%
Optimal Asthma Control - Children		Above Expected	78.8%
Optimal Diabetes Care		Above Expected	55.4%
HbA1c Control		Above Expected	81.3%
BP Control		Expected	86.3%
Daily Aspirin Use		Expected	99.0%
Statin Use		Above Expected	91.4%
Tobacco-Free		Expected	85.4%
Optimal Vascular Care		Expected	62.3%
BP Control		Expected	88.0%
Daily Aspirin Use		Above Expected	92.0%
Statin Use		Above Expected	95.4%
Tobacco-Free		Expected	78.9%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).