

**Clinical Quality Measures**

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	-	-
	Follow-up at Six Months	-	-
	Response at Six Months	-	-
	Remission at Six Months	-	-
	Follow-up at 12 Months	-	-
	Response at 12 Months	-	-
	Remission at 12 Months	-	-
Adult Depression	PHQ-9 Utilization*	Below	68.7%
	Follow-up at Six Months	Expected	47.1%
	Response at Six Months	Expected	14.7%
	Remission at Six Months	Expected	8.8%
	Follow-up at 12 Months	Expected	47.1%
	Response at 12 Months	Expected	17.7%
	Remission at 12 Months	Expected	11.8%
Adolescent Mental Health and/or Depression Screening*		Below	77.6%
Colorectal Cancer Screening		Below Expected	62.6%
Optimal Asthma Control - Adults		Expected	30.3%
Optimal Asthma Control - Children		-	-
Optimal Diabetes Care		Expected	45.8%
HbA1c Control		Expected	68.7%
BP Control		Above Expected	88.8%
Daily Aspirin Use		Expected	95.5%
Statin Use		Expected	85.5%
Tobacco-Free		Expected	81.0%
Optimal Vascular Care		Expected	48.0%
BP Control		Above Expected	91.2%
Daily Aspirin Use		Expected	77.6%
Statin Use		Expected	87.2%
Tobacco-Free		Expected	76.8%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

**Ratings**

**Above:** Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).