

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	-	-
	Follow-up at Six Months	Expected	48.7%
	Response at Six Months	Expected	15.4%
	Remission at Six Months	Expected	5.1%
	Follow-up at 12 Months	Expected	33.3%
	Response at 12 Months	Expected	15.4%
	Remission at 12 Months	Expected	5.1%
Adult Depression	PHQ-9 Utilization*	Above	87.1%
	Follow-up at Six Months	Expected	48.4%
	Response at Six Months	Expected	19.3%
	Remission at Six Months	Expected	11.8%
	Follow-up at 12 Months	Expected	52.8%
	Response at 12 Months	Expected	19.7%
	Remission at 12 Months	Expected	11.0%
Adolescent Mental Health and/or Depression Screening*		Above	99.3%
Colorectal Cancer Screening		Below Expected	57.5%
Optimal Asthma Control - Adults		Expected	47.6%
Optimal Asthma Control - Children		Expected	55.7%
Optimal Diabetes Care		Expected	41.6%
HbA1c Control		Below Expected	66.3%
BP Control		Below Expected	75.6%
Daily Aspirin Use		Expected	98.1%
Statin Use		Expected	89.7%
Tobacco-Free		Expected	85.2%
Optimal Vascular Care		Expected	55.7%
BP Control		Expected	80.2%
Daily Aspirin Use		Expected	85.0%
Statin Use		Above Expected	95.0%
Tobacco-Free		Expected	84.0%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).