

## Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Above	100.0%
	Follow-up at Six Months	Expected	35.9%
	Response at Six Months	Expected	5.7%
	Remission at Six Months	Expected	0.0%
	Follow-up at 12 Months	Expected	34.0%
	Response at 12 Months	Expected	17.0%
	Remission at 12 Months	Expected	7.6%
Adult Depression	PHQ-9 Utilization*	Above	100.0%
	Follow-up at Six Months	Below Expected	40.2%
	Response at Six Months	Expected	13.3%
	Remission at Six Months	Expected	8.2%
	Follow-up at 12 Months	Below Expected	39.4%
	Response at 12 Months	Expected	15.6%
	Remission at 12 Months	Expected	9.5%
Adolescent Mental Health and/or Depression Screening*		Above	97.3%
Colorectal Cancer Screening		Above Expected	75.8%
Optimal Asthma Control - Adults		Above Expected	60.3%
Optimal Asthma Control - Children		Expected	61.9%
Optimal Diabetes Care		Above Expected	51.4%
HbA1c Control		Above Expected	82.7%
BP Control		Expected	83.5%
Daily Aspirin Use		Expected	98.8%
Statin Use		Expected	90.0%
Tobacco-Free		Expected	84.6%
Optimal Vascular Care		Expected	58.5%
BP Control		Expected	80.9%
Daily Aspirin Use		Expected	87.5%
Statin Use		Expected	94.6%
Tobacco-Free		Expected	82.6%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

### Ratings

**Above:** Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).