

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	-	-
	Follow-up at Six Months	Expected	20.0%
	Response at Six Months	Expected	13.3%
	Remission at Six Months	Expected	3.3%
	Follow-up at 12 Months	Expected	30.0%
	Response at 12 Months	Expected	13.3%
	Remission at 12 Months	Expected	10.0%
Adult Depression	PHQ-9 Utilization*	Below	28.1%
	Follow-up at Six Months	Below Expected	22.4%
	Response at Six Months	Below Expected	5.6%
	Remission at Six Months	Below Expected	2.4%
	Follow-up at 12 Months	Expected	40.0%
	Response at 12 Months	Expected	14.4%
	Remission at 12 Months	Expected	8.8%
Adolescent Mental Health and/or Depression Screening*		Above	97.2%
Colorectal Cancer Screening		Below Expected	69.7%
Optimal Asthma Control - Adults		Above Expected	59.8%
Optimal Asthma Control - Children		Expected	58.3%
Optimal Diabetes Care		Below Expected	38.7%
HbA1c Control		Below Expected	69.5%
BP Control		Below Expected	75.7%
Daily Aspirin Use		Expected	98.9%
Statin Use		Expected	88.5%
Tobacco-Free		Expected	82.3%
Optimal Vascular Care		Expected	50.3%
BP Control		Below Expected	74.7%
Daily Aspirin Use		Expected	89.3%
Statin Use		Expected	95.2%
Tobacco-Free		Expected	78.6%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).