

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Above	100.0%
	Follow-up at Six Months	Expected	37.8%
	Response at Six Months	Expected	10.8%
	Remission at Six Months	Expected	8.1%
	Follow-up at 12 Months	Expected	32.4%
	Response at 12 Months	Expected	10.8%
	Remission at 12 Months	Expected	5.4%
Adult Depression	PHQ-9 Utilization*	Above	93.5%
	Follow-up at Six Months	Below Expected	40.7%
	Response at Six Months	Expected	17.5%
	Remission at Six Months	Expected	8.4%
	Follow-up at 12 Months	Below Expected	34.7%
	Response at 12 Months	Below Expected	13.8%
	Remission at 12 Months	Below Expected	7.1%
Adolescent Mental Health and/or Depression Screening*		Average	94.4%
Colorectal Cancer Screening		Above Expected	79.8%
Optimal Asthma Control - Adults		Above Expected	66.0%
Optimal Asthma Control - Children		Expected	60.0%
Optimal Diabetes Care		Expected	49.6%
HbA1c Control		Above Expected	80.4%
BP Control		Above Expected	86.0%
Daily Aspirin Use		Expected	97.6%
Statin Use		Below Expected	84.6%
Tobacco-Free		Below Expected	83.7%
Optimal Vascular Care		Expected	57.4%
BP Control		Above Expected	86.8%
Daily Aspirin Use		Expected	85.5%
Statin Use		Below Expected	89.6%
Tobacco-Free		Expected	81.7%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).