

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Above	94.2%
	Follow-up at Six Months	Expected	52.2%
	Response at Six Months	Expected	21.1%
	Remission at Six Months	Expected	8.9%
	Follow-up at 12 Months	Expected	35.6%
	Response at 12 Months	Expected	11.1%
	Remission at 12 Months	Expected	6.7%
Adult Depression	PHQ-9 Utilization*	Average	80.0%
	Follow-up at Six Months	Expected	55.6%
	Response at Six Months	Expected	20.8%
	Remission at Six Months	Expected	11.1%
	Follow-up at 12 Months	Expected	51.0%
	Response at 12 Months	Expected	20.4%
	Remission at 12 Months	Expected	10.6%
Adolescent Mental Health and/or Depression Screening*		Average	90.4%
Colorectal Cancer Screening		Below Expected	67.9%
Optimal Asthma Control - Adults		Expected	43.2%
Optimal Asthma Control - Children		Expected	47.6%
Optimal Diabetes Care		Expected	44.3%
HbA1c Control		Below Expected	68.4%
BP Control		Expected	79.4%
Daily Aspirin Use		Expected	99.1%
Statin Use		Above Expected	90.6%
Tobacco-Free		Expected	83.3%
Optimal Vascular Care		Expected	52.9%
BP Control		Expected	78.1%
Daily Aspirin Use		Above Expected	91.5%
Statin Use		Expected	92.5%
Tobacco-Free		Expected	78.2%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).