

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Average	88.9%
	Follow-up at Six Months	Expected	42.5%
	Response at Six Months	Expected	11.5%
	Remission at Six Months	Expected	9.2%
	Follow-up at 12 Months	Below Expected	26.4%
	Response at 12 Months	Expected	10.3%
	Remission at 12 Months	Expected	3.5%
Adult Depression	PHQ-9 Utilization*	Above	83.0%
	Follow-up at Six Months	Expected	55.5%
	Response at Six Months	Expected	20.8%
	Remission at Six Months	Expected	12.1%
	Follow-up at 12 Months	Expected	52.8%
	Response at 12 Months	Expected	21.3%
	Remission at 12 Months	Expected	12.1%
Adolescent Mental Health and/or Depression Screening*		Below	87.9%
Colorectal Cancer Screening		Above Expected	74.4%
Optimal Asthma Control - Adults		Below Expected	43.8%
Optimal Asthma Control - Children		Expected	49.5%
Optimal Diabetes Care		Expected	47.5%
HbA1c Control		Expected	75.3%
BP Control		Below Expected	77.6%
Daily Aspirin Use		Expected	99.1%
Statin Use		Above Expected	92.0%
Tobacco-Free		Expected	84.0%
Optimal Vascular Care		Expected	54.4%
BP Control		Below Expected	76.4%
Daily Aspirin Use		Above Expected	91.7%
Statin Use		Expected	92.8%
Tobacco-Free		Expected	80.3%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).