

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	-	-
	Follow-up at Six Months	-	-
	Response at Six Months	-	-
	Remission at Six Months	-	-
	Follow-up at 12 Months	-	-
	Response at 12 Months	-	-
	Remission at 12 Months	-	-
Adult Depression	PHQ-9 Utilization*	Below	46.2%
	Follow-up at Six Months	Below Expected	13.2%
	Response at Six Months	Below Expected	2.9%
	Remission at Six Months	Expected	2.9%
	Follow-up at 12 Months	Below Expected	8.8%
	Response at 12 Months	Below Expected	2.9%
	Remission at 12 Months	Below Expected	1.5%
Adolescent Mental Health and/or Depression Screening*		Below	85.8%
Colorectal Cancer Screening		Below Expected	62.5%
Optimal Asthma Control - Adults		Below Expected	12.7%
Optimal Asthma Control - Children		Below Expected	18.3%
Optimal Diabetes Care		Below Expected	27.0%
HbA1c Control		Below Expected	59.1%
BP Control		Below Expected	72.4%
Daily Aspirin Use		Below Expected	93.7%
Statin Use		Below Expected	78.6%
Tobacco-Free		Below Expected	77.5%
Optimal Vascular Care		Below Expected	32.7%
BP Control		Below Expected	73.2%
Daily Aspirin Use		Below Expected	65.3%
Statin Use		Below Expected	84.2%
Tobacco-Free		Expected	73.2%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).