

## Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Average	78.0%
	Follow-up at Six Months	Below Expected	22.8%
	Response at Six Months	Below Expected	3.5%
	Remission at Six Months	Expected	3.5%
	Follow-up at 12 Months	Below Expected	24.6%
	Response at 12 Months	Expected	10.5%
	Remission at 12 Months	Expected	5.3%
Adult Depression	PHQ-9 Utilization*	Below	68.8%
	Follow-up at Six Months	Below Expected	26.5%
	Response at Six Months	Below Expected	8.2%
	Remission at Six Months	Below Expected	3.8%
	Follow-up at 12 Months	Below Expected	23.8%
	Response at 12 Months	Below Expected	8.5%
	Remission at 12 Months	Below Expected	5.5%
Adolescent Mental Health and/or Depression Screening*		Average	93.4%
Colorectal Cancer Screening		Below Expected	58.6%
Optimal Asthma Control - Adults		Below Expected	10.9%
Optimal Asthma Control - Children		Below Expected	10.5%
Optimal Diabetes Care		Below Expected	42.3%
HbA1c Control		Below Expected	69.2%
BP Control		Above Expected	88.3%
Daily Aspirin Use		Expected	98.4%
Statin Use		Below Expected	81.7%
Tobacco-Free		Below Expected	81.7%
Optimal Vascular Care		Expected	54.3%
BP Control		Above Expected	87.9%
Daily Aspirin Use		Expected	83.4%
Statin Use		Expected	90.6%
Tobacco-Free		Below Expected	79.6%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

### Ratings

**Above:** Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).