

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Below	56.8%
	Follow-up at Six Months	Expected	39.1%
	Response at Six Months	Expected	17.4%
	Remission at Six Months	Expected	8.7%
	Follow-up at 12 Months	Expected	41.3%
	Response at 12 Months	Expected	26.1%
	Remission at 12 Months	Expected	10.9%
Adult Depression	PHQ-9 Utilization*	Below	46.7%
	Follow-up at Six Months	Below Expected	40.8%
	Response at Six Months	Expected	15.0%
	Remission at Six Months	Expected	8.9%
	Follow-up at 12 Months	Below Expected	35.9%
	Response at 12 Months	Below Expected	11.0%
	Remission at 12 Months	Expected	6.4%
Adolescent Mental Health and/or Depression Screening*		Average	90.8%
Colorectal Cancer Screening		Expected	70.0%
Optimal Asthma Control - Adults		Below Expected	37.4%
Optimal Asthma Control - Children		Expected	41.9%
Optimal Diabetes Care		Expected	47.1%
HbA1c Control		Expected	75.9%
BP Control		Expected	81.9%
Daily Aspirin Use		Above Expected	99.6%
Statin Use		Expected	89.0%
Tobacco-Free		Below Expected	79.5%
Optimal Vascular Care		Expected	56.9%
BP Control		Expected	83.6%
Daily Aspirin Use		Above Expected	93.1%
Statin Use		Expected	93.3%
Tobacco-Free		Below Expected	75.1%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).