

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	-	-
	Follow-up at Six Months	-	-
	Response at Six Months	-	-
	Remission at Six Months	-	-
	Follow-up at 12 Months	-	-
	Response at 12 Months	-	-
	Remission at 12 Months	-	-
Adult Depression	PHQ-9 Utilization*	Below	57.7%
	Follow-up at Six Months	Below Expected	24.4%
	Response at Six Months	Expected	11.6%
	Remission at Six Months	Expected	5.8%
	Follow-up at 12 Months	Below Expected	29.1%
	Response at 12 Months	Below Expected	7.0%
	Remission at 12 Months	Expected	3.5%
Adolescent Mental Health and/or Depression Screening*		Below	40.9%
Colorectal Cancer Screening		Below Expected	53.8%
Optimal Asthma Control - Adults		Below Expected	20.4%
Optimal Asthma Control - Children		Below Expected	17.1%
Optimal Diabetes Care		Below Expected	25.6%
HbA1c Control		Below Expected	58.2%
BP Control		Expected	81.1%
Daily Aspirin Use		Below Expected	96.0%
Statin Use		Below Expected	73.3%
Tobacco-Free		Below Expected	79.6%
Optimal Vascular Care		Below Expected	37.3%
BP Control		Expected	80.6%
Daily Aspirin Use		Below Expected	74.6%
Statin Use		Below Expected	77.0%
Tobacco-Free		Below Expected	71.8%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).