

## Clinical Quality Measures

2023 measurement year

| Measure                                               |                         | Rating         | Rate  |
|-------------------------------------------------------|-------------------------|----------------|-------|
| Adolescent Depression                                 | PHQ-9 Utilization*      | -              | -     |
|                                                       | Follow-up at Six Months | -              | -     |
|                                                       | Response at Six Months  | -              | -     |
|                                                       | Remission at Six Months | -              | -     |
|                                                       | Follow-up at 12 Months  | -              | -     |
|                                                       | Response at 12 Months   | -              | -     |
|                                                       | Remission at 12 Months  | -              | -     |
| Adult Depression                                      | PHQ-9 Utilization*      | -              | -     |
|                                                       | Follow-up at Six Months | -              | -     |
|                                                       | Response at Six Months  | -              | -     |
|                                                       | Remission at Six Months | -              | -     |
|                                                       | Follow-up at 12 Months  | -              | -     |
|                                                       | Response at 12 Months   | -              | -     |
|                                                       | Remission at 12 Months  | -              | -     |
| Adolescent Mental Health and/or Depression Screening* |                         | -              | -     |
| Colorectal Cancer Screening                           |                         | Above Expected | 82.8% |
| Optimal Asthma Control - Adults                       |                         | -              | -     |
| Optimal Asthma Control - Children                     |                         | -              | -     |
| Optimal Diabetes Care                                 |                         | -              | -     |
| HbA1c Control                                         |                         | -              | -     |
| BP Control                                            |                         | -              | -     |
| Daily Aspirin Use                                     |                         | -              | -     |
| Statin Use                                            |                         | -              | -     |
| Tobacco-Free                                          |                         | -              | -     |
| Optimal Vascular Care                                 |                         | -              | -     |
| BP Control                                            |                         | -              | -     |
| Daily Aspirin Use                                     |                         | -              | -     |
| Statin Use                                            |                         | -              | -     |
| Tobacco-Free                                          |                         | -              | -     |

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

### Ratings

**Above:** Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).