

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Average	82.6%
	Follow-up at Six Months	Expected	42.9%
	Response at Six Months	Below Expected	4.8%
	Remission at Six Months	Expected	1.6%
	Follow-up at 12 Months	Expected	33.3%
	Response at 12 Months	Expected	11.1%
	Remission at 12 Months	Expected	4.8%
Adult Depression	PHQ-9 Utilization*	Above	88.6%
	Follow-up at Six Months	Expected	51.0%
	Response at Six Months	Expected	18.0%
	Remission at Six Months	Expected	8.2%
	Follow-up at 12 Months	Expected	46.9%
	Response at 12 Months	Expected	15.3%
	Remission at 12 Months	Below Expected	7.1%
Adolescent Mental Health and/or Depression Screening*		Above	99.2%
Colorectal Cancer Screening		Expected	68.8%
Optimal Asthma Control - Adults		Above Expected	67.8%
Optimal Asthma Control - Children		Above Expected	72.5%
Optimal Diabetes Care		Expected	50.8%
HbA1c Control		Expected	76.4%
BP Control		Expected	80.7%
Daily Aspirin Use		Above Expected	99.7%
Statin Use		Above Expected	90.9%
Tobacco-Free		Expected	87.3%
Optimal Vascular Care		Expected	53.7%
BP Control		Below Expected	75.5%
Daily Aspirin Use		Expected	88.3%
Statin Use		Expected	92.0%
Tobacco-Free		Expected	84.9%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).