

Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	-	-
	Follow-up at Six Months	Expected	45.5%
	Response at Six Months	Expected	24.2%
	Remission at Six Months	Expected	9.1%
	Follow-up at 12 Months	Expected	48.5%
	Response at 12 Months	Expected	21.2%
	Remission at 12 Months	Expected	15.2%
Adult Depression	PHQ-9 Utilization*	Above	90.3%
	Follow-up at Six Months	Expected	53.6%
	Response at Six Months	Expected	18.7%
	Remission at Six Months	Expected	9.7%
	Follow-up at 12 Months	Expected	50.8%
	Response at 12 Months	Expected	14.1%
	Remission at 12 Months	Expected	6.7%
Adolescent Mental Health and/or Depression Screening*		Above	99.1%
Colorectal Cancer Screening		Below Expected	61.9%
Optimal Asthma Control - Adults		Above Expected	64.6%
Optimal Asthma Control - Children		Above Expected	64.1%
Optimal Diabetes Care		Expected	41.3%
HbA1c Control		Below Expected	67.9%
BP Control		Below Expected	73.5%
Daily Aspirin Use		Expected	98.9%
Statin Use		Above Expected	92.1%
Tobacco-Free		Above Expected	87.5%
Optimal Vascular Care		Expected	51.3%
BP Control		Below Expected	73.6%
Daily Aspirin Use		Expected	85.5%
Statin Use		Expected	92.4%
Tobacco-Free		Expected	82.5%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

*Measure not risk adjusted

Ratings

Above: Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

Average: Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

Below: Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).