

**Clinical Quality Measures**

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	-	-
	Follow-up at Six Months	-	-
	Response at Six Months	-	-
	Remission at Six Months	-	-
	Follow-up at 12 Months	-	-
	Response at 12 Months	-	-
	Remission at 12 Months	-	-
Adult Depression	PHQ-9 Utilization*	Below	36.8%
	Follow-up at Six Months	Below Expected	25.9%
	Response at Six Months	Below Expected	7.8%
	Remission at Six Months	Expected	6.0%
	Follow-up at 12 Months	Below Expected	18.1%
	Response at 12 Months	Below Expected	3.5%
	Remission at 12 Months	Below Expected	1.7%
Adolescent Mental Health and/or Depression Screening*		Average	89.0%
Colorectal Cancer Screening		Expected	75.1%
Optimal Asthma Control - Adults		Below Expected	0.0%
Optimal Asthma Control - Children		Below Expected	0.0%
Optimal Diabetes Care		Below Expected	36.3%
HbA1c Control		Expected	73.3%
BP Control		Below Expected	64.8%
Daily Aspirin Use		Expected	98.6%
Statin Use		Below Expected	83.4%
Tobacco-Free		Expected	84.7%
Optimal Vascular Care		Expected	48.9%
BP Control		Below Expected	67.7%
Daily Aspirin Use		Expected	85.8%
Statin Use		Expected	91.1%
Tobacco-Free		Expected	85.1%

- Clinic not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

**Ratings**

**Above:** Clinic's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted measures).

**Average:** Clinic's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).

**Below:** Clinic's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide rate (for unadjusted).