

## Northwest Family Physicians

5700 Bottineau Blvd

Crystal, MN 55429

www.northwestfamilyclinics.com



## Clinical Quality Measures

2023 measurement year

Measure		Rating	Rate
Adolescent Depression	PHQ-9 Utilization*	Below	64.50%
	Follow-up at Six Months	-	-
	Response at Six Months	-	-
	Remission at Six Months	-	-
	Follow-up at 12 Months	-	-
	Response at 12 Months	-	-
	Remission at 12 Months	-	-
Adult Depression	PHQ-9 Utilization*	-	-
	Follow-up at Six Months	Below Expected	33.60%
	Response at Six Months	Below Expected	11.50%
	Remission at Six Months	Below Expected	6.10%
	Follow-up at 12 Months	Below Expected	35.30%
	Response at 12 Months	Below Expected	12.30%
	Remission at 12 Months	Below Expected	7.30%
Adolescent Mental Health and/or Depression Screening*		Below	65.00%
Colorectal Cancer Screening		Below Expected	52.10%
Optimal Asthma Control - Adults		Below Expected	17.10%
Optimal Asthma Control - Children		Below Expected	5.40%
Optimal Diabetes Care		Below Expected	36.90%
HbA1c Control		Below Expected	66.80%
BP Control		Below Expected	74.50%
Daily Aspirin Use		Expected	98.80%
Statin Use		Expected	86.00%
Tobacco-Free		Expected	86.50%
Optimal Vascular Care		Expected	53.70%
BP Control		Below Expected	75.60%
Daily Aspirin Use		Expected	85.20%
Statin Use		Expected	93.80%
Tobacco-Free		Expected	80.50%

- Medical group not assigned to measure, did not have results, or did not meet reporting threshold

\*Measure not risk adjusted

## Northwest Family Physicians

### Healthcare Effectiveness Data and Information Set (HEDIS) Measures

2023 measurement year

Measure	Rating	Rate
Avoidance of Antibiotic Treatment in Acute Bronchitis/Bronchiolitis	Below	34.10%
Breast Cancer Screening	Below	69.30%
Cervical Cancer Screening	Average	69.30%
Childhood Immunization Status (Combo 10)	-	-
Chlamydia Screening in Women	Below	43.00%
Controlling High Blood Pressure	Average	76.00%
Diabetes Eye Exam	Below	56.10%
Immunizations for Adolescents (Combo 2)	-	-
Follow-up Care for Children Prescribed ADHD Medication	-	-
Osteoporosis Management in Women Who Had a Fracture	-	-
Use of Spirometry Testing in the Assessment and Diagnosis of COPD	-	-

- Medical group not assigned to measure, did not have results, or did not meet reporting threshold

#### Ratings

**Above:** Medical group's actual rate is significantly above its expected rate (for risk adjusted measures) or the statewide/medical group rate (for unadjusted/HEDIS measures).

**Average:** Medical group's actual rate is not statistically different than its expected rate (for risk adjusted measures) or the statewide/medical group rate (for unadjusted/HEDIS measures).

**Below:** Medical group's actual rate is significantly below its expected rate (for risk adjusted measures) or the statewide/medical group rate (for unadjusted/HEDIS measures).

### Total Cost of Care

2023 measurement year

Population	Monthly Average Cost	Rating	Higher/Lower than Average
Overall	\$634	Lower than average	-10.50%
Adults	\$735	Lower than average	-11.60%
Pediatric	-	-	-