



QUAN.	MARK NO	HAND	LOCATION		EXISTING WALL OPNG		FRAME OPNG		DOOR SIZE		DOOR ELEV	SECTIONS				REMARKS
			HINGE SIDE	STOP SIDE	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT		HINGE	STRIKE	HEAD	SILL	
1 SGL	T-58	RHRB	EXTERIOR	ENGINE TEST ROOM A-1	NA	NA	42 1/4" 1073 MM	86 1/4" 2190 MM	43 1/2"	86 3/8"	A	1	2	3	4	BLDG 737 'A'
	T-700			ENGINE TEST ROOM A-4												BLDG 737 'A'
	T-400			ENGINE TEST ROOM B-1												BLDG 738 'B'
	T-64			ENGINE TEST ROOM B-4												BLDG 738 'B'
	T-76			ENGINE TEST ROOM C-1												BLDG 740 'C'



- FRAME INSTALLATION**
1. PROPERLY BRACE AND SUPPORT FRAME DURING INSTALLATION.
 2. JAMBS MUST BE PLUMB.
 3. HEAD MUST BE LEVEL.
 4. ALL DIMENSIONS TO BE WITHIN 1/16".
 5. DIAGONAL DIMENSIONS TO BE TO BE WITHIN 1/8".

- NOTES:**
1. ACOUSTICAL RATING REQUIRED: 59 STC RIVERBANK TEST TL 70-31 APPROX DOOR WGT = 26 LBS/SQ FT
 2. FIRE RATING: NONE AVAILABLE
 3. FINISH: FRAME: ZRC GREY PRIMER DOOR: STD GREY PRIMER
 4. HARDWARE BY PDI: (PER OPENING)
(1) PR ADHACO #H-412 6 WAY ADJUSTABLE HINGES x ZRC PRIMER FINISH
(1) SH-153CF 2 PT HORIZONTAL HARDWARE LEVER x LEVER TRIM x US32D FINISH (LESS CYL)
FUNCTION: SIM TO F05 CLASSROOM
(1) ROCKWOOD #131 PULL x US32D FINSH
 5. HARDWARE BY OTHERS:
(1) RIM KEY CYLINDER
SHIP TO PDI FOR FACTORY INSTALLATION
(1) DOOR STOP
(1) RAIN DRIP - RECOMMENDED
ANY HARDWARE NOT LISTED ABOVE

NOTICE

THIS IS A CONFIDENTIAL DISCLOSURE LOANED BY PROTECTIVE DOOR IND. SUBJECT TO THE CONDITIONS THAT IT AND THE INFORMATION EMBODIED THEREIN SHALL BE USED ONLY FOR RECORD AND REFERENCE PURPOSES, SHALL NOT BE USED OR CAUSED TO BE USED IN ANYWAY PREJUDICIAL TO THE INTEREST OF THIS COMPANY, SHALL NOT BE REPRODUCED OR COPIED IN WHOLE OR IN PART, AND SHALL BE RETURNED UPON REQUEST.

GENERAL CONDITIONS

P.D.I. WILL NOT BE LIABLE FOR ANY ERRORS OCCURRING TO OTHER TRADES THROUGH THE USE OF THIS DRAWING.
CONTRACTOR TO CHECK ALL DIMENSIONS AT JOB AS P.D.I. ASSUMES NO RESPONSIBILITY FOR GENERAL BUILDING DIMENSIONS.

DATE	MK	DESCRIPTION	BY
REVISIONS			
CUSTOMER:			
PROJECT:			
PROTECTIVE DOOR INDUSTRIES HARVEY, ILLINOIS 60426			
TITLE DS6-61L SINGLE ACOUSTICAL DOOR UNIT			
DWG BY	MF	CHKD BY	
DATE	4/12/18	DATE	
SCALE		QA	
DWG NO.	2329-18	SHT NO.	1

MASTER