



Clean Air Whenever 8



Activation:

- Press Power button (2 sec). Indicator turns WHITE. Press again to deactivate.
- · Wear device with the outlet facing upwards.
- · Store device in the original box after use.

Charge UP:

- · Low Batt: Flashing RED light
- · Charging: RED light
- · Full Charge: PINK light
- $\cdot\,$ Magnetic Interface Port (MIP) charger is compatible with
 - any universal mobile phone charger.
- Store Magnetic Interface Port (MIP) charger away from any metal objects.

Charge Time: 1.5 hours.

For safety measures, always deactivate the device.

Usage Duration: 9 hours.

In-USE Information:

- · Do not put anything into the outlet. · Do not touch the device outlet
- · Ensure the device outlet is not blocked or covered
- · Do not immerse or in contact with any liquid.
- · Do not disassemble the device · Store in a cool place. Avoid storing under direct sunlight or
- humid conditions · Refrain from using in extreme humidity or

waterborne environments

- · Do not drop. Device is fragile.
- (e.g. Hard Surface or Water Areas) · Consult a Physician if you feel uncomfortable during
- or after usage. · The appliance is not to be used by persons (including children)
- with reduced physical, sensory or mental capabilities. or lack of experience and knowledge, unless they have been given supervision or instruction.
- · Children being supervised not to play with the appliance.
- · The appliance must only be supplied at SELV (5VDC).
- · This appliance contains battery that are non-replaceable.

Maintenance:

· Clean device outlet and inner brush with a cotton bud with a small amount of cleaning liquid.

CAUTION:

Ensure the device is deactivated. Ensure the device is thoroughly dry before use.

Warranty Policy:

Prife IONShield, adheres to International Safety & Technical Standard requirements.

- · One year Warranty based on your Purchase Receipt,
- replacement will be applied if the device has any defects after being tested and determined by an Authorized Service Personnel.

Non-Warranty Policy:

After Sales Service will no be provided if any of the following conditions are found, PAID repairs will be provided on request only if the device is in repairable condition.

- Damage caused by wear and tear or abuse or damage or force majeure.
- Damage caused by repairs done by an unauthorized service personnel.
- · Device(s) which were not duly purchased from Prife
- International or *Prife* International's Official Stockist are not covered by the present warranties.

Technical Specification:

Model: JKY - DZ03A - BU	Application: NECKLACE
Dimension (L*W*D): 37*37*16.8	Weight: 11.2g
Battery Capacity: 90mAh	Voltage: DC5V 1A
Charge Time: 1.5 HOURS	Usage Duration: 9 HOURS
Operating Within: < 90% RH	Operating Temperature: -10 - 40 deg. *C
Storage: < 60% RH	Storage: 10 - 40 deg, °C







Manufactured By MLS

Distribute by:

PRIFE INTERNATIONAL SDN. BHD. A-GR-2, Menara Uncang Emas, No 85 Jalan Loke Yew, 55200 Cheras, Kuala Lumpur, Malaysia.

© PRIFE INTERNATIONAL SDN. BHD. All rights reserved.