

SINGLE COMPARTMENT SEPTIC TANKS




FLXX


Note: N.T.S.





SECTION





- Monolithic tank meets ASTM C-1227 Spec. for water and wastewater structures.
- Butyl rubber sealant meets Fed. Spec. SS-S-210A. (Provided with tank)
- All plumbing shown in diagram is 4" SDR 35. (Provided with tank)
- Follow standard practice for installation of underground precast concrete structures. (See page 2 for ASTM C-891 Summary)

Part #	Capacity (gallons)	Approximate Weights		
		Tank	Lid	Total
PCA-000-251	1070	6,995 lbs	2,550 lbs	9,545 lbs




Front Range Precast Concrete, Inc.


FLXX


FĻXX

PLAN



SECTION





- Monolithic tank meets ASTM C-1227 Spec. for water and wastewater structures.
- Butyl rubber sealant meets Fed. Spec. SS-S-210A. (Provided with tank)
- All plumbing shown in diagram is 4" SDR 35. (Provided with tank)
- Follow standard practice for installation of underground precast concrete structures. (See page 2 for ASTM C-891 Summary)

Part #	Capacity (gallons)	Approximate Weights		
		Tank	Lid	Total
PCA-000-253	1390	8,430 lbs	3,370 lbs	11,800 lbs



Front Range Precast Concrete, Inc.

5901 Dexter Street, Unit 102, Commerce City, CO 80022 Phone (303) 442-3207 - (800) 783-3207 - Fax (303) 442-3209 www.flxx.com


Note: N.T.S.


FLXX


Note: N.T.S.

FLXX

PLAN







- Monolithic tank meets ASTM C-1227 Spec. for water and wastewater structures.
- Butyl rubber sealant meets Fed. Spec. SS-S-210A. (Provided with tank)
- All plumbing shown in diagram is 4" SDR 35. (Provided with tank)
- Follow standard practice for installation of underground precast concrete structures. (See page 2 for ASTM C-891 Summary)


Part #	Capacity (gallons)	Approximate Weights		
		Tank	Lid	Total
PCA-000-255	1535	9,615 lbs	3,900 lbs	13,515 lbs




Front Range Precast Concrete, Inc.




PLAN






Optional concrete or other riser system available, see pages 100 - 101





Note: N.T.S.




- Monolithic tank meets ASTM C-1227 Spec. for water and wastewater structures.
- Butyl rubber sealant meets Fed. Spec. SS-S-210A. (Provided with tank)
- All plumbing shown in diagram is 4" SDR 35. (Provided with tank)
- Follow standard practice for installation of underground precast concrete structures. (See page 2 for ASTM C-891 Summary)

Part #	Capacity (gallons)	Approximate Weights		
		Tank	Lid	Total
PCA-000-257	2000	11,690 lbs	5,145 lbs	16,835 lbs



Front Range Precast Concrete, Inc.





- Butyl rubber sealant meets Fed. Spec. SS-S-210A. (Provided with tank)
- All plumbing shown in diagram is 4" SDR 35. (Provided with tank)
- Follow standard practice for installation of underground precast concrete structures. (See page 2 for ASTM C-891 Summary)


Part #	Capacity (gallons)	Approximate Weights		
		Tank	Lid	Total
PCA-000-326	2450	11,890 lbs	5,400 lbs	17,290 lbs

Note: N.T.S.



Front Range Precast Concrete, Inc.





- Butyl rubber sealant meets Fed. Spec. SS-S-210A. (Provided with tank)
- All plumbing shown in diagram is 4" SDR 35. (Provided with tank)
- Follow standard practice for installation of underground precast concrete structures. (See page 2 for ASTM C-891 Summary)

Part #	Capacity (gallons)	Approximate Weights		
		Tank	Lid	Total
PCA-000- 320	3018	15,509 lbs	7,000 lbs	22,509 lbs

Note: N.T.S.



Front Range Precast Concrete, Inc.