



VOL. 8-2



SPECTISTM
MOULDERS INC.
Custom Polyurethane Products



DREAM • DESIGN • BUILD





**SPECTIS™
MOULDERS INC.**
Custom Polyurethane Products

WE WILL BUILD ANYTHING!

At Spectis Moulders Inc., we specialize in producing unique custom moulded and fabricated products. Combining this ability with our extensive line of over 7000 moulded catalogue items, it is easy to make any project unique. Our company policy is "We will build anything!" With all of our employees and manufacturing located in North America, Spectis Moulders can work from the very simplest of sketches to produce custom products within as little time as one week.

We have complete design, engineering, and drafting capabilities, which enable Spectis to develop and produce just about any product imaginable with impeccable detail and quality. In addition to craftsmen of the highest skill, we utilize the most advanced CAD and CAM technologies available, such as AutoCad, AlphaCam, and MicroVellum to produce 2D Drawings, advanced 3D models, and NC code that is cut on the most advanced CNC equipment.

We have been contracted to produce products for countless prestigious residential, commercial, and historic projects, such as Harvard University and The Wauregan Hotel. We have produced items such as statuary, ornamentation, faux log siding, faux hewn beams, structural members, crown mouldings, balustrade system, columns, corbels, brackets, entrance systems, niches, one of a kind ceiling medallions, custom signs, faux bamboo, window components, and countless others.



EX-LARGE MOULDING
3'0" h. x 3'0" p. x 12'0" l.
This very large moulding was manufactured for a private residence.



EX-LARGE CORBEL
6'0" h. x 3'0" p. x 2'8" w.
This large corbel was custom manufactured by Spectis & installed in the BEAU RIVAGE CASINO in Biloxi, Miss., U.S.A.



SPECTISTM

MOULDERS INC.

Custom Polyurethane Products

TABLE *of* CONTENTS

BUILDING GREENER SPACES



2

BALUSTRADE SYSTEMS

Balusters, Railings, Newel Posts, Caps & Balls, Hardware



3 - 37

BLOCKS, BRACKETS & GINGERBREADS



39 - 102

COLUMNS & PORCH POSTS



103 - 110

ENTRANCE & WINDOW SYSTEMS

Window Headers, Sunbursts, Keystones & Arches



111 - 126

LOUVRES

Open & Closed



127 - 132

MEDALLIONS

Rings, Ceiling Panels & Rosettes



133 - 142

MISCELLANEOUS

Specialty Windows, Finials, Festoons & Tassels,
Bamboo, Cupola, Trellis/Arbors & Others



143 - 155

MOULDINGS

Interior & Exterior Designs Flexible Moulding



157 - 242

NICHES



243 - 245

SHUTTERS



247 - 250

TEXTURE PRODUCTS



251 - 253

BEFORE AND AFTER



254 - 255

CUSTOM PRODUCT INFORMATION



256 - 257

GFRG, GFRG & POLYURETHANE PRODUCTS

(Glass Fibre Reinforced Gypsum and Concrete)

258

SPECIFICATION

259

INSTALLATION INSTRUCTIONS

260 - 273

PRODUCT INDEX

274 - 284

TESTIMONIALS

285

ORDER FORMS

286 - 287

SOME OF OUR FINE CUSTOMERS

Inside Back Cover



SPECTISTM
MOULDERS INC.
Custom Polyurethane Products

CLASS A / CLASS 1 A POLYURETHANE PRODUCT SYSTEM

Spectis' polyurethane Class A (Class 1) fire rated water-blown, high density rigid foam system developed for architectural molded parts and panels. It is ideally suited for both exterior and interior architectural parts. This all liquid system carries Underwriters Laboratories UL 723 (ASTM E-84) listing and meets Class A (Class 1) requirements for both residential and commercial building codes. The target in-place density of 14 pcf.

TYPICAL PHYSICAL FOAM CHARACTERISTICS

MOLDED CORE DENSITY ASTM D1622	14 pcf
COMPRESSIVE STRENGTH ASTM D1621	310 psi
FLEXURAL STRENGTH ASTM D790	700 psi
SHORE D HARDNESS ASTM D2240	37

UL CLASS A (CLASS 1) FLAMMABILITY RATING

FLAME SPREAD INDEX	20
SMOKE SPREAD INDEX	350-450

If your project requires non-combustible products, Spectis also manufactures most of its extensive catalogue items in both glass fiber reinforced gypsum (GFRG), and glass fibre reinforced concrete (GFRC).

IMPORTANT: The information above is offered for your consideration, investigation and verification. The data is presented in good faith and is believed to be reliable. Spectis Moulders Inc., however, makes no representation as to completeness or accuracy. Spectis Moulders Inc. makes no warranty expressed or implied with respect to the data contained herein. Spectis Moulders Inc. cannot anticipate all conditions under which this data may be used. The conditions of handling, storage, use and disposal of the product are beyond Spectis Moulders Inc's control. Thus, we expressly disclaim responsibility or liability for any loss, damage or expense arising out of reliance on the information contained herein. You are advised to make your own determination as to safety, suitability and appropriate manner of handling, storage, use and disposal.

Building **GREENER** Spaces

Since our inception, we made a commitment to use only products that demonstrate the highest level of performance benefits. Often these performance benefits are achieved by utilizing materials that are more environmentally friendly. An example of such a change is our commitment to coating all of our products with water base paints, which reduces the greenhouse effect and exceeds government VOC regulations. The use of water based coatings not only virtually eliminate VOC emissions but also increase adhesion, UV protection, and recoating performance of the coatings.


Our polyurethane products are created from a chemical reaction that uses water, not CFC's, HCFC's, or any other ozone depleting compounds, to produce the foaming action.

All of our products are chemically stable and non-reactive, and do not emit toxic gases.



SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

BALUSTRADE SYSTEMS






BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

SPECTIS RESERVES THE RIGHT TO HOLLOW OUT THE BACK OF ANY PRODUCT WITHOUT NOTICE. SOME PRODUCTS MAY BE MADE AS ASSEMBLIES.



BAL 2000 SERIES

	A	B	C	Max Repeat
BAL 2000-16	2"	2"	16"	6 9/16"
BAL 2000-20	2 1/2"	2 1/4"	20"	6 9/16"
BAL 2000-22	2 1/4"	2 1/2"	22"	6 9/16"
BAL 2000-22EXT30	6 1/2"	6 1/2"	30"	6 9/16"
BAL 2000-25	3 1/2"	3 1/2"	25"	6 9/16"
BAL 2000-25EXT33	7 1/2"	7 1/2"	33"	6 9/16"
BAL 2000-25EXT35	8 1/2"	8 1/2"	35"	6 9/16"
BAL 2000-28	3 1/2"	3 1/2"	28"	6 1/2"
BAL 2000-30	3 1/2"	3 1/2"	30"	6 7/16"
BAL 2000-30EXT36	6 1/2"	6 1/2"	36"	6 1/2"

For Fossil Stone styles of this baluster refer to BAL 2031FS on page 10

BALUSTER DISPLAY UNITS



BD 100

Including RAL 2100T, RAL 2100B railing with two BAL 2000-25 balusters

BD 101

Including RAL 2100T, RAL 2100B railing with one BAL 2000-25 and one BAL 2031-25FS baluster



BAL 2001-25

• 6 7/8" Max. Repeat




BAL 2002-20

• Does not meet 4" Ball Rule

1 • 8 0 0 • 6 8 5 • 9 9 8 1



BALUSTRADE SYSTEMS



4" BALL RULE

To meet most building code regulations a 4" ball can't pass through the widest opening between balusters. Purchaser must check for system suitability in their area. Spectis makes no guarantee of suitability on any specific application.



BAL 2005 SERIES

	A	B	C	Max Repeat
BAL 2005-20	2 1/2"	3"	20"	6 5/16"
BAL 2005-20EXT23	4"	4 1/2"	23"	6 5/16"
BAL 2005-20EXT26	6"	6"	26 1/2"	6 5/16"
BAL 2005-20EXT32	8 1/2"	9"	32"	6 3/8"



Note:

- BAL 2000-25 assembled using RAL 2100T & 2100B spaced at the 4" Ball Rule, exceeds BOCA requirements for guard railing design in a 10' assembly. Call for information.
- PIPE EXTENDS 1" FROM END OF BALUSTERS. Measurements are SPECIFIC for each baluster.
- Balusters and railings are reinforced with PVC, steel, aluminum or fiberglass.
- See pages 263-265 for complete balustrade installation instructions.



BAL 2006-32

- 5 1/4" Max. Repeat



BAL 2007-30

- 6 1/8" Max. Repeat



BAL 2008-18

- 5 7/8" Max. Repeat



Photo above illustrates Spectis baluster BAL 2019 & rail RAL 2110T&B used to make custom gate.





BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

2 1/2"



BAL 2009 SERIES

	A	B	C	Max Repeat
BAL 2009-24	2"	2 1/4"	24"	5 3/16"
BAL 2009-26	2"	2 1/4"	26"	5 3/16"



Photo illustrates the use of Spectis balusters, rails, newel posts, dentil mouldings & columns.




BAL 2010-31
• Does not meet 4" Ball Rule



BAL 2011-20
• 6 13/16" Max. Repeat



BAL 2012-25
BAL 2012-25FS
• Does not meet 4" Ball Rule



BAL 2013-29 **BAL 2013-29H**
• Does not meet 4" Ball Rule

1 • 8 0 0 • 6 8 5 • 9 9 8 1




NOTE :

PIPE EXTENDS 1" FROM END OF BALUSTERS.
Measurements are SPECIFIC for each baluster.

BALUSTRADE SYSTEMS



BAL 2014-24
• 7 7/16" Max. Repeat



BAL 2015
• 5 5/8" Max. Repeat



BAL 2016-27
• Does not meet
4" Ball Rule



BAL 2017-22
• 6 3/16 Max. Repeat



BAL 2018
• 6 3/8" Max. Repeat



BAL 2019 SERIES

	A	B	C	Max Repeat
BAL 2019-15	2 3/4"	2 3/4"	15"	5 1/16"
BAL 2019-16	3"	3"	16"	5"
BAL 2019-18	3 1/8"	3 1/8"	18"	5"
BAL 2019-20	3 1/2"	3 1/2"	20"	5"
BAL 2019-20EXT27	7"	7"	27"	5"
BAL 2019-20EXT22	4 3/8"	4 1/2"	22"	5"
BAL 2019-24	4"	4"	24"	5 1/16"
BAL 2019-26	4"	4"	26"	5 1/16"
BAL 2019-28	4"	4"	28"	5 1/16"
BAL 2019-28EXT32	6"	6"	32"	5 1/16"
BAL 2019-28EXT36	8"	8"	36"	5 1/16"
BAL 2019-30	3 3/4"	3 3/4"	30"	5"
BAL 2019-30EXT	6 3/8"	6 3/8"	30"	5"
BAL 2019-30EXT40	8 3/4"	8 3/4"	40"	5 1/16"
BAL 2019-32	5"	5"	32"	5 1/8"
BAL 2019-34	5"	5"	34"	4 13/16"
BAL 2019-34EXT36	6"	6"	36"	5 1/16"





BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

BAL 2020 SERIES				
	A	B	C	Max Repeat
BAL 2020-31	2 1/2"	4 1/2"	31"	6 7/8"
BAL 2020-36	2 1/2"	4 1/2"	36"	6 7/8"

BAL 2022 SERIES				
	A	B	C	Max Repeat
BAL 2022-21	2 1/2"	2 3/4"	21"	6 3/8"
BAL 2022-21EXT23	3 1/2"	3 3/4"	23"	6 3/8"
BAL 2022-24	2 1/2"	2 3/4"	24"	6 3/8"

BAL 2023-18
• 4 13/16" Max. Repeat



Photo left illustrates the use of Spectis baluster BAL 2027, RAL 2100 top & bottom rail and newel post with cap.


1 • 8 0 0 • 6 8 5 • 9 9 8 1




NOTE :

PIPE EXTENDS 1" FROM END OF BALUSTERS.
Measurements are SPECIFIC for each baluster.

BALUSTRADE SYSTEMS



BAL 2024 SERIES				
	A	B	C	Max Repeat
BAL 2024-26	3 5/8"	3 5/8"	26"	5"
BAL 2024-26EXT36	8 5/8"	8 5/8"	36"	5"




BAL 2025 SERIES				
	A	B	C	Max Repeat
BAL 2025-23	4 3/8"	4 1/2"	22 7/8"	6 1/2"
BAL 2025-25	4 1/8"	4 3/8"	25"	6 1/2"



BAL 2026-16
• 6 3/8" Max. Repeat

BAL 2027 SERIES				
	A	B	C	Max Repeat
BAL 2027-19	2 1/8"	3 3/4"	19"	6 11/16"
BAL 2027-20	2 1/8"	3 3/4"	20"	6 13/16"
BAL 2027-20FS	2 1/8"	3 3/4"	20"	6 13/16"
BAL 2027-21	2"	3 1/2"	21"	6 11/16"
BAL 2027-22	2 1/8"	3 3/4"	22"	6 11/16"
BAL 2027-22FS	2 1/8"	3 3/4"	22"	6 3/4"
BAL 2027-22EXT24	3 1/8"	4 3/4"	24"	6 3/4"
BAL 2027-22EXT24CF	3 1/8"	4 3/4"	24"	6 3/4"
BAL 2027-22EXT30	6 15/16"	6 15/16"	30"	6 11/16"
BAL 2027-22EXT32	7 1/8"	8 3/4"	32"	6 3/4"
BAL 2027-26	2 5/8"	4 11/16"	26"	6 11/16"
BAL 2027-26CF	2 5/8"	4 11/16"	26"	6 11/16"
BAL 2027-26EXT34	6 9/16"	8 3/4"	34"	6 11/16"
BAL 2027-26EXT36	7 1/2"	9 3/4"	36"	6 11/16"
BAL 2027-27	2 3/4"	4 7/8"	27"	6 11/16"
BAL 2027-27EXT35	6 3/4"	8 7/8"	35"	6 11/16"
BAL 2027-28	2 1/2"	4 3/4"	28"	6 5/8"
BAL 2027-29	3 1/8"	3 7/8"	29"	6 11/16"
BAL 2027-29EXT30	3 1/8"	4 7/8"	30"	6 11/16"
BAL 2027-29EXT30FS	3 1/8"	4 7/8"	30"	6 11/16"
BAL 2027-29EXT32	4 1/8"	5 7/8"	32"	6 11/16"
BAL 2027-29EXT32FS	4 1/8"	5 7/8"	32"	6 11/16"
BAL 2027-29EXT35	5 5/8"	7 3/8"	35"	6 11/16"
BAL 2027-29EXT38	7 1/2"	9"	38 1/2"	6 11/16"





BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




BAL 2028-9

- 9" Height
- 2" Projection
- 6' Length
- 6" Repeat

BAL 2028-12

- 12" Height
- 2" Projection
- 6' Length
- 6" Repeat



BAL 2029-30

- 4 15/16"
- Max Repeat

BAL 2030-18

- 6 5/16"
- Max Repeat

FINISHING

All Spectis' products are shipped "double primed" with an exterior grade latex paint and are ready for use. We recommend final finishing after installation is complete for the most consistent appearance possible. Please see "finishing" recommendations (on page 267) for more information.



BAL 2031 SERIES

	A	B	C	Max Repeat
BAL 2031-25FS	3 1/2"	3 1/2"	25"	6 9/16"
BAL 2031-28FS	3 1/2"	3 1/2"	28"	6 1/2"
BAL 2031-30FS	3 1/2"	3 1/2"	30"	6 7/16"


- FOSSIL STONE

BAL 2032 SERIES

	A	B	C	Max Repeat
BAL 2032-29	3 7/8"	3 7/8"	29 1/2"	N/A
BAL 2032-31	4 1/2"	4 1/2"	31"	N/A
BAL 2032-31FS*	4 1/2"	4 1/2"	31"	N/A

- Does not meet 4" Ball Rule

- * FOSSIL STONE



1 • 8 0 0 • 6 8 5 • 9 9 8 1



NOTE :

PIPE EXTENDS 1" FROM END OF BALUSTERS.
Measurements are SPECIFIC for each baluster.

BALUSTRADE SYSTEMS




BAL 2033 SERIES

	A	B	C	Max Repeat
BAL 2033-10	1 1/16"	1 3/4"	10"	6"
BAL 2033-16	1 1/16"	1 3/4"	16"	5 15/16"
BAL 2033-16EXT20	3 1/16"	3 3/4"	20"	5 15/16"
BAL 2033-20	1 1/16"	1 3/4"	20"	5 7/8"
BAL 2033-20EXT32	7 1/16"	7 3/4"	32"	5 7/8"
BAL 2033-26	1 1/8"	1 3/4"	26 1/8"	5 7/8"


BAL 2034 SERIES

	A	B	C	Max Repeat
BAL 2034-28	3 1/2"	3 1/2"	28"	N/A
BAL 2034-28EXT35	7"	7"	35"	N/A

• Does not meet 4" Ball Rule



BAL 2035-28
• Does not meet 4" Ball Rule



BAL 2036 SERIES				
	A	B	C	Max Repeat
BAL 2036-21	2"	3 1/2"	21"	5 7/8"
BAL 2036-22	3"	3 1/2"	22"	5 7/8"
BAL 2036-29	4 3/4"	7 1/2"	29"	5 7/8"



BAL 2037-26
• 6 1/8" Max. Repeat



BAL 2038-36
• 5 3/4" Max. Repeat





BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

BAL 2039 SERIES

	A	B	C	Max Repeat
BAL 2039-18	1 1/2"	2 7/8"	18 1/8"	5 3/16"
BAL 2039-18EXT21	3 5/8"	3 5/8"	21"	5 3/16"

BAL 2040-23
• Does not meet 4" Ball Rule

BAL 2041-29FS
BAL 2041-29
• 6 7/16" Max. Repeat

AVAILABLE
IN FOSSIL STONE
AND SMOOTH

BAL 2042 SERIES

	A	B	C	Max Repeat
BAL 2042-27	3 1/2"	3 1/2"	27"	5 7/8"
BAL 2042-30	4"	4"	30"	5 13/16"
BAL 2042-30EXT36	7"	7"	36"	5 7/8"

Photo left illustrates the use of Spectis balusters, rails, newel posts, and custom columns.

BAL 2043-19
• Does not meet 4" Ball Rule

1 • 8 0 0 • 6 8 5 • 9 9 8 1




BALUSTRADE SYSTEMS



NOTE :

PIPE EXTENDS 1" FROM END OF BALUSTERS.
Measurements are SPECIFIC for each baluster.



BAL 2044 SERIES

	A	B	C	Max Repeat
BAL 2044-20	1"	2 3/4"	20 3/4"	N/A
BAL 2044-27	1 5/16"	3 9/16"	27"	N/A

- Does not meet 4" Ball Rule



Half
Baluster

ROUND BALUSTERS

- 1 1/4" Width

BAL 2046-14

BAL 2046-25

BAL 2046-25FS

- FOSSIL STONE

BAL 2046-26

BAL 2046-32


BAL 2046-36

BAL 2046-38

BAL 2046-42



Photo above illustrates Spectis custom rail and baluster in sandstone texture



BAL 2045-12H
• 4 13/16"
Max Repeat

BAL 2046
• 5 3/16"
Max. Repeat

BAL 2047 SERIES

	A	B	C	Max Repeat
BAL 2047-31	2 1/2"	4"	31"	6 5/8"
BAL 2047-31EXT34	4"	5 1/2"	34"	6 5/8"

www.spectis.com





BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BAL 2048-25
• Does not meet 4" Ball Rule



BAL 2049-26
• 7 7/8" Max. Repeat



BAL 2050-32
• 6 7/16" Max. Repeat




BAL 2051-24
• 5 7/8" Max. Repeat



BAL 2052-18
• 5 13/16" Max. Repeat

4 1/4"



BAL 2053 SERIES

	A	B	C	Max Repeat
BAL 2053-28	2"	1 7/8"	27 5/8"	6 1/8"
BAL 2053-36	6 1/4"	6 1/4"	36 1/2"	6 1/8"



BAL 2054-24SS
• 6 7/8" Max. Repeat

STUCCO
STONE



BAL 2055-32
• 5 1/2" Max. Repeat



BAL 2056-19
• 6 9/16" Max. Repeat

1 • 8 0 0 • 6 8 5 • 9 9 8 1



BALUSTRADE SYSTEMS



NOTE :

PIPE EXTENDS 1" FROM END OF BALUSTERS.
Measurements are SPECIFIC for each baluster.



BAL 2057-33

• 5 9/16" Max. Repeat




BAL 2058-24

• 5 15/16" Max. Repeat



Photo above illustrates Spectis custom baluster & rail system in sandstone texture.



BAL 2059 SERIES

	A	B	C	Max Repeat
BAL 2059-18	2"	2"	18"	6 1/2"
BAL 2059-24	2 5/8"	2 5/8"	24"	6 1/2"
BAL 2059-27	3"	3"	27 1/8"	6 1/2"



BAL 2060-12

• 7 7/8" Max. Repeat



Photo above illustrates Spectis custom baluster & top rail in sandstone texture.

www.spectis.com






BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BAL 2061-40

• 5 1/2" Max. Repeat



BAL 2062-20

• 5 1/2" Max. Repeat



BAL 2063-27

• Does not meet
4" Ball Rule



BAL 2064-35

• Does not meet
4" Ball Rule



BAL 2065-24

• 6 1/2" Max. Repeat



BAL 2066-22


• 6 11/16" Max. Repeat



BAL 2067-24

• 5 9/16" Max. Repeat

• 1 1/4" Projection
• Rail Pickets
• Decorative Only



BAL 2068-20

• 6" Max. Repeat



BAL 2069-28

• 5 7/8" Max. Repeat

BAL 2069-28EXT36



BAL 2070-29

• 5 7/8" Max. Repeat

1 • 8 0 0 • 6 8 5 • 9 9 8 1



BALUSTRADE SYSTEMS



NOTE :

PIPE EXTENDS 1" FROM END OF BALUSTERS.



BAL 2071-30
• 7 5/8" Max. Repeat



BAL 2072-27
• 7 11/16" Max. Repeat



BAL 2073-38
• Does not meet
4" Ball Rule




BAL 2074-20
• 6 3/8" Max. Repeat



BAL 2076-24
• 6 3/16" Max. Repeat



BAL 2077-31
• Does not meet
4" Ball Rule



BAL 2078-10
• 4 7/8" Max. Repeat



BAL 2079-20
• 5 5/8" Max. Repeat



BAL 2080-18
• 5 1/2" Max. Repeat



BAL 2082-28
• 7 3/8" Max. Repeat





BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



Photo above illustrates Spectis products: custom gable end with blocks BL 2593 and decorative balusters BAL 2067-24 left and right.




BAL 2083-22
• 5 7/16"
Max. Repeat



BAL 2084-24
• 5 7/16"
Max. Repeat



BAL 2085-22
• 6 1/16"
Max. Repeat



BAL 2086-28
• 6 1/8"
Max. Repeat




BAL 2087-23
• 6 3/16" Max. Repeat

BAL 2088 SERIES

	A	B	C	Max Repeat
BAL 2088-12	2 3/4"	3"	12"	N/A
BAL 2088-15	3"	3"	15 11/16"	N/A
BAL 2088-17	2 3/4"	3"	17"	N/A
BAL 2088-20	2 3/4"	3"	20"	N/A
BAL 2088-25	2 3/4"	3"	25"	N/A
BAL 2088-30	5 9/16"	5 3/8"	30 3/8"	N/A

• No Pipe • Decorative Only • Does not meet 4" Ball Rule
** HALF BALUSTER



1 • 8 0 0 • 6 8 5 • 9 9 8 1



BALUSTRADE SYSTEMS



NOTE :

PIPE EXTENDS 1" FROM END OF BALUSTERS.
Measurements are SPECIFIC for each baluster.



BAL 2089-23

• 6 11/16" Max. Repeat



BAL 2090-15

• 5 11/16" Max. Repeat



BAL 2091-24

• 5 7/16" Max. Repeat



Photo above illustrates Spectis baluster BAL 2033 and custom rails & newel post.



BAL 2092-17

• 4 7/8" Max. Repeat



BAL 2093-25

• 7" Max. Repeat




BAL 2094-21

• 5 3/8" Max. Repeat



BAL 2095-23

• 6 15/16" Max. Repeat



BAL 2096-24EXT30

• 5 3/8" Max. Repeat

www.spectis.com





BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.


STAIR BALUSTERS



Extended balusters for stairs are available.

Contact your customer service representative for information.


Photo illustrates Spectis products: rail RAL 2105 top & bottom, baluster BAL 2019, newel post NP 2206 and newel cap NC 2305.



BAL 2098-26
• 6 1/16" Max. Repeat



BAL 2099-24
• Does not meet 4" Ball Rule



1 • 8 0 0 • 6 8 5 • 9 9 8 1



NOTE :

PIPE EXTENDS 1" FROM END OF BALUSTERS.
Measurements are SPECIFIC for each baluster.

BALUSTRADE SYSTEMS



BAL 2200 SERIES

	A	B	C	Max Repeat
BAL 2200-24.5	1"	4 1/8"	24 1/2"	6 7/8"
BAL 2200-28	1"	4 1/8"	28"	6 7/8"



BAL 2201-24
• 8 11/16" Max. Repeat



BAL 2202-19
• Does not meet
4" Ball Rule



BAL 2203-30
• 5 5/8" Max. Repeat



BAL 2204-24
• 7 1/4" Max. Repeat



BAL 2205-28
• 6 3/4" Max. Repeat

Photo illustrates the use of Spectis balusters, top & bottom rails, newel posts with cap, custom box columns and decorative bracket.



www.spectis.com





BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BAL 2206-10
• 4 9/16" Max. Repeat



BAL 2207-17
• 6" Max. Repeat



BAL 2208-25
• 6 11/16" Max. Repeat



BAL 2209-21
• 6 1/16" Max. Repeat



BAL 2210-22
• 7 1/2" Max. Repeat



BAL 2211 SERIES

	A	B	C	Max Repeat
BAL 2211-20	2 1/2"	2 1/2"	20"	6 5/8"
BAL 2211-24	3"	3"	24"	6 5/8"
BAL 2211-24EXT27	4 1/2"	4 1/2"	27"	6 5/8"



BAL 2212-35
• 8 3/8" Max. Repeat



BAL 2213-19
• 5 1/16" Max. Repeat



BAL 2214-26
• 5 7/16" Max. Repeat



BALUSTRADE SYSTEMS



NOTE :


PIPE EXTENDS 1" FROM END OF BALUSTERS.
Measurements are SPECIFIC for each baluster.



BAL 2215-29.75
• 6 3/8" Max. Repeat



BAL 2216-20
• 6 5/16" Max. Repeat




BAL 2217-28
• 5 5/8" Max. Repeat
BAL 2217-32
BAL 2217-34



BAL 2218-25
• 6 1/8" Max. Repeat



BAL 2219-17
• 5 3/4" Max. Repeat



BAL 2220-28
• 6 7/8" Max. Repeat
BAL 2220-34



BAL 2221-19
• 6 1/8" Max. Repeat



BAL 2222-30
• 6 1/8" Max. Repeat



BAL 2223-25
• Does not meet
4" Ball Rule






BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




BAL 2224 SERIES

	A	B	C	Max Repeat
BAL 2224-22	3 5/16"	2 1/2"	22"	6 9/16"
BAL 2224-25	4 5/16"	3 1/2"	25"	6 9/16"



Photo illustrates the use of Spectis balusters, railings, custom newel post and cap, columns with caps & bases.



1 • 8 0 0 • 6 8 5 • 9 9 8 1




BALUSTRADE SYSTEMS



NOTE :

PIPE EXTENDS 1" FROM END OF BALUSTERS.
Measurements are SPECIFIC for each baluster.



BAL 2230-32
• 6 1/8" Max. Repeat



BAL 2231-23
• 5 5/16" Max. Repeat



BAL 2232-33
• 6 9/16" Max. Repeat



BAL 2233-24
• 7 5/16" Max. Repeat



BAL 2234-18
• 6 5/16" Max. Repeat



BAL 2235-16
• 5 9/16" Max. Repeat



BAL 2236-26
• Does not meet
4" Ball Rule



BAL 2237-34
• 6 3/4" Max. Repeat



BAL 2238-19H
• 5 3/16" Max. Repeat



BAL 2239-45
• Does not meet
4" Ball Rule





BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

BAL 2241 SERIES

	A	B	C	Max Repeat
BAL 2241-31	3 1/2"	3 1/2"	31"	6 1/8"
BAL 2241-31EXT39	7 1/2"	7 1/2"	39"	6 1/8"



BAL 2243-21
• 7 7/16" Max. Repeat

BAL 2244-21
• 5" Max. Repeat

BAL 2245-29
• 6 13/16" Max. Repeat

BAL 2246-21
• 7 7/8" Max. Repeat

BAL 2247-22
• 5 13/16" Max. Repeat

1 • 8 0 0 • 6 8 5 • 9 9 8 1




BALUSTRADE SYSTEMS



NOTE :

PIPE EXTENDS 1" FROM END OF BALUSTERS.
Measurements are SPECIFIC for each baluster.



BAL 2240-28

- 8 7/8" Max. Repeat

BAL 2242-23

- 4 7/8" Max. Repeat



Photo above illustrates the use of Spectis custom decorative panels, newel posts with cap & ball top, columns, window trim and decorative blocks.

DECORATIVE PANELS

Finished Front Side Only



RP 2418

- 1 3/8" Projection
- 18" Height
- 24" Width
- Decorative Only




RP 3900

- 1 3/4" Projection
- 28" Square
- Decorative Only


RP 3907

- 2" Projection
- 22" Square
- Decorative Only



RP 3901

- 1 1/2" Projection
- 27 3/4" Square
- Decorative Only



RP 3902

- 1" Projection
- 28" Square
- Decorative Only


RP 3909

- 2" Projection
- 33 3/4" Height
- 38 3/4" Width
- Decorative Only



RP 3908

- 4" Projection
- 40 1/2" Height
- 42" Width
- Decorative Only



RP 3911

- 2" Projection
- 32" Height
- 44" Width
- Decorative Only

www.spectis.com





BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

RAILINGS



RAL 2100T

RAL 2100B

- 4" I.D. PVC Pipe
- 8' • 10' • 12' Lengths



RAL 2100T-FS

RAL 2100B-FS

- 4" I.D. PVC Pipe
- **FOSSIL STONE**
- 8' • 10' • 12' Lengths

RAL 2100T-CF

RAL 2100B-CF

- **CONCRETE FINISH**
- 8' • 10' • 12' Lengths




RAL 2101T

RAL 2101B

RAL 2101T-FS

RAL 2101B-FS

- Two 4" I.D. PVC Pipe
- 8' • 10' • 12' Lengths
- **AVAILABLE IN FOSSIL STONE**



RAL 2102T

- 2 7/8" I.D.
- Aluminum Pipe • 8' • 10' • 12' Lengths

RAL 2102B

- 4" I.D. PVC Pipe • 8' • 10' • 12' Lengths



RAL 2104T

RAL 2104B

- 1 3/4" I.D. Aluminum Pipe
- 8' • 10' • 12' Lengths



RAL 2105T

RAL 2105B

- 2 3/16" I.D. Aluminum Pipe
- 8' • 10' • 12' Lengths

• BAL 2000-25 assembled using RAL 2100T & 2100B spaced at the 4" Ball Rule, exceeds IBC requirements for guard railing design in a 12' assembly. Call for information.

- PIPE EXTENDS 1" FROM END OF BALUSTERS.
- Balusters and railings are reinforced with PVC, steel, aluminum or fiberglass.
- See pages 263-265 for complete balustrade installation instructions.

1 • 8 0 0 • 6 8 5 • 9 9 8 1




BALUSTRADE SYSTEMS



RAILINGS


RAL 2110T RAL 2110B

- 2 3/16" I.D. Aluminum Pipe
- 8' • 10' • 12' Lengths





RAL 2111T RAL 2111B

- 2 7/8" I.D. Aluminum Pipe
- 8' • 10' • 12' Lengths



RAL 2113T-SS RAL 2113B-SS

- 8' • 10' • 12' Lengths • **STUCCO STONE**
- 4" I.D. PVC Pipe



PREDRILLED RAIL


* Optional

Railings can be predrilled for balusters.




RAL 2114T RAL 2114B

- 1" I.D. Aluminum Pipe
- 8' • 10' • 12' Lengths




RAL 2119T RAL 2119B

- 3" I.D. PVC Pipe
- 8' • 10' • 12' Lengths




RAL 2121T RAL 2121B

- 2 3/16" I.D. Aluminum Pipe
- 8' • 10' • 12' Lengths



RAL 2125T RAL 2125B

- 1 3/4" I.D. Aluminum Pipe
- 8' • 10' • 12' Lengths





BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

RAILINGS

RAL 2103B

- 8' • 10' • 12' Lengths
- No Pipe • Decorative Only

RAL 2106T

- 1 3/4" I.D. Aluminum Pipe
- 8' • 10' • 12' Lengths

RAL 2107T

- 2 3/16" I.D. Aluminum Pipe
- 8' • 10' • 12' Lengths

RAL 2108T-FS

- 1 1/2" I.D. PVC Pipe
- FOSSIL STONE • 8' Length

RAL 2112T

- 8' • 10' • 12' Lengths
- No Pipe • Decorative Only

RAL 2115T

- 8' • 10' Lengths
- No Pipe • Decorative Only

RAL 2116T

- 8' • 10' • 12' Lengths
- 2 3/16" I.D. Aluminum Pipe

RAL 2117T

- 8' • 10' • 12' Lengths
- No Pipe • Decorative Only

RAL 2120B

- 1 3/4" I.D. Aluminum Pipe
- 8' • 10' • 12' Lengths

RAL 2122T

- 1" I.D. Aluminum Pipe
- 8' • 10' • 12' Lengths


RAL 2124B

- 8' Length
- 4" PVC Pipe

RAL 2126T

- 8' • 10' • 12' Lengths
- 2" PVC Pipe

CURVED RAIL



Curved railings available by quotation. Curved rails are measured to the centre line. Use newel posts every 8 feet. Use support blocks at the centre point between newel posts.

NOTE : RAILS ARE TO BE TERMINATED AT NEWEL POSTS, WALLS, OR COLUMNS AND NOT TO EACH OTHER. ANY OTHER APPLICATION WILL NOT BE COVERED BY WARRANTY.

I.D. refers to inside diameter. On spans of more than 8 feet, Spectis recommends installing support blocks. On curved rails a support block should be installed every 4 feet of arc. Refer to page 35. Hardware is available to terminate railings. Refer to page 35.



**FACTORY
ASSEMBLED
BALUSTER
& RAIL
(OPTIONAL)**



**FACTORY
PAINTED**

1 • 8 0 0 • 6 8 5 • 9 9 8 1






NEWEL POSTS


CAPS SOLD SEPARATELY




NP 2207




NP 2200




NP 2206




NP 2201




NP 2220




NP 2207A




NP 2200A




NP 2206A



NP 2201A



NP 2220A



Newel Posts




S Straight
C Corner
E End


- Newel Posts available as S, C, E or A styles as shown above.
- Newel Caps are a separate piece. See page 33 for selection.
- See page 35 for Newel Post Hardware.
- I.D. refers to inside diameter/O.D. refers to outside diameter.



NP 2208FS
NP 2208CF




- FOSSIL STONE OR CONCRETE FINISH
- 6" I.D. PVC Pipe



NP 2200, NP 2201, NP 2206, NP 2207 & NP 2220 CAN BE DRESSED UP WITH APPLIED MOULDINGS. THE HEIGHT OF THE NEWEL POST MUST BE SPECIFIED ON THE ORDER.

NP 2209FS



- FOSSIL STONE
- 6" I.D. PVC Pipe
- Panel - 6 7/8" x 34 7/8"







BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



NP 2212




- 6" I.D. PVC Pipe


NP 2210

- 6" I.D. PVC Pipe
- Panel - 7 3/4" x 32 1/2"

NP 2210



NP 2211




NP 2218




- 4" I.D. PVC Pipe
- Panel - 5 5/8" x 34 7/8"




NP 2228



- 6" I.D. PVC Pipe
- Panel - 10" x 32 1/2"




NP 2233-42



- 6" I.D. PVC Pipe
- Panel - 4 13/16" x 26 3/4"

NP 2233-50



- 6" I.D. PVC Pipe
- Panel - 4 13/16" x 30 1/4"

1 • 8 0 0 • 6 8 5 • 9 9 8 1





NEWEL CAPS



NC 2300

- 8 1/4" Square
- 1 1/2" Height

*NC 2300A (Angled)

NC 2301

- 13" Square
- 1 1/2" Height

*NC 2301A (Angled)

NC 2305

- 8 1/2" Square
- 1 3/4" Height

NC 2307

- 6 1/2" Square
- 1 3/4" Height

*NC 2307A (Angled)

NC 2310

- 14" Square
- 5" Height

NC 2325

- 14" Square
- 2 1/2" Height

*NC 2325A (Angled)

NC 2332

- 9" Square
- 1 3/4" Height

*NC 2332A (Angled)

NC 2333

- 10 3/4" Square
- 1 3/4" Height

NC 2373

- 15 1/2" Square
- 2 1/2" Height



Bottom
Measurements

NC 2304

- 7 3/4" Square
- 3" Height

NC 2316

NC 2316FS

- 8 1/2" Square
- 2 3/4" Height

• FOSSIL STONE

NC 2317

- 12 3/4" Square
- 4 3/8" Height

NC 2319

- 10 5/8" Square
- 4 1/4" Height

NC 2337

- 13 1/2" Square
- 5" Height

NC 2337FS

- 13 1/2" Square
- 5" Height

• FOSSIL STONE

NC 2349FS

NC 2349CF

- 13" Square
- 5" Height

• FOSSIL STONE OR
CONCRETE FINISH



Bottom
Measurements

NC 2306

- 6 1/2" Square
- 3 5/8" Height

NC 2308

- 7 3/4" Square
- 4 3/8" Height

NC 2334

NC 2334FS

- 9" Square
- 4 3/8" Height

• FOSSIL STONE




NC 2320

- 15" Square
- 13" Recessed
Square Bottom
- 2 1/2" Height



NC 2311

- 14" Square
- 3 1/4" Height




NC 2341

- 7 1/2" Square
- 1 3/8" Height

NC 2345

- 9 5/8" Square
- 1 1/2" Height



NC 2348

- 10" Square
- 1" Height



NC 2356

- 6" Square
- 2 1/8" Height



NC 2312

- 14" Square
- 1 1/2" Height

NC 2313

- 6 1/4" Square
- 1 1/4" Height

NC 2314

- 8 3/4" Square
- 1 1/2" Height



NC 2342

- 14" Square
- 5" Height




NC 2350

- 10 3/4" Square
- 2 1/4" Height

NC 2351


- 13 1/2" Square
- 2 1/4" Height



7 13/16"

NC 2315

- at 45°
- 3 3/4" Height



7 13/16"

NC 2315FS

- at 45°
- 3 3/4" Height
- FOSSIL STONE



NC 2344

- 7 3/4" Square
- 1 1/2" Height

* Refer to Drawing at www.spectis.com

www.spectis.com





BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



Above photo shows the use of Spectis custom radius rails and twisted radius stair rails along with top & bottom rails and newel posts with caps




Above photo shows the use of Spectis balustrade system, moulding trim and blocks



Above photo shows the use of Spectis balusters, top & bottom rails and columns with cap & base



Above photo shows the use of Spectis custom radius top & bottom rail, baluster, top & bottom rails and newel posts with cap



4" BALL RULE

To meet most building code regulations a 4" ball can't pass through the widest opening between balusters. Purchaser must check for system suitability in their area. Spectis makes no guarantee of suitability on any specific application.




Photo above illustrates the use of the following Spectis products: BAL 2027, BAL 2046, RAL 2100T & B, NP 2211 and NC 2332 – lighting installed by customer.

1 • 8 0 0 • 6 8 5 • 9 9 8 1





BALUSTRADE SYSTEM INSTALLATION KITS



NEWEL POST HARDWARE

- KIN 01-C** • one 1/2" concrete anchor
• one 8" C-channel
• one 52" x 1/2" threaded rod
- KIN 01-W** • one floor flange
• one 8" C-channel
• four #14 x 2" wood screws
• one 52" x 1/2" threaded rod
- KIN 02-C** • one 1/2" concrete anchor
• one 4 1/4" C-channel
• one 52" x 1/2" threaded rod
- KIN 02-W** • one floor flange
• one 4 1/4" C-channel
• four #14 x 2" wood screws
• one 52" x 1/2" threaded rod
- KIN 04-C** • one 1/2" concrete anchor
• one 7 1/2" C-channel
• one 52" x 1/2" threaded rod
- KIN 04-W** • one floor flange
• one 7 1/2" C-channel
• four #14 x 2" wood screws
• one 52" x 1/2" threaded rod
- KIN 06-C** • one 1/2" concrete anchor
• one 6 1/2" C-channel
• one 52" x 1/2" threaded rod
- KIN 06-W** • one floor flange
• one 6 1/2" C-channel
• four #14 x 2" wood screws
• one 52" x 1/2" threaded rod

RAILING HARDWARE

- KIR 01** • 4 each 4" wide aluminum
KIR 01F* brackets with 6 each
countersunk holes
• Fasteners for screwing & bolting
- KIR 02** • 4 each 2" wide aluminum
KIR 02F* brackets with 4 each
countersunk holes
• Fasteners for screwing & bolting
- KIR 03** • 4 each 1 3/4" wide aluminum
KIR 03F* brackets with 4 each
countersunk holes
• Fasteners for screwing & bolting
- KIR 04** • 2 each 4" wide aluminum
brackets extended for NCOP
application with 6 each
countersunk holes
• 2 each 4" wide aluminum
brackets with 6 each
countersunk holes
• Fasteners for screwing & bolting
- KIR 05** • 2 each 4" wide aluminum
brackets extended for NCOP
application with 6 each
countersunk holes
• 2 each 4" wide aluminum
brackets with 6 each
countersunk holes
• Fasteners for screwing & bolting

NEWEL POST INSTALLATION KITS

KIT NUMBER	FOR NEWEL POSTS
KIN 01-C*	NP 2201, NP 2208, NP 2209
KIN 01-W*	NP 2210, NP 2228, NP 2220
KIN 02-C*	NP 2207
KIN 02-W*	
KIN 04-C*	NP 2206, NP 2233
KIN 04-W*	
KIN 06-C*	NP 2200, NP 2211, NP 2212
KIN 06-W*	NP 2218

C* = concrete installation W* = wood
F* = Flipped for concealed upper bracket

RAILING INSTALLATION KITS

KIT NUMBER	FOR RAILINGS
KIR 01	RAL 2100, RAL 2101, RAL 2103, RAL 2105, RAL 2106, RAL 2107, RAL 2108, RAL 2111, RAL 2112, RAL 2113, RAL 2117, RAL 2119 RAL 2124, RAL 2126
KIR 02	RAL 2102, RAL 2104, RAL 2110 RAL 2116, RAL 2120, RAL 2121, RAL 2122, RAL 2123, RAL 2125
KIR 03	RAL 2114, RAL 2115
KIR 04	NCOP 2100
KIR 05	NCOP 2110

Photo below illustrates
the use of Spectis balusters,
top & bottom rail and fluted
columns with caps & bases.

RAILING SUPPORT BLOCKS

NUMBER	HEIGHT	WIDTH	LENGTH	
SUP 01	4"	3 5/8"	4"	RAL 2104
SUP 02	2"	3 5/8"	4"	
SUP 03	4"	6"	6"	RAL 2102, RAL 2105
SUP 04	2"	6"	6"	
SUP 05	4"	7"	8"	RAL 2100, RAL 2103
SUP 06	2"	7"	8"	
SUP 07	4"	12"	12"	RAL 2101
SUP 08	2"	12"	12"	



• See pages 263-265 for complete balustrade installation instructions.





BALUSTRADE SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

AC 49H

- 4 1/2" Diameter
- 9 13/16" Height
- 4 5/8" Base Dia.

AC 49F

- 4 1/2" Diameter
- 9 13/16" Height
- 4 5/8" Base Dia.

AC 100

- 4" Diameter
- 4 1/2" Height
- 4" Base Dia.



BA 18/BB 10

- 18" Diameter
- 26 1/2" Height
- 17 11/16" Base Dia.

• 2 PARTS

BA 24/BB 20

- 24" Diameter
- 32 1/2" Height
- 23" Base Dia.

• 2 PARTS



BA 3

- 3" Diameter
- 4 1/8" Height
- 3" Base Dia.

BA 5

- 5" Diameter
- 6 3/4" Height
- 5" Base Dia.

BA 6

- 6" Diameter
- 8" Height
- 6" Base Dia.

BA 7

- 7" Diameter
- 8 3/4" Height
- 7" Base Dia.

BA 9

- 9" Diameter
- 11 9/16" Height
- 7 9/16" Base Dia.

BA 10

- 10" Diameter
- 13 1/2" Height
- 10" Base Dia.

BA 12

- 12" Diameter
- 15 3/4" Height
- 12" Base Dia.

AC 611H

- 6 1/2" Diameter
- 11 13/16" Height
- 6 5/8" Base Dia.

BA 8NB

- 8" Diameter
- 3 7/16" Base Dia.
- NO BASE

BA 18NB

- 18" Diameter
- 8 1/4" Base Dia.
- NO BASE

AC 611F

- 6 1/2" Diameter
- 11 13/16" Height
- 6 5/8" Base Dia.

ACCESSORIES

BA 8WB

- 8 1/4" Diameter
- 11 1/8" Height
- 9 1/4" Base Dia.
- WITH BASE

BA 4KN

- 4" Diameter
- 5" Height
- 3 1/4" Base Dia.



BA 12.5

- 12 1/2" Square Base
- 21" Height
- 12" Diameter Ball

BA 7KN

- 7" Diameter
- 8 1/2" Height
- 7" Base Dia.

PF 11H

- 5 1/4" Diameter
- 11" Height
- 4 1/2" Base Dia.

BA 8L

- 8 3/8" Diameter
- 10 3/4" Height
- 7" Base Dia.

PF 14H

- 7 1/2" Diameter
- 14" Height
- 6 1/4" Base Dia.

PF 11F

- 5 1/4" Diameter
- 11" Height
- 4 1/2" Base Dia.

PF 103F

- 14 1/16" Diameter
- 23" Height
- 10 7/8" Base Dia.
- * available in halves upon request

PF 102F

- 6 7/8" Diameter
- 9" Height
- 2 5/8" Base Dia.
- * available in halves upon request

PT 01

- 4" Square
- 5 1/4" Height

PF 14F

- 7 1/2" Diameter
- 14" Height
- 6 1/4" Base Dia.


1 • 8 0 0 • 6 8 5 • 9 9 8 1






NEWEL CAP OVER POST

NCOP 2100



NCOP 2100-13

- To fit on 1 3/4" sq newel post NP 2220 with 1/2" reveal on all sides
- 18" square
- 5 1/2" height
- Matches RAL 2100T
- Uses KIR 04
- Available in Straight, Corner and End configurations



S
Straight




C
Corner




E
End

NCOP 2110



NCOP 2110-12

- To fit on 1 1/2" sq newel post NP 2201 with 1/2" reveal on all sides
- 14 5/16" square
- 3 1/8" height
- Matches RAL 2110T
- Uses KIR 05
- Available in Straight, Corner and End configurations




Spectis' newel cap over post allows you to have traditional stone styling where the top rail wraps around the newel post. Our Balustrade system is light-weight polyurethane and 100% maintenance free





SPECTIS™
MOULDERS INC.
Custom Polyurethane Products





SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

BLOCKS, BRACKETS & GINGERBREADS





BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

SPECTIS RESERVES THE RIGHT TO HOLLOW OUT THE BACK OF ANY PRODUCT WITHOUT NOTICE. SOME PRODUCTS MAY BE MADE AS ASSEMBLIES.



BL 2400

- 4 3/4" Projection
- 12 3/8" Height
- 7 3/4" Width



BL 2517

- 6 1/2" Projection
- 7 1/4" Overall Projection
- 16 1/4" Height
- 5 1/2" Width



BL 3048

- 5 1/2" Projection
- 13 1/4" Height
- 7 1/2" Width



BL 2530

- 9 3/4" Projection
- 26 3/8" Height
- 9 3/4" Width



BL 2782

- 8" Projection
- 29" Height
- 12" Width



BL 2783

- 20" Projection
- 54" Height
- 12" Width



BL 2837

- 9 1/2" Projection
- 36" Height
- 10 1/2" Width



BL 2420

- 4 1/4" Projection
- 9 3/4" Height
- 5" Width



BL 2423

- 4 11/16" Projection
- 6 1/8" Overall Projection
- 17 1/8" Height
- 5 1/2" Width



BL 2563

- 6" Projection
- 13 1/2" Height
- 7 7/8" Width



BL 2784

- 5 1/2" Projection
- 5 11/16" Overall Projection
- 9 7/8" Height
- 5 1/8" Width



BL 2829

- 8" Projection
- 16" Height
- 11" Width



Photo above illustrates the use of the following Spectis products: custom header and block BL 2483A.



BL 2845

- 8 5/16" Projection
- 13" Height
- 10 3/8" Width



BL 2440

- 25 3/8" Projection
- 35 7/8" Height
- 18" Width



BL 2522

- 14 1/2" Projection
- 26" Height
- 6 1/2" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 2574

- 23 1/16" Projection
- 24 1/8" Height
- 7 1/2" Width



BL 2734

- 7 3/4" Projection
- 9" Overall Projection
- 30 3/4" Height
- 2 1/2" Width



BL 2874

- 25 1/2" Projection
- 44 1/2" Height
- 14 1/2" Width



BL 2422

- 4 1/8" Projection
- 6" Overall Projection
- 16 3/16" Height
- 5" Width



BL 2666

- 5 3/4" Projection
- 9 3/8" Overall Projection
- 22 1/2" Height
- 5" Width



BL 2755

- 2" Projection
- 9 1/2" Height
- 3 3/4" Width



BL 2800

- 4 3/4" Projection
- 35 3/4" Height
- 8 1/2" Width



Photo above illustrates the use of the following Spectis products: block BL 2734, balusters BAL 2028-12, gingerbread GB 3323, finial FIN 102 and porch posts PP 3203.

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



COMBINED BL 2483

- 11 1/8" Projection
- 7" Height
- 14" Width
- Block Components for MD 1242 on page 170

BL 2483C

- 7 1/2" Projection
- 1 1/8" Height
- 14" Width

BL 2483B

- 11 1/8" Projection
- 1 3/8" Height
- 9 1/4" Width

BL 2483A

- 10 1/4" Projection
- 4 7/16" Height
- 8" Width

BL 2483R-5/12 • 5/12 Pitch
BL 2483L-5/12 • 5/12 Pitch



BL 2635L
BL 2635R

- 24 3/4" Projection
- 17 13/16" Height
- 2 7/8" Width

BL 2463

- 11 1/8" Projection
- 8 7/8" Height
- 14" Width

BL 2445

- 3" Projection
- 3 1/8" Overall Projection
- 2 1/16" Height
- 2 3/16" Width

BL 2516

- 15 7/8" Projection
- 9 1/4" Height
- 3 5/8" Width

BL 2835

- 23 7/8" Projection
- 13 7/8" Height
- 5 1/2" Width

BL 2982

- 13 3/16" Projection
- 11 1/4" Height
- 5" Width

BL 2538

- 12 3/4" Projection
- 6 1/4" Height
- 7 5/8" Width

BL 2427

- 23 1/2" Projection
- 11 1/2" Height
- 9 1/4" Width

BL 2836

- 13" Projection
- 10" Height
- 8" Width

BL 2610

- 3 9/16" Projection
- 1 5/8" Height
- 3" Width

BL 2882

- 3 15/16" Projection
- 1 7/8" Height
- 2 1/2" Width

BL 2581

- 2 7/8" Projection
- 1 3/8" Height
- 1 3/8" Width

BL 3061

- 11 1/8" Projection
- 5 13/16" Height
- 9 1/4" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 2993

- 5 1/8" Projection
- 3" Height
- 3 1/2" Width




BL 2895

- 10" Projection
- 17 3/4" Height
- 7 3/4" Width



BL 2956

- 10 15/16" Projection
- 4 7/8" Height
- 11 1/8" Width
- 2 PARTS- A & B




BL 2436

- 15 7/8" Projection
- 8 1/4" Height
- 10 1/4" Width



BL 2492

- 6 7/8" Projection
- 4 1/2" Height
- 6 7/8" Width



BL 2854

- 15 7/8" Projection
- 6" Height
- 9 3/4" Width



BL 2557

- 7 1/2" Projection
- 3 3/8" Height
- 5" Width



BL 2621

- 21" Projection
- 6 1/4" Height
- 6 1/16" Width



BL 2597

- 22 1/4" Projection
- 7" Height
- 6 3/8" Width



BL 2762

- 20 3/8" Projection
- 7" Height
- 5 7/8" Width



COMBINED BL 2604

- 17 1/4" Projection
- 10 1/2" Height
- 21" Width
- Block Components for MD 1484 on page 171



BL 2604C

- 11 1/4" Projection
- 1 11/16" Height
- 21" Width



BL 2604B

- 16 11/16" Projection
- 2 1/16" Height
- 13 7/8" Width



BL 2604A

- 15 3/8" Projection
- 6 11/16" Height
- 12" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




COMBINED BL 2476

- 5 11/16" Projection
- 3 13/16" Height
- 7" Width
- Block Components for MD 1259 on page 170



BL 2476C

- 3 3/4" Projection
- 9/16" Height
- 7" Width



BL 2476B

- 5 9/16" Projection
- 11/16" Height
- 4 5/8" Width



BL 2476A

- 5 1/8" Projection
- 2 9/16" Height
- 3 1/4" Width

BL 2476L-8/12

BL 2476R-8/12



BL 2864

- 17 1/2" Projection
- 6 3/4" Height
- 8" Width



BL 2865

- 32" Projection
- 14" Height
- 7 1/2" Width



BL 2830

- 15" Projection
- 16" Overall Projection
- 24" Height
- 16 3/8" Width



BL 2960

- 38 3/4" Projection
- 13 5/8" Height
- 6 15/16" Width



BL 2961

- 23 11/16" Projection
- 20 1/4" Height
- 10 7/16" Width



BL 2803

- 6 3/4" Projection
- 29" Height
- 5 1/4" Width



BL 2804

- 6 7/8" Projection
- 15 3/4" Height
- 5 1/4" Width



BL 2464

- 3 3/4" Projection
- 8 1/2" Height
- 4 7/8" Width



BL 2428

- 3" Projection
- 3 1/4" Overall Proj.
- 8 1/4" Height
- 3 5/16" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1

Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS



BL 2496

- 41 7/8" Projection
- 21 3/4" Height
- 3 7/8" Width



BL 2974

- 12" Projection
- 3 3/4" Height
- 2 3/4" Width



BL 2951

- 16 3/4" Projection
- 32 1/4" Height
- 12 7/8" Width



BL 2407

- 1 1/8" Projection
- 16 1/4" Height
- 9 1/2" Width



BL 2502

- 1" Projection
- 14" Height
- 8" Width



BL 2644

- 1 1/4" Projection
- 11 1/2" Height
- 7" Width



BL 2757

- 1" Projection
- 10 1/4" Height
- 5 1/2" Width



BL 2797

- 1" Projection
- 14" Height
- 5 1/4" Width



Photo above illustrates the use of Spectis custom panel insert and moulding MD 1154.



BL 2535

- 1 1/4" Projection
- 7 1/2" Height
- 5" Width

BL 2535L-9/12

- 9/12 Pitch



BL 2983

- 1 3/8" Projection
- 10 1/8" Height
- 6" Width



BL 2632

- 1 1/4" Projection
- 11 1/2" Height
- 7" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2617

- 1 9/16" Projection
- 20 1/4" Height
- 12" Width



BL 3067

- 1 1/8" Projection
- 25 3/4" Height
- 16 5/8" Width



BL 3113

- 3 5/8" Projection
- 10 1/2" Height
- 6 1/8" Width



BL 2472

- 2 1/4" Projection
- 10 3/4" Height
- 6 1/4" Width



BL 2740

- 7/8" Projection
- 11 3/4" Height
- 3 3/4" Width



BL 3039

- 3" Projection
- 14" Height
- 5" Width



BL 2896

- 3" Projection
- 18" Height
- 5" Width



BL 2687

- 5" Projection
- 13 5/8" Height
- 5" Width



BL 2412

- 5 1/2" Projection
- 14" Height
- 6 7/8" Width

BL 2412L-8/12

BL 2412R-8/12

- 8/12 Pitch



BL 2426

- 5 1/4" Projection
- 10" Height
- 3 1/2" Width



BL 3016

- 8" Projection
- 14" Height
- 8" Width



BL 3038

- 10 1/2" Projection
- 14" Height
- 6" Width



BL 2998

- 10" Projection
- 16" Height
- 6" Width



BL 2481

- 10 1/2" Projection
- 20" Height
- 6" Width



BL 2930

- 5 1/4" Projection
- 10" Height
- 4" Width



BL 2935

- 5 1/4" Projection
- 14" Height
- 3 1/2" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 2419

- 3 1/2" Projection
- 35" Height
- 7 1/2" Width



BL 3044

- 5 1/8" Projection
- 15 7/8" Height
- 5 5/8" Width



BL 3109

- 2 1/2" Projection
- 24 1/2" Height
- 8 3/4" Width



BL 2477

- 4 1/4" Projection
- 21" Height
- 4 1/4" Width



BL 2725

- 6" Projection
- 22 1/2" Height
- 5" Width



BL 2457

- 14 1/4" Projection
- 30" Height
- 7 1/2" Width



BL 2458

- 14 1/4" Projection
- 30" Height
- 7 1/2" Width



BL 2473

- 10 5/8" Projection
- 19" Height
- 10 5/8" Width



BL 2487

- 15 5/8" Projection
- 19 3/8" Height
- 11 1/2" Width



Photo above illustrates the use of the following Spectis products: custom mouldings with blocks BL 2487.

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




BL 2922

- 8 1/2" Projection
- 16" Height
- 4 1/2" Width



BL 2429

- 17 1/2" Projection
- 35" Height
- 11" Width



BL 2460

- 6 3/4" Projection
- 17" Height
- 7 3/4" Width



Photo above shows the use of Spectis block BL 2531.




BL 2534

- 11" Projection
- 20 7/8" Height
- 7 7/8" Width



BL 2566

- 6 5/8" Projection
- 18 3/8" Height
- 7 3/4" Width



BL 2691

- 19 3/4" Projection
- 29 1/2" Height
- 6" Width



BL 2425

- 9 5/8" Projection
- 15 5/8" Height
- 2 1/2" Width



BL 3052

- 7 7/8" Projection
- 17 3/4" Height
- 2 1/2" Width



BL 2531

- 20 1/4" Projection
- 35" Height
- 9 1/2" Width



BL 2620

- 10 1/2" Projection
- 22" Height
- 4 1/4" Width



BL 2989

- 10" Projection
- 19 13/16" Height
- 4" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 2855

- 15 3/8" Projection
- 27 9/16" Height
- 8 3/8" Width



BL 2508

- 12" Projection
- 20 3/4" Height
- 11" Width



BL 3130

- 11" Projection
- 38 1/2" Height
- 6" Width



BL 2605

- 8 5/16" Projection
- 25 1/2" Height
- 3 1/8" Width



BL 2626

- 8 5/8" Projection
- 13 3/4" Height
- 3" Width



BL 2456

- 14 1/4" Projection
- 30" Height
- 7 1/2" Width



BL 2590

- 10 5/8" Projection
- 19 1/4" Height
- 4 1/2" Width



BL 2627

- 9 3/16" Projection
- 14 7/8" Height
- 3" Width



BL 2902

- 10 3/4" Projection
- 28 1/8" Height
- 5" Width



BL 2733

- 4" Projection
- 9" Height
- 3 1/2" Width



BL 2527

- 4 1/2" Projection
- 14 1/2" Height
- 8 1/8" Width



BL 2707

- 24" Projection
- 11" Height
- 8" Width



BL 3124

- 24" Projection
- 21" Height
- 5" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

- BL 2946**
- 16 1/2" Projection
 - 34" Height
 - 4" Width

- BL 3110**
- 18 3/16" Projection
 - 30 1/2" Height
 - 3" Width

- BL 3158**
- 32" Projection
 - 48" Height
 - 6" Width

- BL 2729**
- 4" Projection
 - 28" Height
 - 16" Width

- BL 2838**
- 7" Projection
 - 17 1/4" Height
 - 4 1/2" Width

- BL 2932**
- 26" Projection
 - 18" Height
 - 4 1/2" Width

- BL 3090**
- 9 3/4" Projection
 - 10 1/4" Height
 - 3 1/2" Width

- BL 2724**
- 20" Projection
 - 5 7/8" Height
 - 3" Width

- BL 2927**
- 12" Projection
 - 36" Height
 - 4" Width

- BL 2739**
- 4 1/2" Projection
 - 19" Height
 - 4 1/2" Width

- BL 2817**
BL 2817CF
- 12" Projection
 - 39" Height
 - 12" Width
 - **CONCRETE FINISH**
- BL 2816CF**
- 12" Projection
 - 49" Height
 - 12" Width
 - **CONCRETE FINISH**

- BL 2843**
- 14" Projection
 - 3 3/4" Height
 - 4" Width

- BL 2880**
- 24" Projection
 - 10" Height
 - 6" Width

- BL 2448**
- 13" Projection
 - 3 3/4" Height
 - 6" Width

- BL 3161**
- 36" Projection
 - 8" Height
 - 10" Width

- BL 2449**
- 9" Projection
 - 3 3/4" Height
 - 6" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1

Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS



BL 2931
• 3 1/2" Projection
• 8" Height
• 11" Width



BL 2953
• 9 1/4" Projection
• 29" Height
• 7" Width



BL 2544
• 3" Projection
• 7" Height
• 3 1/2" Width



BL 2710
• 7" Projection
• 12" Height
• 7 1/2" Width



BL 2659
• 15" Projection
• 25 3/4" Height
• 14 1/2" Width




BL 2680
• 9" Projection
• 14 1/2" Height
• 7" Width

BL 2680W
• WOODGRAIN



BL 2411-16
• 16" Projection
• 7 3/8" Height
• 3" Width

BL 2411-18
• 18" Projection
• 7 5/8" Height
• 3" Width



BL 2866
• 24" Projection
• 27" Overall Projection
• 10" Height
• 3" Width



BL 2564
• 52" Projection
• 13 3/4" Height
• 5 3/4" Width



BL 2969
• 26" Projection
• 5 1/2" Height
• 2" Width



BL 2549
• 16 1/2" Projection
• 12" Height
• 2 5/8" Width



BL 3005
• 20 1/4" Projection
• 4" Height
• 6" Width




BL 2772
• 18" Projection
• 11 1/4" Height
• 3" Width
• 6/12" Pitch



BL 2773
• 18 1/16" Projection
• 11 1/4" Height
• 3" Width
• 3/12" Pitch



BL 2550
• 39 1/2" Projection
• 6 11/16" Height
• 2" Width



BL 2551
• 41" Projection
• 6 1/2" Height
• 2" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2647
• 23" Projection
• 11 3/8" Height
• 3 1/2" Width



BL 2939
• 79 1/2" Projection
• 8" Height
• 1 1/2" Width




BL 2552
• 37 1/2" Projection
• 7" Height
• 2" Width




BL 2685
• 16" Projection
• 7" Height
• 5" Width



BL 2926
• 18" Projection
• 6" Height
• 4 1/2" Width




BL 2901
• 18 1/2" Projection
• 6 1/4" Height
• 7 1/4" Width



BL 3029
• 21 3/4" Projection
• 12" Height
• 6" Width




BL 2668
• 29" Projection
• 9 1/2" Height
• 6" Width



BL 3028
• 46" Projection
• 12" Height
• 6" Width




BL 2925
• 49" Projection
• 16" Height
• 4" Width



BL 2742
• 23" Projection
• 6" Height
• 4" Width

BL 2743
• 26" Projection
• 6" Height
• 4" Width



BL 2912
• 24 1/2" Projection
• 6" Height
• 4" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1

Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS




BL 3115

- 29" Projection
- 6" Height
- 3" Width



BL 2648

- 17 1/4" Projection
- 5 3/8" Height
- 3 1/2" Width



BL 3142

- 42" Projection
- 12" Height
- 3" Width



BL 3122RS

- 24" Projection
- 5 1/4" Height
- 5 1/4" Width




BL 3094

- 27 1/2" Projection
- 5 1/2" Height
- 5 1/2" Width




BL 2646

- 11 3/16" Projection
- 5" Height
- 3 1/2" Width



BL 2690

- 26 1/2" Projection
- 5 1/4" Height
- 7 1/4" Width




BL 3143

- 11" Projection
- 4" Height
- 4" Width



BL 2776

- 20" Projection
- 10" Height
- 12" Width



BL 2774

- 39" Projection
- 12" Height
- 3" Width



BL 3007

- 24" Projection
- 12" Height
- 6" Width



BL 2798

- 9 7/8" Projection
- 25 7/8" Height
- 7 1/2" Width





BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2921
• 60" Projection
• 5 1/2" Height
• 7 1/2" Width



BL 2920
• 30" Projection
• 5 1/2" Height
• 7 1/2" Width




BL 2547
• 26" Projection
• 9 1/2" Height
• 3" Width



BL 2765
• 14 1/2" Projection
• 6 11/16" Height
• 5" Width
• 6/12 Pitch



BL 2764
• 14 1/2" Projection
• 7 1/4" Height
• 5" Width
• 3/12 Pitch



BL 2514
• 6" Projection
• 2 7/8" Height
• 2 1/2" Width



BL 2562
• 21 1/2" Projection
• 18 1/4" Height
• 4 1/4" Width



BL 2678
• 9" Projection
• 24" Height
• 8" Width



BL 2682
• 14" Projection
• 9" Height
• 2 1/2" Width
• 4/12 Pitch



BL 2683
• 14" Projection
• 9" Height
• 2 1/2" Width
• 5/12 Pitch

1 • 8 0 0 • 6 8 5 • 9 9 8 1




Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 3185

- 19 1/2" Projection
- 11 1/2" Height
- 3" Width




BL 2706

- 11 1/2" Projection
- 7 3/4" Height
- 6" Width



BL 2980

- 11" Projection
- 13" Height
- 6" Width



BL 2737

- 13 1/4" Projection
- 23 3/4" Height
- 4" Width



BL 3087

- 24" Projection
- 30" Height
- 5 1/4" Width




BL 3088

- 45 1/4" Projection
- 39" Height
- 5 1/4" Width



BL 2807

- 21" Projection
- 12 3/8" Height
- 3" Width



BL 2754

- 24" Projection
- 14 1/2" Height
- 7 1/4" Width



BL 3182

- 30 1/2" Projection
- 9" Height
- 10" Width



BL 2789

- 9 1/4" Projection
- 13" Height
- 3 1/8" Width



BL 2822

- 27 1/2" Projection
- 21 3/4" Height
- 3" Width



BL 2827

- 17" Projection
- 12" Height
- 5" Width

BL 2827L-10/12


BL 2827R-10/12

- 17" Projection
- 16 3/16" Height
- 5" Width



BL 2867

- 29 1/2" Projection
- 13" Height
- 4" Width



BL 2903

- 26" Projection
- 8 5/8" Height
- 5" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2977

- 12 1/2" Projection
- 10 1/4" Height
- 3 1/2" Width




BL 3165

- 10" Projection
- 4" Height
- 3" Width



BL 3173

- 15 1/4" Projection
- 7 1/4" Height
- 4" Width



BL 3174

- 24" Projection
- 7 1/4" Height
- 4" Width



BL 3169

- 26" Projection
- 7" Height
- 5" Width



BL 3183

- 39" Projection
- 12" Height
- 4" Width



BL 2904

- 12 3/4" Projection
- 9" Height
- 7" Width

BL 2770RS

- 21" Projection
- 12" Height
- 8 3/4" Width
- ROUGH SAWN
- WOODTONE COLOUR



BL 2771RS

- 23" Projection
- 12" Height
- 8 3/4" Width
- ROUGH SAWN
- WOODTONE COLOUR



BL 2913

- 18" Projection
- 9 3/8" Height
- 3" Width




BL2872

- 52" Projection
- 42" Height
- 12" Width



BL 3015

- 22" Projection
- 24" Height
- 4" Width



BL 3026


- 24" Projection
- 14" Height
- 24" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1

Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS



BL 3024

- 24" Projection
- 20" Height
- 24" Width



BL 2887

- 26 3/8" Projection
- 22 3/4" Height
- 5 3/8" Width



BL 3025

- 36" Projection
- 20" Height
- 16" Width




BL 2756

- 1 3/4" Projection
- 5 3/4" Height
- 5 5/8" Width




BL 3066

- 4" Projection
- 10" Height
- 4" Width



BL 2778

- 31" Projection
- 9 1/4" Height
- 10 1/2" Width




BL 2779

- 16 1/2" Projection
- 7 1/2" Height
- 6 1/2" Width



BL 2693

- 8 1/2" Projection
- 6 1/4" Height
- 5 3/4" Width




BL 2692

- 32" Projection
- 6 3/4" Height
- 6" Width

BL 2692-20.5

- 20 1/2" Projection
- 6 3/4" Height
- 6" Width



BL 2694

- 36" Projection
- 6 3/4" Height
- 4" Width

BL 2695

- 24" Projection
- 6 3/4" Height
- 4" Width

BL 2696

- 32" Projection
- 6 3/4" Height
- 4" Width

BL 2697

- 48" Projection
- 6 3/4" Height
- 4" Width



BL 3118

- 22" Projection
- 18" Height
- 7 3/4" Width



BL 3117

- 32" Projection
- 18" Height
- 7 3/4" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs




BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.


BL 3135

- 12 3/4" Projection
- 9 1/4" Height
- 4" Width



BL 2781

- 15" Projection
- 5 1/2" Height
- 18" Width



BL 2862

- 34 1/2" Projection
- 12" Height
- 2" Width



BL 2915

- 9 1/4" Projection
- 5" Height
- 7" Width



BL 2415

- 9" Projection
- 3 15/16" Height
- 4 1/8" Width



BL 3006

- 32" Projection
- 7 1/4" Height
- 6" Width



BL 2870

- 34" Projection
- 6 1/2" Height
- 2" Width



BL 2609L-5/12 BL 2609R-5/12

- 5/12 Pitch
- 9" Projection
- 5 3/16" Height
- 4 1/4" Width




BL 2611

- 20 3/8" Projection
- 4 1/2" Height
- 4 3/8" Width



BL 2888

- 16 5/8" Projection
- 5" Height
- 6 1/4" Width



BL 2718

- 22" Projection
- 11 1/4" Height
- 6" Width




BL 2991

- 17 5/8" Projection
- 12 1/2" Height
- 8" Width




BL 3176

- 13" Projection
- 5 1/2" Height
- 5 1/2" Width




BL 2744

- 15" Projection
- 7 3/8" Height
- 4" Width



BL 3139

- 16" Projection
- 7 1/4" Height
- 3" Width



1 • 8 0 0 • 6 8 5 • 9 9 8 1

Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS



BL 2992

- 18" Projection
 - 7 1/4" Height
 - 3 1/4" Width
- BL 2992RS**




FINISHING

All Spectis' products are shipped "double primed" with an exterior grade latex paint and are ready for use. We recommend final finishing after installation is complete for the most consistent appearance possible. Please see "finishing" recommendations (on page 267) for more information.




BL 2518

- 12" Projection
- 5 1/2" Height
- 5 1/2" Width




BL 2908

- 30" Projection
- 10" Height
- 6" Width




BL 2802

- 24" Projection
- 6" Height
- 3" Width



BL 2805

- 21" Projection
- 6" Height
- 3" Width



BL 2924

- 13 1/2" Projection
- 7" Height
- 2 3/4" Width



Photo above illustrates the use of Spectis blocks BL 2457.

BL 2978

- 15" Projection
- 15" Height
- 6" Width



BL 2820RS

- 27" Projection
- 18" Height
- 4" Width
- **ROUGH SAWN**
- **WOODTONE COLOUR**



www.spectis.com




Blocks may come with hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2708

- 31" Projection
- 11 1/4" Height
- 8" Width



BL 2709

- 19" Projection
- 7 1/2" Height
- 8" Width



BL 2883

- 37" Projection
- 18 3/4" Height
- 18" Width



BL 2752

- 15" Projection
- 6" Height
- 6" Width



BL 2753

- 23" Projection
- 8" Height
- 8" Width




BL 2910

- 28 1/8" Projection
- 9 1/2" Height
- 6" Width



BL 2625

- 18" Projection
- 10 1/2" Height
- 7 1/4" Width



BL 2769

- 18" Projection
- 10 1/4" Height
- 7 1/4" Width



BL 2923

- 35" Projection
- 19" Height
- 10" Width



BL 3054

- 40" Projection
- 12 1/8" Height
- 7 1/4" Width



BL 3055

- 54 7/8" Projection
- 11 13/16" Height
- 7 1/4" Width



BL 3056

- 56 1/8" Projection
- 11 13/16" Height
- 7 1/4" Width



BL 3023

- 24" Projection
- 8" Height
- 16" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1

Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS



BL 2404

- 7 3/4" Projection
- 3 1/2" Height
- 5" Width

BL 2404L-5/12

BL 2404R-5/12

- 5/12 Pitch

BL 2404L-7/12

BL 2404R-7/12

- 7/12 Pitch

BL 2404L-10/12

BL 2404R-10/12

- 10/12 Pitch

BL 2404R-12/12

BL 2404L-12/12

- 12/12 Pitch



BL 2414

- 18" Projection
- 7 1/2" Height
- 7" Width



BL 2444

- 7 3/4" Projection
- 4" Height
- 5 1/8" Width

BL 2444L-5/12

BL 2444R-5/12

- 5/12 Pitch

BL 2444L-6/12

BL 2444R-6/12

- 6/12 Pitch

BL 2444L-7/12

BL 2444R-7/12

- 7/12 Pitch

BL 2444L-8/12

BL 2444R-8/12

- 8/12 Pitch

BL 2444L-9/12

BL 2444R-9/12

- 9/12 Pitch



BL 2469

- 7 5/16" Projection
- 4" Height
- 4 3/4" Width

BL 2469L-5/12

BL 2469R-5/12

- 5/12 Pitch

BL 2469L-7/12

BL 2469R-7/12

- 7/12 Pitch

BL 2469L-9/12

BL 2469R-9/12

- 9/12 Pitch

BL 2469L-12/12

BL 2469R-12/12

- 12/12 Pitch



BL 2509

- 9 7/8" Projection
- 5 3/4" Height
- 8 5/8" Width

BL 2999

- 8 3/4" Projection
- 6 1/2" Height
- 6 7/8" Width



BL 3131

- 7" Projection
- 5" Height
- 6 1/4" Width

BL 2519

- 9 1/2" Projection
- 5 3/4" Height
- 5 3/8" Width

BL 2525

- 9 1/2" Projection
- 5 3/4" Height
- 5 7/8" Width



BL 2526

- 14" Projection
- 5 3/4" Height
- 8 5/8" Width



BL 2905

- 9 3/4" Projection
- 5" Height
- 5 1/2" Width

BL 2905L-6/12

BL 2905R-6/12

- 6/12 Pitch

BL 2643

- 17" Projection
- 7 3/8" Height
- 7" Width

BL 2871

- 9 1/2" Projection
- 5 3/4" Height
- 5 3/4" Width

BL 3126

- 4 7/8" Projection
- 4 1/4" Height
- 5 3/16" Width

BL 2571

- 6 1/2" Projection
- 6" Height
- 5 1/2" Width

BL 2571L-6.5/12

BL 2571R-6.5/12

- 6.5/12 Pitch

BL 2556

- 4 3/4" Projection
- 2 1/8" Height
- 3 1/8" Width



BL 3146

- 13 1/2" Projection
- 8 1/2" Height
- 9" Width

BL 3146L-6/12

BL 3146R-6/12

- 6/12 Pitch



www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2486
• 8 1/2" Projection
• 5 1/4" Height
• 10" Width



BL 2628
• 8 3/8" Projection
• 4" Height
• 6 1/2" Width



BL 2629
• 6 1/2" Projection
• 3 1/2" Height
• 6" Width
BL 2629L-5/12
BL 2629R-5/12



BL 2630
• 5 3/8" Projection
• 3 1/8" Height
• 5 1/2" Width



BL 2641
• 5 1/2" Projection
• 2 1/2" Height
• 2 1/2" Width
BL 2641L-5/12
BL 2641R-5/12
• 5/12 Pitch
BL 2641L-6/12
BL 2641R-6/12
• 6/12 Pitch
BL 2641L-10/12
BL 2641R-10/12
• 10/12 Pitch



BL 2652
• 4 1/2" Projection
• 4" Height
• 4 9/16" Width



BL 2741
• 5 3/8" Projection
• 3 1/8" Height
• 5 3/8" Width



BL 2622
• 8" Projection
• 5 3/8" Height
• 5 3/8" Width



BL 2658L-8/12
BL 2658R-8/12
• 8/12 Pitch
• 7 1/4" Projection
• 7" Height
• 4 1/4" Width



BL 2968
• 23 3/4" Projection
• 10 11/16" Height
• 6 7/8" Width



BL 2873
• 32" Projection
• 6" Height
• 6" Width



BL 3040
• 66 3/8" Projection
• 12" Height
• 10" Width



BL 2909L-6/12
BL 2909R-6/12
• 12" Projection
• 7 1/2" Height
• 5 3/8" Width
• 6/12 Pitch
BL 2909L-7/12
BL 2909R-7/12
• 12" Projection
• 7 3/4" Height
• 5 3/8" Width
• 7/12 Pitch



BL 2439
• 22" Projection
• 13 1/2" Height
• 6 1/2" Width



BL 2911
• 12" Projection
• 5 1/2" Height
• 5 1/2" Width



BL 2914
• 14" Projection
• 5" Height
• 7" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 2929

- 9 3/4" Projection
- 5 1/2" Height
- 6 3/4" Width

BL 2929L-6/12

BL 2929R-6/12

- 9 3/4" Projection
- 8 3/4" Height
- 6 5/16" Width
- 6/12 Pitch



BL 2761

- 10" Projection
- 5" Height
- 4 3/4" Width



BL 2834

- 10 3/4" Projection
- 6 1/2" Height
- 6 1/2" Width



BL 2494

- 13" Projection
- 8" Height
- 9" Width



BL 2560

- 9" Projection
- 4" Height
- 4 1/8" Width



BL 2462

- 8" Projection
- 8" Height
- 4 7/8" Width



BL 2578

- 8" Projection
- 8" Height
- 4 7/8" Width



BL 2846

- 11 1/8" Projection
- 11 1/8" Height
- 7 1/4" Width

BL 2846L-10/12

BL 2846R-10/12

- 11 1/8" Projection
- 18 9/16" Height
- 10/12 Pitch

BL 2846L-15/12

BL 2846R-15/12

- 11 1/8" Projection
- 23 3/8" Height
- 15/12 Pitch



BL 2847L-15/12

BL 2847R-15/12

- 11 1/8" Projection
- 20 3/16" Height
- 3 1/2" Width
- 15/12 Pitch



BL 2575

- 8" Projection
- 11" Height
- 4 7/8" Width



BL 2580

- 4 1/4" Projection
- 10 3/4" Height
- 4 7/8" Width



BL 2916

- 3 1/4" Projection
- 4 3/4" Height
- 6 1/4" Width



BL 2459

- 5 1/2" Projection
- 3" Height
- 4 7/8" Width



BL 2677

- 5 3/4" Projection
- 3 1/8" Height
- 3 1/2" Width



BL 2812

- 6 1/2" Projection
- 3 1/4" Height
- 5 1/2" Width

BL 2812L-8/12

BL 2812R-8/12

- 8/12 Pitch



BL 2813

- 5 1/8" Projection
- 2 11/16" Height
- 4 5/8" Width



BL 3057

- 5 11/16" Projection
- 3 1/2" Height
- 4 1/2" Width



BL 2848

- 9 5/16" Projection
- 5 3/8" Height
- 8" Width



BL 2488

- 9 1/4" Projection
- 6" Height
- 7 1/8" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS


NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2498

- 11 7/16" Projection
- 5 1/8" Height
- 5 3/4" Width
- BL 2498L-6/12**
- BL 2498R-6/12**
- 6/12 Pitch



BL 2796

- 11 7/16" Projection
- 5 1/8" Height
- 9 3/8" Width
- BL 2796L-10/12**
- BL 2796R-10/12**
- 11 7/16" Projection
- 11 1/16" Height
- 10/12 Pitch



BL 2653

- 7 7/8" Projection
- 5" Height
- 5 3/4" Width



BL 2875

- 13 1/2" Projection
- 8 3/4" Height
- 6" Width




BL 2664

- 13" Projection
- 16 7/8" Height
- 4" Width



BL 2408

- 7 3/4" Projection
- 7" Height
- 5" Width
- BL 2408R-10/12**
- BL 2408L-10/12**
- 10/12 Pitch



BL 3063

- 21" Projection
- 6 3/4" Height
- 6" Width



BL 2421-26

- 26 3/4" Projection
- 7" Height
- 2 1/2" Width

BL 2421-32

- 32 3/4" Projection
- 7" Height
- 2 1/2" Width




Photo above illustrates Spectis custom trellis & brackets



BL 2542

- 60" Projection
- 7" Height
- 5" Width



BL 3033


- 42" Projection
- 11 1/4" Height
- 7 1/4" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 2801

- 3 3/4" Projection
- 3 5/8" Height
- 3 11/16" Width




BL 3069

- 4 7/16" Projection
- 3 1/2" Height
- 4 1/2" Width



BL 2944

- 10" Projection
- 9" Height
- 7" Width




BL 3093

- 10 3/4" Projection
- 5 1/4" Height
- 6" Width



BL 2663

- 10 5/8" Projection
- 8" Height
- 2" Width



BL 2662

- 29" Projection
- 12" Height
- 3" Width



BL 2572

- 9 3/4" Projection
- 5" Height
- 3 1/2" Width




BL 3166

- 12" Projection
- 14" Height
- 3" Width




BL 2790

- 21 1/2" Projection
- 12 1/2" Height
- 3 1/2" Width




BL 2841

- 17" Projection
- 7 1/2" Height
- 2" Width



BL 2583

- 21 1/2" Projection
- 7 1/2" Height
- 5 1/2" Width



BL 3068

- 24" Projection
- 8" Height
- 6" Width




Photo above illustrates the use of Spectis brackets & headers with keystones



BL 2748

- 20" Projection
- 7" Height
- 3" Width



BL 2979

- 24" Projection
- 12" Height
- 10" Width

www.spectis.com




Blocks may come with hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



- BL 2588**
- 8 5/8" Projection
 - 5" Height
 - 2 3/4" Width



- BL 3043**
- 6 9/16" Projection
 - 3 1/4" Height
 - 2 13/16" Width



- BL 2823**
- 7 13/16" Projection
 - 5 1/2" Height
 - 3 11/16" Width




- BL 2570**
- 6 3/4" Projection
 - 3" Height
 - 5" Width

BL 2570L-9/12

BL 2570R-9/12

- 9/12 Pitch



- BL 2936**
- 10" Projection
 - 5 1/8" Height
 - 6" Width

BL 2936L-6/12

BL 2936R-6/12

- 6/12 Pitch



- BL 3159**
- 7 1/4" Projection
 - 6" Height
 - 4" Width




- BL 2840**
- 3 1/8" Projection
 - 5 1/2" Height
 - 3 5/8" Width




- BL 2860**
- 9 1/2" Projection
 - 6 3/8" Height
 - 2 3/4" Width



- BL 2858**
- 13 1/2" Projection
 - 4 1/2" Height
 - 2 3/4" Width



- BL 2667**
- 7 1/2" Projection
 - 3 7/8" Height
 - 3 3/4" Width



- BL 2484**
- 21 3/4" Projection
 - 6 3/4" Height
 - 3 1/2" Width



- BL 2485**
- 15 3/4" Projection
 - 5 1/2" Height
 - 3 1/2" Width



- BL 2851**
- 36" Projection
 - 9" Height
 - 6" Width



- BL 2981**
- 21 3/4" Projection
 - 7 15/16" Height
 - 3 1/2" Width



- BL 2809**
- 13" Projection
 - 5 1/2" Height
 - 3 1/2" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



Photo above illustrates a custom Spectis gable end with blocks BL 2593.



- BL 2467**
- 10 1/2" Projection
 - 16" Height
 - 3" Width



- BL 2705**
- 12" Projection
 - 24" Height
 - 3 1/2" Width



- BL 2679**
- 7 7/8" Projection
 - 14 7/8" Height
 - 8 1/8" Width




- BL 2475**
- 13 1/4" Projection
 - 6" Height
 - 6" Width



- BL 2537**
- 15" Projection
 - 8" Height
 - 4" Width




- BL 2704**
- 12" Projection
 - 12" Height
 - 3 1/2" Width



- BL 2767**
- 6 1/8" Projection
 - 3 7/8" Height
 - 6 3/8" Width

- BL 2592-3.5**
- 14 3/4" Projection
 - 9" Height
 - 3 1/2" Width
- BL 2592-4.5**
- 4 1/2" Width
- BL 2592-5.5**
- 5 1/2" Width



- BL 2758**
- 5 1/8" Projection
 - 3 7/8" Height
 - 6 3/8" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2889PC

- 35 1/4" Projection
- 8 3/4" Height
- 6 1/2" Width
- PECKY CYPRESS
- WOODTONE COLOUR



BL 2897PC

- 43 1/4" Projection
- 20 1/4" Height
- 13 1/2" Width
- PECKY CYPRESS
- WOODTONE COLOUR



BL 2899PC

- 17 1/4" Projection
- 8 3/4" Height
- 6 1/2" Width
- PECKY CYPRESS
- WOODTONE COLOUR



Photo above shows the use of Spectis custom brackets in pecky cypress texture



BL 2898PC

- 35 1/4" Projection
- 9 1/4" Height
- 6" Width
- PECKY CYPRESS
- WOODTONE COLOUR



BL 3012RS

- 17 1/4" Projection
- 8 1/2" Height
- 6 1/2" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 2413
• 4 3/4" Projection
• 6 3/16" Height
• 3" Width



BL 2424
• 5 7/16" Projection
• 5 7/8" Height
• 4" Width

BL 2424R-5/12

BL 2424L-5/12
• 5/12 Pitch

BL 2424R-7/12

BL 2424L-7/12
• 7/12 Pitch

BL 2424R-10/12


BL 2424L-10/12
• 10/12 Pitch




BL 2461
• 5" Projection
• 6 3/16" Height
• 4 3/4" Width



BL 3167
• 13 1/4" Projection
• 9 1/4" Height
• 3 1/4" Width



BL 2515
• 14" Projection
• 10" Height
• 4" Width



BL 2634
• 5 7/16" Projection
• 5 7/8" Height
• 6" Width




BL 2657
• 2" Projection
• 4" Height
• 3" Width



BL 2674
• 5 7/16" Projection
• 5 7/8" Height
• 2 1/4" Width



BL 3077
• 6" Projection
• 6" Height
• 6" Width




BL 2795
• 5 1/2" Projection
• 5 3/4" Height
• 5 1/2" Width



BL 2878
• 5" Projection
• 5 7/8" Height
• 2 1/4" Width



BL 2711
• 5" Projection
• 5 7/8" Height
• 4" Width




BL 2963-7.75
• 7 3/4" Projection
• 4" Height
• 4" Width

BL 2963-14

• 14" Projection
• 4" Height
• 4" Width

BL 2963-18

• 18" Projection
• 4" Height
• 4" Width



BL 2806
• 12" Projection
• 4" Height
• 5" Width



BL 2947
• 72" Projection
• 8" Height
• 8 1/2" Width



BL 3099
• 4" Projection
• 8" Height
• 7" Width



BL 3100
• 5" Projection
• 8" Height
• 7" Width



BL 2479
• 7" Projection
• 11" Height
• 6" Width



BL 3106
• 10" Projection
• 12" Height
• 4" Width



BL 2441
• 7" Projection
• 12" Height
• 12" Width
BL 2441R-10/12
BL 2441L-10/12
• 10/12 Pitch






BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2490
• 10" Projection
• 12" Height
• 12" Width



BL 3002
• 10" Projection
• 15" Height
• 6" Width



BL 3003
• 18" Projection
• 24" Height
• 3" Width



BL 2432
• 14" Projection
• 15 3/4" Height
• 4" Width



BL 2447FS
• 14" Projection
• 15 3/4" Height
• 4" Width
• **FOSSIL STONE**



BL 2500
• 5" Projection
• 6 1/4" Height
• 4 3/4" Width
BL 2500L-6/12
BL 2500R-6/12
• 6/12 Pitch
BL 2500L-7/12
BL 2500R-7/12
• 7/12 Pitch
BL 2500L-10/12
BL 2500R-10/12
• 10/12 Pitch



BL 2637
• 5 3/4" Projection
• 5" Height
• 3" Width



BL 2638
• 4" Projection
• 6 1/2" Height
• 3" Width



BL 2654
• 9 3/8" Projection
• 6" Height
• 3" Width



BL 2655
• 14" Projection
• 9" Height
• 3" Width



BL 3150PC
• 8" Projection
• 7" Height
• 4" Width



BL 3151PC
• 15 1/4" Projection
• 10" Height
• 4" Width



BL 3152PC
• 16" Projection
• 10" Height
• 6" Width



BL 3153PC
• 20" Projection
• 7 3/4" Height
• 4" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 2728
• 20" Projection
• 9" Height
• 8" Width



BL 2881
• 10" Projection
• 16" Height
• 6" Width



BL 2973
• 12 5/8" Projection
• 9" Height
• 3" Width



BL 2656
• 14" Projection
• 10" Height
• 4" Width



BL 2948
• 8 1/2" Projection
• 10 1/2" Height
• 3" Width



BL 2949
• 8 1/2" Projection
• 8 1/2" Height
• 3" Width



BL 2952
• 2" Projection
• 3" Height
• 3" Width



BL 2986
• 3 9/16" Projection
• 5 1/4" Height
• 3 1/2" Width



BL 2791
• 3 1/2" Projection
• 5 1/2" Height
• 3 1/2" Width



BL 3112RS
• 7 3/8" Projection
• 9" Height
• 7 3/8" Width



BL 3102RS
• 7 3/8" Projection
• 16" Height
• 7 3/8" Width



BL 2586
• 11 1/4" Projection
• 14 1/4" Height
• 3" Width



BL 2623
• 7 5/8" Projection
• 6" Height
• 2" Width



BL 2631
• 8" Projection
• 5 3/8" Height
• 5 3/8" Width



BL 2670
• 5 3/4" Projection
• 8" Height
• 3 1/2" Width



BL 2624
• 10 1/8" Projection
• 8" Height
• 3" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

BL 3164WG

- 14" Projection
- 13" Height
- 6" Width

BL 2815RS

- 22" Projection
- 16" Height
- 4" Width
- ROUGH SAWN
- WOODTONE COLOUR

BL 2906

- 18" Projection
- 24" Height
- 3" Width

BL 2732-24

- 24" Projection
- 10" Height
- 6" Width

BL 2732-48

- 48" Projection
- 10" Height
- 6" Width

BL 2536

- 5" Projection
- 5" Height
- 4" Width

BL 2833

- 13" Projection
- 11 7/8" Height
- 8" Width

BL 2839

- 4 3/4" Projection
- 4 3/4" Height
- 3" Width

BL 2958

- 6 1/2" Projection
- 7 1/4" Height
- 5 1/2" Width

BL 2959

- 7 1/2" Projection
- 7 1/4" Height
- 5 1/2" Width

BL 2768

- 30" Projection
- 11" Height
- 6" Width

BL 2433

- 3" Projection
- 5 1/8" Height
- 2 3/16" Width

BL 2587

- 3" Projection
- 3 1/2" Height
- 1 1/2" Width

BL 2466

- 30" Projection
- 32 1/4" Height
- 10" Width

BL 2738

- 6 3/4" Projection
- 6 3/8" Height
- 5" Width

BL 2676


- 6 7/8" Projection
- 5 3/8" Height
- 4 3/8" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 2402

- 9 1/2" Projection
- 4 3/4" Height
- 5 7/8" Width



BL 2405

- 11 1/4" Projection
- 3" Height
- 11 1/4" Width

BL 2405L-6/12

- BL 2405R-6/12
- 6/12 Pitch



BL 2416

- 7 3/4" Projection
- 3 3/8" Height
- 5 1/8" Width

BL 2416L-7.5/12

- BL 2416R-7.5/12
- 7.5/12 Pitch

BL 2416L-9/12

BL 2416R-9/12

- 9/12 Pitch

BL 2416L-12/12

BL 2416R-12/12

- 12/12 Pitch



BL 2474

- 7" Projection
- 4" Height
- 4" Width



BL 2573


- 6" Projection
- 4" Height
- 4" Width

BL 2573L-6/12

- BL 2573R-6/12
- 6/12 Pitch

BL 2573L-10/12

- BL 2573R-10/12
- 10/12 Pitch



BL 2842

- 7 1/4" Projection
- 3 3/8" Height
- 5" Width



BL 2907

- 9 1/2" Projection
- 3" Height
- 8 1/2" Width



BL 2539

- 3 3/4" Projection
- 5 11/16" Height
- 7 1/2" Width



BL 2524

- 1 5/8" Projection
- 5 1/2" Height
- 6 5/8" Width



BL 3157

- 9" Projection
- 5" Height
- 8 5/8" Width



BL 2401

- 15" Projection
- 6" Height
- 9 5/8" Width



BL 2540

- 3 3/4" Projection
- 3 11/16" Height
- 5 1/2" Width



BL 2523

- 4 1/4" Projection
- 5 1/2" Height
- 6 5/8" Width



BL 2554

- 9 7/8" Projection
- 4" Height
- 10 3/4" Width



BL 2736

- 9 1/4" Projection
- 5" Height
- 9 5/8" Width



BL 2454

- 7" Projection
- 11 1/4" Height
- 17 1/2" Width



BL 3147

- 10" Projection
- 6 5/8" Height
- 13 3/4" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




- BL 2546**
- 1 7/8" Projection
 - 6" Height
 - 6" Width




- BL 3120**
- 3 13/16" Projection
 - 5 7/8" Height
 - 5 1/8" Width




- BL 2569**
- 4 1/4" Projection
 - 3" Height
 - 4" Width




- BL 3080**
- 9 3/4" Projection
 - 2 1/2" Height
 - 5 11/16" Width



- BL 2584**
- 8 5/8" Projection
 - 5" Height
 - 12 1/4" Width



- BL 2818**
- 10 3/4" Projection
 - 1 15/16" Height
 - 5 5/8" Width



- BL 2819**
- 7 1/2" Projection
 - 1 15/16" Height
 - 5 5/8" Width




- BL 2660**
- 15 1/2" Projection
 - 11 3/4" Height
 - 10 1/2" Width



- BL 2997**
- 8" Projection
 - 4" Height
 - 10" Width



- BL 2937**
- 12 1/2" Projection
 - 9" Height
 - 15" Width



- BL 3062**
- 7" Projection
 - 4" Height
 - 9" Width
- BL 3062L-7/12**
BL 3062R-7/12



- BL 2443**
- 4 7/8" Projection
 - 2 1/2" Height
 - 5" Width



- BL 2501**
- 7 3/4" Projection
 - 2 5/8" Height
 - 9 1/4" Width



- BL 2595**
- 6 1/8" Projection
 - 4 1/8" Height
 - 4 13/16" Width

- BL 2808L**
BL 2808R
- 3" Projection
 - 1 1/8" Height
 - 6 1/2" Width



Photo above shows the use of Spectis custom bracket and pilaster.

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 2403

- 4 1/8" Projection
- 5" Height
- 3 7/8" Width



BL 2442

- 4 3/4" Projection
- 6" Height
- 12" Width



BL 2495

- 5 1/2" Projection
- 4 1/2" Height
- 4 1/2" Width



BL 3105

- 5 3/4" Projection
- 5 3/4" Height
- 5 3/4" Width




BL 2528

- 8" Projection
- 1 1/2" Height
- 7 11/16" Width




BL 2470FS

- 9" Projection
- 9" Height
- 4 1/2" Width
- FOSSIL STONE



BL 2471FS

- 9" Projection
- 2" Height
- 4 1/2" Width
- FOSSIL STONE



BL 2491

- 6" Projection
- 6" Height
- 6" Width

BL 2491L-8/12


BL 2491R-8/12

- 8/12 Pitch



BL 2984

- 4" Projection
- 8" Height
- 6" Width



BL 2640

- 8" Projection
- 5" Height
- 4 1/4" Width



BL 2684

- 1 1/2" Projection
- 6 3/8" Height
- 3 1/4" Width




BL 2886

- 3" Projection
- 4 7/8" Height
- 9" Width

BL 2886L-12/12

BL 2886R-12/12


- 3" Projection
- 4 7/8" Height
- 13 7/8" Width
- 12/12 Pitch



BL 2722

- 10" Projection
- 8 1/2" Height
- 10" Width

BL 2722RS



BL 2759-6/12

- 2 7/8" Projection
- 1 7/8" Height
- 7 3/8" Width
- 6/12 Pitch

BL 2759-10/12

- 3 3/8" Projection
- 1 5/8" Height
- 7 3/8" Width
- 10/12 Pitch



BL 2613

- 13 1/2" Projection
- 5 1/2" Height
- 25" Width



BL 2760

- 5 1/2" Projection
- 7" Height
- 3 1/4" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs




BLOCKS, BRACKETS & GINGERBREADS

NOTICE :


SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2799
• 1" Projection
• 3 1/2" Height
• 3 1/2" Width




BL 3127
• 8 1/4" Projection
• 4" Height
• 4" Width



BL 2861
• 10 1/8" Projection
• 4 7/16" Height
• 6 1/2" Width



BL 2877
• 13" Projection
• 6" Height
• 3" Width



BL 2919
• 15" Projection
• 4" Height
• 3 1/2" Width



BL 3129
• 22" Projection
• 7 1/2" Height
• 5 1/2" Width



BL 2933
• 1 3/4" Projection
• 4 1/2" Height
• 6" Width




BL 3095
• 2 3/8" Projection
• 7 3/4" Height
• 4 3/4" Width



BL 2940
• 4 1/2" Projection
• 8" Height
• 5 1/2" Width



BL 2941
• 3 1/2" Projection
• 5 1/2" Height
• 3 1/2" Width



BL 2455
• 14 1/4" Projection
• 2" Height
• 7 1/2" Width



BL 2545
• 2 1/4" Projection
• 6 1/2" Height
• 6 1/2" Width



BL 2699
• 18" Projection
• 10 5/8" Height
• 7 3/4" Width



BL 3070
• 3 7/8" Projection
• 7" Height
• 6 1/4" Width



BL 2435
• 5 3/8" Projection
• 4" Height
• 4" Width



BL 2714
• 4" Projection
• 12" Height
• 8" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs


BLOCKS, BRACKETS & GINGERBREADS



BL 2965
• 15" Projection
• 14" Height
• 3 1/2" Width



BL 3027
• 16" Projection
• 8" Height
• 8" Width



BL 2619
• 10 1/2" Projection
• 6" Height
• 3 1/2" Width



BL 2794
• 11" Projection
• 10 3/4" Height
• 7 1/2" Width



BL 2513
• 20" Projection
• 20" Height
• 4" Width




BL 3092
• 12" Projection
• 5 1/2" Height
• 3 3/4" Width



BL 3149
• 9 1/2" Projection
• 6" Height
• 6" Width



BL 2785
• 10" Projection
• 10" Height
• 5" Width



BL 3172
• 4" Projection
• 5" Height
• 5" Width



BL 2633
• 30" Projection
• 35 5/8" Height
• 14 5/8" Width



BL 2553
• 15" Projection
• 17 1/2" Height
• 6" Width



BL 3032
• 5 1/2" Projection
• 5" Height
• 5 1/2" Width



BL 2749
• 6 1/2" Projection
• 6" Height
• 4" Width



BL 2780
• 11" Projection
• 9" Height
• 3 3/8" Width



BL 3177
• 18" Projection
• 24 1/8" Height
• 3" Width



BL 2824
• 26" Projection
• 18" Height
• 8" Width



BL 3083
• 30" Projection
• 35" Height
• 6" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2825

- 15" Projection
- 11" Height
- 8" Width



BL 3059

- 6 1/8" Projection
- 4 1/4" Height
- 1 1/2" Width



BL 2585

- 12" Projection
- 16" Height
- 6" Width




BL 2651

- 14" Projection
- 16" Height
- 6" Width




BL 2438

- 9" Projection
- 9" Height
- 3 1/2" Width



BL 2493

- 11" Projection
- 8" Height
- 8 1/8" Width



BL 2616

- 2" Projection
- 3" Height
- 4" Width



BL 2985

- 2" Projection
- 3" Height
- 6" Width



BL 2702

- 4" Projection
- 4" Height
- 6" Width



BL 2548

- 10" Projection
- 10" Height
- 1 1/2" Width



BL 2726

- 6" Projection
- 6" Height
- 1 1/2" Width



BL 3018

- 3 1/8" Projection
- 3 1/8" Height
- 3" Width



BL 2731

- 5 1/2" Projection
- 5 1/2" Height
- 3 1/2" Width



BL 2751

- 6" Projection
- 6" Height
- 4" Width



BL 2976

- 11 1/4" Projection
- 11 1/4" Height
- 3 1/2" Width



BL 2750

- 12" Projection
- 12" Height
- 8" Width



BL 3021

- 9 3/4" Projection
- 11" Height
- 17 3/4" Width



BL 2763

- 12" Projection
- 14" Height
- 2" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



Photo above shows the use of Spectis brackets in rough sawn texture



- BL 3189**
- 12" Projection
 - 17" Height
 - 5 1/2" Width



- BL 3114**
- 15 1/4" Projection
 - 24" Height
 - 5 1/4" Width



- BL 2814RS**
- 18" Projection
 - 12" Height
 - 4" Width
 - **ROUGH SAWN**
 - **WOODTONE COLOUR**



- BL 3137**
- 7" Projection
 - 9 1/4" Height
 - 4" Width



- BL 3136**
- 12 3/4" Projection
 - 18" Height
 - 8" Width



- BL 2849**
- 14" Projection
 - 18" Height
 - 4" Width



- BL 2853**
- 24" Projection
 - 24" Height
 - 8" Width



- BL 3181**
- 38" Projection
 - 38" Height
 - 8" Width



- BL 2950**
- 4 1/4" Projection
 - 5 3/4" Height
 - 3" Width



- BL 3134**
- 5" Projection
 - 9 1/4" Height
 - 4" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 3089
• 11" Projection
• 11" Height
• 3" Width



BL 2954
• 12" Projection
• 12" Height
• 4" Width




BL 3171
• 14" Projection
• 14" Height
• 4" Width




BL 2504
• 6" Projection
• 4" Height
• 4" Width



BL 2971
• 7" Projection
• 3 1/2" Height
• 4" Width




BL 2972
• 9" Projection
• 3 1/2" Height
• 4" Width



BL 2593
• 20" Projection
• 14 1/2" Height
• 6" Width



BL 2964
• 10" Projection
• 7" Height
• 3 1/2" Width



BL 3145
• 16" Projection
• 12" Height
• 4 1/2" Width



BL 2826
• 6" Projection
• 6" Height
• 4" Width



BL 2582
• 4 1/2" Projection
• 7 5/16" Height
• 2" Width



BL 2489
• 10" Projection
• 8" Height
• 4" Width



BL 2890
• 9 1/2" Projection
• 10 3/4" Height
• 3 1/2" Width



BL 3184
• 12" Projection
• 23" Height
• 6" Width



BL 3096
• 8" Projection
• 20 1/2" Height
• 4" Width



BL 2719
• 5 1/4" Projection
• 6" Height
• 12" Width



BL 2612
• 5 5/16" Projection
• 5" Height
• 3" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1


Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS



BL 2792
• 3" Projection
• 3" Height
• 6" Width



BL 2857
• 2 7/8" Projection
• 2 3/4" Height
• 6" Width



BL 2884
• 20" Projection
• 15" Height
• 3" Width



BL 3014
• 4" Projection
• 9 1/4" Height
• 3 1/2" Width



BL 2521
• 11 7/8" Projection
• 16" Height
• 3" Width




BL 2532
• 16" Projection
• 17" Height
• 6" Width




BL 2885
• 9 1/4" Projection
• 9 1/4" Height
• 3" Width



BL 3140
• 18" Projection
• 18" Height
• 3 3/8" Width



BL 3170
• 14 1/2" Projection
• 12" Height
• 6" Width



BL 2431
• 14 1/2" Projection
• 14 1/2" Height
• 3 1/2" Width



BL 2480
• 24" Projection
• 24" Height
• 5 1/4" Width



BL 2533
• 12" Projection
• 13" Height
• 5 1/2" Width



BL 3180
• 11 1/2" Projection
• 9 1/2" Height
• 6" Width




BL 2618
• 12" Projection
• 12" Height
• 3 1/2" Width



BL 2639
• 30" Projection
• 30" Height
• 7" Width



BL 2717
• 18" Projection
• 18" Height
• 5 1/4" Width



BL 2810
• 20" Projection
• 19 1/2" Height
• 2" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

BL 2970

- 29 1/2" Projection
- 22" Height
- 3" Width

BL 2577

- 18" Projection
- 16 1/2" Height
- 4" Width

BL 3098

- 36" Projection
- 30" Height
- 7" Width

BL 2589

- 15" Projection
- 20" Height
- 5" Width

BL 2893

- 10" Projection
- 10" Height
- 1 1/2" Width

BL 3168

- 18" Projection
- 18" Height
- 3 1/2" Width

BL 3091WC

- 27" Projection
- 30" Height
- 6" Width

BL 2934

- 27" Projection
- 27" Height
- 6" Width

BL 3128

- 21" Projection
- 30" Height
- 5 1/4" Width

BL 2975

- 29" Projection
- 29" Height
- 5" Width

BL 3010

- 30" Projection
- 30" Height
- 7" Width

BL 3125

- 24" Projection
- 24" Height
- 3" Width

BL 3097

- 30" Projection
- 30" Height
- 7" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 3141
• 36" Projection
• 36" Height
• 3" Width



BL 3037
• 18" Projection
• 24 1/4" Height
• 3 1/2" Width



BL 2859
• 18" Projection
• 24" Height
• 5 1/2" Width



BL 3047
• 18" Projection
• 18" Height
• 4" Width



BL 3042
• 20" Projection
• 20" Height
• 4" Width



BL 2503
• 30 1/8" Projection
• 30 1/8" Height
• 6 1/16" Width



BL 2520
• 29" Projection
• 21 7/16" Height
• 4" Width



BL 2700
• 27 1/2" Projection
• 27 1/2" Height
• 2 1/2" Width



BL 3178
• 44" Projection
• 32" Height
• 5" Width



BL 2601
• 10" Projection
• 10" Height
• 4" Width



BL 2602
• 16" Projection
• 16" Height
• 4" Width



BL 3085
• 24" Projection
• 24" Height
• 4" Width



BL 2446
• 13 1/2" Projection
• 13 1/2" Height
• 3 1/2" Width





BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2721
• 14 1/2" Projection
• 24" Height
• 4" Width



BL 2957
• 22" Projection
• 24" Height
• 5 1/2" Width



BL 3163WG
• 26" Projection
• 24" Height
• 6" Width



BL 2723
• 25" Projection
• 18 1/16" Height
• 6" Width



BL 2594
• 12 3/8" Projection
• 23" Height
• 2 1/2" Width



BL 2688
• 36" Projection
• 30" Height
• 5" Width



BL 2786
• 18" Projection
• 18 1/8" Height
• 6" Width



BL 3084
• 28" Projection
• 22 3/8" Height
• 6" Width



BL 2543
• 12" Projection
• 36 9/16" Height
• 3 1/2" Width



BL 2745
• 18" Projection
• 24" Height
• 6" Width



BL 2746
• 18" Projection
• 36" Height
• 6" Width



BL 2747
• 14" Projection
• 24" Height
• 6" Width



BL 3011
• 13" Projection
• 28" Height
• 6" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 2856

- 23 3/8" Projection
- 44 3/4" Height
- 8" Width



BL 3009

- 26 3/4" Projection
- 29" Height
- 5 1/2" Width



BL 3008

- 56" Projection
- 45" Height
- 5 1/2" Width



BL 3030

- 14 1/2" Projection
- 14 1/2" Height
- 5" Width



BL 3031

- 24" Projection
- 24" Height
- 5" Width



BL 3076

- 24 3/4" Projection
- 42" Height
- 5" Width



BL 2894

- 20 1/2" Projection
- 65 3/4" Height
- 3 3/4" Width



BL 2698

- 30 3/4" Projection
- 30 3/4" Height
- 8" Width




Photo above shows the use of Spectis block BL 2440.






BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2703
• 30 3/4" Projection
• 30 3/4" Height
• 5" Width



BL 2465-15
• 15" Projection
• 24" Height
• 3 1/2" Width

BL 2465-23
• 23" Projection
• 26" Height
• 3 1/2" Width

BL 2465-28
• 28" Projection
• 30" Height
• 3 1/2" Width



BL 2650
• 28" Projection
• 30" Height
• 6" Width



BL 2689
• 30" Projection
• 28" Height
• 4" Width



BL 2735
• 36 1/4" Projection
• 42 1/4" Height
• 3 1/2" Width



BL 3073
• 36 3/4" Projection
• 43 7/8" Height
• 5" Width



BL 2567
• 32" Projection
• 32" Height
• 6" Width



BL 3111
• 34 1/4" Projection
• 41 1/4" Height
• 5 3/4" Width



BL 2879
• 26" Projection
• 46" Height
• 7 1/2" Width



BL 2665
• 17 1/2" Projection
• 17 1/2" Height
• 6" Width



BL 2716
• 22 3/4" Projection
• 22 3/4" Height
• 6" Width



BL 2715
• 29" Projection
• 29" Height
• 6" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 3065

- 47" Projection
- 47" Height
- 8" Width



BL 2831

- 24" Projection
- 25" Height
- 4" Width



BL 3082WG

- 36" Projection
- 46" Height
- 8" Width



BL 3081WG

- 42" Projection
- 41 1/4" Height
- 8" Width



BL 2917

- 37" Projection
- 38" Height
- 3 1/2" Width



BL 2591

- 15" Projection
- 18" Height
- 3 1/2" Width



BL 3035

- 24" Projection
- 26" Height
- 4" Width



BL 3036

- 36" Projection
- 44" Height
- 6" Width



BL 2661

- 24" Projection
- 36" Height
- 7 1/4" Width



BL 2828

- 30" Projection
- 28" Height
- 3 1/2" Width



BL 2869

- 18 5/8" Projection
- 24" Height
- 4" Width

BL 3191

- 24" Projection
- 24" Height
- 4" Width

BL 3192

- 22 1/2" Projection
- 40 1/2" Height
- 4" Width



BL 3104

- 23" Projection
- 34" Height
- 3" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2555
• 30 1/2" Projection
• 27 1/2" Height
• 3 1/2" Width



BL 2844
• 30 1/2" Projection
• 27 1/2" Height
• 6" Width



BL 2468
• 15 7/8" Projection
• 15 7/8" Height
• 2" Width



BL 2576
• 32" Projection
• 32" Height
• 4" Width



BL 2671
• 11 1/2" Projection
• 11 1/2" Height
• 3" Width



BL 2672
• 17 1/2" Projection
• 17 1/2" Height
• 3" Width



BL 3013
• 23 7/8" Projection
• 23 7/8" Height
• 4 1/2" Width



BL 3144
• 32 1/2" Projection
• 47 1/2" Height
• 6" Width



BL 3160
• 24" Projection
• 43" Height
• 5 1/2" Width



BL 2499
• 33" Projection
• 42" Height
• 3 1/2" Width



BL 2541
• 26" Projection
• 27" Height
• 4 1/2" Width



BL 3046
• 32" Projection
• 32" Height
• 6" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 3045
• 40" Projection
• 40" Height
• 6" Width



BL 2775
• 41 1/2" Projection
• 48" Height
• 7 1/4" Width



BL 2777
• 24" Projection
• 26" Height
• 5 1/2" Width



BL 2892
• 19 1/2" Projection
• 31 1/2" Height
• 7 1/2" Width



BL 3071
• 26 3/8" Projection
• 28 3/8" Height
• 6" Width



BL 3175
• 12" Projection
• 24" Height
• 3 1/2" Width



BL 2565
• 18" Projection
• 30" Height
• 4" Width



BL 2614
• 15" Projection
• 18" Height
• 6" Width



BL 3188
• 9" Projection
• 11" Height
• 3 1/2" Width



BL 3187
• 16" Projection
• 18" Height
• 3 1/2" Width



BL 3050
• 16" Projection
• 18" Height
• 3" Width



BL 3101
• 31" Projection
• 30" Height
• 5" Width

BL 2821
• 13 1/2" Projection
• 15" Height
• 2 1/2" Width

www.spectis.com



Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

BL 3064

- 20" Projection
- 22" Height
- 3" Width

BL 3132

- 18 3/4" Projection
- 24" Height
- 3 1/2" Width

BL 2559

- 27 1/4" Projection
- 25 1/2" Height
- 3 1/2" Width

BL 2558

- 15 1/4" Projection
- 13 1/2" Height
- 3 1/2" Width

BL 2701

- 25" Projection
- 25" Height
- 3 1/2" Width

BL 2928

- 25" Projection
- 27 1/2" Height
- 3 1/2" Width

BL 3020

- 28 1/2" Projection
- 40" Height
- 5 1/2" Width

BL 3034

- 32 3/4" Projection
- 34 3/4" Height
- 5 1/2" Width

BL 3051

- 36" Projection
- 36" Height
- 6" Width

BL 2868

- 36" Projection
- 36" Height
- 5" Width

BL 3086

- 48" Projection
- 48" Height
- 4" Width

BL 3017

- 35" Projection
- 40" Height
- 6" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1

Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS



BL 2606

- 12" Projection
- 28 1/4" Height
- 5 1/4" Width



BL 2608

- 10" Projection
- 8" Height
- 3 1/2" Width



BL 3060

- 11" Projection
- 9" Height
- 3 1/2" Width




BL 2863

- 14" Projection
- 10" Height
- 4 1/2" Width



BL 2942

- 28 1/4" Projection
- 9" Height
- 5 1/4" Width



BL 2607

- 22" Projection
- 29" Height
- 4" Width
- 6/12 Pitch



BL 2994

- 32 1/2" Projection
- 32 1/2" Height
- 4" Width



BL 2712

- 32" Projection
- 30" Height
- 7" Width



BL 2713

- 44" Projection
- 44" Height
- 10" Width



BL 2943

- 24" Projection
- 25 1/4" Height
- 2 1/2" Width



BL 2945

- 13 1/4" Projection
- 13 1/4" Height
- 2 1/2" Width





BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2962
• 40" Projection
• 40" Height
• 4" Width




BL 3123
• 40" Projection
• 40" Height
• 5 1/2" Width



BL 2727
• 24" Projection
• 22" Height
• 2" Width

BL 3138
• 38 1/2" Projection
• 31" Height
• 5" Width



BL 2615
• 43 3/4" Projection
• 35 3/8" Height
• 6" Width



BL 2681
• 24" Projection
• 30" Height
• 4" Width



BL 2811
• 22" Projection
• 56" Height
• 6" Width
• 4/12 Pitch



BL 3116
• 34 1/4" Projection
• 48" Height
• 6" Width



BL 2852
• 24" Projection
• 26" Height
• 12" Width



BL 2649
• 4 1/2" Projection
• 4 7/16" Height
• 2 7/8" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 3162
• 38" Projection
• 48" Height
• 3 1/2" Width



BL 2832
• 35" Projection
• 65 1/2" Height
• 6" Width



Photo above show the use of Spectis custom brackets & moulding



BL 3053
• 58" Projection
• 80" Height
• 14" Width



BL 2598
• 31 1/2" Projection
• 31 1/2" Height
• 6" Width



BL 2793
• 21" Projection
• 21" Height
• 4" Width

FINISHING

All Spectis' products are shipped "double primed" with an exterior grade latex paint and are ready for use. We recommend final finishing after installation is complete for the most consistent appearance possible. Please see "finishing" recommendations (on page 267) for more information.



BL 2995
• 21 1/2" Projection
• 21 1/2" Height
• 4" Width



BL 2645
• 11" Projection
• 17" Height
• 2 7/8" Width

www.spectis.com



Blocks may come with hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2938

- 36 1/8" Projection
- 36 1/8" Height
- 6" Width



BL 3103

- 20" Projection
- 36 1/8" Height
- 6" Width



BL 2891

- 30" Projection
- 30" Height
- 6" Width



BL 3022

- 30" Projection
- 30" Height
- 4" Width



BL 2996

- 43 1/4" Projection
- 43 1/4" Height
- 4" Width



BL 2675

- 18" Projection
- 16" Height
- 3 1/2" Width



BL 2720RS

- 12 7/8" Projection
- 12 7/8" Height
- 2 3/4" Width
- **ROUGH SAWN**
- **WOODTONE COLOUR**



BL 2451

- 12 1/2" Projection
- 10 1/8" Height
- 7 1/4" Width



BL 2599

- 11" Projection
- 9" Height
- 7 1/4" Width



BL 2600

- 9 3/4" Projection
- 9" Height
- 5" Width



BL 2452

- 12" Projection
- 9" Height
- 4 1/2" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 2453
• 8 15/16" Projection
• 6 13/16" Height
• 3 3/8" Width



BL 2642PC
• 8 7/8" Projection
• 9" Height
• 2 1/2" Width
• PECKY CYPRESS
• WOODTONE COLOUR



BL 3072
• 8 3/8" Projection
• 10 3/4" Height
• 4" Width



BL 3078
• 14" Projection
• 15 1/8" Height
• 6" Width



BL 3079
• 14" Projection
• 19 3/8" Height
• 6" Width



BL 3074
• 14" Projection
• 22" Height
• 7" Width



BL 3075
• 15 1/2" Projection
• 37 7/8" Height
• 8" Width



BL 2900
• 16" Projection
• 18" Height
• 6" Width



BL 2966
• 11" Projection
• 11" Height
• 6" Width



BL 3058
• 10 1/2" Projection
• 8 3/4" Height
• 7 1/2" Width



BL 2686
• 12" Projection
• 16 1/2" Height
• 3" Width





BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2505

- 15" Projection
- 19 1/16" Height
- 3 1/2" Width



BL 2507

- 11" Projection
- 15" Height
- 3 1/2" Width



BL 2673

- 7 1/2" Projection
- 10 5/8" Height
- 3" Width



BL 2636

- 6 7/8" Projection
- 8 1/2" Height
- 6" Width



BL 2955

- 18 1/2" Projection
- 18 1/2" Height
- 6" Width



BL 3000

- 18" Projection
- 30" Height
- 9 1/4" Width



BL 3001

- 18" Projection
- 48" Height
- 9 1/4" Width



BL 2430

- 10 1/2" Projection
- 12 1/2" Height
- 1" Width



BL 2482

- 17 1/2" Projection
- 23 3/8" Height
- 4 1/4" Width



BL 2510A


- 10" Projection
- 10 9/16" Height
- 3 5/8" Width

BL 2510B

- 11 7/8" Projection
- 13 15/16" Height
- 4 1/4" Width

BL 2510C

- 15" Projection
- 18" Height
- 5 3/4" Width



BL 2511A

- 10" Projection
- 10 9/16" Height
- 3 5/8" Width

BL 2511B

- 11 7/8" Projection
- 14" Height
- 4 1/4" Width

BL 2511C

- 15" Projection
- 18" Height
- 5 3/4" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



BL 2730-10

- 10" Projection
- 12" Height
- 5" Width

BL 2730-12

- 12" Projection
- 16" Height
- 5" Width



BL 2990

- 17 1/8" Projection
- 14" Height
- 3 3/16" Width



BL 3004

- 15 1/2" Projection
- 21 1/2" Height
- 5" Width




BL 3107

- 15 3/16" Projection
- 15 15/16" Height
- 8 11/16" Width



BL 2787

- 11 1/2" Projection
- 11 3/4" Height
- 3 1/2" Width



BL 2788

- 8 1/2" Projection
- 9" Height
- 3 1/2" Width



BL 3019

- 9 1/4" Projection
- 14" Height
- 5" Width



BL 2579

- 17 1/4" Projection
- 19 1/2" Height
- 7 3/4" Width



BL 2437

- 11" Projection
- 15 1/2" Height
- 2 1/2" Width



BL 3186

- 11 5/8" Projection
- 5 1/2" Height
- 2 1/2" Width





BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



BL 2506

- 14 1/2" Projection
- 14 1/2" Height
- 1" Width



BL 2603

- 4 3/4" Projection
- 4 3/4" Height
- 3/4" Width



BL 2850

- 14 3/4" Projection
- 15 1/2" Height
- 4 3/4" Width



BL 2596

- 9 1/2" Projection
- 17 1/4" Height
- 2" Width



BL 2434

- 12" Projection
- 12" Height
- 1" Width



BL 2478

- 15 1/4" Projection
- 21" Height
- 3" Width



BL 2561

- 26" Projection
- 26" Height
- 4" Width



BL 2529

- 12 3/16" Projection
- 12 3/16" Height
- 1" Width



BL 2568

- 15 7/8" Projection
- 15 7/8" Height
- 2" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs

BLOCKS, BRACKETS & GINGERBREADS



GINGERBREADS



GB 3300

- 1 1/8" Projection
- 8 3/8" Height
- 11 3/8" Width
- Apply to BL 2456



GB 3301

- 1 1/8" Projection
- 10 3/8" Height
- 10 1/2" Width
- Apply to BL 2456



GB 3302

- 1 1/8" Projection
- 8 1/4" Height
- 9 1/8" Width
- Apply to BL 2457



GB 3303

- 1 1/2" Projection
- 7 1/2" Height
- 6 1/2" Width
- Apply to BL 2457




GB 3304

- 1 1/8" Projection
- 6 5/8" Height
- 7 5/8" Width
- Apply to BL 2458



GB 3305

- 1 1/8" Projection
- 7 5/8" Height
- 7 5/8" Width
- Apply to BL 2458



GB 3306

- Adjustable 12/12 Pitch

GB 3307A

WITHOUT FRAME

- 17 3/4" Projection
- 6" Height
- 1" Width

GB 3308A

WITHOUT FRAME

- 21 15/16" Projection
- 7 3/8" Height
- 1" Width

GB 3307B

WITH FRAME

- 20 1/4" Projection
- 8 1/2" Height
- 1 1/2" Width

GB 3308B

WITH FRAME

- 24" Projection
- 9 7/8" Height
- 1 1/2" Width





BLOCKS, BRACKETS & GINGERBREADS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




GB 3309
• 9 1/4" Projection
• 18 3/4" Height
• 3/4" Width



GB 3310
• 13 1/4" Projection
• 5 5/8" Height
• 1 3/4" Width




GB 3311
• 19" Projection
• 8 1/2" Height
• 1 3/4" Width




GB 3312
• 19 1/2" Projection
• 10 1/4" Height
• 1" Width

GINGERBREADS



GB 3313 - 5/12
Gable Bracket
• 24 1/4" Height
• 35 7/16" Width
• 5/12 Pitch



GB 3314
• 10" Projection
• 6 1/16" Height
• 1" Width

GB 3313 - 6/12
Gable Bracket
• 24 1/4" Height
• 34 5/16" Width
• 6/12 Pitch

GB 3315
• 20 1/2" Projection
• 13 1/2" Height
• 1 1/2" Width



GB 3316
• 17 1/2" Projection
• 18" Height
• 1 1/4" Width



GB 3317-3/12
• 13 1/2" Projection
• 16" Height
• 2" Width
• 3/12 Pitch

GB 3317-6/12
• 13 1/2" Projection
• 16" Height
• 2" Width
• 6/12 Pitch



GB 3318
• 1/4" Projection
• 7 15/16" Height
• 8 3/4" Width

GB 3319
• 1/4" Projection
• 7 15/16" Height
• 8 3/4" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1

Blocks may come with
hollows in tops and/or backs



BLOCKS, BRACKETS & GINGERBREADS



GB 3320

- 20 1/16" Projection
- 24 7/8" Height
- 1" Width



GB 3321

- 21 1/2" Projection
- 21 7/8" Height
- 1" Width



GB 3322

- 18 1/4" Projection
- 18 3/4" Height
- 2 1/2" Width



GB 3324

- 24" Projection
- 24" Height
- 3" Width

GB 3334

- 33" Projection
- 33" Height
- 4" Width

GINGERBREADS



GB 3330

- 25" Projection
- 18" Height
- 2" Width



GB 3331

- 19 3/4" Projection
- 7 7/8" Height
- 2" Width



GB 3332

- 11 1/2" Projection
- 7 3/4" Height
- 1" Width



GB 3333

- 12" Projection
- 12" Height
- 2 1/16" Width



Photo above shows the use of a custom Spectis lattice with porch post PP 3201, baluster BAL 2028-9 and gingerbread GB 3315.





BLOCKS, BRACKETS & GINGERBREADS


NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

GINGERBREADS

GB 3323

• 2 1/2" Projection



PRODUCT NUMBER	PITCH	WIDTH	HEIGHT
GB 3323 - 4/12	4/12	132"	22"
GB 3323 - 5/12	5/12	108"	22 1/2"
GB 3323 - 6/12	6/12	103 1/2"	25 7/8"
GB 3323 - 7/12	7/12	96"	28"
GB 3323 - 8/12	8/12	87 1/4"	29"
GB 3323 - 9/12	9/12	86"	32 1/4"
GB 3323 - 10/12	10/12	81"	33 3/4"
GB 3323 - 11/12	11/12	75"	34 3/8"
GB 3323 - 12/12	12/12	70"	35"
GB 3323 - 13/12	13/12	66"	35 3/4"
GB 3323 - 14/12	14/12	64 1/8"	37 7/16"
GB 3323 - 15/12	15/12	65"	40 5/8"
GB 3323 - 16/12	16/12	60 3/4"	40 1/2"
GB 3323 - 18/12	18/12	60"	45"

GB 3325


• 1" Projection



PRODUCT NUMBER	PITCH	WIDTH	HEIGHT
GB 3325 - 4/12	4/12	132"	22"
GB 3325 - 5/12	5/12	105 5/8"	22"
GB 3325 - 6/12	6/12	103 1/2"	25 7/8"
GB 3325 - 7/12	7/12	95 1/8"	27 3/4"
GB 3325 - 8/12	8/12	87 3/4"	29 1/4"
GB 3325 - 9/12	9/12	85 5/16"	32"
GB 3325 - 10/12	10/12	79 1/2"	33 1/8"
GB 3325 - 11/12	11/12	75"	34 3/8"
GB 3325 - 12/12-68	12/12	68"	34"
GB 3325 - 12/12-81	12/12	81"	40 1/2"
GB 3325 - 13/12	13/12	62 5/16"	33 3/4"
GB 3325 - 14/12	14/12	65 1/8"	38"
GB 3325 - 15/12	15/12	65"	40 5/8"
GB 3325 - 16/12	16/12	61 1/8"	40 3/4"
GB 3325 - 18/12	18/12	60"	45"

GB 3326


• 1" Projection



PRODUCT NUMBER	PITCH	WIDTH	HEIGHT
GB 3326 - 4/12	4/12	121"	22 1/8"
GB 3326 - 5/12	5/12	98"	22 1/8"
GB 3326 - 6/12	6/12	97"	25 1/2"
GB 3326 - 7/12	7/12	90 1/2"	28"
GB 3326 - 8/12	8/12	82 1/2"	29"
GB 3326 - 9/12	9/12	82 3/8"	32 1/4"
GB 3326 - 10/12	10/12	79 1/4"	34 1/4"
GB 3326 - 11/12	11/12	72 1/4"	34 1/4"
GB 3326 - 12/12 - 48	12/12	45 7/8"	24"
GB 3326 - 12/12 - 74	12/12	74 7/8"	38 1/2"
GB 3326 - 13/12	13/12	64 1/4"	35 3/4"
GB 3326 - 14/12	14/12	63"	37 5/8"
GB 3326 - 15/12	15/12	63 3/4"	40 5/8"
GB 3326 - 16/12	16/12	59"	40 1/16"
GB 3326 - 18/12	18/12	59 1/4"	45"

GB 3327

• 1 3/4" Projection



PRODUCT NUMBER	PITCH	WIDTH	HEIGHT
GB 3327 - 5/12 - 98	5/12	98"	20 7/16"
GB 3327 - 5/12 - 148	5/12	148"	30 13/16"
GB 3327 - 6/12	6/12	92"	23"
GB 3327 - 7/12	7/12	84"	24 1/2"
GB 3327 - 8/12	8/12	84"	28"
GB 3327 - 9/12	9/12	88 5/8"	33 1/4"
GB 3327 - 10/12	10/12	78"	32 1/2"
GB 3327 - 12/12 - 36	12/12	36 1/4"	18 1/8"
GB 3327 - 12/12 - 68	12/12	67 3/4"	33 7/8"
GB 3327 - 12/12 - 132	12/12	132"	66"
GB 3327 - 14/12	14/12	66"	38 1/2"
GB 3327 - 16/12	16/12	60"	40"

1 • 8 0 0 • 6 8 5 • 9 9 8 1



Blocks may come with
hollows in tops and/or backs



SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

COLUMNS & PORCH POSTS





COLUMNS & PORCH POSTS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

SPECTIS RESERVES THE RIGHT TO HOLLOW OUT THE BACK OF ANY PRODUCT WITHOUT NOTICE. SOME PRODUCTS MAY BE MADE AS ASSEMBLIES.

COLUMN SHAFTS

Available in 8', 10' & 12' Heights

SMOOTH TAPERED



CLM100-8"
CLM100-10"
CLM100-12"
CLM100-14"
CLM100-16"

FLUTED TAPERED



CLM200-8"
CLM200-10"
CLM200-12"
CLM200-14"
CLM200-16"
** Shown with optional Neck Ring*

SMOOTH STRAIGHT



CLM300-6"
CLM300-8"
CLM300-10"
CLM300-12"
CLM300-14"
CLM300-16"

FLUTED STRAIGHT



CLM230-8"
CLM230-10"
CLM230-12"
CLM230-14"
CLM230-16"

ROPE COLUMN



CLM400-6"
CLM400-8"
CLM400-10"
CLM400-12"



Photo above shows the use of Spectis balusters, top & bottom rails, custom newel posts & caps and columns with caps & bases

1 • 8 0 0 • 6 8 5 • 9 9 8 1



COLUMNS & PORCH POSTS



COLUMN SHAFTS, CAPS & BASES SOLD SEPARATELY.

These Spectis Columns are available in both decorative and structural.

See page 265-266 for column installation instructions.

COLUMN STYLE	PRODUCT #	DIAMETER	BASE	TOP	SHAFT HEIGHT
SMOOTH TAPERED	CLM100-8	8"	8"	6"	8',10',12'
	CLM100-10	10"	10"	8"	8',10',12'
	CLM100-12	12"	12"	10"	8',10',12'
	CLM100-14	14"	14"	12"	8',10',12'
	CLM100-16	16"	16"	14"	8',10',12'
FLUTED TAPERED	CLM200-8	8"	8"	6"	8',10',12'
	CLM200-10	10"	10"	8"	8',10',12'
	CLM200-12	12"	12"	10"	8',10',12'
	CLM200-14	14"	14"	12"	8',10',12'
	CLM200-16	16"	16"	14"	8',10',12'
FLUTED STRAIGHT	CLM230-8	8"	8"	8"	8',10',12'
	CLM230-10	10"	10"	10"	8',10',12'
	CLM230-12	12"	12"	12"	8',10',12'
	CLM230-14	14"	14"	14"	8',10',12'
	CLM230-16	16"	16"	16"	8',10',12'
SMOOTH STRAIGHT	CLM300-6	6"	6"	6"	8',10',12'
	CLM300-8	8"	8"	8"	8',10',12'
	CLM300-10	10"	10"	10"	8',10',12'
	CLM300-12	12"	12"	12"	8',10',12'
	CLM300-14	14"	14"	14"	8',10',12'
	CLM300-16	16"	16"	16"	8',10',12'
ROPE	CLM400-6	6"	6"	6"	8',10',12'
	CLM400-8	8"	8"	8"	8',10',12'
	CLM400-10	10"	10"	10"	8',10',12'
	CLM400-12	12"	12"	12"	8',10',12'

Maximum safe load 10,000 pounds and comes with hardware kit

Load bearing column with 4 1/2" O.D. (outside diameter)
aluminum pipe incased in polyurethane

Pipe height may vary depending on which cap and base are chosen

www.spectis.com





COLUMNS & PORCH POSTS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

CAPS, BASES & NECK RINGS

TUSCAN CAP



CAP100-6"
CAP100-8"
CAP100-10"
CAP100-12"
CAP100-14"
CAP100-16"

TUSCAN BASE



BSE100-6"
BSE100-8"
BSE100-10"
BSE100-12"
BSE100-14"
BSE100-16"

ROPE CAP



CAP900-8"
CAP900-10"
CAP900-12"

CORINTHIAN CAP



CAP500-6"
CAP500-8"
CAP500-10"
CAP500-12"
CAP500-14"
CAP500-16"

PLAIN CAP/BASE



CB400-6"
CB400-8"
CB400-10"
CB400-12"
CB400-14"
CB400-16"

ROPE BASE




BSE900-8"
BSE900-10"
BSE900-12"

SCAMOZZI CAP



CAP700-6"
CAP700-8"
CAP700-10"
CAP700-12"
CAP700-14"
CAP700-16"

ATTIC BASE



BSE600-6"
BSE600-8"
BSE600-10"
BSE600-12"
BSE600-14"
BSE600-16"

NECK RING



NR-6"
NR-8"
NR-10"
NR-12"
NR-14"
NR-16"


1 • 8 0 0 • 6 8 5 • 9 9 8 1



COLUMNS & PORCH POSTS




Caps & Bases Dimensions


STYLE	PRODUCT #	"D" HOLE DIAMETER	"W" WIDTH	"H" HEIGHT
TUSCAN CAP 	CAP100-6	6 1/4"	9 1/2"	2 1/2"
	CAP100-8	8 1/4"	11 1/2"	2 3/4"
	CAP100-10	10 1/4"	13 3/4"	3 1/4"
	CAP100-12	12 1/4"	15 3/4"	3 1/2"
	CAP100-14	14 1/4"	18 3/4"	4"
	CAP100-16	16 1/4"	20 3/4"	4 1/2"

SCAMOZZI CAP 	CAP700-6	6 1/4"	10"	4 1/4"
	CAP700-8	8 1/4"	13 1/4"	5 3/4"
	CAP700-10	10 1/4"	16 1/2"	7 1/4"
	CAP700-12	12 1/4"	19 3/4"	8 1/2"
	CAP700-14	14 1/4"	23"	10"
	CAP700-16	16 1/4"	26 1/4"	11 1/2"


CORINTHIAN CAP* 	CAP500-6	N/A	10"	7"
	CAP500-8	N/A	12 3/4"	9 1/4"
	CAP500-10	N/A	16"	11 3/4"
	CAP500-12	N/A	19"	14"
	CAP500-14	N/A	22"	16"
	CAP500-16	N/A	25"	18 1/2"

*Cap to sit on top of column


TUSCAN BASE 	BSE100-6	6 1/4"	9 1/2"	4 3/4"
	BSE100-8	8 1/4"	11 1/2"	5 1/4"
	BSE100-10	10 1/4"	13 3/4"	5 3/4"
	BSE100-12	12 1/4"	15 3/4"	6 1/4"
	BSE100-14	14 1/4"	18 3/4"	6 3/4"
	BSE100-16	16 1/4"	20 3/4"	7 1/4"

ATTIC BASE 	BSE600-6	6 1/4"	8 1/2"	3 5/8"
	BSE600-8	8 1/4"	11"	4 3/4"
	BSE600-10	10 1/4"	13 1/2"	5 5/8"
	BSE600-12	12 1/4"	16"	6 7/8"
	BSE600-14	14 1/4"	18 3/4"	8 1/4"
	BSE600-16	16 1/4"	21 1/2"	9 1/2"

STYLE	PRODUCT #	"D" HOLE DIAMETER	"W" WIDTH	"H" HEIGHT
PLAIN CAP/BASE 	CB400-6	6 1/4"	8 1/2"	2 3/4"
	CB400-8	8 1/4"	10 1/2"	2 3/4"
	CB400-10	10 1/4"	12 1/2"	2 3/4"
	CB400-12	12 1/4"	14 1/2"	2 3/4"
	CB400-14	14 1/4"	16 1/2"	2 3/4"
	CB400-16	16 1/4"	18 1/2"	2 3/4"


ROPE CAP* 	CAP900-8	N/A	12 1/2"	11 1/4"
	CAP900-10	N/A	15 1/2"	14"
	CAP900-12	N/A	19 3/8"	17 1/2"

*Rope caps and bases (CAP900 & BSE900) are shipped split to provide hardware access

ROPE BASE* 	BSE900-8	N/A	9"	7 3/4"
	BSE900-10	N/A	11 1/4"	9 1/2"
	BSE900-12	N/A	14"	11 3/8"

*Column to sit on base

Neck Ring Dimensions

STYLE	PRODUCT #	HOLE SIZE	OUTSIDE DIAMETER	HEIGHT
NECK RING 	NR-6	6"	7 1/2"	1"
	NR-8	8"	9 1/2"	1"
	NR-10	10"	11 1/2"	1"
	NR-12	12"	13 1/2"	1"
	NR-14	14"	15 1/2"	1"
	NR-16	16"	17 1/2"	1"

*Ship Split with 1/4" long extensions for field trimming



Photo right shows the use of Spectis columns with Scamozzi caps and Tuscan bases, custom moulding and custom trellis system






COLUMNS & PORCH POSTS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

BOX COLUMNS



FLUTED BOX COLUMN
FBC

FLUTED BOX COLUMN WITH STEEL INSERT
FBCS



SMOOTH BOX COLUMN
SBC

SMOOTH BOX COLUMN WITH STEEL INSERT
SBCS



RECESSED BOX COLUMN
RBC



Photo above shows Spectis custom box column on a new home under construction

FBC, RBC & SBC COLUMNS

- Available in two halves or assembled in one piece.
- Column is decorative (non supporting) however can be wrapped around an existing support.

SBCS, RBCS & FBCS COLUMNS

- Comes complete with hardware kit
- Load bearing column with 2 7/8" or 4 1/2" O.D. (outside diameter) aluminum pipe encased in polyurethane.
- Maximum safe load 10,000 pounds

BOX COLUMNS

PRODUCT NUMBER				BOX DIMENSION	
DECORATIVE	STRUCTURAL	STYLE	HEIGHT	BASE SIZE	COLUMN SIZE
FBC 860	FBCS 860	Fluted	60"	8" x 8"	6" x 6"
FBC 896	FBCS 896	Fluted	96"	8" x 8"	6" x 6"
FBC 1060	FBCS 1060	Fluted	60"	10 1/2" x 10 1/2"	8" x 8"
FBC 1096	FBCS 1096	Fluted	96"	10 1/2" x 10 1/2"	8" x 8"
FBC 8120	FBCS 8120	Fluted	120"	8" x 8"	6" x 6"
FBC 10108	FBCS 10108	Fluted	108"	10 1/2" x 10 1/2"	8" x 8"
FBC 10116	FBCS 10116	Fluted	116"	10 1/2" x 10 1/2"	8" x 8"
FBC 12120	FBCS 12120	Fluted	120"	12 5/8" x 12 5/8"	11" x 11"
RBC 860	RBCS 860	Recessed	60"	8" x 8"	6 1/2" x 6 1/2"
RBC 896	RBCS 896	Recessed	96"	8" x 8"	6 1/2" x 6 1/2"
RBC 1096	RBCS 1096	Recessed	96"	10" x 10"	8 1/2" x 8 1/2"
RBC 10108	RBCS 10108	Recessed	108"	10" x 10"	8 1/2" x 8 1/2"
SBC 860	SBCS 860	Smooth	60"	8 3/4" x 8 3/4"	6" x 6"
SBC 896	SBCS 896	Smooth	96"	8 3/4" x 8 3/4"	6" x 6"
SBC 1060	SBCS 1060	Smooth	60"	10 3/4" x 10 3/4"	8" x 8"
SBC 1096	SBCS 1096	Smooth	96"	10 3/4" x 10 3/4"	8" x 8"
SBC 8120	SBCS 8120	Smooth	120"	8 3/4" x 8 3/4"	6" x 6"
SBC 8144	SBCS 8144	Smooth	144"	8 3/4" x 8 3/4"	6" x 6"
SBC 10120	SBCS 10120	Smooth	120"	10 3/4" x 10 3/4"	8" x 8"
SBC 10144	SBCS 10144	Smooth	144"	10 3/4" x 10 3/4"	8" x 8"


1 • 8 0 0 • 6 8 5 • 9 9 8 1



COLUMNS & PORCH POSTS



PORCH POSTS



PP 3200

- 5 1/4" Projection
- 5 1/4" Width
- 108 1/8" Height

PP 3209

- 5 1/4" Projection
- 5 1/4" Width
- 144" Height

PP 3212

- 6" Projection
- 6" Width
- 120" Height

PP 3201

- 5 1/2" Projection
- 5 1/2" Width
- 96" Height

PP 3210

- 5 1/2" Projection
- 5 1/2" Width
- 98" Height

PP 3202

- 5 1/2" Projection
- 5 1/2" Width
- 126 1/4" Height

PP 3203

- 5 3/8" Projection
- 5 3/8" Width
- 108 1/4" Height

PP 3211

- 6" Projection
- 6" Width
- 135" Height

www.spectis.com






COLUMNS & PORCH POSTS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

PORCH POSTS

LAMP POSTS



PP 3204

- 10 1/2" Square Base Width
- 147 3/4" Height

PP 3205

- 9 1/2" Projection
- 9 1/2" Width
- 128" Height

PP 3206

- 5 1/2" Projection
- 5 1/2" Width
- 128" Height

PP 3207

- 5 1/2" Projection
- 5 1/2" Width
- 138" Height

PP 3208

- 6" Projection
- 6" Width
- 85" Height

- Shipped with hardware kit and trim collars similar as shown on the bottom of PP 3204 and PP 3205.
- Load bearing porch post with 2 7/8" O.D. galvanized steel pipe encased in polyurethane.

- Maximum safe load 12,000 pounds.
- Porch posts installation instructions on page 265-266.
- O.D. refers to outside diameter.

LP 3700

- 5 1/2" Bottom
- 3 1/2" Top
- 96" Height

Lamp posts come with a 3" O.D. galvanized steel pipe extending 1 3/4" from the top to attach the light fixture to. (light fixture not included)

1 • 8 0 0 • 6 8 5 • 9 9 8 1





SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

ENTRANCE & WINDOW SYSTEMS






ENTRANCE & WINDOW SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

SPECTIS RESERVES THE RIGHT TO HOLLOW OUT THE BACK OF ANY PRODUCT WITHOUT NOTICE. SOME PRODUCTS MAY BE MADE AS ASSEMBLIES.


WINDOW HEADERS




CSH 1004 (See MD 1004 on page 212)
• 3 1/2" Projection • 12 3/4" Height • Matches K 2708




CSH 1006 (See MD 1006 on page 200)
• 5" Projection • 14" Height • Matches K 2717




CSH 1015 (See MD 1015 on page 199)
• 4 1/4" Projection • 9 3/8" Height • Matches K 2700



CSH 1018 (See MD 1018 on page 227)
• 1 1/2" Projection • 9" Height • Matches K 2716




CSH 1025 (See MD 1025 on page 210)
• 1 5/8" Projection • 5 1/2" Height • Matches K 2703




CSH 1035 (See MD 1035 on page 198)
• 3" Projection • 9" Height • Matches K 2701




CSH 1038 (See MD 1038 on page 175)
• 5 3/4" Projection • 8 5/8" Height




CSH 1052 (See MD 1052 on page 197)
• 3 3/4" Projection • 6" Height • Matches K 2702



CSH 1142 (See MD 1142 on page 200)
• 6" Projection • 7" Height • Matches K 2718



CSH 1158 (See MD 1158 on page 195)
• 3" Projection • 5" Height • Matches K 2719



CSH 1252 (See MD 1252 on page 199)
• 4" Projection • 10" Height • Matches K 2715

1 • 8 0 0 • 6 8 5 • 9 9 8 1




ENTRANCE & WINDOW SYSTEMS




ALL HEADERS COME WITH RETURNED ENDS.

Keystones available on page 125 and 126.

WINDOW HEADERS




CSH 1267 (See MD 1267 on page 196)
• 2 7/8" Projection • 6" Height • Matches K 2714




CSH 1336 (See MD 1336 on page 199)
• 4" Projection • 9 1/4" Height • Matches K 2720



CSH 1316 (See MD 1316 on page 175)
• 4 1/4" Projection • 9 3/8" Height



CSH 1354 (See MD 1354 on page 196)
• 4 1/2" Projection • 9 3/4" Height • Matches K 2727




CSH 1335 (See MD 1335 on page 199)
• 4" Projection • 9 1/4" Height



CSH 1403 (See MD 1403 on page 198)
• 4 1/2" Projection • 12" Height

HOW TO ORDER A CUSTOM HEADER

1. Select the moulding profile. **CSH (MOULDING PROFILE DIGITS ONLY) – (LENGTH)**
2. Determine breastboard length. **EXAMPLE: CSH 1252 – 36**



← 36" →
(Breast Board – Not OverAll)





ENTRANCE & WINDOW SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

FINISHING

All Spectis' products are shipped "double primed" with an exterior grade latex paint and are ready for use. We recommend final finishing after installation is complete for the most consistent appearance possible. Please see "finishing" recommendations (on page 267) for more information.



PILASTERS					ENTRANCE SYSTEM CHART						
5"	6"	7"	8"	9"	DESCRIPTION	PRODUCT NUMBER	"A"	"B"	PROJECTION	PITCH	"E" HEIGHT
"C" DIMENSIONS							WIDTH	WIDTH			
40"	38"	36"	34"	32"	Crosshead w/Trim Strip	CHT 5009	50"		4"		9 1/4"
					Crosshead w/Trim Ex-Strip	CHT 5011	50"		4"		11"
					Crosshead w/Dentil	CHD 5009	50"		4"		9 1/4"
					Acorn Pediment	AP 5315		53 3/4"	4 1/16"	6/12	15"
					Sunburst Pediment	SP 5315		53 7/8"	5 7/8"		14 13/16"
					Peaked Pediment	PP 5314		53 1/2"	4"	6/12	14 1/2"
					Rams Head Pediment	RH 5319		53 1/2"	6"		19 1/2"
44"	42"	40"	38"	36"	Crosshead w/Trim Strip	CHT 5409	54"		4"		9 1/4"
					Crosshead w/Trim Ex-Strip	CHT 5411	54"		4"		11"
					Crosshead w/Dentil	CHD 5409	54"		4"		9 1/4"
					Acorn Pediment	AP 5716		57 5/16"	4 1/16"	5.5/12	16 1/16"
					Sunburst Pediment	SP 5716		57"	5"		16"
					Peaked Pediment	PP 5715		57 5/16"	4"	6/12	15 5/16"
					Rams Head Pediment	RH 5718		57 9/16"	6"		18 1/2"
56"	54"	52"	50"	48"	Crosshead w/Trim Strip	CHT 6609	66"		4"		9 1/4"
					Crosshead w/Trim Ex-Strip	CHT 6611	66"		4"		11"
					Crosshead w/Dentil	CHD 6609	66"		4"		9 1/4"
					Acorn Pediment	AP 7018		71 1/8"	4 1/32"	6/12	18 3/16"
					Sunburst Pediment	SP 7018		73 3/8"	5 5/8"		18 1/4"
					Peaked Pediment	PP 7018		70 5/8"	4"	6/12	18 3/8"
					Rams Head Pediment	RH 7022		70 11/16"	6"		22 9/16"
71"	69"	67"	65"	63"	Crosshead w/Trim Strip	CHT 8109	81"		4"		9 1/4"
					Crosshead w/Trim Ex-Strip	CHT 8111	81"		4"		11"
					Crosshead w/Dentil	CHD 8109	81"		4"		9 1/4"
					Acorn Pediment	AP 8421		85"	4"	5.5/12	21 7/16"
					Sunburst Pediment	SP 8423		83 13/16"	5 7/8"		24 1/2"
					Peaked Pediment	PP 8421		85"	4"	5.75/12	21 3/8"
					Rams Head Pediment	RH 8424		84"	6"		24 3/4"
76 3/4"	74 3/4"	72 3/4"	70 3/4"	68 3/4"	Crosshead w/Trim Strip	CHT 8609	86"		4"		9 1/4"
					Crosshead w/Trim Ex-Strip	CHT 8611	86"		4"		11"
					Crosshead w/Dentil	CHD 8609	86"		4"		9 1/4"
					Acorn Pediment	AP 9023		90 1/2"	4 9/16"	5.5/12	23 1/16"
					Sunburst Pediment	SP 9021		89 13/16"	6"		21 1/8"
					Peaked Pediment	PP 9023		90 1/2"	4"	5.5/12	23 1/8"
					Rams Head Pediment	RH 9024		90"	6"		24 3/4"
84 3/4"	82 3/4"	80 3/4"	78 3/4"	76 3/4"	Crosshead w/Trim Strip	CHT 9409	94"		4"		9 1/4"
					Crosshead w/Trim Ex-Strip	CHT 9411	94"		4"		11"
					Crosshead w/Dentil	CHD 9409	94"		4"		9 1/4"
					Acorn Pediment	AP 9823		98 1/2"	4"	5.5/12	23 9/16"
					Sunburst Pediment	SP 9825		98"	6"		25 1/4"
					Peaked Pediment	PP 9825		98 1/2"	4"	6/12	25 3/8"
					Rams Head Pediment	RH 9826		98"	6"		25 1/4"

1 • 8 0 0 • 6 8 5 • 9 9 8 1



ENTRANCE & WINDOW SYSTEMS





PEDIMENTS & CROSSHEADS

Pediments and crossheads can be ordered separately or together.


For selection of pilaster styles refer to pages 116 - 117.

ENTRANCE SYSTEM INSTRUCTIONS


1. Measure door opening. If the brickmould is to remain on the door frame, be sure to include in measurement. This is the "C" dimension. (Example: 36")
2. Select the style and width of pilaster desired. (Pages 116 - 117)
3. Go to chart on Page 114, locate the desired pilaster width and move down to find the "C" dimension in step #1. Move across the chart and select the desired Crosshead and Pediment. (Example: With "C" being 36", and a 7" pilaster you can select a CHT5009, CHT5011, or a CHT5009 crosshead with a AP5315, SP5315, PP5314, or a RH5319 pediment)




**ACORN
PEDIMENT (AP)**




**PEAKED
PEDIMENT (PP)**




**RAMS HEAD
PEDIMENT (RH)**




**SUNBURST
PEDIMENT (SP)**



**CROSSHEAD WITH
TRIM STRIP (CHT)**



**CROSSHEAD WITH TRIM
STRIP EXTENDED (CHT)**



**CROSSHEAD WITH DENTIL
(CHD)**






ENTRANCE & WINDOW SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



PILASTERS (sold as pairs)

1. FLUTED PILASTER

- PL 452F • 2 1/4" p. x 51 3/4" h. x 4 9/16" w.
- PL 590F • 2 1/4" p. x 90" h. x 5" w.
- PL 690F • 2 1/4" p. x 90" h. x 6" w.
- PL 696F • 2 1/4" p. x 96" h. x 6" w.
- PL 755F • 2 1/4" p. x 55" h. x 7" w.
- PL 769F • 2 1/4" p. x 69" h. x 7" w.
- PL 790F • 2 1/4" p. x 90" h. x 7" w.
- PL 890F • 2 1/4" p. x 90" h. x 8" w.
- PL 960F • 2 1/4" p. x 60" h. x 9" w.
- PL 990F • 2 1/4" p. x 90" h. x 9" w.
- PL 999F • 2 1/4" p. x 99" h. x 9" w.
- PL 1296F • 2 1/4" p. x 97" h. x 13 7/8" w.
- PL 6108F • 2 1/4" p. x 108" h. x 6" w.
- PL 7102F • 2 1/4" p. x 102" h. x 7" w.
- PL 11108F • 2 1/4" p. x 108" h. x 11" w.
- PL 18120F • 2 1/4" p. x 120" h. x 18 3/8" w.

2. DOUBLE PANEL PILASTER

- PL 590DP • 2 1/4" p. x 90" h. x 5" w.
- PL 690DP • 2 1/4" p. x 90" h. x 6" w.
- PL 790DP • 2 1/4" p. x 90" h. x 7" w.
- PL 890DP • 2 1/4" p. x 90" h. x 8" w.
- PL 990DP • 2 1/4" p. x 90" h. x 9" w.
- PL 9102DP • 2 1/4" p. x 102" h. x 9" w.

3. SINGLE PANEL PILASTER

- PL 590P • 2 1/4" p. x 90" h. x 5" w.
- PL 690P • 2 1/4" p. x 90" h. x 6" w.
- PL 790P • 2 1/4" p. x 90" h. x 7" w.
- PL 890P • 2 1/4" p. x 90" h. x 8" w.
- PL 990P • 2 1/4" p. x 90" h. x 9" w.
- PL 1190P • 2 1/4" p. x 90" h. x 11" w.
- PL 9102P • 2 1/4" p. x 102" h. x 9" w.

4. SMOOTH PILASTER

- PL 793 SM • 2 5/8" p. x 93 1/2" h. x 7" w.

1 • 8 0 0 • 6 8 5 • 9 9 8 1



ENTRANCE & WINDOW SYSTEMS



PILASTERS (sold as pairs)

5. LONG FLUTED PILASTER

PL 490LF • 1 7/8" p. x 90" h. x 4" w.

PL 690LF • 1 7/8" p. x 90" h. x 6" w.

PL 3100LF • 1 3/4" p. x 100" h. x 4 1/4" w.

6. PILASTER

PL 1144L • 1 3/4" p. x 96" h.

PL 1144R • 1 3/4" p. x 96" h.

• Matches MD 1144

7. PILASTER

• Plinth Block is a separate piece. Sold with set.

PL 490F • 1 5/8" p. x 117 7/8" h. x 4 1/2" w.

PL 5108 • 1 5/8" p. x 118 9/16" h. x 5 1/4" w.

PL 6108 • 1 3/4" p. x 118" h. x 6" w.

8. PILASTER

PL 590ED • 1 3/8" p. x 90" h. x 5 7/8" w.




Photo below shows the use of Spectis custom quoins, shutters and headers.



www.spectis.com





ENTRANCE & WINDOW SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

MULLS




Photos above show the use of Spectis custom fluted pilasters.

9. PANEL MULL

PL 284P • 1 1/8" p. x 84" h. x 2" w.

10. FLUTED MULL

PL 284F • 1 1/8" p. x 84" h. x 2" w.



1 • 8 0 0 • 6 8 5 • 9 9 8 1




ENTRANCE & WINDOW SYSTEMS



Photo above shows Spectis custom sunbursts, arches and moulding



Photo above shows the use of Spectis header CSH 1006.



• 1 3/4" Projection

SHR 2613 • 26" Width • 13" Height
SHR 3819 • 38" Width • 19" Height
SHR 5025 • 50" Width • 25" Height
SHR 6030 • 60" Width • 30" Height



Photo above illustrates the following Spectis products: sunburst HCS 3016, rails RAL 2100 top & bottom & balusters BAL 2014-24.



• 1 3/8" Projection

SUNBURSTS

SHC 4424 • 44" Width • 24" Height
SHC 4824 • 48" Width • 24" Height
SHC 5025 • 50" Width • 25" Height
SHC 5828 • 58" Width • 28" Height
SHC 6630 • 66" Width • 30" Height

www.spectis.com





ENTRANCE & WINDOW SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

SUNBURSTS



• 1 3/4" Projection



• 1 3/4" Projection

SUNBURST	WIDTH	HEIGHT
HSS 2409	24"	9"
HSS 2508	25 5/8"	8 1/4"
HSS 2809	28"	9 3/8"
HSS 2908	29"	8 1/4"
HSS 3009	30"	9 3/8"
HSS 3209	32"	9"
HSS 3309	33"	8 1/4"
HSS 3609	36"	9"
HSS 3612	36"	12"
HSS 3709	37"	9"
HSS 4010	40"	10"
HSS 4110	41"	10"
HSS 4210	42"	10"
HSS 4412	44"	12"
HSS 4812	48"	12"
HSS 5212	52"	12"
HSS 5612	56"	12"
HSS 6013	60"	13"
HSS 6413	64"	13"
HSS 6814	68"	14"
HSS 7214	72"	14"
HSS 7615	76"	15"
HSS 8015	80"	15"
HSS 8415	84"	15"
HSS 8816	88"	16"
HSS 9216	91"	15 1/16"
HSS 9617	96"	17"
HSS 10017	100"	17"
* HSS 10210	102"	10"
HSS 10417	104"	17"
HSS 10818	108"	18"
HSS 11218	112"	18"
* HSS 11412	114 1/8"	12 1/2"
HSS 12221	122"	21"
HSS 12622	126"	22"
HSS 13222	132"	22"
HSS 14414	144"	14 1/2"
**HSS 19915	199"	15"

SUNBURST	WIDTH	HEIGHT
HCS 2413	24"	13"
HCS 2513	25 5/8"	13 7/8"
HCS 2815	28"	15"
HCS 2915	29 5/8"	15 3/4"
HCS 3016	30"	16"
HCS 3217	32"	17"
HCS 3318	33"	18"
HCS 3619	36"	19"
HCS 3720	37"	20"
HCS 4021	40"	21"
HCS 4121	41 5/8"	21 7/8"
HCS 4222	42"	22"
HCS 4423	44"	23"
HCS 4825	48"	25"
HCS 5227	52"	27"
HCS 5629	56"	29"
HCS 6031	60"	31"
HCS 6433	64"	33"
HCS 6835	68"	35"
HCS 7237	72"	37"
HCS 7639	76"	39"
HCS 8041	80"	41"
HCS 8443	84"	43"
HCS 8845	88"	45"
HCS 9247	92"	47"
HCS 9649	96"	49"
HCS 10052	100"	52"
HCS 10454	104"	54"
HCS 10856	108"	56"

**CUSTOM
SIZES
AVAILABLE**



Photo above shows the following Spectis products: sunburst HCS 4825.

* Garage Door Headers

** Garage Door Header shipped in two pieces.

1 • 8 0 0 • 6 8 5 • 9 9 8 1



ENTRANCE & WINDOW SYSTEMS



PD 25102

- 3 1/8" Projection
- 25 1/2" Height
- 98 1/2" Base Width
- 101 3/8" Top Width




Photo above illustrates the following Spectis products: custom size header CSH 1038, and moulding MD 1243.

PEDIMENTS

PWH 4421


- 4 1/4" Projection
- 21 3/4" Height
- 44" Base Width
- Profile matches MD 1015



PD 3643 • 43 3/4" Base Width
• 51 3/8" Width • 36 1/8" Height



MD 1207 • This moulding can be used to make returns on PD 3643



PRODUCT NUMBER	Dimensions					Projection	Breastboard Thickness
	A	B	C	D	E		
WH 33-100	33 1/2"	4 1/2"	42 1/2"	10 3/8"	8"	3 1/4"	1 1/2"
WH 33-101	29 1/2"	4 1/4"	38"	11 1/16"	8"	3 5/16"	1 9/16"
WH 34-100	42"	6 1/2"	55"	11 5/8"	8"	6 1/4"	4 1/2"

www.spectis.com





ENTRANCE & WINDOW SYSTEMS






NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

ARCHES



This photo shows the use of Spectis products: arch AT 1025 with keystone.



1 • 8 0 0 • 6 8 5 • 9 9 8 1



ENTRANCE & WINDOW SYSTEMS



ARCHES



INSIDE DIAMETER		ARCH NUMBERS				
20.5"		AT1144-20.5				
21"	AT 1365 - 21	AT 1144 - 21	AT 1025 - 21	AT 1011-3.5 - 21	AT 1011 - 5.5 - 21	AT 1011 - 7.5 - 21
24"	AT 1365 - 24	AT 1144 - 24	AT 1025 - 24	AT 1011-3.5 - 24	AT 1011 - 5.5 - 24	AT 1011 - 7.5 - 24
28"	AT 1365 - 28	AT 1144 - 28	AT 1025 - 28	AT 1011-3.5 - 28	AT 1011 - 5.5 - 28	AT 1011 - 7.5 - 28
30"	AT 1365 - 30	AT 1144 - 30	AT 1025 - 30	AT 1011-3.5 - 30	AT 1011 - 5.5 - 30	AT 1011 - 7.5 - 30
32"	AT 1365 - 32	AT 1144 - 32	AT 1025 - 32	AT 1011-3.5 - 32	AT 1011 - 5.5 - 32	AT 1011 - 7.5 - 32
36"	AT 1365 - 36	AT 1144 - 36	AT 1025 - 36	AT 1011-3.5 - 36	AT 1011 - 5.5 - 36	AT 1011 - 7.5 - 36
40"	AT 1365 - 40	AT 1144 - 40	AT 1025 - 40	AT 1011-3.5 - 40	AT 1011 - 5.5 - 40	AT1011 - 7.5 - 40
48"	AT 1365 - 48	AT 1144 - 48	AT 1025 - 48	AT 1011-3.5 - 48	AT 1011 - 5.5 - 48	AT 1011 - 7.5 - 48
60"	AT 1365 - 60	AT 1144 - 60	AT 1025 - 60	AT 1011-3.5 - 60	AT 1011 - 5.5 - 60	AT 1011 - 7.5 - 60
68"	AT 1365 - 68	AT 1144 - 68	AT 1025 - 68	AT 1011-3.5 - 68	AT 1011 - 5.5 - 68	AT 1011 - 7.5 - 68
72"	AT 1365 - 72	AT 1144 - 72	AT 1025 - 72	AT 1011-3.5 - 72	AT 1011 - 5.5 - 72	AT 1011 - 7.5 - 72
76"	AT 1365 - 76	AT 1144 - 76	AT 1025 - 76	AT 1011-3.5 - 76	AT 1011 - 5.5 - 76	AT 1011 - 7.5 - 76
MATCHING KEYSTONES						
	K 2726	K 2711	K 2703	K 2729	K 2730	K 2731



Photo above shows Spectis custom arch trim with flankers, moulding & blocks



Photo above shows Spectis custom window arches with keystone.





ENTRANCE & WINDOW SYSTEMS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.


CUSTOM ARCH WITH FLANKERS QUOTE FORM

Company: _____ City/State/Zip: _____
 Contact Name: _____ Phone: _____
 Address: _____ Fax: _____
 _____ Date: _____

ARCH OPTION

(Choose one only)

☐ AT 1011-3.5 • 1" Projection • 3.5" Height	☐ AT 1144 • 1 3/4" Projection • 5 1/2" Height
☐ AT 1011-5.5 • 1" Projection • 5.5" Height	☐ AT 1365 • 2 1/4" Projection • 10" Height




KEYSTONE

☐ YES ☐ NO

Fill in all dimensions

A = _____ Inches
 B = _____ Inches
 C = _____ Inches
 D = _____ Inches
 Radius = _____ Inches



CROSSHEAD OPTION (Choose one only)


☐

CSH 1354
 • 4 1/2" Projection • 9 3/4" Height


☐

CSH 1052
 • 3 3/4" Projection • 6" Height

1 • 8 0 0 • 6 8 5 • 9 9 8 1




ENTRANCE & WINDOW SYSTEMS



KEYSTONES




- K 2705**
- 2 1/2" Projection
 - 7" Height
 - 6" Width
 - For 5 1/2" Flat Board




- K 2712**
- 3 1/2" Projection
 - 6" Height
 - 5 7/8" Width




- K 2707**
- 3 1/2" Projection
 - 7 3/4" Height
 - 8 1/4" Width




- K 2710**
- 4" Projection
 - 13 7/8" Height
 - 11 1/2" Width



- K 2723**
- 2" Projection
 - 8" Height
 - 10" Width



- K 2737**
- 1" Projection
 - 7 1/2" Height
 - 6" Width



- K 2741**
- 3" Projection
 - 10 1/4" Height
 - 9" Width




- K 2729**
- 2" Projection
 - 4 1/4" Height
 - 3 1/2" Width
 - For AT 1011-3.5




- K 2730**
- 2" Projection
 - 6 1/2" Height
 - 5 7/16" Width
 - For AT 1011-5.5




- K 2731**
- 2" Projection
 - 8 3/4" Height
 - 7 1/2" Width
 - For AT 1011-7.5




- K 2704**
- 2 1/8" Projection
 - 2 3/4" Height
 - 3" Width
 - For Brick Mould




- K 2711**
- 2 3/4" Projection
 - 6 1/2" Height
 - 4 1/2" Width
 - For MD 1144




- K 2713**
- 4" Projection
 - 12" Height
 - 6 1/2" Width
 - For BL 2420




- K 2728**
- 2 3/4" Projection
 - 6 1/2" Height
 - 4 1/2" Width



- K 2747**
- 2 1/4" Projection
 - 4 1/2" Height
 - 4 1/4" Width
 - For Extended Brickmould (MD1069 Ext)



- K 2706**
- 4" Projection
 - 10" Height
 - 6 1/2" Width
 - For MD 1267



- K 2733**
- 2 5/8" Projection
 - 5 1/2" Height
 - 4 5/8" Width



- K 2715**
- 6 1/2" Projection
 - 12" Height
 - 9 1/2" Width
 - For MD 1252



- K 2722**
- 2 7/8" Projection
 - 7 3/4" Height
 - 7" Width



- K 2740**
- 3 5/8" Projection
 - 8" Height
 - 8" Width
 - For MD 1144



- K 2709**
- 5 1/4" Projection
 - 14 1/4" Height
 - 10 3/4" Width



- K 2725**
- 4" Projection
 - 8 1/2" Height
 - 8 3/8" Width



- K 2742**
- 5 1/2" Projection
 - 15" Height
 - 11" Width



- K 2748**
- 3 3/4" Projection
 - 9" Height
 - 7 3/4" Width
 - For MD 1775



- K 2751**
- 7 1/4" Projection
 - 15 1/4" Height
 - 12 3/4" Width






ENTRANCE & WINDOW SYSTEMS


NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.


KEYSTONES



- K 2700**
- 5 1/2" Projection
 - 10 1/8" Height
 - 8" Width
 - For MD 1015



- K 2718**
- 8" Projection
 - 8" Height
 - 8" Width
 - For MD 1142




- K 2734**
- 3 1/8" Projection
 - 10 1/16" Height
 - 7 11/16" Width
 - For MD 1422



- K 2701**
- 4 1/4" Projection
 - 10 1/2" Height
 - 8" Width
 - For MD 1035




- K 2719**
- 4 1/2" Projection
 - 5 3/4" Height
 - 5 3/4" Width
 - For MD 1158



- K 2735**
- 2 5/8" Projection
 - 7 3/4" Height
 - 8 3/8" Width
 - For MD 1576



- K 2702**
- 4 3/4" Projection
 - 7" Height
 - 8" Width
 - For MD 1052




- K 2720**
- 5" Projection
 - 10 1/4" Height
 - 10" Width
 - For MD 1336



- K 2736**
- 3 7/8" Projection
 - 8" Height
 - 8" Width
 - For MD 1764




- K 2703**
- 2 1/2" Projection
 - 6 1/2" Height
 - 6" Width
 - For MD 1025



- K 2721**
- 7" Projection
 - 21" Height
 - 16" Width
 - For MD 1252



- K 2738**
- 6" Projection
 - 10" Height
 - 7" Width
 - For MD 1697



- K 2708**
- 4 7/8" Projection
 - 13 1/2" Height
 - 8 3/4" Width
 - For MD 1004




- K 2724**
- 5 1/4" Projection
 - 11" Height
 - 8 1/8" Width
 - For MD 1252



- K 2739**
- 2 1/2" Projection
 - 6 1/2" Height
 - 4 1/2" Width
 - For MD 1144



- K 2714**
- 4 1/4" Projection
 - 7" Height
 - 6" Width
 - For MD 1267



- K 2726**
- 5" Projection
 - 12" Height
 - 8 1/4" Width
 - For MD 1365



- K 2743**
- 4 1/4" Projection
 - 7" Height
 - 6" Width
 - For MD 1610




- K 2716**
- 3 1/8" Projection
 - 9" Height
 - 7 11/16" Width
 - For MD 1018




- K 2727**
- 6 3/8" Projection
 - 11 1/2" Height
 - 10" Width
 - For MD 1354



- K 2745**
- 5 1/2" Projection
 - 9 1/2" Height
 - 7" Width
 - For MD 1762 & MD 1763



- K 2717**
- 6 1/4" Projection
 - 14 3/4" Height
 - 12" Width
 - For MD 1006



- K 2732**
- 4 1/4" Projection
 - 9 3/4" Height
 - 6" Width
 - For MD 1267



- K 2746**
- 3 7/8" Projection
 - 8 5/8" Height
 - 8" Width
 - For MD 1764

1 • 8 0 0 • 6 8 5 • 9 9 8 1





SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

LOUVRES





LOUVRES

OPEN LOUVRES WITH SCREEN 1¼" PROJECTION
CLOSED LOUVRES 1½" PROJECTION

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

SPECTIS RESERVES THE RIGHT TO HOLLOW OUT THE BACK OF ANY PRODUCT WITHOUT NOTICE. SOME PRODUCTS MAY BE MADE AS ASSEMBLIES.



FLAT TRIM

FTR 19

- 26" Outside Diameter
- for LOR 19

FTR 22

- 29" Outside Diameter
- for LOR 22

FTR 24

- 31" Outside Diameter
- for LOR 24

FTR 28

- 35" Outside Diameter
- for LOR 28

FTR 30

- 37" Outside Diameter
- for LOR 30

FTR 36

- 43" Outside Diameter
- for LOR 36

FTR 48

- 55" Outside Diameter
- for LOR 48

FTR 6-31

- 43" Outside Diameter

FTR 6-78

- 78" Diameter

- LCR/LOR 12 • 12" Diameter
- LCR/LOR 15 • 15" Diameter
- LCR/LOR 16 • 16" Diameter
- LCR/LOR 18 • 18" Diameter
- LCR/LOR 19 • 19" Diameter
- LCR/LOR 20 • 20" Diameter
- LCR/LOR 22 • 22" Diameter
- LCR/LOR 24 • 24" Diameter
- LCR/LOR 27 • 27" Diameter
- LCR/LOR 28 • 28" Diameter
- LCR/LOR 30 • 30" Diameter
- LCR/LOR 36 • 36" Diameter
- LCR/LOR 39 • 39" Diameter
- LCR/LOR 48 • 48" Diameter*

FLAT TRIM

FTT 4114

- 64" w. x 22" h.
- for LOT 4114

FTT 8021

- 108" w. x 29" h.
- for LOT 8021



LCT/LOT 2412

LCT/LOT 3205

LCT/LOT 3210

LCT/LOT 3916

LCT/LOT 4114

LCT/LOT 4228

LCT/LOT 4611

LCT/LOT 4812

LCT/LOT 5418

LCT/LOT 5523

LCT/LOT 5727

LCT/LOT 6025

LCT/LOT 6416

LCT/LOT 6526

LCT/LOT 7218

LCT/LOT 7619

LCT/LOT 8021

LCT/LOT 8414

LCT/LOT 8725

LCT/LOT 9026

LCT/LOT 9640

LCT/LOT 10829

LCT/LOT 12045

LCT/LOT 13227

LCT/LOT 13248

LCT/LOT 13652

- 24" w. x 12" h. • 12/12 Pitch
- 32" w. x 5 5/16" h. • 4/12 Pitch
- 32" w. x 10" h. • 7.5/12 Pitch
- 38 3/8" w. x 16" h. • 10/12 Pitch
- 41 7/16" w. x 14 1/4" h. • 8/12 Pitch
- 42" w. x 28" h. • 16/12 Pitch
- 46 5/8" w. x 11 5/8" h. • 6/12 Pitch
- 48" w. x 12" h. • 6/12 Pitch
- 54" w. x 18" h. • 8/12 Pitch
- 55 3/16" w. x 23" h. • 10/12 Pitch
- 57" w. x 27" h. • 11.375/12 Pitch
- 60" w. x 25" h. • 10/12 Pitch
- 64" w. x 16" h. • 6/12 Pitch
- 65 11/16" w. x 26" h. • 9.5/12 Pitch
- 72" w. x 18" h. • 6/12 Pitch
- 76" w. x 19" h. • 6/12 Pitch
- 80 3/16" w. x 21 1/2" h. • 6.5/12 Pitch
- 84" w. x 14" h. • 4/12 Pitch
- 87 1/4" w. x 25" h. • 7/12 Pitch
- 89 1/8" w. x 26" h. • 7/12 Pitch
- 97" w. x 40 1/4" h. • 10/12 Pitch
- 108" w. x 29" h. • 6.5/12 Pitch*
- 120 1/4" w. x 45 1/8" h. • 9/12 Pitch*
- 132" w. x 27 1/4" h. • 5/12 Pitch*
- 132 1/2" w. x 48 1/4" h. • 8.75/12 Pitch*
- 137" w. x 52 1/4" h. • 9.25/12 Pitch*

* LOUVRES MADE IN TWO HALVES HAVE A CENTER BAR



K 2704 can be added to louvre brickmould.



- LCO/LOO 12 • 12" w. x 12" h.
- LCO/LOO 18 • 18" w. x 18" h.
- LCO/LOO 19 • 19" w. x 19" h.
- LCO/LOO 22 • 22" w. x 22" h.
- LCO/LOO 28 • 28" w. x 28" h.
- LCO/LOO 30 • 30" w. x 30" h.

- LCOE/LOOE 1934 • 19" w. x 34" h.
- LCOE/LOOE 2438 • 24" w. x 38" h.

VERTICAL PVC STRIP ADDED TO BACK OF OPEN LOUVRES AS NEEDED AT SPECTIS DISCRETION

1 • 8 0 0 • 6 8 5 • 9 9 8 1





FLAT TRIM

FTA4 2852

- 36" width
- 60" height
- 4" casing
- for
LCA 2852



LCARB/LOARB 30 • 30" w. x 30" h.



LCE/LOE 1830 • 18" w. x 30" h.

LCE/LOE 2234 • 22" w. x 34 1/16" h.

LCE/LOE 3024 • 30" w. x 24" h.

- LCA/LOA 824 • 8" w. x 24" h.
- LCA/LOA 836 • 8" w. x 36" h.
- LCA/LOA 1014 • 10" w. x 14" h.
- LCA/LOA 1218 • 12" w. x 18" h.
- LCA/LOA 1224 • 12" w. x 24" h.
- LCA/LOA 1818 • 18" w. x 18" h.
- LCA/LOA 1824 • 18" w. x 24" h.
- LCA/LOA 1826 • 18" w. x 26" h.
- LCA/LOA 1828 • 18" w. x 28" h.
- LCA/LOA 1830 • 18" w. x 30" h.
- LCA/LOA 1836 • 18" w. x 36" h.
- LCA/LOA 1855 • 18" w. x 55" h.
- LCA/LOA 1928 • 19" w. x 28" h.
- LCA/LOA 2079 • 20" w. x 79" h.
- LCA/LOA 2231 • 22" w. x 31" h.
- LCA/LOA 2232 • 22" w. x 32" h.
- LCA/LOA 2234 • 22" w. x 34" h.
- LCA/LOA 2430 • 24" w. x 30" h.
- LCA/LOA 2436 • 24" w. x 36" h.
- LCA/LOA 2749 • 27" w. x 49" h.
- LCA/LOA 2843 • 28" w. x 43" h.
- LCA/LOA 2852 • 28" w. x 52" h.
- LCA/LOA 3024 • 30" w. x 24" h.
- LCA/LOA 3042 • 30" w. x 42" h.
- LCA/LOA 3648 • 36" w. x 48" h.
- LCA/LOA 4284 • 42" w. x 84" h.



- LCRT/LORT 912 • 9" w. x 12" h.
- LCRT/LORT 1030 • 10" w. x 30" h.
- LCRT/LORT 1212 • 12" w. x 12" h.
- LCRT/LORT 1218 • 12" w. x 18" h.
- LCRT/LORT 1224 • 12" w. x 24" h.
- LCRT/LORT 1226 • 12" w. x 26" h.
- LCRT/LORT 1230 • 12" w. x 30" h.
- LCRT/LORT 1236 • 12" w. x 36" h.
- LCRT/LORT 1248 • 12" w. x 48" h.
- LCRT/LORT 1390 • 13" w. x 90" h.
- LCRT/LORT 1424 • 14" w. x 24" h.
- LCRT/LORT 1427 • 14" w. x 27" h.
- LCRT/LORT 1530 • 15" w. x 30" h.
- LCRT/LORT 1624 • 16" w. x 24" h.
- LCRT/LORT 1628 • 16" w. x 28" h.
- LCRT/LORT 1630 • 16" w. x 30" h.
- LCRT/LORT 1632 • 16" w. x 32" h.
- LCRT/LORT 1636 • 16" w. x 36" h.
- LCRT/LORT 1818 • 18" w. x 18" h.
- LCRT/LORT 1824 • 18" w. x 24" h.
- LCRT/LORT 1828 • 18" w. x 28" h.
- LCRT/LORT 1830 • 18" w. x 30" h.
- LCRT/LORT 1860 • 18" w. x 60" h.
- LCRT/LORT 1866 • 18" w. x 66" h.
- LCRT/LORT 1872 • 18" w. x 72" h.
- LCRT/LORT 1890 • 18" w. x 90" h.
- LCRT/LORT 1928 • 19" w. x 28" h.
- LCRT/LORT 1943 • 19" w. x 43" h.
- LCRT/LORT 2260 • 22" w. x 60" h.
- LCRT/LORT 2424 • 24" w. x 24" h.
- LCRT/LORT 2428 • 24" w. x 28" h.
- LCRT/LORT 2430 • 24" w. x 30" h.
- LCRT/LORT 2436 • 24" w. x 36" h.
- LCRT/LORT 2448 • 24" w. x 48" h.
- LCRT/LORT 3042 • 30" w. x 42" h.
- LCRT/LORT 3272 • 32" w. x 72" h.
- LCRT/LORT 3624 • 36" w. x 24" h.



PAADS 2231

- 21" w. x 30" h.
- RO 22 1/4" w. x 31 1/2" h.
- Hinged Door

LOAD 2231

- Comes with
Rainguard Louvre

VERTICAL PVC STRIP ADDED TO
BACK OF OPEN LOUVRES AS
NEEDED AT SPECTIS DISCRETION





LOUVRES

OPEN LOUVRES WITH SCREEN 1 1/4" PROJECTION
CLOSED LOUVRES 1 1/2" PROJECTION

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



- Projection 3" at brickmould
- LCRK/LORK 16** • 16" Diameter
- LCRK/LORK 20** • 20" Diameter
- LCRK/LORK 24** • 24" Diameter
- LCRK/LORK 30** • 30" Diameter

SIDING RABBET

- Available upon request
- 3/4" x 3/4" Typical




CUSTOM SIZES AVAILABLE

FLAT TRIM

FTO 2234

- 29" w. x 41" h.
- for LOHO3422
- LOVO2234



- LCVO/LOVO 1015** • 10" w. x 15" h.
- LCVO/LOVO 1830** • 18" w. x 30" h.
- LCVO/LOVO 2127** • 21" w. x 27" h.
- LCVO/LOVO 2234** • 22" w. x 34" h.
- LCVO/LOVO 2835** • 28" w. x 35" h.
- LCVO/LOVO 2836** • 28" w. x 36" h.

FLAT TRIM

FTHR3-27

- 1" Projection
- 61" Diameter
- 3 1/2" Width

FTHR3-41

- 1" Projection
- 96" Diameter
- 3 1/2" Width

FTHR5-36

- 1" Projection
- 48 3/4" Diameter
- 5 1/2" Width

FTHR5-48

- 1" Projection
- 60 1/4" Diameter
- 5 1/2" Width



- LCHR/LOHR 2412** • 24" w. x 12" h.
- LCHR/LOHR 2416** • 24" w. x 16" h.
- LCHR/LOHR 3019** • 30" w. x 19" h.
- LCHR/LOHR 3216** • 32" w. x 16" h.
- LCHR/LOHR 3220** • 32" w. x 20" h.
- LCHR/LOHR 3618** • 36" w. x 18" h.
- LCHR/LOHR 3622** • 36" w. x 22" h.
- LCHR/LOHR 4021** • 40" w. x 21" h.
- LCHR/LOHR 4225** • 42" w. x 25" h.
- LCHR/LOHR 4828** • 48" w. x 28" h.
- LCHR/LOHR 6034** • 60" w. x 34" h.
- LCHR/LOHR 7236** • 72" w. x 36" h.

VERTICAL PVC STRIP ADDED TO
BACK OF OPEN LOUVRES AS
NEEDED AT SPECTIS DISCRETION

1 • 8 0 0 • 6 8 5 • 9 9 8 1




LOUVRES

OPEN LOUVRES WITH SCREEN 1¼" PROJECTION
CLOSED LOUVRES 1½" PROJECTION



LCHO/LOHO 1812 • 18" w. x 12" h.
LCHO/LOHO 2923 • 29" w. x 23" h.
LCHO/LOHO 3018 • 30" w. x 18" h.
LCHO/LOHO 3422 • 34" w. x 22" h.
LCHO/LOHO 4021 • 40" w. x 21" h.
LCHO/LOHO 4836 • 48" w. x 36" h.



LCHO K/LOHO K 2923 • 29" w. x 23" h.
LCHO K/LOHO K 3018 • 30" w. x 18" h.
LCHO K/LOHO K 3422 • 34" w. x 22" h.
LCHO K/LOHO K 3424 • 34" w. x 24" h.
LCHO K/LOHO K 3724 • 37" w. x 24" h.



LCVO K/LOVO K 2127 • 21" w. x 27" h.
LCVO K/LOVO K 2234 • 22" w. x 34" h.
LCVO K/LOVO K 2430 • 24" w. x 30" h.
LCVO K/LOVO K 2835 • 28" w. x 35" h.

FINISHING

All Spectis' products are shipped "double primed" with an exterior grade latex paint and are ready for use. We recommend final finishing after installation is complete for the most consistent appearance possible. Please see "finishing" recommendations (on page 267) for more information.



Photo above shows Spectis columns with cap & base, balusters, top & bottom rails, and newel posts with cap and ball top

VERTICAL PVC STRIP ADDED TO
BACK OF OPEN LOUVRES AS
NEEDED AT SPECTIS DISCRETION

www.spectis.com





LOUVRES

OPEN LOUVRES WITH SCREEN 1 1/4" PROJECTION
CLOSED LOUVRES 1 1/2" PROJECTION

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



Photo above shows Spectis mouldings, blocks, railings, shutters & columns.



LCP/LOP 1024 • 10" w. x 24" h.
LCP/LOP 1030 • 10" w. x 30" h.
LCP/LOP 3042 • 30" w. x 42" h.




VERTICAL PVC STRIP ADDED TO
BACK OF OPEN LOUVRES AS
NEEDED AT SPECTIS DISCRETION

LCD/LOD 1414 • 14" w. x 14" h.
LCD/LOD 2424 • 24" w. x 24" h.
LCD/LOD 3434 • 34" w. x 34" h.



LCRFT/LORFT 24 • 24" Diameter
LCRFT/LORFT 32 • 32" Diameter



* Made & Shipped in 2 pieces

LCTFT/LOTFT 12030L/R
• 120" w. x 30" h. • 6/12 pitch

LCTFT/LOTFT 19232L/R
• 192" w. x 32" h. • 4/12 pitch

LCTFT/LOTFT 24040L/R
• 240" w. x 40" h. • 4/12 pitch

1 • 8 0 0 • 6 8 5 • 9 9 8 1





SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

MEDALLIONS





MEDALLIONS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

SPECTIS RESERVES THE RIGHT TO HOLLOW OUT THE BACK OF ANY PRODUCT WITHOUT NOTICE. SOME PRODUCTS MAY BE MADE AS ASSEMBLIES.



CM 99BF

- 9 1/8" Diameter
- 5 7/8" Hole



CM 99L

- 9" Diameter
- 5 7/8" Hole



CM 1515

- 15" Diameter



CM 1313R

- 12 5/16" Diameter
- 1 1/8" Hole

CM 1818R

- 18 3/8" Diameter
- 3/4" Hole

CM 2424R

- 24" Diameter

CM 3131R

- 31" Diameter



CM 1221

- 12" w. x 21" h.



CM1717SM

- 17" Diameter
- 3" Hole



CM 1717

- 17 1/4" Diameter



CM 1818

- 18 7/8" Diameter



CM 1818C

- 18" Diameter
- 4 1/4" Hole

CM 1818S

- 18" Diameter
- 3 1/2" Hole

CM 1818S-24

- 23 7/8" Diameter
- 4" Hole



CM 1818-32

- 33 5/16" Diameter
- 4" Hole



CM 2020

- 20 3/4" Diameter



CM 2121

- 20 1/2" Diameter
- 1 1/4" Hole



CM 1818SB

- 18 3/8" Diameter

CM 2424SB

- 24 3/8" Diameter
- 1" Hole

CM 3131SB

- 31" Diameter

1 • 8 0 0 • 6 8 5 • 9 9 8 1



MEDALLIONS



Photo above illustrates the use of the following Spectis products: medallion CM 3434 and moulding MD 1237



CM 2222

- 22" Diameter
- 2 3/8" Hole



CM 2121FL-21

- 21" Diameter

CM 2121FL-27

- 26 1/2" Diameter

CM 2121FL-33

- 33" Diameter



CM 2424-18

- 18" Diameter

CM 2424

- 24 1/8" Diameter

CM 2424-30

- 30" Diameter



CM 2626L

- 25 1/8" Diameter
- 3 5/8" Hole



CM 2717

- 17" w. x 26 9/16" h.



CM 2626

- 25 1/2" Diameter
- 3 1/4" Hole

CM 2626-33

- 32 1/2" Diameter



CM 2828S

- 27 1/2" Diameter
- 1" Hole



CM 2424S-18

- 18" Diameter
- 1" Hole

CM 2424S

- 24" Diameter

- 1 1/2" Hole

CM 2424S-33

- 32 1/2" Diameter

- 1" Hole

CM 2424S-45

- 45" Diameter

- 4" Hole

CM 2424S-60

- 60" Diameter

- 4" Hole

- 2 PCS



CM 2828

- 28 1/8" Diameter



CM 2929

- 28" Diameter

www.spectis.com






MEDALLIONS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



CM 3030
• 29 3/4" Diameter



CM 3042
• 29 3/4" w. x 41 5/8" h.
• 4" Hole



CM 3137
• 36 3/4" w. x 31 3/8" h.



CM 3232L
• 32 1/2" Diameter
• 4" Hole



CM 3232
• 32 1/2" Diameter
• 4" Hole



CM 3232SR
• 32 1/2" Diameter
• 4" Hole

CM 3232AL-24
• 23 15/16" Diameter
• 4" Hole



CM 3232AL-32
• 32 1/2" Diameter
• 4" Hole



CM 3232AL-45
• 45" Diameter
• 4" Hole



CM 3232AL-60
• 60" Diameter
• 4" Hole
• 3 Pieces



1 • 8 0 0 • 6 8 5 • 9 9 8 1



MEDALLIONS




CM 3333-27
 • 26 1/2" Diameter
 • 2 7/8" Hole
CM 3333-32
 • 32 1/2" Diameter



CM 3434
 • 32 3/8" Diameter



CM 3636
 • 36" Diameter
 • 4" Hole



CM 3535
 • 35" Diameter
 • 3 1/2" Hole



CM 4040
 • 40 1/2" w. x 40 1/2" h.
 • 4" Hole



CM 4471
 • 44" w. x 71" h.



CM 4671
 • 46" w. x 71" h.



CM 4747
 • 45 1/4" Diameter





MEDALLIONS

NOTICE :


SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



Photo above shows the following Spectis products: ceiling panels CP 2900 and CP 2902.



CP 2900
• 2 7/8" Projection
• 23 5/8" Square



CP 2902
• 1 7/16" Projection
• 23 5/8" Square



CP 2908
• 2 1/2" Projection
• 23 3/4" Square




CP 2901
• 2 7/8" Projection
• 28 7/8" Square



CP 2909
• 2 7/8" Projection
• 23 3/4" Square

CEILING PANELS



CP 2903
• 1 7/16" Projection
• 23 3/4" Height
• 47 3/4" Width



CP 2907
• 1 7/16" Projection
• 36" Height
• 48" Width



CP 2904
• 1 7/16" Projection
• 23 5/8" Square

CP 2905
• 1 7/16" Projection
• 47 3/4" Square

CP 2910
• 6 1/8" Projection
• 40 3/8" Square

1 • 8 0 0 • 6 8 5 • 9 9 8 1





ROSETTES



CR 1

- 3/8" Projection
- 1 3/8" Square



CR 2

- 5/16" Projection
- 1 5/16" Diameter



CR 133

- 1/2" Projection
- 3 3/4" Height
- 3 3/4" Width



CR 7

- 1" Projection
- 7 1/2" Diameter

CR 109

- 1" Projection
- 15" Diameter



CR 9

- 1" Projection
- 8 3/4" Diameter



CR 5

- 1 1/2" Projection
- 5" Diameter



CR 12

- 1 11/16" Projection
- 2 7/16" Diameter



CR 66

- 2 1/2" Projection
- 5 7/8" Diameter



CR 10

- 3/4" Projection
- 10" Diameter



CR 85

- 1 1/4" Projection
- 2 7/8" Diameter



CR 11

- 2 3/4" Projection
- 11" Diameter



CR 86

- 7/8" Projection
- 2 1/8" Diameter



CR 83

- 1 5/16" Projection
- 3 3/8" Height
- 8 1/2" Width



CR 84

- 1" Projection
- 3 11/16" Height
- 8" Width



CR 74

- 9/16" Projection
- 5 1/8" Height
- 5 1/8" Width
- Use with MD 1107



CR 77

- 1" Projection
- 6 3/4" Height
- 6 3/4" Width





MEDALLIONS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



CR 100

- 1 3/8" Projection
- 5 3/8" Height
- 5 1/8" Width



CR 101

- 1 3/8" Projection
- 10 1/4" Height
- 9 1/2" Width



CR 87

- 1 1/2" Projection
- 6" Square



CR 88

- 1/2" Projection
- 8 1/2" Square



CR 103

- 2 1/8" Projection
- 8 1/2" Height
- 7 1/4" Width




CR 104

- 2" Projection
- 5 1/2" Height
- 6" Width



CR 331

- 1" Projection
- 3 1/2" Square



CR 441

- 1" Projection
- 4 7/8" Square



CR 33

- 1 1/2" Projection
- 3 3/4" Square

CR 55

- 2 1/2" Projection
- 5 1/4" Square



CR 106

- 1" Projection
- 5 1/2" Square



CR 102

- 1 1/8" Projection
- 4 1/2" Height
- 4 3/8" Width



CR 177

- 2 5/16" Projection
- 7" Height
- 4 1/2" Width



CR 105

- 1" Projection
- 3" Diameter

ROSETTES




CR 107

- 2" Projection
- 12" Height
- 11 1/2" Width

CR107CF

- CONCRETE FINISH



CR 108

- 1" Projection
- 12" Height
- 11 1/2" Width

CR108CF

- CONCRETE FINISH

1 • 8 0 0 • 6 8 5 • 9 9 8 1





CR 550

- 1" Projection
- 5 3/8" Square



CR 551

- 1 13/16" Projection
- 5 3/4" Square



CR 661

- 1" Projection
- 6 9/16" Square



MR 3251

- 1 1/8" Projection
- 3 7/8" Square



MR 3250

- 1 1/8" Projection
- 9" Square



MR 3254

- 1 1/4" Projection
- 3 1/2" Square



MR 3255WG

- 3/4" Projection
- 3 1/2" Square
- WOOD GRAIN



MR 3256

- 13/16" Projection
- 3 3/4" Square



MR 3257

- 1 7/8" Projection
- 4" Square

MR 3258

- 2 1/8" Projection
- 4" Square



Photo above shows Spectis medallion CM 3434 and moulding MD1237.




MR 3252

- 11/16" Projection
- 5 1/2" Square



MR 3253

- 1 7/16" Projection
- 5 1/2" Square



ST 3

- 3/8" Projection
- 3" Diameter Star

ST 6

- 3/4" Projection
- 6" Diameter Star

ST 12

- 1 1/2" Projection
- 11 7/8" Diameter Star

ST 18

- 1 3/4" Projection
- 19 1/4" Diameter Star





MEDALLIONS

NOTICE :


SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



Photo above shows the use of Spectis medallion CM 4747.

FINISHING

All Spectis' products are shipped "double primed" with an exterior grade latex paint and are ready for use. We recommend final finishing after installation is complete for the most consistent appearance possible. Please see "finishing" recommendations (on page 267) for more information.



CR 1183-18

- 1 3/8" h.
- 1/2" Projection
- 18" Radius
- To match MD 1183



MD 1183



CR 1183-4

- 1 3/8" h.
- 1/2" Projection
- 4 1/2" Radius
- To match MD 1183

RINGS



R 1322-37

(4 SECTIONS)


- 1 1/8" Projection
- 3 3/4" w. x 44 1/4" h.
- 36 3/4" Inside Diameter



R 2424-37

(4 SECTIONS)

- 1 1/2" Projection
- 4 1/2" w. x 45 1/4" h.
- 36 1/4" Inside Diameter



R 3535-35

(4 SECTIONS)

- 1" Projection
- 3" Wide
- 35" Inside Diameter

R 5858-58

(4 SECTIONS)

- 1" Projection
- 3" Wide
- 58 1/2" Inside Diameter


1 • 8 0 0 • 6 8 5 • 9 9 8 1





SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

MISCELLANEOUS





MISCELLANEOUS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

SPECTIS RESERVES THE RIGHT TO HOLLOW OUT THE BACK OF ANY PRODUCT WITHOUT NOTICE. SOME PRODUCTS MAY BE MADE AS ASSEMBLIES.



ACORN 29
• 25" Height
• 29" Diameter



DOMES

DM1000
• 7 13/16" Projection
• 40 1/8" Diameter



BAM 3636
• PANEL
• 1 9/16" Projection
• 36" w. x 36" h.

BAMBOO

Bamboo shipped unpainted

BAM 972
• PANEL
• 1 1/2" Projection
• 9" w. x 72" h.

• ROUND
BAM 153
• 1 1/2" w. x 3'0" h.

BAM 203
• 2" w. x 3'0" h.

BAM 205
• 2" w. x 5'0" h.

BAM 255
• 2 1/2" w. x 5'0" h.



AC 1416
• 12 3/8" Height
• 15 3/4" Width



BA 12GB
• 11 7/8" Diameter

LARGE GOLF BALL



SPM 5119
• 3" Projection
• 19 1/2" Height
• 55 1/2" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1





FESTOONS & TASSELS



FT 3400

- 1" Projection
- 6 15/16" Height
- 26" Width

FT 3402

- 1 1/8" Projection
- 7 3/4" Height
- 30 1/2" Width



FT 3403

- 1 1/4" Projection
- 9 1/4" Height
- 28 5/8" Width




FT 3404

- 1 3/4" Projection
- 9 1/4" Height
- 27 1/4" Width



FT 3405

- 1 7/16" Projection
- 8 11/16" Height
- 24 1/16" Width



FT 3406

- 1 7/16" Projection
- 10 9/16" Height
- 42 1/16" Width



FT 3414

- 3" Projection
- 38" Height
- 108" Width



FT 3401

- 1" Projection
- 9 3/4" Height
- 4 15/16" Width



FT 3412

- 4" Projection
- 48" Height
- 12" Width



FT 3413

- 4" Projection
- 72" Height
- 12" Width



FT 3407

- 2" Projection
- 22 1/2" Height
- 7" Width



FT 3405

- 1 1/2" Projection
- 11 1/4" Height
- 4 7/16" Width



FT 3410

- 2" Projection
- 18 1/2" Height
- 4" Width



FT 3411



FT 3408

- 2" Projection
- 22 1/2" Height
- 7" Width





MISCELLANEOUS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



Photo above illustrates the use of the following Spectis products: fluted box columns, balusters BAL 2047, rails RAL 2106T & RAL 2103B and finial FIN 48.



FIN 24

- 2 3/8" Base Diam.
- 24 1/2" Height



FIN 34

- 2 7/8" Base Diam.
- 34" Height



FIN 7

- 3" Width
- 7 1/8" Height
- 2 1/4" Base Diam.
- PVC Pipe



FIN 8

- 3 3/4" Width
- 8" Height
- 3" Base Diam.
- PVC Pipe



FIN 21

- 3 1/2" Base Diam.
- 6 1/2" Overall Width
- 21 1/4" Height
- PVC Pipe



FIN 48

- 6" Square Base
- 12/12 Pitch
- 1/2" Threaded Rod
- 50 1/2" Height



FIN 102

- 6" Base Diam.
- 8 7/16" Overall Width
- 32 1/4" Height
- PVC Pipe



FIN 60

- 9" Base Diam.
- 60" Height
- 1/2" Threaded Rod

FIN 105

- 6 3/4" Base Diam.
- 7 1/2" Overall Width
- 45" Height
- 1/2" Threaded Pipe



FIN 106

- 3 1/2" Square Base
- 43" Height



FIN 110

- 4 3/4" Square Base
- 79" Height



FIN 119

- 3/4" Base Diam.
- 17 3/4" Height



FIN 120

- 8" Base Diam.
- 8" Height
- 24" Round

FINIALS

1 • 8 0 0 • 6 8 5 • 9 9 8 1





FINIALS



FIN 13

- 6" Base Diam.
- 13 5/8" Height
- PVC Pipe



FIN 23

- 6" Square Base
- 22 5/8" Height
- PVC Pipe



FIN 32

- 8" Square Base
- 32" Height
- PVC Pipe



FIN 103

- 2 3/16" Base Diam.
- 7 1/4" Height
- PVC Pipe



FIN 104

- 3 7/8" Square Base
- 9" Height
- PVC Pipe



FIN 107

- 7 1/4" Base Diam.
- 13" Height



FIN 108

- 1 3/4" Base Diam.
- 5 1/2" Height



FIN 109

- 2 1/2" Base Diam.
- 5 1/4" Height
- Round



FIN 111

- 4" Square Base
- 8 1/4" Height
- PVC Pipe



FIN 112

- 12" Base Diam.
- 30 1/2" Height
- PVC Pipe



FIN 113

- 8 1/2" Base Diam.
- 18 1/2" Height
- 1/2" Threaded Pipe



FIN 114

- 7 1/2" Base Diam.
- 25 1/2" Height



FIN 115

- 19 1/4" Base Diam.
- 48" Height



FIN 116

- 9 1/4" Base Diam.
- 41 1/4" Height
- 1/2" Threaded Pipe



FIN 117

- 15" Square Base
- 32 1/2" Height
- PVC Pipe



FIN 118

- 5" Square Base
- 10 3/8" Height
- PVC Pipe



FIN 3110

- 9 1/2" Base Diam.
- 31" Height
- PVC Pipe





MISCELLANEOUS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

STAIR BRACKETS



SB 3100L

- 12" Projection
- 7 1/2" Height
- 3/4" Width



SB 3100R


- 12" Projection
- 7 1/2" Height
- 3/4" Width



CUPOLA 2125

- 21" w. x 25 1/4" h.
- Available with painted copper roof
- Venting with screen
- Shipped Unassembled

QUOIN



• CAN BE MITERED

QN 102

- 1 1/2" Projection
- 84" w. x 13" h.

QN 103

- 1 1/2" Projection
- 16" w. x 16" h.

• BEVEL OR SQUARE EDGES

QN 104

- 1 1/2" Projection
- 36" w. x 18" h.

QN 105

- 1 1/2" Projection
- 34" w. x 16" h.

QN 106


- 1 1/2" Projection
- 32" w. x 10" h.

VG 101

- 7/16" Projection
- 6 1/4" Height
- 11 7/8" Width


VG 106

- 7/16" Projection
- 8" Height
- 12" Width



VG 104 • 7/16" Projection • 6 1/4" Height • 77" Width • 10 7/8" Repeat

GRILLE COVERS




VG 105

- 3/4" Projection
- 6" Height
- 10" Width

VG 103

- 3/4" Projection
- 14" Height
- 30" Width





VG 109

- 1 3/4" Projection
- 22 3/4" Height
- 30 3/4" Width

VG 102

- 5/16" Projection
- 10" Height
- 10" Width



VG 100

- 5/16" Projection
- 10" Height
- 20" Width

1 • 8 0 0 • 6 8 5 • 9 9 8 1





DECORATIVE ARABESQUE


- Can be ordered as a planon or for window glazing

ARB 3232

- 4 5/8" Projection
- 31 1/2" Height
- 31 1/2" Width




LIGHT BLOCKS



LB 68

- 1 3/4" Projection
- 6 1/2" Height
- 8" Width



LB 1414

- 3 1/4" Projection
- 14" Height
- 14" Width



LB 88

- 2" Projection
- 8" Height
- 8" Width



RW 24 LG
with 9 Lite Grille
• R.O. 24 1/2" d.




RW 24 DG
with Diamond Grille
• R.O. 24 1/2" d.

SPECIALTY WINDOWS

- GLASS NOT INCLUDED
- 4 9/16" Jamb
- Sold with/without Grilles
- Inside Casing Included



ARCH 2031 QG
with Queen Anne Grille
• R.O. 20" w. x 31 3/8" h.



OVAL 2032 SG
with Starburst Grille
• R.O. 20 1/2" w. x 32 1/2" h.
• Also Available Round Starburst Grille



OVAL 2032 DG
with Diamond Grille
• R.O. 20 1/2" w. x 32 1/2" h.



Photo above illustrates the use of the decorative arabesque ARB 3232 and ceiling rosette CR 7.






MISCELLANEOUS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



PN 3600

- 1" Projection
- 30 3/4" Height
- 30 3/4" Width



PQ 3500

- 2" Projection
- 14 1/2" Height
- 12" Width



PQ 3501

- 3 1/4" Projection
- 20 1/4" Height
- 20 1/4" Width



PQ 3504

- 1/2" Projection
- 5 1/2" Height
- 15 1/2" Width



PQ 3502

- 5 1/4" Projection
- 14" Height
- 16 1/2" Width


PQ 3503

- 5 1/4" Projection
- 17 7/8" Height
- 23" Width



RP 1612

- 3" Projection
- 12" Height
- 16" Width



RECESSED PANELS



Photo above illustrates the use of the following Spectis products: railings RAL 2100T & B, balusters BAL 2034, newel posts NP 2201 and newel caps NC 2311.

RP 1536

- 9/16" Projection
- 15" Height
- 36" Width

CUSTOM SIZES AVAILABLE

1 • 8 0 0 • 6 8 5 • 9 9 8 1





- Decorative Only
- 2" Projection
- RP 3900**
- 28" Square
- RP 3907**
- 22" Square



- RP 3906**
- 1 1/2" Projection
- 24" Square

RECESSED PANELS



- RP 3903**
- 7/8" Projection
- 32" Height
- 10 1/2" Width
- RP 3904**
- 7/8" Projection
- 21 1/2" Square
- RP 3905**
- 7/8" Projection
- 35 1/2" Height
- 21 1/2" Width

- RP 3910**
- 2" Projection
- 22 1/2" Height
- 38" Width



- RP 3909**
- 2" Projection
- 33 3/4" Height
- 38 3/4" Width



- With No Sill • 1" Projection

WP 1825

- 17 7/8" Width
- 24 7/8" Height

WP 2730

- 27" Width
- 30" Height

WP 4630

- 46" Width
- 30" Height

WP 6024

- 60" Width
- 24" Height

WINDOW PANELS



- With Sill

WP 2432S

- 24 1/2" Width
- 32 1/2" Height

WP 2832S

- 28 1/2" Width
- 32 3/4" Height

WP 3229S

- 32 5/8" Width
- 29" Height

WP3729S

- 37 1/2" Width
- 29" Height

WP 3732S

- 37 1/2" Width
- 32 3/4" Height

WP 4432S

- 44 1/2" Width
- 32 3/4" Height



Photo above illustrates the use of the following Spectis products: custom window panel, balusters BAL 2059-18, and custom mantle.

CUSTOM SIZES AVAILABLE





MISCELLANEOUS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

FINISHING

All Spectis' products are shipped "double primed" with an exterior grade latex paint and are ready for use. We recommend final finishing after installation is complete for the most consistent appearance possible. Please see "finishing" recommendations (on page 267) for more information.




FP 7200 HEWN

- 7 1/2" Projection
- 6" Height
- 59 1/4" Width



FP 7201 HEWN

- 9" Projection
- 7 1/2" Height
- 71 5/8" Width



FP 7248M

- 4 3/8" Projection
- 76 7/8" Length

FIREPLACE SURROUND

FP 7248C

- 4 3/8" Projection
- Set of Three Pieces

FP 7248P

- 1 1/4" Projection
- 48" Height
- Shaft • 5 1/4" Width
- Plinth • 6 5/8" Width

FP 7254

- 1 1/2" Projection
- 54" Height



Photo above illustrates the use of the following Spectis products: fireplace plinths FP 7248P and custom header CSH 1015.

1 • 8 0 0 • 6 8 5 • 9 9 8 1





- OT 3800 - 1824**
 - 18" w. x 24" h.
- OT 3800 - 2030**
 - 20" w. x 30" h.
- OT 3800 - 2335**
 - 23 1/4" w. x 35 1/4" h.
- OT 3800 - 3346**
 - 33 3/4" w. x 46" h.
- OT 3800 - 4052**
 - 40" w. x 52" h.
 - 1 3/4" Projection
 - Inside Dimensions
 - Matches MD 1377



Photo above illustrates the use of the following Spectis products: custom corner pilaster, custom size header CSH 1006, and oval trim OTK 3801-1624.



- OTK 3800 - 1928**
 - 19 3/4" w. x 28 1/2" h.
- OTK 3800 - 2436**
 - 24" w. x 36" h.
 - 1 3/4" Projection
 - Inside Dimensions
 - Matches MD 1377
 - With Keystones



- OTK 3801 - 1624**
 - 16" w. x 24 1/2" h.
- OTK 3801 - 2948**
 - 29 5/8" w. x 48" h.
- OTK 3801 - 3046**
 - 30" w. x 46" h.
- OTK 3801 - 3656**
 - 36" w. x 56 1/2" h.
 - 1 3/4" Projection
 - Inside Dimensions
 - Matches MD 1144
 - With Keystones





MISCELLANEOUS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

TRELLIS/ARBOR/PERGOLA

NOTE :

See page 268 for trellis installation instructions.



CUSTOM SIZES AVAILABLE
Call for Quotation

TRB103C	3" x 6" x 12', with Aluminum	Coped both ends
TRB103A	3" x 6" x 12', with Aluminum	Coped one end
TRB103B	3" x 6" x 12', with Aluminum	No coped ends (square ends)
TRB101C	3" x 9" x 12', with Aluminum	Coped both ends
TRB101A	3" x 9" x 12', with Aluminum	Coped one end
TRB101B	3" x 9" x 12', with Aluminum	No coped ends (square ends)
TRB100C	4" x 10" x 12', with Aluminum	Coped both ends
TRB100A	4" x 10" x 12', with Aluminum	Coped one end
TRB100B	4" x 10" x 12', with Aluminum	No coped ends (square ends)
KIT100	Splice kit to join 9" and 10" beams together	

TR1212A – Complete Trellis Kit contains

9 – TRB103	3" x 6" Beams
4 – TRB101	3" x 9" Beams
4 – CLM100-8	with mounting flanges
4 – CAP100-6	Tuscan Cap
4 – BSE100-8	Tuscan Base
4 – KIT101	Hardware to fasten Columns to both Trellis and Concrete Deck and flashing for Column Caps


TR1212B – Complete Trellis Kit contains

9 – TRB101	3" x 9" Beams
4 – TRB100	4" x 10" Beams
4 – CLM100-8	with mounting flanges
4 – CAP100-6	Tuscan Cap
4 – BSE100-8	Tuscan Base
4 – KIT101	Hardware to fasten Columns to both Trellis and Concrete Deck and flashing for Column Caps

Beams are reinforced with an aluminum truss embedded in the polyurethane

Spectis' trellis design incorporates the latest maintenance free technology with the traditional look of early 20th century architecture. Our trellis features a 100% maintenance free polyurethane exterior shell wrapping an internal aluminum structural truss, providing a 5-lb./ft² safe loading. Our trellis is modular in design, but can be ordered as a 12' x 12' kit (TR 1212B). Each trellis comes with pre-notched beams and crosses for easy assembly.


Contact your Spectis Customer Service Representative for more information and custom sizes.



TR1212A

1 • 8 0 0 • 6 8 5 • 9 9 8 1






Trellis parts can be used in a modular fashion so the trellis footprint can grow in either direction in multiples of 12'.
Eg. 2 – TRB100As and 1 – TRB100B can be put together with splice kits to create a run of 36', supported by 4 columns.

TRELLIS/ARBOR/PERGOLA



Photo right and below illustrate the use of different custom Spectis trellis installations.








SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

MOULDINGS






MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

SPECTIS RESERVES THE RIGHT TO HOLLOW OUT THE BACK OF ANY PRODUCT WITHOUT NOTICE. SOME PRODUCTS MAY BE MADE AS ASSEMBLIES.



Inside Radius

Outside Radius



Elliptical Arch



Arch Radius



Photo above illustrates the use of the following Spectis products: moulding MD 1162, pre-radiused and straight.



FLEXIBLE MOULDING

Spectis has over 750 moulding profiles in our catalogue for use in just about any design situation. In addition to the rigid polyurethane, we also produce most of our profiles in either **Iron** or **Deco Flex**. These products can be used around a variety of radii and will match up to Spectis' rigid material. For specific application and pricing on Spectis' flexible material please contact your Spectis Customer Service representative. Refer to page 269 for flexible moulding installation instructions.

Iron Flex is an elastomeric semi-flexible material, which can be used in either interior or exterior applications. This material is limited to moulding profiles that are moulded in a lay down, flat back configuration.

Deco Flex is cellular polyurethane, which can only be used for interior applications. It can be used with most of our moulding profiles.

TECHNICAL DATA SHEET ————— IRON FLEX

DESCRIPTION

Iron Flex is a composite polyurethane elastomer system, formulated for the manufacture of flexible moulding and trim.

UNIQUE PROPERTIES

Iron Flex has become an industry standard with over 15 years of consistent performance in the production of flexible moulding. Iron Flex is specifically designed to produce an extremely flexible moulding that is nailable, stainable and paintable, to be used in place of wood millwork. Iron Flex outperforms natural wood in that it will not crack, rot, warp or allow insect infestation.

TYPICAL PROPERTIES: IRON FLEX

VISCOSITY;	A component	150 cps
	B component	4000 cps
RATIO; A/B	20/80	
SPECIFIC GRAVITY	1.3 g/cc	
DUROMETER SHORE A	88	
% SHRINK DURING CURE	0.05%	
CET; in/in/F x 10 -5	6.2	
SERVICE RANGE	-40 to 200 F	

1 • 8 0 0 • 6 8 5 • 9 9 8 1





POSTER DISPLAY UNIT



HD 102

MOULDING DISPLAY UNIT



HD 103

- 23" x 23" x 112"

Hand rotating moulding display with 40 moulding samples installed.

HD 103A

- 23" x 23" x 112"

Motor driven rotating moulding display with 40 moulding samples installed.

FLOOR DISPLAY



FD 100

MOULDING BOX



MB 100





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1000

• 3 1/4" Projection • 3 1/4" Height • 12'2" Length



MD 1001

• 7" Projection • 6 1/2" Height • 11'9" Length • 5 1/4" Repeat



MD 1012 • 4 3/16" Projection • 4 13/16" Height
• 12'0" Length • 3 1/2" Repeat

MD 1346 • 6 5/16" Projection • 7 1/8" Height
• 12'0" Length • 5 1/4" Repeat



MD 1334

• 4 1/2" Projection • 4 3/8" Height • 12'0" Length



MD 1367

• 3 1/2" Projection • 4 1/4" Height • 9'6" Length • 10" Repeat



MD 1401

• 5" Projection • 5 1/2" Height • 12'0" Length • 3 3/8" Repeat



MD 1056

• 5 1/2" Projection • 5 1/2" Height • 11'9" Length • 5 1/8" Repeat



MD 1889

• 6 7/8" Projection • 6 7/8" Height • 11'3" Length • 5 1/8" Repeat



MD 1666

• 5 1/4" Projection • 7" Height • 12'0" Length • 3 1/4" Repeat



MD 1374

• 4 1/4" Projection • 3" Height • 12'0" Length • 2 1/8" Repeat



MD 1233

• 5 3/8" Projection • 7" Height • 11'8" Length • 15 9/16" Repeat



MD 1397

• 4 7/8" Projection • 7 3/8" Height • 12'0" Length • 5 1/2" Repeat



MD 1536WG

• 10" Projection • 8 3/8" Height • 12'0" Length
• 23 3/8" Repeat • **WOODGRAIN**

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1194

- 10" Projection • 9" Height • 7'5 1/2" Length • 6 1/4" Repeat
- **DISTRESSED LOOK**



MD 1072

- 5" Projection • 9 1/4" Height • 6'0" Length • 5 1/4" Repeat



MD 1461

- 5 1/2" Projection • 6 3/8" Height • 12'0" Length • 1 1/4" Repeat



MD 1310

- 8 1/8" Projection • 4 5/8" Height • 12' Length
- 32" Repeat



MD 1729

- 8 1/8" Projection • 4 5/8" Height • 12'0" Length



MD 1399

- 4 3/16" Projection • 8 3/4" Height • 12'0" Length • 8" Repeat



MD 1206

- 4 3/4" Projection • 7" Height • 12'0" Length • 3 7/8" Repeat



MD 1327A • 5 3/8" Projection • 10 1/4" Height • 12' Length

MD 1327B • 5" Projection • 5" Height • 8'0" Length



MD 1197

- 7 1/2" Projection • 13 1/2" Height • 7'7" Length
- 12 3/4" Repeat • Plaster Master/Rough Surface



MD 1467

- 2 11/16" Projection • 5 1/2" Height • 12'0" Length • 6" Repeat



MD 1940

- 9 1/16" Projection • 9 1/4" Height • 6'0" Length



MD 1193

- 9" Projection • 7 1/4" Height • 11'3 3/4" Length • 16 3/4" Repeat
- Plaster Master/Rough Surface



MD 1237

- 7 1/2" Projection • 11 3/4" Height • 12'0" Length • 3" Repeat





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1036
• 6 1/2" Projection • 6 1/2" Height • 12'0" Length • 5 1/8" Repeat



MD 1312
• 4 5/8" Projection • 7 1/2" Height • 12'0" Length



MD 1362
• 9/16" Projection • 1 1/4" Height • 7'3" Length



MD 1615
• 1/2" Projection • 2 1/4" Height • 8'6" Length • 3 3/16" Repeat



MD 1183
• 1/2" Projection • 1 3/8" Height • 7'6 1/2" Length • 6" Repeat



MD 1603
• 1" Projection • 3 1/8" Height • 12'3/8" Length • 6 7/8" Repeat



MD 1260
• 2" Projection • 13 1/2" Height • 11'4" Length • 17 1/8" Repeat




MD 1797
• 1 9/16" Projection • 16" Height • 11'3" Length • 15" Repeat




MD 1154
• 6" Projection • 16" Height • 12'0" Length • 12" Repeat




MD 1240
• 2 9/16" Projection • 9" Height • 12'0" Length



MD 1803
• 3 1/4" Projection • 10" Height • 12'0" Length



MD 1805
• 3 1/2" Projection • 11 1/8" Height • 12'0" Length



MD 1241
• 5" Projection • 16" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1039

• 2 7/8" Projection • 2 1/8" Height • 12'0" Length • 3 1/2" Repeat



MD 1195

• 1 1/8" Projection • 2 1/4" Height • 7'3" Length • 1 3/4" Repeat




MD 1423

• 1 1/16" Projection • 2 3/4" Height • 12'0" Length • 4 7/8" Repeat



MD 1057

• 1 1/4" Projection • 2 5/8" Height • 11'7" Length • 6" Repeat



MD 1491

• 1 1/4" Projection • 4 1/2" Height • 8'0" Length • 1 5/8" Repeat



MD 1691

• 2 3/8" Projection • 7 1/8" Height • 12'0" Length • 4 7/8" Repeat



MD 1690

• 3 3/16" Projection • 10 5/8" Height • 12'0" Length • 6 3/8" Repeat



MD 1496

• 1 3/16" Projection • 3 1/16" Height • 12'0" Length • 2 7/8" Repeat



MD 1132

• 2 3/4" Projection • 2 3/4" Height • 11'10" Length • 4 1/4" Repeat



MD 1086

• 2 11/16" Projection • 3 1/4" Height • 11'7" Length • 3 1/2" Repeat



MD 1824

• 3 1/4" Projection • 3 11/16" Height • 12'1" Length



MD 1185

• 2 1/2" Projection • 4 1/4" Height • 11'10" Length • 7/8" Repeat



MD 1398

• 6 3/8" Projection • 8" Height • 12'0" Length • 1 13/16" Repeat





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1024

• 2 1/4" Projection • 4 5/8" Height • 11'8" Length • 22" Repeat



MD 1375

• 2 1/2" Projection • 6" Height • 12'0" Length • 11" Repeat



MD 1311

• 2 3/4" Projection • 4 3/4" Height • 12'0" Length • 11/16" Repeat



MD 1313

• 1 7/8" Projection • 4 3/4" Height • 12'0" Length



MD 1275

• 1 13/16" Projection • 6 1/8" Height • 12'0" Length



MD 1360

• 1 1/2" Projection • 8 3/4" Height • 11'1" Length • 9 1/2" Repeat



MD 1045

• 5/8" Projection • 2 5/8" Height • 11'0" Length • 1 7/8" Repeat



MD 1359

• 11/16" Projection • 5" Height • 12'0" Length • 3" Repeat



MD 1344

• 1 1/2" Projection • 3" Height • 7'11" Length • 1 3/8" Repeat



MD 1060

• 15/16" Projection • 3" Height • 11'2" Length • 1 1/2" Repeat



MD 1901

• 1 15/16" Projection • 4 5/8" Height • 7'9 1/4" Length • 31/32" Repeat



MD 1902

• 1 3/4" Projection • 4 11/16" Height • 7'10 1/4" Length • 1 5/16" Repeat



MD 1488

• 1" Projection • 3 1/8" Height • 12'0" Length • 11/16" Repeat



MD 1441

• 1 3/8" Projection • 8 1/2" Height • 7'3" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1328

• 3/4" Projection • 6" Height • 12'0" Length



MD 1239

• 5/8" Projection • 3" Height • 11'8" Length



MD 1117

• 3/4" Projection • 3 3/8" Height • 8'0" Length • 8 1/16" Repeat



MD 1796

• 13/16" Projection • 6" Height • 5'0" Length



MD 1111

• 7/8" Projection • 4 3/8" Height • 10'10" Length • 11" Repeat



MD 1140

• 1" Projection • 6 1/4" Height • 8'0" Length



MD 1115

• 3/4" Projection • 6 3/4" Height • 12'0" Length • 1 1/2" Repeat



MD 1404

• 1" Projection • 6" Height • 5'9" Length • 7/8" Repeat



MD 1329-6

• 3/4" Projection • 6" Height • 7'10 5/8" Length • 5 1/4" Repeat

MD 1329-8

• 3/4" Projection • 8" Height • 7'11 3/8" Length • 7 3/8" Repeat



MD 1556

• 1" Projection • 5" Height • 12'0" Length



MD 1894

• 1 3/4" Projection • 8" Height • 12'0" Length • 12" Repeat



MD 1247

• 1" Projection • 9 3/4" Height • 8'0" Length • 2'3/16" Repeat



MD 1186

• 1 7/8" Projection • 11 3/8" Height • 10'10" Length





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1010

• 1 7/8" Projection • 12 1/8" Height • 11'2" Length • 7 3/8" Repeat



MD 1196

• 7/8" Projection • 12 1/2" Height • 11' 8 3/4" Length • 15 3/4" Repeat



MD 1296

• 1 3/4" Projection • 16" Height • 12'0" Length • 1'11 3/4" Repeat



MD 1123

• 1" Projection • 2 1/4" Height • 12'0" Length • 1 3/8" Repeat



MD 1110

• 2 1/8" Projection • 4" Height • 12'0" Length • 2 1/2" Repeat



MD 1814

• 5/8" Projection • 1 1/8" Height • 8'0" Length



MD 1032

• 1 3/8" Projection • 2 3/4" Height • 11'5" Length • 2 5/8" Repeat



MD 1291

• 2 3/4" Projection • 3 1/4" Height • 12'0" Length



MD 1309

• 3 1/2" Projection • 5" Height • 12'0" Length
• 2 3/8" Repeat



MD 1636

• 1 1/2" Projection • 3 1/4" Height • 11'11 3/4" Length
• 1 9/16" Repeat



MD 1308

• 2 9/16" Projection • 3 3/8" Height • 12'0" Length
• 1 3/16" Repeat



MD 1493

• 2 3/4" Projection • 4 15/16" Height • 12'0" Length • 12" Repeat

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1349

• 2 3/4" Projection • 5" Height • 11'6" Length • 1 1/4" Repeat



MD 1504

• 4" Projection • 4" Height • 12'0" Length • 1 1/4" Repeat



MD 1671

• 7" Projection • 7" Height • 12'0" Length • 2" Repeat



MD 1705

• 6 3/4" Projection • 6 1/8" Height • 12'0" Length • 2 5/8" Repeat



MD 1031

• 2 7/8" Projection • 5 7/8" Height • 12'0" Length • 2 5/8" Repeat



MD 1348

• 6" Projection • 6" Height • 11'7" Length • 2 1/8" Repeat



MD 1454

• 8 1/2" Projection • 8 1/2" Height • 12'0" Length
• 3" Repeat



MD 1340

• 6 1/8" Projection • 6 3/4" Height • 11'8" Length • 3" Repeat



MD 1490

• 7 3/8" Projection • 7 3/8" Height • 12'0" Length • 1 5/8" Repeat



MD 1368

• 5 5/16" Projection • 9 13/16" Height • 11'4 9/16" Length
• 2 5/8" Repeat



MD 1564

• 9 15/16" Projection • 12 1/2" Height • 12'0" Length
• 3 3/8" Repeat





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1061

• 8 3/4" Projection • 7 1/4" Height • 11'2" Length • 3" Repeat



MD 1767

• 15" Projection • 12" Height • 6'5 1/8" Length



MD 1096

• 5 9/16" Projection • 9 13/16" Height • 12'0" Length • 6" Repeat



MD 1460

• 11 9/16" Projection • 17 3/4" Height • 12'0" Length • 5 3/8" Repeat



MD 1428

• 8 " Projection • 8 1/8" Height • 11'5" Length • 2 7/16" Repeat



MD 1786

• 20" Projection • 12" Height • 11'9" Length
• 4 15/16" Repeat



MD 1573

• 14 1/2" Projection • 15 1/2" Height • 12'0" Length



MD 1416

• 1 1/2" Projection • 5 1/2" Height • 12'0" Length • 8" Repeat



MD 1417

• 1 1/2" Projection • 11" Height • 6'0" Length • 1'6" Repeat



MD 1292

• 1 1/4" Projection • 5 5/8" Height • 8'0" Length • 9 3/16" Repeat

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1670

• 1" Projection • 3 1/2" Height • 12'0" Length • 3" Repeat



MD 1537

• 1 1/2" Projection • 9 1/2" Height • 12'0" Length • 12" Repeat



MD 1074

• 1 3/4" Projection • 11 1/2" Height • 10'9" Length • 6 3/4" Repeat



MD 1931

2 3/4" Projection • 5 3/8" Height • 6'0" Length • 3 1/2" Repeat



MD 1724

• 4" Projection • 8 1/2" Height • 12'1" Length • 5" Repeat



MD 1502

• 1" Projection • 2 5/8" Height • 12'0" Length • 1" Repeat



Photo above illustrates the use of Spectis moulding MD 1179.

MOULDING SET



MD 1320

• 7" Projection • 6 7/8" Height • 6'6" Length
• Use on centre of wall
• 15" of smooth moulding on each end



MD 1299

• 7" Projection • 6 7/8" Height • 12'0" Length
• Use to extend MD 1320 & to make outside corners



MD 1321

• 7" Projection • 6 7/8" Height • 6'6" Length
• Use to make 2 inside corners when cut
• 5" of smooth moulding on each end






MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1259

This moulding is made as one piece with the blocks to be added.

NOTE: The corbels BL 2476 and plates (see page 44) are sold separately.

MD 1259

- 12" Projection
- 12 3/4" Height
- 11'7" Length



MD 1242

This moulding is made up of three pieces of moulding. Shipped unassembled for ease of mitering or it can be shipped assembled.

OPTION: Assembled and shipped in one piece without corbels. Pricing available upon request.

NOTE: The corbels BL 2483 and plates (see page 42) are sold separately.



MD 1242

- 24" Projection
- 24" Height
- 12'0" Length



1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1484

- 36" Projection
- 36" Height
- 12'0" Length



MD 1484

This moulding is made up of five pieces of moulding. Shipped unassembled for ease of mitering or it can be shipped assembled.


OPTION: Assembled and shipped in one piece without corbels. Pricing available upon request.

NOTE: The corbels (BL 2604A) and plates (BL 2604B & C see page 43) are sold separately.




The above moulding measures 36" X 36" X 12' long. It was produced with the corbels shipped separately for easy spacing after installation.

NOTE: The corbels and plates are sold separately.



LARGE MOULDING



Spectis makes products light, large, and durable! Using Spectis' one-piece cornices eliminates the need for multiple scaffolding setups and permits for simpler blocking, which shortens installation time, allowing for greater contractor profitability! Contact your customer service representative for Spectis' one-piece cornice.





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1029

• 6 3/4" Projection • 6 1/4" Height • 11'7" Length • 7" Repeat



MD 1245

• 7 3/16" Projection • 6 3/8" Height • 11'6 3/4" Length • 4 1/2" Repeat



MD 1064

• 8 1/2" Projection • 8 1/2" Height • 11'7" Length • 7" Repeat



MD 1014

• 11 1/4" Projection • 9 1/4" Height • 11'7" Length • 10" Repeat




Photo above illustrates the use of Spectis moulding MD 1242.



MD 1063

• 12" Projection • 12 3/4" Height • 11'6" Length • 10 3/4" Repeat



MD 1515

• 7 1/2" Projection • 7 1/2" Height • 12'0" Length
• 3" Space • 1 1/4" Dentic



MD 1930

• 6 13/16" Projection • 9 11/16" Height • 12'0" Length
• 1 11/16" Repeat



MD 1218

• 3 1/8" Projection • 4" Height • 12'0" Length
• 2" Repeat • 1 1/4" x 1 1/4" Dentic

FINISHING

All Spectis' products are shipped "double primed" with an exterior grade latex paint and are ready for use. We recommend final finishing after installation is complete for the most consistent appearance possible. Please see "finishing" recommendations (on page 267) for more information.



1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1125

• 3 1/2" Projection • 4" Height • 12'0" Length • 2 1/4" Repeat



MD 1333

• 5" Projection • 7" Height • 7'11" Length • 3" Repeat



MD 1022

• 4 1/4" Projection • 4 3/4" Height • 12'0" Length
• 1" Repeat • 1/2" x 1/2" Dentil



MD 1179

• 6" Projection • 7 1/4" Height • 12'0" Length
• 1/2" Space • 3/4" Dentil



MD 1421

• 4 1/4" Projection • 5 7/8" Height • 12'0" Length
• 2 3/4" Repeat • 1 3/4" Dentil



MD 1141

• 5" Projection • 5 1/4" Height • 12'0" Length • 4 1/2" Repeat



MD 1886

• 5 7/8" Projection • 8 7/8" Height • 12'0" Length • 4 1/2" Repeat



MD 1426

• 4 11/16" Projection • 7 1/4" Height • 11'11" Length
• 2 1/2" Space • 3" Dentil



Photo above shows use of Spectis custom moulding and columns with cap & base





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1701

• 16 7/8" Projection • 19 7/8" Height • 12'0" Length
• 1" Space • 2 1/4" Dentil

MD 1701L-6.5/12

MD 1701R-6.5/12



MD 1919

• 7" Projection • 11" Height • 12'0" Length • 3 1/2" Repeat



MD 1152

• 5" Projection • 8 1/4" Height • 12'0" Length • 1 1/4" Repeat



MD 1392

• 4" Projection • 14 1/4" Height • 12'0" Length • 7 1/4" Repeat



MD 1175A

• 4 3/4" Projection • 8 1/4" Height • 12'0" Length
• 4" Repeat • 2" x 3" Dentil



MD 1269

• 6 1/2" Projection • 7 1/2" Height • 12'0" Length



MD 1356

• 5 1/8" Projection • 4 1/2" Height • 11'7" Length
• 1 3/4" Space • 7/8" Dentil



MD 1047

• 7 1/2" Projection • 7 1/2" Height • 12'0" Length • 4 1/4" Repeat



MD 1026

• 8 5/8" Projection • 8" Height • 12'1" Length
• 2 7/8" Repeat • 3/4" x 1 3/4" Dentil



MD 1089

• 5 3/8" Projection • 8 1/8" Height • 12'0" Length
• 1 3/4" x 3 1/2" Dentil • 7/8" Space



MD 1756

• 11" Projection • 9 1/2" Height • 12'0" Length • 3" Space • 3" Dentil

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1668

• 2 1/4" Projection • 2 3/8" Height • 12'0" Length • 2" Repeat



MD 1316

• 4 1/4" Projection • 9 3/8" Height • 12'0" Length
• 1 3/4" Repeat



MD 1885

• 4" Projection • 5 7/8" Height • 12'0" Length • 3 3/4" Repeat



MD 1762

• 3 3/4" Projection • 8 1/4" Height • 12'1/2" Length
• 1 1/16" Space • 1 1/16" Dentil



MD 1408

• 4 1/2" Projection • 8" Height • 12'0" Length
• 7" Repeat • 3/4" x 3 1/4" Dentil



MD 1412A

• 7" Projection • 14 3/8" Height • 12'0" Length
• 1 1/2" Space • 1 1/2" Dentil



MD 1580

• 10 3/4" Projection • 19 1/2" Height • 12'0" Length • 5 1/4" Repeat



MD 1412B

• 7" Projection • 14 3/8" Height • 12'0" Length
• 1 1/2" Space • 1 1/2" Dentil • No Flat Board on Top



MD 1038

• 5 3/4" Projection • 8 5/8" Height • 11'11 1/2" Length
• 3 1/2" Repeat • 1 1/2" x 2 1/4" Dentil



MD 1235

• 10" Projection • 14 1/2" Height • 12'0" Length
• 2" x 3" Dentil • 4" Space



MD 1760

• 3 1/2" Projection • 6" Height • 12'1/2" Length
• 1 1/16" Space • 1 1/16" Dentil



MD 1099D

• 8 1/4" Projection • 11 1/4" Height • 12'0" Length
• 3" Space • 3" x 3" Dentil





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1789

• 3 3/4" Projection • 16" Height • 12'3" Length • 1'9" Repeat



MD 1794

• 11 5/16" Projection • 21 1/4" Height • 12'0" Length • 7" Repeat



MD 1246

• 9 1/2" Projection • 11 1/4" Height • 12'0" Length
• 2" Space • 2" x 2 3/4" Dentil



MD 1003

• 11 5/16" Projection • 17 3/4" Height • 12'0" Length
• 7" Repeat • 3 3/16" x 3 3/16" Dentil



MD 1841

• 10 3/4" Projection • 11 1/2" Height • 12'0" Length • 4 1/4" Repeat



MD 1774

• 12" Projection • 12" Height • 12'0" Length • 2" Space • 2" Dentil



MD 1520

• 5 7/8" Projection • 17 1/2" Height • 12'0" Length
• 2" Space • 2 1/2" Dentil



MD 1517

• 16" Projection • 18" Height • 12'0" Length • 3" Space • 4" Dentil



MD 1707

MD 1707L & R-12/12

• 3 3/4" Projection • 12" Height • 12'0" Length
• 12" Space • 9" x 4 1/2" Dentil



MD 1155

12" Projection • 22" Height • 12'0" Length • 4 5/8" Repeat



MD 1266

• 10" Projection • 13" Height • 12'1 9/16" Length
• 6 15/16" Repeat • 3 3/16" x 3 3/4" Dentil

1 • 8 0 0 • 6 8 5 • 9 9 8 1





Photo above illustrates the use of Spectis moulding MD 1237.



MD 1294

• 1" Projection • 1" Height • 8' Length • 1 1/2" Repeat



MD 1065

• 3 3/4" Projection • 4" Height • 11'8" Length
• 7" Repeat • 2 5/8" x 4 1/8" Dentil




MD 1285

2 1/4" Projection • 3 7/8" Height • 12'0" Length
• 1 3/4" Repeat • 3/4" x 3/4" Dentil



MD 1288

• 3/4" Projection • 1 3/8" Height • 7'11 1/2" Length
• 1 1/2" Repeat • 3/4" Dentil



MD 1020

• 3 3/8" Projection • 6 1/2" Height • 12'0" Length
• 3" Repeat • 1 1/2" x 2" Dentil



MD 1287

• 1 1/8" Projection • 4 1/2" Height • 12'0" Length
• 3" Repeat • 1 1/2" Dentil

MD 1287L-10/12

MD 1287R-10/12

• 1 1/8" Projection • 4 1/2" Height • 6'0" Length • 3" Repeat



MD 1258

• 1 5/8" Projection • 3" Height • 12'0" Length • 2" Repeat



MD 1080

• 2 1/2" Projection • 5 1/4" Height • 12'0" Length
• 2 3/4" Dentil Space • 5 1/2" Repeat



MD 1293

• 3" Projection • 5 1/4" Height • 12'0" Length • 2" Repeat



MD 1019

• 1 1/2" Projection • 5 7/8" Height • 12'0" Length
• 4 3/4" Repeat • 2 3/8" x 2 3/4" Dentil





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1174

- 1 1/2" Projection • 5 7/8" Height • 11'10" Length
- 1 5/8" Space • 1 5/8" x 1 3/4" Dentil



MD 1189

- 3 3/4" Projection • 6 1/4" Height • 11'10" Length • 6 7/8" Repeat



MD 1105

- 1 1/2" Projection • 3" Height • 12'0" Length • 3 5/8" Repeat



MD 1782

- 1" Projection • 4 1/2" Height • 12'0" Length
- 3 1/4" Repeat • 1 7/8" Dentil



MD 1929

- 1" Projection • 5 1/2" Height • 12'0" Length
- 3 1/4" Repeat • 1 7/8" x 3 1/2" Dentil



MD 1243

- 1 3/16" Projection • 7" Height • 12'0" Length
- 5 3/8" Repeat • 2 7/8" x 5 5/8" Dentil



MD 1688

- 1 1/2" Projection • 3 1/2" Height • 12'0" Length
- 3" Repeat • 1 3/4" Dentil



MD 1870

- 2 7/8" Projection • 5 9/16" Height • 12'0" Length • 4" Repeat



MD 1289

- 1 1/2" Projection • 7" Height • 12'0" Length
- 4" Repeat • 2" Dentil



MD 1109

- 1 1/2" Projection • 11 1/2" Height • 11'10" Length
- 5 1/2" Repeat • 2 3/4" x 2 3/4" Dentil



MD 1446 - STRAIGHT • 4'2" Length • 6" Repeat

MD 1446L - 10/12

MD 1446R - 10/12

- 3" Projection • 6 15/16" Height • 4'3/4" Length • 10/12 Pitch

MD 1446L - 17/12

MD 1446R - 17/12

- 17/12 Pitch



MD 1314 • Straight

MD 1314R - 8/12 • 8/12 Right Pitch

MD 1314L - 8/12 • 8/12 Left Pitch

- 2 1/4" Projection • 7 1/2" Height • 11'0" Length
- 7" Repeat • 3 1/2" x 5" Dentil



MD 1627

- 2" Projection • 4 1/2" Height • 12'0" Length • 6" Repeat

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1414

- 1 3/8" Projection • 9 1/2" Height • 12'0" Length
- 10" Repeat • 5" Dentil




MD 1602

- 2 1/2" Projection • 4 3/8" Height • 12'0" Length
- 3" Repeat • 1 1/2" x 1 1/2" Dentil



MD 1168

- 2 1/8" Projection • 9 1/2" Height • 11'6" Length
- 10" Repeat • 5" x 5 1/2" Dentil



MD 1706

- 2" Projection • 4 3/4" Height • 12'0" Length • 12" Repeat



MD 1497

- 1 1/4" Projection • 4 1/2" Height • 8'0" Length
- 8 1/8" Repeat • 4 1/2" x 4 1/2" Dentil



MD 1106

- 7/8" Projection • 3 1/2" Height • 12'0" Length • 3 11/16" Repeat



MD 1373

- 1 1/4" Projection • 3 3/8" Height • 12'0" Length
- 7" Repeat • 3 3/8" Dentil



MD 1716

- 1 3/8" Projection • 1 3/4" Height • 12'0" Length
- 1 1/4" Dentil • 2 1/4" Repeat



MD 1092

- 1 1/2" Projection • 4 1/2" Height • 11'8" Length
- 3 1/2" Dentil • 6 1/8" Repeat



MD 1070

- 1" Projection • 3" Height • 12'0" Length • 1 1/2" Dentil
- 3" Repeat



MD 1058

- 1 3/8" Projection • 6" Height • 12'0" Length
- 5" Repeat • 2 1/2" Dentil



MD 1543

- 1 1/4" Projection • 8 1/2" Height • 12'0" Length
- 6" Repeat • 3" Dentil






MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1384

- 2 3/16" Projection • 4 3/8" Height • 12'0" Length
- 12" Repeat • 2" Dentil



MD 1390

- 3" Projection • 12 1/2" Height • 12'0" Length
- 12" Repeat • 4" Dentil



MD 1391

- 3" Projection • 4 3/8" Height • 12'0" Length
- 6" Repeat • 3" Dentil



MD 1274

- 1 1/2" Projection • 9 1/2" Height • 12'0" Length
- 4 7/8" Repeat • 2 1/4" Dentil




MD 1638

- 2 1/8" Projection • 15" Height • 11'6" Length • 10" Repeat



MD 1583

- 1 1/2" Projection • 4 1/2" Height • 12'0" Length • 2 7/8" Repeat



MD 1784

- 4" Projection • 14" Height • 12'0" Length
- 8" Repeat • 4" Dentil



MD 1264

- 2 1/4" Projection • 9" Height • 12'3" Length
- 3 1/2" x 8" Dentil • 7" Repeat



MD 1639

- 3 1/2" Projection • 6" Height • 12'0" Length
- 1" Dentil • 6" Repeat



MD 1007

- 9 1/8" Projection • 10" Height • 12'0" Length
- 12" Repeat • 3 7/8" x 5" Dentil



MD 1261

- 6 1/2" Projection • 7 1/2" Height • 11'3" Length • 11 1/4" Repeat
- 7 1/4" Space • BL 2424 installed on flat board

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1160

• 4 5/16" Projection • 5" Height • 12'0" Length



MD 1087

• 7 1/8" Projection • 8 7/16" Height • 12'0" Length




Photo above illustrates the use of Spectis moulding MD 1029.



MD 1557

• 7 1/8" Projection • 8 1/2" Height • 12'0" Length




MD 1888

• 6 3/4" Projection • 3 3/4" Height • 12'0" Length



MD 1642CF

• 19" Projection • 16" Height • 12'0" Length • **CONCRETE FINISH**



MD 1875

• 7" Projection • 4" Height • 12'0" Length



MD 1876

• 4 3/4" Projection • 2 1/2" Height • 12'0" Length



MD 1740

• 15 13/16" Projection • 6 3/16" Height • 12'0" Length



MD 1199

• 6 1/8" Projection • 3 5/8" Height • 12'0" Length



MD 1937

• 14" Projection • 10 1/4" Height • 12'0" Length



MD 1964

• 6 1/8" Projection • 3 11/16" Height • 12'0" Length



MD 1357

• 7 1/2" Projection • 4" Height • 12'0" Length





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



Photo above illustrates the use of the following Spectis product: moulding MD 1154.



MD 1487

• 10 1/4" Projection • 6 1/4" Height • 12'0" Length



MD 1415

• 9 1/16" Projection • 4 15/16" Height • 12'0" Length




MD 1790

• 4 5/8" Projection • 7" Height • 12'0" Length



MD 1768

• 4 5/8" Projection • 5 9/16" Height • 12'0" Length



MD 1769

• 3 3/16" Projection • 6 3/4" Height • 12'0" Length



MD 1845

• 4 5/16" Projection • 8 9/16" Height • 12'0" Length



MD 1826

• 3 7/8" Projection • 7 3/16" Height • 12'0" Length



MD 1226

• 7 1/16" Projection • 7 1/16" Height • 12'0" Length



MD 1874

• 9 3/8" Projection • 6 1/2" Height • 12'0" Length




MD 1939

• 9 1/16" Projection • 9 1/4" Height • 12'0" Length


1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1067

• 4 7/8" Projection • 5 3/4" Height • 12'0" Length




MD 1355

• 5 11/16" Projection • 6 11/16" Height • 12'0" Length




MD 1250

• 1 1/2" Projection • 1 1/2" Height • 12'0" Length




MD 1091

• 1 3/4" Projection • 1 3/4" Height • 12'0" Length



MD 1833

• 3 1/8" Projection • 3 1/8" Height • 12'0" Length




MD 1519

• 4 3/4" Projection • 4 3/4" Height • 12'0" Length




MD 1612

• 4" Projection • 4" Height • 12'0" Length




MD 1613

• 6" Projection • 6" Height • 12'0" Length




MD 1614

• 10" Projection • 10" Height • 12'0" Length



MD 1578

• 5 1/4" Projection • 5 1/4" Height • 12'0" Length




MD 1891

• 6" Projection • 6" Height • 12'0" Length



MD 1347

• 6 1/2" Projection • 6 1/2" Height • 12'0" Length



MD 1895

• 8" Projection • 8" Height • 12'0" Length






MOULDINGS


NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1862

• 11 5/8" Projection • 11 5/8" Height • 12'0" Length



MD 1436

• 2 1/8" Projection • 2 1/8" Height • 12'0" Length




MD 1126

• 2 3/16" Projection • 2 3/16" Height • 12'0" Length




MD 1904

2 1/2" Projection • 2 7/8" Height • 12'0" Length



MD 1600

• 5" Projection • 10" Height • 12'0" Length



MD 1741

• 4" Projection • 6" Height • 12'0" Length




MD 1400

• 4 1/4" Projection • 6 1/4" Height • 12'0" Length



MD 1893

5 1/2" Projection • 6 3/8" Height • 10'0" Length



MD 1605

• 9" Projection • 11" Height • 12'0" Length




MD 1969

• 10 1/4" Projection • 9 7/16" Height • 12'0" Length




MD 1651CF

• 2 1/4" Projection • 6" Height • 12'0" Length • **CONCRETE FINISH**



MD 1871

• 4 7/16" Projection • 6 1/8" Height • 12'0" Length



MD 1526

• 4 3/4" Projection • 6 1/2" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1829

• 2 1/8" Projection • 2 1/8" Height • 12'0" Length



MD 1149

• 2 3/8" Projection • 2 3/8" Height • 12'0" Length




MD 1735

• 3 3/4" Projection • 3 7/8" Height • 12'0" Length




MD 1361

• 3 1/4" Projection • 3 1/4" Height • 12'0" Length




MD 1139

• 5 1/4" Projection • 5 1/4" Height • 12'0" Length




MD 1276

• 3 5/16" Projection • 3 1/2" Height • 12'0" Length




MD 1021

• 6 1/4" Projection • 6 1/4" Height • 12'0" Length



MD 1210

• 3 3/4" Projection • 3 3/4" Height • 12'0" Length



MD 1438

• 7" Projection • 8" Height • 12'0" Length




MD 1028

• 4 1/4" Projection • 4 1/4" Height • 12'0" Length



MD 1675

• 7 3/8" Projection • 6 7/8" Height • 12'0" Length



MD 1828

• 6" Projection • 12" Height • 12'0" Length





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1653

• 6 3/4" Projection • 9" Height • 12'0" Length



MD 1599

• 10" Projection • 12" Height • 12'0" Length



MD 1225

• 6 1/8" Projection • 7 5/8" Height • 12'0" Length



MD 1717

• 10" Projection • 10" Height • 12'0" Length




MD 1209

• 10" Projection • 12" Height • 12'0" Length



MD 1737

• 8 11/16" Projection • 11 5/16" Height • 12'0" Length



MD 1812

• 12 3/4" Projection • 12 1/2" Height • 12'0" Length




MD 1547

• 12 1/2" Projection • 14" Height • 12'0" Length



MD 1909

• 16 1/4" Projection • 14 1/4" Height • 12'0" Length



MD 1402

• 7" Projection • 13" Height • 12'0" Length



MD 1215

• 10" Projection • 13 1/2" Height • 12'0" Length



MD 1754

• 9 1/2" Projection • 12 3/8" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1646

• 12" Projection • 12" Height • 12'0" Length




MD 1813

• 14" Projection • 17 1/2" Height • 12'0" Length



MD 1104

• 10" Projection • 15 1/4" Height • 12'0" Length



MD 1395

• 8" Projection • 14" Height • 12'0" Length




MD 1692

• 7" Projection • 16" Height • 12'0" Length



MD 1582RS

• 6" Projection • 10" Height • 12'0" Length • **ROUGH SAWN**




MD 1771

• 6 3/8" Projection • 8 1/4" Height • 12'0" Length




MD 1076

• 7 7/8" Projection • 10" Height • 10'0" Length




MD 1075

• 9 1/2" Projection • 12" Height • 12'0" Length




MD 1208

• 14 1/4" Projection • 14 1/4" Height • 12'0" Length



MD 1685

• 7 3/4" Projection • 12 3/4" Height • 12'0" Length



MD 1255

• 10 1/2" Projection • 17" Height • 12'0" Length






MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




Photo above illustrates the use of Spectis moulding MD 1010.



MD 1947

• 4 1/8" Projection • 11 1/16" Height • 12'0" Length



MD 1702

• 5" Projection • 19" Height • 12'0" Length



MD 1433

• 7 3/8" Projection • 7 3/8" Height • 12'0" Length



MD 1959

• 16 1/2" Projection • 15 5/8" Height • 12'0" Length




MD 1726

• 6 3/4" Projection • 6 1/4" Height • 12'0" Length




MD 1546

• 10 1/2" Projection • 12" Height • 12'0" Length




MD 1447

• 6" Projection • 8" Height • 12'0" Length



MD 1672

• 8 5/8" Projection • 8 1/2" Height • 12'0" Length



MD 1223

• 12" Projection • 18" Height • 12'0" Length

MD 1223FS

• FOSSIL STONE




MD 1712

• 5 5/8" Projection • 11 1/4" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1713

• 4 1/2" Projection • 11 1/2" Height • 10'0" Length




MD 1396

• 9" Projection • 4 1/4" Height • 12'0" Length



MD 1533FS

• 2 3/8" Projection • 13 3/4" Height • 12'0" Length • **FOSSIL STONE**




MD 1873

• 2 5/8" Projection • 9" Height • 12'0" Length 2 3/8" Repeat



MD 1525

• 2 3/4" Projection • 5 1/2" Height • 12'0" Length




MD 1305

• 7 5/8" Projection • 12" Height • 12'0" Length



MD 1434

• 10" Projection • 22 1/4" Height • 12'0" Length



MD 1918

• 4 1/2" Projection • 6 7/8" Height • 12'0" Length




MD 1451

• 12" Projection • 15 1/2" Height • 12'0" Length



MD 1358

• 7" Projection • 6 1/2" Height • 12'0" Length



MD 1265

• 7" Projection • 8" Height • 12'0" Length



MD 1053

• 12" Projection • 12 7/8" Height • 12'0" Length






MOULDINGS


NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1331

• 8 3/4" Projection • 8 3/4" Height • 12'0" Length



MD 1466

• 10 1/2" Projection • 10 1/2" Height • 12'0" Length




MD 1341

• 8 5/8" Projection • 11" Height • 12'0" Length



MD 1227

• 2 1/2" Projection • 2 3/16" Height • 12'0" Length



MD 1157

• 3" Projection • 3" Height • 12'0" Length



MD 1733

• 2 1/2" Projection • 3 3/4" Height • 12'0" Length




MD 1727

• 3 3/8" Projection • 5 1/4" Height • 12'0" Length



MD 1409

• 3" Projection • 3" Height • 12'0" Length



MD 1749

• 3 3/4" Projection • 4 1/2" Height • 12'0" Length



MD 1558

• 3 9/16" Projection • 4 1/2" Height • 12'0" Length



MD 1892

• 4 3/8" Projection • 5" Height • 12'0" Length



MD 1736

• 1 11/16" Projection • 2 1/16" Height • 12'0" Length



MD 1696

• 2 1/4" Projection • 2 1/2" Height • 12'0" Length



Photo above illustrates the use of Spectis moulding MD 1064.

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1810

• 2 1/2" Projection • 2 3/4" Height • 12'0" Length



MD 1082

• 2 1/4" Projection • 3" Height • 12'0" Length



MD 1832

• 3" Projection • 3 3/4" Height • 12'0" Length



MD 1626

• 4 7/8" Projection • 5 1/4" Height • 12'0" Length



MD 1836

• 6 5/8" Projection • 7 1/8" Height • 12'0" Length



MD 1780

• 1 15/16" Projection • 2 1/8" Height • 12'0" Length




MD 1182

• 3" Projection • 3 1/8" Height • 12'0" Length




MD 1531

• 3 1/2" Projection • 3 1/2" Height • 12'0" Length



MD 1825

• 3 3/16" Projection • 3 13/16" Height • 12'0" Length



MD 1371

• 3" Projection • 4 1/2" Height • 12'0" Length




MD 1217

• 3 3/4" Projection • 3 1/2" Height • 12'0" Length



MD 1230

• 2 3/8" Projection • 3 5/8" Height • 12'0" Length



MD 1601

• 4 1/2" Projection • 7" Height • 12'0" Length





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1150

• 3 3/4" Projection • 3 3/4" Height • 12'0" Length



MD 1200

• 4 1/4" Projection • 4 1/16" Height • 12'0" Length



MD 1229

• 3 1/4" Projection • 4" Height • 12'0" Length




MD 1081

• 3 1/4" Projection • 4 1/4" Height • 12'0" Length




MD 1808

• 3 1/16" Projection • 3 15/16" Height • 12'0" Length



MD 1008

• 4" Projection • 5" Height • 12'0" Length



MD 1936

• 4 7/8" Projection • 6 7/8" Height • 12'0" Length



MD 1147

• 5 1/8" Projection • 7 1/2" Height • 12'0" Length




MD 1307

• 3 1/4" Projection • 5 1/4" Height • 12'0" Length



MD 1112

• 7 11/16" Projection • 5 5/16" Height • 12'0" Length



MD 1624

• 7 1/2" Projection • 6" Height • 12'0" Length



MD 1324

• 5 3/4" Projection • 5 1/2" Height • 12'0" Length



MD 1207

• 5 1/2" Projection • 6 1/4" Height • 12'0" Length


1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1954

• 4 3/4" Projection • 6 1/4" Height • 12'0" Length



MD 1588

• 8" Projection • 10" Height • 12'0" Length



MD 1465

• 4 1/4" Projection • 4 3/4" Height • 12'0" Length




MD 1213

• 4 1/2" Projection • 6 1/2" Height • 12'0" Length




MD 1044

• 2 3/4" Projection • 3 1/4" Height • 12'0" Length




MD 1489

• 2" Projection • 4" Height • 12'0" Length



MD 1858

• 3" Projection • 7 5/8" Height • 12'0" Length




MD 1859

• 2 1/2" Projection • 11 1/2" Height • 12'0" Length




MD 1739

• 2 15/16" Projection • 15 5/8" Height • 12'0" Length



MD 1953

• 2 3/8" Projection • 10 5/8" Height • 12'0" Length



MD 1924

• 4 3/16" Projection • 15" Height • 12'0" Length



MD 1617

• 3 1/2" Projection • 5 1/4" Height • 12'0" Length





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1807

• 4 1/8" Projection • 4 1/4" Height • 12'0" Length



MD 1120

• 4 1/8" Projection • 5 1/8" Height • 12'0" Length



MD 1903

5" Projection • 5 1/4" Height • 12'0" Length



MD 1102

• 7 3/4" Projection • 8" Height • 12'0" Length




MD 1541

• 4 1/8" Projection • 4 1/8" Height • 12'0" Length



MD 1542

• 7" Projection • 7" Height • 12'0" Length



MD 1271

• 7" Projection • 10 1/4" Height • 12'0" Length



MD 1878

• 10 1/2" Projection • 10 1/4" Height • 12'0" Length



MD 1938

• 16" Projection • 16" Height • 12'0" Length



MD 1040

• 17" Projection • 18" Height • 12'0" Length



MD 1319

• 4 5/8" Projection • 5 3/4" Height • 12'0" Length




MD 1920

• 3 3/4" Projection • 7 1/8" Height • 12'0" Length


1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1817

• 4 1/2" Projection • 8" Height • 12'0" Length




MD 1521

• 2 1/2" Projection • 4 1/4" Height • 12'0" Length




MD 1925

• 7 1/8" Projection • 11 7/8" Height • 12'0" Length




MD 1429

• 1 7/8" Projection • 3 1/2" Height • 12'0" Length



MD 1550

• 8" Projection • 10" Height • 12'0" Length




MD 1158A • 3" Projection • 5" Height • 12'0" Length

MD 1158B • 3 3/4" Projection • 5" Height • 12'0" Length



MD 1297

• 8 1/4" Projection • 15 1/2" Height • 12'0" Length




MD 1205

• 2 1/4" Projection • 4" Height • 12'0" Length



MD 1577

• 6 5/8" Projection • 11" Height • 12'0" Length



MD 1350

• 1 7/8" Projection • 4 1/8" Height • 12'0" Length

MD 1618

• 3 1/2" Projection • 6" Height • 12'0" Length





MOULDINGS


NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1643CF

• 6" Projection • 6 1/8" Height • 12'0" Length • **CONCRETE FINISH**




MD 1584

• 3 7/8" Projection • 8" Height • 12'0" Length



MD 1501

• 3 3/16" Projection • 6" Height • 12'0" Length



MD 1267

• 2 7/8" Projection • 6" Height • 12'0" Length



MD 1598

• 1 7/8" Projection • 7" Height • 12'0" Length




MD 1935

• 2 9/16" Projection • 8 1/2" Height • 12'0" Length



MD 1775

• 3 1/4" Projection • 7 1/2" Height • 12'0" Length




MD 1955

• 6 1/16" Projection • 15 9/16" Height • 12'0" Length



MD 1950

• 6 1/8" Projection • 18 1/2" Height • 12'0" Length



MD 1222

• 2 13/16" Projection • 10 1/4" Height • 12'0" Length




MD 1354

• 4 1/2" Projection • 9 3/4" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1204

• 3 1/2" Projection • 6" Height • 12'0" Length



MD 1693

• 1 1/2" Projection • 3" Height • 12'0" Length



MD 1052

• 3 3/4" Projection • 6" Height • 12'0" Length




MD 1478

• 1 3/4" Projection • 3 3/8" Height • 12'0" Length




MD 1686

• 3 3/4" Projection • 12" Height • 12'0" Length



MD 1221

• 3" Projection • 8" Height • 12'0" Length



MD 1633

• 4 3/4" Projection • 9 1/4" Height • 12'0" Length




MD 1539

• 1 1/2" Projection • 5 1/8" Height • 12'0" Length
• Moulding matches RAL 2101B



MD 1534

• 6 3/4" Projection • 6 1/2" Height • 12'0" Length



MD 1610

• 1 1/2" Projection • 3 1/2" Height • 12'0" Length



MD 1694

• 3/4" Projection • 1 1/2" Height • 12'0" Length



MD 1432

• 3 3/4" Projection • 8 3/8" Height • 12'0" Length






MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1035

• 3" Projection • 9" Height • 12'0" Length




MD 1403

• 4 1/2" Projection • 12" Height • 12'0" Length




MD 1948

• 8 3/8" Projection • 17 5/8" Height • 12'0" Length



MD 1967

• 3 1/8" Projection • 6" Height • 12'0" Length




MD 1661

• 3 1/2" Projection • 7" Height • 12'0" Length



MD 1697

• 4 3/4" Projection • 8 1/4" Height • 12'0" Length



MD 1351

• 5 11/16" Projection • 10 3/8" Height • 12'0" Length



MD 1062

• 6" Projection • 9" Height • 12'0" Length



MD 1471

• 1 7/8" Projection • 8 3/16" Height • 12'0" Length



MD 1277

• 2 5/8" Projection • 9" Height • 12'0" Length




MD 1945

• 5 15/16" Projection • 16 3/16" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1788

• 2 7/8" Projection • 11 1/4" Height • 12'0" Length




MD 1764

• 2 7/8" Projection • 7 1/2" Height • 12'0" Length




MD 1336

• 4" Projection • 9 1/4" Height • 12'0" Length




MD 1252

• 4" Projection • 10" Height • 12'0" Length



MD 1335

• 4" Projection • 9 1/4" Height • 12'0" Length




MD 1941

• 2 1/2" Projection • 10" Height • 12'0" Length




MD 1015

• 4 1/4" Projection • 9 3/8" Height • 12'0" Length




MD 1842

• 3 5/8" Projection • 16 1/2" Height • 12'0" Length



MD 1856

• 2 1/4" Projection • 7" Height • 12'0" Length



MD 1753

• 5 3/4" Projection • 23" Height • 12'0" Length






MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1800

• 3 3/8" Projection • 25" Height • 12'0" Length



MD 1898

• 4 3/8" Projection • 4 1/4" Height • 12'0" Length




MD 1430

• 4 1/2" Projection • 5 3/8" Height • 12'0" Length



MD 1006

• 5" Projection • 14" Height • 12'0" Length



MD 1576

• 3" Projection • 6" Height • 12'0" Length




MD 1281

• 8" Projection • 12" Height • 12'0" Length




MD 1761

• 3 1/2" Projection • 6" Height • 12'0" Length



MD 1792

• 3 3/4" Projection • 4 1/2" Height • 12'0" Length




MD 1262

• 3 1/2" Projection • 7 1/2" Height • 12'0" Length



MD 1142

• 6" Projection • 7" Height • 12'0" Length



MD 1763

• 3 3/4" Projection • 8 1/4" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1579

• 5 3/8" Projection • 7 3/4" Height • 12'0" Length




MD 1162

• 9" Projection • 12 1/4" Height • 12'0" Length



MD 1161 • 6" Projection • 9 1/4" Height • 12'0" Length

MD 1161FS • FOSSIL STONE




MD 1163

• 12" Projection • 12 1/4" Height • 12'0" Length




MD 1566

• 6" Projection • 7 1/2" Height • 12'0" Length



MD 1366

• 4 1/8" Projection • 4 1/8" Height • 12'0" Length




MD 1708

• 7 1/8" Projection • 12" Height • 12'0" Length




MD 1571

• 6 3/4" Projection • 6 3/4" Height • 12'0" Length



MD 1714

• 2 5/8" Projection • 4 3/4" Height • 12'0" Length




MD 1750

• 5 1/4" Projection • 6 5/8" Height • 12'0" Length



MD 1593

• 6 1/4" Projection • 7 5/8" Height • 12'0" Length



MD 1572

• 6 3/4" Projection • 8 9/16" Height • 12'0" Length






MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




Photo above illustrates the use of Spectis moulding MD 1029 and custom corner block.



MD 1164
• 5 5/8" Projection • 10" Height • 12'0" Length




MD 1181
• 4" Projection • 4" Height • 12'0" Length



MD 1180
• 8 3/4" Projection • 8 3/4" Height • 12'0" Length



MD 1463
• 3" Projection • 3" Height • 12'0" Length



MD 1890
• 6 1/2" Projection • 7" Height • 12'0" Length




MD 1704
• 6" Projection • 7" Height • 12'0" Length



MD 1464
• 2 5/8" Projection • 2 3/4" Height • 12'0" Length



MD 1725
• 3 1/2" Projection • 3 1/2" Height • 12'0" Length



MD 1869
• 3 7/16" Projection • 3 7/16" Height • 12'0" Length



MD 1567
• 4 1/2" Projection • 5 1/2" Height • 12'0" Length



MD 1041
• 13" Projection • 10" Height • 10'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1551

• 18" Projection • 15" Height • 12'0" Length



MD 1773

• 7 7/8" Projection • 7 7/8" Height • 12'0" Length




MD 1552

• 9" Projection • 8" Height • 12'0" Length




MD 1113

• 3 1/2" Projection • 4" Height • 12'0" Length




MD 1171

• 2 1/8" Projection • 3 3/8" Height • 12'0" Length



MD 1665

• 11" Projection • 13 1/4" Height • 12'0" Length




MD 1231

• 2 3/8" Projection • 7 3/4" Height • 12'0" Length




MD 1009

• 5 3/4" Projection • 8" Height • 12'0" Length



MD 1419

• 10 1/2" Projection • 14 1/2" Height • 12'0" Length



MD 1236

• 4 1/4" Projection • 10 1/16" Height • 12'0" Length



MD 1042

• 5 5/8" Projection • 10 1/4" Height • 12'0" Length






MOULDINGS


NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1663

• 6" Projection • 23" Height • 12'0" Length




MD 1410

• 7" Projection • 16 1/2" Height • 12'0" Length



MD 1887

• 3 1/2" Projection • 11 3/8" Height • 12'0" Length




MD 1066

• 4 1/2" Projection • 12" Height • 12'0" Length




MD 1054

• 6 3/4" Projection • 12" Height • 12'0" Length




MD 1928

• 2 7/8" Projection • 6 3/8" Height • 12'0" Length



MD 1799

• 5 5/8" Projection • 12 3/16" Height • 12'0" Length




MD 1097

• 7 1/4" Projection • 12 1/2" Height • 12'0" Length



MD 1681

• 17 1/8" Projection • 22 5/8" Height • 12'0" Length



MD 1098


• 9 1/2" Projection • 15 1/2" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1






Photo above shows use of Spectis custom columns with cap & base and moulding trim




MD 1005

• 5" Projection • 10" Height • 12'0" Length




MD 1664

• 3 3/4" Projection • 4 9/16" Height • 12'0" Length




MD 1968

• 2 3/4" Projection • 10 1/16" Height • 12'0" Length




MD 1178

• 8" Projection • 11 3/4" Height • 12'0" Length



MD 1570

• 2 3/4" Projection • 10 13/16" Height • 12'0" Length



MD 1569

• 2 1/2" Projection • 15 1/4" Height • 12'0" Length



MD 1280

• 19 3/4" Projection • 15 1/4" Height • 12'0" Length

FINISHING

All Spectis' products are shipped "double primed" with an exterior grade latex paint and are ready for use. We recommend final finishing after installation is complete for the most consistent appearance possible. Please see "finishing" recommendations (on page 267) for more information.





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



Photo above illustrates the use of these Spectis products: moulding MD 1063, shutters, window & door treatments.



MD 1722

• 5 1/8" Projection • 4 1/2" Height • 11'7" Length



MD 1563

• 6 1/4" Projection • 6 1/2" Height • 12'0" Length



MD 1916

• 6 7/16" Projection • 7 5/16" Height • 12'0" Length



MD 1917

• 6 1/2" Projection • 8 1/8" Height • 12'0" Length



MD 1234

• 4 3/4" Projection • 4 1/2" Height • 12'0" Length




MD 1342

• 5 1/16" Projection • 5" Height • 12'0" Length




MD 1413

• 8 1/2" Projection • 7 1/4" Height • 12'0" Length



MD 1927

• 7 1/4" Projection • 9 1/8" Height • 12'0" Length




MD 1101

• 5 7/8" Projection • 9 7/8" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1861

• 5" Projection • 12" Height • 12'0" Length




MD 1834

• 12 1/16" Projection • 12" Height • 12'0" Length




MD 1795

• 12 1/2" Projection • 15" Height • 12'0" Length




MD 1562

• 10" Projection • 13" Height • 12'0" Length



MD 1017

• 8 1/4" Projection • 13 5/8" Height • 12'0" Length



MD 1611

• 11 5/16" Projection • 14 3/4" Height • 12'0" Length



MD 1437

• 8 7/8" Projection • 9 1/2" Height • 12'0" Length



MD 1500

12" Projection • 22" Height • 12'0" Length





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1330

• 3/4" Projection • 3 1/2" Height • 8'0" Length




MD 1369

• 7/8" Projection • 3" Height • 12'0" Length




MD 1322

• 1 1/8" Projection • 3 3/4" Height • 12'0" Length



MD 1326

• 1 5/16" Projection • 4 1/2" Height • 12' Length



MD 1809

• 1/2" Projection • 1 5/8" Height • 12'0" Length



MD 1343

• 1" Projection • 2 3/8" Height • 12'0" Length




MD 1284

• 1 3/16" Projection • 5" Height • 12'0" Length

MD 1284FS

• FOSSIL STONE



MD 1574

• 1 3/4" Projection • 7 1/4" Height • 12'0" Length

MD 1575

• 1 3/4" Projection • 5 1/2" Height • 12'0" Length



MD 1647CF

• 5" Projection • 6" Height • 12'0" Length • **CONCRETE FINISH**



MD 1674

• 5 9/16" Projection • 5 3/8" Height • 12'0" Length



MD 1544

• 5" Projection • 10" Height • 10'0" Length



MD 1548

• 2 3/4" Projection • 8 3/8" Height • 10'0" Length




MD 1549

• 3" Projection • 8" Height • 12'0" Length


1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1850

• 1 1/8" Projection • 3" Height • 12'0" Length




MD 1071

• 1 1/16" Projection • 3 3/8" Height • 12'0" Length



MD 1492

• 1 3/4" Projection • 5 11/16" Height • 12'0" Length




MD 1144

• 1 5/8" Projection • 5 1/2" Height • 12'0" Length




MD 1678

• 3 1/8" Projection • 7 7/8" Height • 12'0" Length



MD 1198

• 1 3/4" Projection • 6" Height • 12'0" Length




MD 1272

• 1 1/8" Projection • 3 1/2" Height • 12'0" Length



MD 1604

• 3/4" Projection • 3 5/8" Height • 12'0" Length



MD 1379

• 1 5/8" Projection • 3 3/8" Height • 12'0" Length




MD 1581

• 2" Projection • 2 7/8" Height • 12'0" Length



MD 1622FS

• 2 1/2" Projection • 4 1/2" Height • 12'0" Length
• FOSSIL STONE



MD 1078

• 1 1/2" Projection • 3 1/2" Height • 12'0" Length



MD 1623

• 1 7/8" Projection • 4 1/4" Height • 12'0" Length






MOULDINGS


NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1934

• 2 7/8" Projection • 7 3/4" Height • 12'0" Length




MD 1422

• 2" Projection • 8 3/4" Height • 12'0" Length




MD 1068

• 1 3/8" Projection • 4 1/4" Height • 12'0" Length




MD 1083

• 3 3/8" Projection • 9 1/8" Height • 12'0" Length




MD 1654

• 2 1/8" Projection • 5 1/2" Height • 12'0" Length




MD 1394

• 3" Projection • 7" Height • 12'0" Length




MD 1025

• 1 5/8" Projection • 5 1/2" Height • 12'0" Length




MD 1757

• 3" Projection • 8" Height • 12'0" Length



MD 1635

• 2 1/4" Projection • 7" Height • 12'0" Length



MD 1479

• 3" Projection • 6" Height • 12'0" Length



MD 1700

• 1 1/2" Projection • 5 1/2" Height • 12'0" Length




MD 1718

• 10" Projection • 10" Height • 12'0" Length


1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1719

• 16" Projection • 16" Height • 12'0" Length




MD 1720

• 10" Projection • 11 1/2" Height • 12'0" Length



MD 1721

• 11 1/4" Projection • 11 1/4" Height • 12'0" Length




MD 1897

• 7" Projection • 12" Height • 12'0" Length




MD 1723

• 17 1/2" Projection • 17 1/2" Height • 12'0" Length




MD 1300

• 2 3/4" Projection • 8 3/8" Height • 12'0" Length




MD 1905

• 4" Projection • 6" Height • 12'0" Length




MD 1656

• 3" Projection • 8" Height • 12'0" Length




MD 1906

• 4 1/2" Projection • 10" Height • 12'0" Length




MD 1655

• 3 3/4" Projection • 12" Height • 12'0" Length



MD 1302

• 3 1/4" Projection • 10 3/4" Height • 12'0" Length



MD 1734

• 4" Projection • 11 1/4" Height • 12'0" Length






MOULDINGS


NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1499

• 4 1/2" Projection • 12" Height • 12'0" Length




MD 1004

• 3 1/2" Projection • 12 3/4" Height • 12'0" Length




MD 1791

• 5 1/2" Projection • 17" Height • 12'0" Length




MD 1420

• 5" Projection • 13 1/8" Height • 12'0" Length




MD 1772

• 1 1/2" Projection • 8" Height • 12'0" Length




MD 1452

• 1 1/2" Projection • 12" Height • 12'0" Length




MD 1837

• 2" Projection • 22" Height • 12'0" Length




MD 1468

• 3 1/4" Projection • 16 1/4" Height • 12'0" Length




MD 1732

• 4" Projection • 20" Height • 12'0" Length



MD 1730

• 4" Projection • 16" Height • 12'0" Length



MD 1881

• 2 15/16" Projection • 16 1/4" Height • 12'0" Length


1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1755

• 3 1/2" Projection • 12 1/4" Height • 12'0" Length




MD 1046

• 3" Projection • 19" Height • 12'0" Length




MD 1819

• 3 3/4" Projection • 6" Height • 12'0" Length




MD 1926

• 4 3/16" Projection • 6 1/16" Height • 12'0" Length




MD 1818

• 5" Projection • 7 1/2" Height • 12'0" Length



MD 1921

• 5 9/16" Projection • 8 5/8" Height • 12'0" Length




MD 1095

• 4" Projection • 15" Height • 12'0" Length



MD 1099

• 8 1/4" Projection • 11 1/4" Height • 12'0" Length




MD 1731

• 4" Projection • 12" Height • 12'0" Length



MD 1743

• 9 15/16" Projection • 10 1/8" Height • 12'0" Length



MD 1966

• 1 1/4" Projection • 7" Height • 12'0" Length



MD 1251

• 9 1/2" Projection • 11 1/4" Height • 12'0" Length





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1555

• 4 1/2" Projection • 7 1/2" Height • 12'0" Length



MD 1853

• 10 3/8" Projection • 28 1/16" Height • 12'0" Length




MD 1411

• 4 5/8" Projection • 12 3/8" Height • 12'0" Length



MD 1345

• 12" Projection • 30" Height • 12'0" Length
• Assembled Moulding




MD 1448

• 6" Projection • 12" Height • 12'0" Length



MD 1838

• 12" Projection • 16 1/2" Height • 12'0" Length




MD 1263

• 4 1/4" Projection • 16 1/8" Height • 11'0" Length



MD 1192

• 9" Projection • 19 1/8" Height • 12'0" Length
• Assembled Moulding



MD 1389


• 4 1/2" Projection • 24" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1






Photo above illustrates the use of Spectis moulding MD 1461 and MD 1024.




MD 1027

- 1 1/2" Projection • 4 9/16" Height • 10'0" Length
- Window Sill Moulding




MD 1002

- 1 1/2" Projection • 6 3/4" Height • 10'0" Length
- Window Sill Moulding




MD 1839

- 1" Projection • 2" Height • 12'0" Length




MD 1840

- 1 1/2" Projection • 4" Height • 12'0" Length




MD 1630

- 2" Projection • 6" Height • 12'0" Length




MD 1386

- 2 3/8" Projection • 1 5/16" Height • 12'0" Length



MD 1387

- 1 5/8" Projection • 1 1/2" Height • 12'0" Length





MD 1407

- 4" Projection • 1 1/2" Height • 12'0" Length



MD 1738

- 10" Projection • 3" Height • 12'0" Length



MD 1219

- 9 5/8" Projection • 3 1/2" Height • 12'0" Length



MD 1632

- 5" Projection • 8 3/4" Height • 12'0" Length





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1943

• 1 5/8" Projection • 2 1/8" Height • 12'0" Length



MD 1827

• 2" Projection • 3" Height • 12'0" Length



MD 1079

• 3" Projection • 2 3/8" Height • 12'0" Length



MD 1899

• 6" Projection • 3" Height • 12'0" Length



MD 1776CF

• 7" Projection • 3" Height • 12'0" Length • **CONCRETE FINISH**



MD 1777CF

• 7" Projection • 3" Height • 12'0" Length • **CONCRETE FINISH**




MD 1880

• 1" Projection • 1 3/4" Height • 12'0" Length




MD 1462

• 1 1/4" Projection • 3 5/16" Height • 12'0" Length




MD 1338

• 1 3/8" Projection • 1 3/8" Height • 10'0" Length




MD 1952

• 1" Projection • 2 1/2" Height • 12'0" Length




MD 1648

• 2" Projection • 2 7/8" Height • 12'0" Length




MD 1649

• 1 1/2" Projection • 2 1/4" Height • 8'0" Length



MD 1907

• 3 3/4" Projection • 3 3/4" Height • 12'0" Length



MD 1908

• 6" Projection • 5 1/2" Height • 12'0" Length



MD 1159

• 4" Projection • 4" Height • 12'0" Length


1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1211

• 5 1/2" Projection • 7 3/4" Height • 12'0" Length



MD 1405

• 1 7/8" Projection • 3" Height • 12'0" Length




MD 1013

• 2 3/8" Projection • 4 3/4" Height • 13'0" Length




MD 1801

• 4" Projection • 5" Height • 12'0" Length



MD 1509RS

• 3 1/2" Projection • 16" Height • 12'1/2" Length
• **ROUGH SAWN**




MD 1629

• 3" Projection • 4 1/2" Height • 12'0" Length



MD 1900

• 3 1/4" Projection • 4" Height • 12'0" Length




MD 1352

• 2" Projection • 5 1/4" Height • 12'0" Length



MD 1268

• 4" Projection • 4 1/4" Height • 12'0" Length




MD 1802

• 2 1/2" Projection • 9" Height • 12'0" Length




MD 1949

• 4 1/2" Projection • 4" Height • 12'0" Length



MD 1169

• 2 1/2" Projection • 4 1/2" Height • 12'0" Length



MD 1607

• 2 1/4" Projection • 5" Height • 12'0" Length





MOULDINGS

NOTICE :


SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1650


MD 1650CF

• 7 1/2" Projection • 9 1/2" Height • 12'0" Length
• **CONCRETE FINISH**




MD 1660

• 7 1/2" Projection • 11 5/8" Height • 12'0" Length



MD 1514

• 11 1/4" Projection • 15 1/2" Height • 12'0" Length




MD 1699

• 3 15/16" Projection • 3 1/4" Height • 12'0" Length



MD 1474

• 4" Projection • 4 1/2" Height • 12'0" Length



MD 1628

• 3 1/2" Projection • 6 1/2" Height • 12'0" Length



MD 1518

• 4 3/4" Projection • 4 3/4" Height • 12'0" Length



MD 1388

• 4" Projection • 5" Height • 12'0" Length



MD 1175B

• 4 3/4" Projection • 8 1/4" Height • 12'0" Length



MD 1715

• 2 1/2" Projection • 10 3/8" Height • 12'0" Length



MD 1585

• 2 1/16" Projection • 15 13/16" Height • 12'0" Length



MD 1758

• 2" Projection • 8" Height • 12'0" Length



MD 1553

• 10 7/16" Projection • 14 5/16" Height • 10'0" Length



1 • 8 0 0 • 6 8 5 • 9 9 8 1






Photo above illustrates the use of Spectis custom mouldings and pilasters.



MD 1286

• 3 1/2" Projection • 5 3/8" Height • 12'0" Length




MD 1759

• 6" Projection • 6 1/2" Height • 12'0" Length



MD 1512

• 5" Projection • 6 3/8" Height • 12'0" Length



MD 1034

• 6 1/2" Projection • 8" Height • 12'0" Length



MD 1962

• 6" Projection • 6" Height • 12'0" Length




MD 1034CF

• 6 1/2" Projection • 8" Height • 12'0" Length
• **CONCRETE FINISH**



MD 1956

• 6 7/16" Projection • 8 1/16" Height • 12'0" Length



MD 1711

• 6" Projection • 12 1/2" Height • 12'0" Length



MD 1094

• 5 3/8" Projection • 8 1/8" Height • 12'0" Length






MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1882

• 5 1/4" Projection • 8 5/8" Height • 12'0" Length



MD 1202

• 5 3/4" Projection • 8 3/4" Height • 12'0" Length



MD 1232

• 4 1/8" Projection • 9" Height • 12'0" Length




MD 1631

• 7 1/2" Projection • 10" Height • 8'0" Length




MD 1184

• 10 1/2" Projection • 13 3/4" Height • 12'0" Length



MD 1511

• 3/4" Projection • 1 3/4" Height • 6'6" Length



• Flat Board Custom Sizes Available

• 1" Projection • 12'0" Length

MD 1011 - 1

• 1" Height

MD 1011 - 2

• 2" Height

MD 1011 - 2.125

• 2 1/8" Height

MD 1011 - 2.25

• 2 1/4" Height

MD 1011 - 2.5

• 2 1/2" Height

MD 1011 - 3

• 3" Height

MD 1011 - 3.5

• 3 1/2" Height

MD 1011 - 4³

• 4" Height

MD 1011 - 5²

• 5" Height

MD 1011 - 5.5

• 5 1/2" Height

MD 1011 - 6^{1,3,5}

• 6" Height

MD 1011 - 7

• 7" Height

MD 1011 - 7.25³

• 7 1/4" Height

MD 1011 - 7.5³

• 7 1/2" Height

MD 1011 - 8^{1,3}

• 8" Height

MD 1011 - 9

• 9" Height

MD 1011 - 9.125³

• 9 1/8" Height

MD 1011 - 9.5

• 9 1/2" Height

MD 1011 - 10⁵

• 10" Height

MD 1011 - 11.5

• 11 1/2" Height

MD 1011 - 12²

• 12" Height

MD 1011 - 13.5

• 13 1/2" Height

MD 1011 - 14³

• 14" Height

MD 1011 - 16

• 16" Height

MD 1011 - 18

• 18" Height

MD 1011 - 21

• 21" Height

MD 1011 - 24⁶

• 24" Height

MD 1011 - 25^{2,4}

• 25" Height

MD 1011 - 36

• 36" Height

• 8' Length

CUSTOM SIZE PVC BOARDS AVAILABLE 1/2" OR 1" THICK



• Flat Board Custom Sizes Available

• 3/4" Projection • 12'0" Length

MD 1114 - 3

• 3" Height

MD 1114 - 3.5

• 3 1/2" Height

MD 1114 - 4³

• 4" Height

MD 1114 - 4.75

• 4 3/4" Height

MD 1114 - 5

• 5" Height

MD 1114 - 5.25

• 5 1/4" Height

MD 1114 - 5.5

• 5 1/2" Height

MD 1114 - 6¹

• 6" Height

MD 1114 - 7

• 7" Height

MD 1114 - 7.25

• 7 1/4" Height

MD 1114 - 7.5

• 7 1/2" Height

MD 1114 - 8¹

• 8" Height

MD 1114 - 10

• 10" Height

MD 1114 - 11

• 11" Height

MD 1114 - 12

• 12" Height

MD 1114 - 14

• 14" Height


MD 1114 - 15.5

• 15 1/2" Height

- 1 – Also available in Rough Sawn (woodtone color)
- 2 – Also available in Fossil Stone
- 3 – Also available in Weathered Cedar (woodtone color)
- 4 – Also available in Woodgrain (woodtone color)
- 5 – Also available in Pecky Cypress (woodtone color)
- 6 – Also available in Concrete Finish

1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1709

• 4" Projection • 4" Height • 12'0" Length




MD 1481

• 3" Projection • 3" Height • 12'0" Length




MD 1798

• 2 1/2" Projection • 2 1/2" Height • 12'0" Length




MD 1634

• 1 3/8" Projection • 5" Height • 12'0" Length



MD 1559

• 1 3/4" Projection • 10 1/2" Height • 12'0" Length




• 1/2" Projection • 12'0" Length

MD 1443-4.5CF **MD 1443-5.5CF** **MD 1443-7.5CF**


• 4.5" Height • 5.5" Height • 7.5" Height

• **CONCRETE FINISH**




MD 1254

• 1 3/8" Projection • 2" Height • 12'0" Length



MD 1051

• 1 1/4" Projection • 5" Height • 12'0" Length



• 1 1/2" Projection • 12'0" Length

MD 1108-3

• 3" Height

MD 1108-3.5

• 3 1/2" Height

MD 1108-5

• 5" Height

MD 1108-5.5

• 5 1/2" Height

MD 1108-6

• 6" Height

MD 1108-7.5

• 7 1/2" Height

MD 1108-9.5

• 9 1/2" Height

MD 1108-12

• 12" Height

MD 1108-13.5

• 13 1/2" Height

MD 1108-16

• 16" Height

MD 1108-6RS


• 6" Height

• **ROUGH SAWN**

MD 1108-8RS


• 8" Height

• **ROUGH SAWN**



MD 1510

• 1 3/4" Projection • 7 1/2" Height • 12'0" Length



MD 1188

• 1 1/2" Projection • 8 1/2" Height • 12'0" Length






MOULDINGS


NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1190

• 1" Projection • 12" Height • 12'0" Length



• 2" Projection • 12'0" Length

MD 1165 - 2.5

• 2 1/2" Height
• 8' Length

MD 1165 - 4

• 4" Height

MD 1165 - 4.5

• 4 1/2" Height

MD 1165 - 6

• 6" Height

MD 1165 - 8


• 8" Height

MD 1165 - 11.25

• 11 1/4" Height
• 8' Length


MD 1165 - 12

• 12" Height




MD 1166

• 1 1/8" Projection • 4 1/2" Height • 10'0" Length




MD 1698

• 1 1/2" Projection • 4" Height • 11'0" Length




MD 1554

• 1 1/8" Projection • 6 13/16" Height • 12'0" Length




MD 1318

• 3/4" Projection • 3 1/4" Height • 12'0" Length




MD 1637

• 1/2" Projection • 4 7/8" Height • 12'0" Length




MD 1167

• 1 1/8" Projection • 5 3/8" Height • 12'0" Length




MD 1048

• 1 3/4" Projection • 7" Height • 12'0" Length




MD 1683

• 1 3/4" Projection • 12" Height • 12'0" Length



MD 1963

• 1 3/4" Projection • 13 1/2" Height • 12'0" Length




MD 1244

• 1 1/4" Projection • 11" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1435

• 1 5/8" Projection • 14 3/4" Height • 12'0" Length




MD 1641

• 1 3/16" Projection • 3 3/4" Height • 12'0" Length




MD 1849

• 1 1/16" Projection • 4" Height • 12'0" Length



MD 1439

• 1 5/8" Projection • 6 3/4" Height • 12'0" Length




MD 1640

• 1 5/8" Projection • 8" Height • 12'0" Length




MD 1049

• 1 3/4" Projection • 18" Height • 12'0" Length



MD 1256

• 3/4" Projection • 4" Height • 12'0" Length




MD 1085

• 1" Projection • 7 1/2" Height • 12'0" Length



MD 1877

• 9/16" Projection • 2 11/16" Height • 10'0" Length



MD 1172

• 9/16" Projection • 3" Height • 12'0" Length


MD 1172FS

• FOSSIL STONE




MD 1424

• 1" Projection • 4 1/16" Height • 12'0" Length



MD 1680

• 1" Projection • 4" Height • 12'0" Length
• Moulding matches RAL2105B



MD 1503

• 1" Projection • 7 1/2" Height • 12'0" Length
• Moulding matches RAL 2100B






MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1173

• 1/2" Projection • 6" Height • 12'0" Length




MD 1257

• 3/4" Projection • 3 1/4" Height • 12'0" Length




MD 1744

• 1 1/16" Projection • 3 15/16" Height • 12'0" Length




MD 1495

• 3/4" Projection • 3 3/8" Height • 12'0" Length




MD 1325

• 5/8" Projection • 5" Height • 8'0" Length




MD 1944

• 7/16" Projection • 6" Height • 12'0" Length




MD 1540

• 2 1/16" Projection • 16 3/4" Height • 12'0" Length




MD 1170

• 5/8" Projection • 5 1/4" Height • 12'0" Length



MD 1486

• 1 1/16" Projection • 6" Height • 12'0" Length




MD 1135

• 1 1/8" Projection • 6" Height • 12'0" Length



MD 1645CF

• 3/4" Projection • 8" Height • 12'0" Length • **CONCRETE FINISH**




MD 1831

• 1 1/8" Projection • 11 1/4" Height • 12'0" Length


1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1505

• 1" Projection • 13 1/8" Height • 12'0" Length




MD 1301

• 7/8" Projection • 9 5/8" Height • 12'0" Length




MD 1910

• 3/4" Projection • 5" Height • 12'0" Length




MD 1033

• 3/4" Projection • 7 1/2" Height • 12'0" Length




MD 1783

• 7/8" Projection • 14" Height • 12'0" Length




MD 1380WG

• 3/4" Projection • 5" Height • 12'0" Length
• **WOODGRAIN** • **WOODTONE COLOUR**




MD 1016

• 1 1/2" Projection • 10" Height • 12'0" Length



MD 1587

• 3/4" Projection • 7" Height • 12'0" Length




MD 1365

• 2 1/2" Projection • 10" Height • 12'0" Length



MD 1677

• 1 1/16" Projection • 13 5/16" Height • 12'0" Length



MD 1023

• 3/4" Projection • 14" Height • 12'0" Length





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1625

• 2 5/8" Projection • 19" Height • 12'0" Length




MD 1820

• 3 1/8" Projection • 8 1/4" Height • 12'0" Length




MD 1363

• 1 3/8" Projection • 8 3/4" Height • 12'0" Length




MD 1476

• 1 3/8" Projection • 10 3/4" Height • 12'0" Length




MD 1506

• 1 3/4" Projection • 5 1/2" Height • 12'0" Length




MD 1957

• 1 7/8" Projection • 8 3/8" Height • 12'0" Length




MD 1475

• 1 5/8" Projection • 14 3/4" Height • 12'0" Length




MD 1591

• 7/8" Projection • 3 1/8" Height • 12'0" Length
• Moulding matches RAL 2104B




MD 1752

• 1 1/2" Projection • 18" Height • 12'0" Length




MD 1565

• 1 1/2" Projection • 6" Height • 12'0" Length




MD 1030

• 1 1/2" Projection • 5 1/2" Height • 12'0" Length



MD 1406

• 2" Projection • 4 1/2" Height • 12'0" Length




MD 1524

• 3 3/8" Projection • 5 1/2" Height • 12'0" Length


1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1118

• 1 1/2" Projection • 8 1/2" Height • 12'0" Length




MD 1522

• 2 1/16" Projection • 10" Height • 12'0" Length




MD 1018

• 1 1/2" Projection • 9" Height • 12'0" Length




MD 1372

• 2 1/8" Projection • 13 3/8" Height • 12'0" Length



MD 1214

• 2 1/16" Projection • 14 1/2" Height • 12'0" Length




MD 1216

• 3 1/8" Projection • 16 5/8" Height • 12'0" Length



MD 1043

• 9/16" Projection • 1 1/8" Height • 10'0" Length



MD 1364

• 9/16" Projection • 1 1/8" Height • 8'0" Length



MD 1248

• 13/16" Projection • 3/4" Height • 12'0" Length



MD 1911

• 3/4" Projection • 1 1/4" Height • 12'0" Length




MD 1323

• 1 1/4" Projection • 1 1/2" Height • 12'0" Length



MD 1532

• 2" Projection • 3" Height • 12'0" Length



MD 1616

• 2 3/4" Projection • 2 9/16" Height • 12'0" Length



MD 1059

• 3/4" Projection • 1" Height • 10'0" Length



MD 1527

• 3/4" Projection • 1" Height • 12'0" Length





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1951

• 2 3/8" Projection • 2 3/4" Height • 12'0" Length



MD 1815

• 4 3/4" Projection • 4 1/4" Height • 12'0" Length



MD 1457

• 5 3/16" Projection • 4" Height • 12'0" Length




MD 1745

• 4 1/8" Projection • 6 3/8" Height • 12'0" Length



MD 1156

• 1 1/2" Projection • 1 5/8" Height • 12'0" Length



MD 1138

• 7/8" Projection • 1 3/4" Height • 12'0" Length



MD 1787

• 1 1/8" Projection • 2 3/8" Height • 12'0" Length



MD 1535

• 13/16" Projection • 1 5/8" Height • 12'0" Length



MD 1673

• 7/8" Projection • 2 3/16" Height • 12'0" Length



MD 1151

• 1 1/16" Projection • 2 1/2" Height • 12'0" Length



MD 1151 SPLIT

• 1 1/16" Projection • 1 3/16" Height • 12'0" Length




MD 1855

• 1 1/8" Projection • 1 7/16" Height • 12'0" Length



MD 1148

• 1 3/4" Projection • 1 3/4" Height • 12'0" Length




MD 1835

• 3 3/16" Projection • 3 1/4" Height • 12'0" Length



MD 1494

• 1" Projection • 1 1/4" Height • 12'0" Length



MD 1728

• 1" Projection • 1" Height • 12'0" Length



MD 1427

• 1 1/2" Projection • 1 7/8" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1747

• 1 7/8" Projection • 2 1/4" Height • 12'0" Length



MD 1077

• 1 3/8" Projection • 1 7/8" Height • 12'0" Length



MD 1212

• 1 3/4" Projection • 2 1/8" Height • 12'0" Length



MD 1376

• 4" Projection • 4 1/4" Height • 12'0" Length



MD 1103

• 1 1/2" Projection • 2 3/8" Height • 12'0" Length



MD 1676

• 15/16" Projection • 1 3/8" Height • 12'0" Length



MD 1445

• 1 11/16" Projection • 2 1/8" Height • 12'0" Length



MD 1482

• 1 3/16" Projection • 1 3/4" Height • 12'0" Length



MD 1143

• 2 1/2" Projection • 2 3/4" Height • 12'0" Length




MD 1116

• 11/16" Projection • 1 3/8" Height • 8'0" Length




MD 1472

• 3/4" Projection • 1 5/8" Height • 12'0" Length



MD 1594

• 1" Projection • 2 1/2" Height • 12'0" Length



MD 1942

• 3/4" Projection • 1 1/4" Height • 12'0" Length



MD 1073

• 5/8" Projection • 1 1/2" Height • 12'0" Length



MD 1843

• 1 5/8" Projection • 2 1/8" Height • 12'0" Length






MOULDINGS


NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1821

• 2" Projection • 3 3/4" Height • 12'0" Length




MD 1684

• 1 1/8" Projection • 2 1/8" Height • 12'0" Length



MD 1879

• 1 1/2" Projection • 5 1/2" Height • 12'0" Length




MD 1781

• 1 1/8" Projection • 2 1/2" Height • 12'0" Length




MD 1586

• 1 3/4" Projection • 3 1/2" Height • 12'0" Length




MD 1621FS

• 2 1/2" Projection • 5 1/2" Height • 12'0" Length
• FOSSIL STONE




MD 1513

• 1 3/4" Projection • 2 1/2" Height • 12'0" Length




MD 1746

• 2 3/4" Projection • 4" Height • 12'0" Length




MD 1378

• 9/16" Projection • 1" Height • 8'0" Length



MD 1589

• 1" Projection • 2 15/16" Height • 12'0" Length
• Moulding matches RAL 2110B




MD 1592

• 7/8" Projection • 3" Height • 12'0" Length
• Moulding matches RAL 2110T



MD 1830

• 2 1/2" Projection • 2 1/8" Height • 12'0" Length




MD 1303

• 2" Projection • 3" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1822

• 3" Projection • 4" Height • 12'0" Length



MD 1483

• 1 1/8" Projection • 1 7/16" Height • 8'0" Length



MD 1425

• 3 7/16" Projection • 7 1/4" Height • 12'0" Length




MD 1153

• 1" Projection • 1 3/8" Height • 8'0" Length



MD 1383

• 2 1/8" Projection • 4 1/2" Height • 12'0" Length



MD 1785

• 3/4" Projection • 2" Height • 12'0" Length




MD 1748

• 3 1/2" Projection • 5 1/8" Height • 12'0" Length




MD 1133

• 1" Projection • 1 3/4" Height • 12'0" Length




MD 1561

• 3" Projection • 16" Height • 12'0" Length




MD 1069

• 1 1/4" Projection • 2" Height • 12'0" Length



MD 1844

• 1 1/4" Projection • 3" Height • 12'0" Length



MD 1568

• 4" Projection • 13 1/2" Height • 12'0" Length





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1050

• 2" Projection • 2" Height • 12'0" Length



MD 1119

• 2 1/2" Projection • 2 3/4" Height • 12'0" Length




MD 1766

• 1 7/8" Projection • 3 1/2" Height • 12'0" Length




MD 1306

• 2 1/2" Projection • 3 1/2" Height • 11'8" Length



MD 1884

• 1 13/16" Projection • 2 15/16" Height • 12'0" Length



MD 1619

• 1 1/2" Projection • 4 3/16" Height • 12'0" Length



MD 1765

• 2 1/2" Projection • 2 1/2" Height • 12'0" Length




MD 1883

• 3 1/4" Projection • 4" Height • 12'0" Length



MD 1203

• 4 3/8" Projection • 5 3/16" Height • 12'0" Length



MD 1124

• 3/4" Projection • 1 5/8" Height • 12'0" Length




MD 1124 SPLIT

• 3/4" Projection • 3/4" Height • 12'0" Length




MD 1695

• 3/4" Projection • 1 5/8" Height • 12'0" Length



MD 1695 SPLIT

• 3/4" Projection • 3/4" Height • 12'0" Length



MD 1703

• 5/8" Projection • 1 3/8" Height • 12'0" Length



MD 1703 SPLIT

• 5/8" Projection • 5/8" Height • 12'0" Length


1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1131

• 1" Projection • 2 1/8" Height • 12'0" Length




MD 1131 SPLIT

• 1" Projection • 1" Height • 12'0" Length



MD 1811

• 1 1/4" Projection • 1 1/4" Height • 12'0" Length



MD 1529

• 1 3/4" Projection • 2 21/32" Height • 12'0" Length




MD 1121

• 5/8" Projection • 1 3/8" Height • 8'0" Length




MD 1121 SPLIT

• 5/8" Projection • 5/8" Height • 8'0" Length




MD 1136

• 9/16" Projection • 1 1/2" Height • 12'0" Length



MD 1136 SPLIT

• 9/16" Projection • 9/16" Height • 12'0" Length



MD 1498

• 1 1/4" Projection • 1 3/4" Height • 12'0" Length




MD 1270

• 5/8" Projection • 1 5/16" Height • 12'0" Length • 12" Repeat




MD 1516

• 1/2" Projection • 1" Height • 12'0" Length




MD 1450

• 11/16" Projection • 1 1/2" Height • 12'0" Length



MD 1037

• 3/4" Projection • 2" Height • 12'0" Length



MD 1134

• 1 1/4" Projection • 3 1/8" Height • 12'0" Length



MD 1620

• 2 3/4" Projection • 4 1/2" Height • 12'0" Length





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1687

• 3/4" Projection • 2 5/8" Height • 12'0" Length



MD 1127

• 1 1/2" Projection • 3 7/8" Height • 12'0" Length




MD 1127 SPLIT

• 1 1/2" Projection • 1 7/8" Height • 12'0" Length



MD 1224

• 1 7/8" Projection • 5 9/16" Height • 12'0" Length



MD 1590


• 1" Projection • 3 1/8" Height • 12'0" Length
• Moulding matches RAL 2104T



MD 1201SB

• Smooth • 1" Projection • 2 1/16" Height • 8'0" Length

MD 1201WG • WOOD GRAIN



MD 1337

• 3 1/8" Projection • 5 1/8" Height • 10'0" Length



MD 1238

• 7/8" Projection • 3" Height • 12'0" Length



MD 1442CF

• 1 11/16" Projection • 5" Height • 12'0" Length

• **CONCRETE FINISH**



MD 1644CF

• 2" Projection • 4" Height • 12'0" Length

• **CONCRETE FINISH**



MD 1444

• 1 3/8" Projection • 5" Height • 12'0" Length



MD 1530

• 3 3/16" Projection • 12 3/8" Height • 12'0" Length



MD 1273

• 1 3/4" Projection • 5" Height • 12'0" Length


1 • 8 0 0 • 6 8 5 • 9 9 8 1





MD 1485

• 3 1/8" Projection • 6 3/16" Height • 12'0" Length



MD 1667

• 5/8" Projection • 1 3/4" Height • 12'0" Length




MD 1816

• 1 1/2" Projection • 3 3/4" Height • 12'0" Length




MD 1453

• 2" Projection • 6" Height • 12'0" Length



MD 1596

• 1 1/2" Projection • 4 1/4" Height • 12'0" Length




MD 1597A

• 7 1/2" Projection • 1 1/8" Height • 12'0" Length


MD 1597B

• 1 3/8" Projection • 3 1/2" Height • 12'0" Length




MD 1606

• 3/4" Projection • 5 1/2" Height • 12'0" Length




MD 1595

• 1 5/8" Projection • 6 7/8" Height • 12'0" Length



MD 1933

• 2 3/8" Projection • 10 3/4" Height • 12'0" Length




MD 1458

• 1 7/8" Projection • 5 1/2" Height • 12'0" Length



MD 1659

• 2 1/4" Projection • 8" Height • 12'0" Length



MD 1560

• 3" Projection • 12" Height • 12'0" Length






MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1669

• 3" Projection • 8 1/2" Height • 12'0" Length




MD 1459

• 2 1/16" Projection • 5 9/16" Height • 12'0" Length




MD 1915

• 2 3/8" Projection • 7 3/8" Height • 12'0" Length




MD 1317

• 1 1/2" Projection • 4" Height • 12'0" Length




MD 1449

• 13/16" Projection • 3 3/4" Height • 12'0" Length



MD 1332

• 1 3/4" Projection • 6" Height • 12'0" Length



MD 1455

• 1 1/8" Projection • 7" Height • 12'0" Length



MD 1913

• 1 3/4" Projection • 12" Height • 12'0" Length



MD 1137

• 1 1/8" Projection • 2 1/4" Height • 12'0" Length



MD 1857

• 2" Projection • 2 5/8" Height • 12'0" Length



MD 1385

• 2 1/8" Projection • 2 1/16" Height • 12'0" Length



MD 1872

• 1 1/2" Projection • 3" Height • 12'0" Length




MD 1742

• 1 7/16" Projection • 5" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1523

• 2 3/4" Projection • 6 1/2" Height • 12'0" Length



MD 1860

• 1/2" Projection • 2 1/8" Height • 10'0" Length




MD 1055

• 1/2" Projection • 1 5/8" Height • 12'0" Length



MD 1958

• 5/16" Projection • 2 3/16" Height • 12'0" Length




MD 1130

• 1/2" Projection • 2 5/8" Height • 8'0" Length



MD 1107

• 5/8" Projection • 1 5/8" Height • 10'0" Length




MD 1456

• 1 1/16" Projection • 5 1/2" Height • 12'0" Length
• Moulding matches RAL 2100T



MD 1852

• 3/4" Projection • 3 1/2" Height • 12'0" Length



MD 1146

• 3/4" Projection • 3" Height • 12'0" Length




MD 1770

• 1" Projection • 3 1/2" Height • 12'0" Length



MD 1128

• 3/4" Projection • 1 1/2" Height • 8'0" Length



MD 1377

• 1" Projection • 3 1/2" Height • 12'0" Length





MOULDINGS


NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.




MD 1088

• 7/8" Projection • 3 1/4" Height • 12'0" Length



MD 1854

• 1" Projection • 5" Height • 12'0" Length




MD 1290

• 1" Projection • 5 1/4" Height • 12'0" Length




MD 1538

• 1" Projection • 7 1/4" Height • 12'0" Length



MD 1283

• 3/4" Projection • 5 1/8" Height • 12'0" Length



MD 1381

• 1 1/8" Projection • 5" Height • 12'0" Length



MD 1912

• 7/8" Projection • 4" Height • 12'0" Length 3" Repeat



MD 1129

• 1 1/2" Projection • 6" Height • 5'0" Length • 4 3/8" Repeat




MD 1473

• 1 1/8" Projection • 3 1/4" Height • 12'0" Length



MD 1100

• 3 1/8" Projection • 5 5/8" Height • 11'10 3/4" Length • 4 3/16" Repeat




MD 1228

• 3/4" Projection • 3 7/8" Height • 12'0" Length



MD 1682

• 5" Projection • 4 1/4" Height • 12'0" Length




MD 1370

• 1 1/8" Projection • 5 3/4" Height • 12'0" Length


1 • 8 0 0 • 6 8 5 • 9 9 8 1






MD 1851

• 7/8" Projection • 3 1/4" Height • 12'0" Length




MD 1177

• 1 1/16" Projection • 6 3/16" Height • 12'0" Length



MD 1440

• 1 3/8" Projection • 3 1/2" Height • 12'0" Length




MD 1823

• 2" Projection • 7 1/2" Height • 12'0" Length




MD 1093

• 3" Projection • 4" Height • 12'0" Length



MD 1806

• 1 1/4" Projection • 6" Height • 12'0" Length



MD 1652

• 1 1/2" Projection • 7 1/2" Height • 12'0" Length




Photo above illustrates the use of Spectis blocks BL 2441 and Spectis moulding MD 1162 & MD 1163.




MD 1315

• 1 1/16" Projection • 4" Height • 12'0" Length
• Moulding matches RAL 2111B



MD 1339

• 3" Projection • 9" Height • 12'0" Length



MD 1304

• 1 1/8" Projection • 3 3/4" Height • 12'0" Length
• Moulding matches RAL 2111T



MD 1679

• 1" Projection • 3 3/4" Height • 12'0" Length
• Moulding matches RAL 2105T





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



Photo above illustrates the use of Spectis crown mouldings custom build up.



MD 1658

• 11 7/8" Projection • 10 3/4" Height • 12'0" Length




MD 1662

• 12 3/4" Projection • 12 1/8" Height • 12'0" Length




MD 1545

• 17" Projection • 12" Height • 12'0" Length



MD 1657

• 3" Projection • 4" Height • 12'0" Length



MD 1469

• 2 1/2" Projection • 3 1/2" Height • 12'0" Length



MD 1470

• 1 3/4" Projection • 2 1/2" Height • 12'0" Length



MD 1778CF

• 3" Projection • 6" Height • 12'0" Length • **CONCRETE FINISH**



MD 1477

• 1/2" Projection • 13" Height • 12'0" Length
• Moulding matches RAL 2101T LID




MD 1793



• 1 7/8" Projection • 20 3/4" Height • 12'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1









MD 1689WG • 12'0" Length
• WOOD GRAIN • WOODTONE COLOUR




MD 1418 • 12'0" Length




MD 1608 • 12'0" Length



MD 1710 • 12'0" Length



MD 1609 • 12'0" Length



MD 1779 • 12'0" Length








Photo above illustrates the use of Spectis custom crown mouldings and dentils.




MD 1278 • 12'0" Length




MD 1282 • 12'0" Length



MD 1279 • 12'0" Length



MD 1431 • 12'0" Length





MOULDINGS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



MD 1480

• 3/8" Projection • 3/4" Height • 8'0" Length



MD 1176

• 5/8" Projection • 1 1/4" Height • 8'0" Length



MD 1122

• 5/8" Projection • 1 3/8" Height • 12'0" Length



MD 1122 SPLIT

• 5/8" Projection • 5/8" Height • 12'0" Length



MD 1393

• 1 1/8" Projection • 1 1/4" Height • 12'0" Length



MD 1220

• 1 1/2" Projection • 2" Height • 12'0" Length



MD 1145

• 1 1/4" Projection • 2 1/2" Height • 12'0" Length




MD 1249

• 1 1/2" Projection • 3" Height • 12'0" Length



MD 1353

• 3/4" Projection • 1 3/8" Height • 12'0" Length




MD 1187

• 1 3/4" Projection • 3 1/2" Height • 12'0" Length



MD 1191

• 4" Projection • 4 1/2" Height • 12'0" Length




MD 1298

• 2 3/4" Projection • 5 1/2" Height • 12'0" Length




MD 1528

• 3" Projection • 5 3/4" Height • 12'0" Length



MD 1751

• 4 1/2" Projection • 6" Height • 12'0" Length



MD 1946

• 4" Projection • 4 1/2" Height • 12'0" Length



MD 1222 QUOIN

• 1 1/2" Projection
• 16" Width • 8'0" Length

1 • 8 0 0 • 6 8 5 • 9 9 8 1





SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

NICHES





NICHES

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

SPECTIS RESERVES THE RIGHT TO HOLLOW OUT THE BACK OF ANY PRODUCT WITHOUT NOTICE. SOME PRODUCTS MAY BE MADE AS ASSEMBLIES.



SMN 2500S
Stained Finish
WOOD GRAIN
Surface Mount



SMN 2501S
c/w Mirror
Stained Finish
WOOD GRAIN
Surface Mount



SMN 2502FW
Open Body
Flat White Finish
WOOD GRAIN
Surface Mount

SMN 2500FW
Flat White Finish
WOOD GRAIN
Surface Mount



SMN 2501FW
c/w Mirror
Flat White Finish
WOOD GRAIN
Surface Mount



SMN 2502S
Open Body
Stained Finish
WOOD GRAIN
Surface Mount

SURFACE MOUNT NICHES

Artfully Designed Accessories with Unlimited Possibilities . . .

Explore the exciting decorating options offered by these exceptional architectural accents by Spectis Moulders.

These niches are available in a variety of sizes and finishes to suit any decor. Their uses are practically limitless:

- In the living room for displaying priceless family photos currently stored away
- In the kids' room for the trophies and awards they worked so hard to earn
- In the bathroom for colourful towels, soaps, or baskets of potpourri
- Each niche is installed in only minutes using simple hand tools found in most homes

EASY TO INSTALL!



SMN 2503
Flat White Finish
Surface Mount



SURFACE MOUNT NICHES

	SMN 2500 SMN 2501 SMN 2502	SMN 2503
Height	40 1/2"	21"
Width	23 1/2"	14"
Shelf Width	24 3/4"	15"
Casing Projection	4"	3"
Shelf Projection	11"	6"
Body Depth	3"	2 1/2"
Wall Recess	—	—
Rough Opening	—	—

1 • 8 0 0 • 6 8 5 • 9 9 8 1





WN 2550SH
Flat White Finish
Recessed Mount



WN 2550
Flat White Finish
Recessed Mount



WN 2551*
Flat White Finish • Recessed Mount
* Translucent shelf for up lighting
(light and hardware not included.)



WN 2552SH
Flat White Finish
Recessed Mount



WN 2552
Flat White Finish
Recessed Mount



WN 2553
Flat White Finish
Recessed Mount



WN 2554SH
Flat White Finish
Recessed Mount



WN 2555SH
Flat White Finish
Recessed Mount



WN 2556
Flat White Finish
Recessed Mount



WN 2557SH
Flat White Finish
Recessed Mount with light

RECESSED NICHES

RECESSED NICHES								
	WN 2550	WN 2551	WN 2552	WN 2553	WN 2554	WN 2555	WN2556	WN2557
Height	40 1/2"	27 1/2"	32 1/4"	59 3/8"	64 1/2"	64 1/2"	39 3/8"	55 3/4"
Width	17 3/4"	15 1/2"	18"	36 1/2"	33 1/4"	29"	19 3/4"	28 1/4"
Shelf Width	18 3/4"	17"	19"	37 1/2"	34"	29 5/8"	21"	29 3/4"
Casing Projection	1"	1 5/8"	1/2"	1"	1"	1"	1"	1"
Shelf Projection	6 3/8"	3 1/2"	4 1/2"	2 3/4"	6"	8 1/2"	1 1/2"	3"
Body Depth	3 5/8"	3 1/4"	3"	10"	3"	4 1/8"	7 3/4"	9"
Shelf Depth	10"	6 3/4"	7 1/2"	11 3/4"	10"	11 1/4"	9 1/4"	12"
Wall Recess	3 5/8"	3 3/8"	3 1/2"	2 3/4"	4"	3 5/8"	8 1/2"	10"
Rough Opening	15" x 34"	12 1/2" x 23 3/4"	14 3/4" x 27 1/2"	28" x 56"	26 1/4" x 57"	24 1/4" x 55 1/2"	15 3/8" x 36 1/2"	24" x 53"







SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

SHUTTERS





SHUTTERS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.



Closed Louvre Shutter
• 1 1/4" Projection

SHL-1-1872
SHL-1-2064
SHL-1-2460
SHL-1-3696



Closed Louvre Shutter
• 1 1/4" Projection

SHL-2-1230	SHL-2-1855
SHL-2-1236	SHL-2-1860
SHL-2-1240	SHL-2-1864
SHL-2-1248	SHL-2-1867
SHL-2-1260	SHL-2-1872
SHL-2-1272	SHL-2-1876
SHL-2-1449	SHL-2-1878
SHL-2-1459	SHL-2-1881
SHL-2-1472	SHL-2-1896
SHL-2-1640	SHL-2-2062
SHL-2-1645.5	SHL-2-2448
SHL-2-1647.5	SHL-2-2460
SHL-2-1648	
SHL-2-1671	
SHL-2-1672	
SHL-2-1696	
SHL-2-1769	
SHL-2-1830	
SHL-2-1836	
SHL-2-1837	
SHL-2-1840	
SHL-2-1842	
SHL-2-1848	



Photo at left shows use of Spectis custom louvered shutter #SHL-2

CUSTOM SIZES AVAILABLE
Raised panel PVC shutters
can be custom ordered

1 • 8 0 0 • 6 8 5 • 9 9 8 1





- 1 1/4" Projection
- 1 Raised Panel

SHP-1-1624



- 1 1/4" Projection
- 2 Raised Panels

SHP-2-928

SHP-2-1371

SHP-2-1457

SHP-2-1460

SHP-2-1472

SHP-2-1635

SHP-2-1639

SHP-2-1647

SHP-2-1647.5

SHP-2-1651

SHP-2-1655

SHP-2-1659

SHP-2-1663

SHP-2-1667

SHP-2-1671

SHP-2-1675

SHP-2-1677

SHP-2-1681

SHP-2-1686

SHP-2-1863

SHP-2-1872

SHP-2-2056

SHP-2-2454

SHP-2-2472

SHP-2-2492



- 1 1/4" Projection
- 3 Raised Panels

SHP-3-1472

SHP-3-1635

SHP-3-1639

SHP-3-1647

SHP-3-1651

SHP-3-1655

SHP-3-1659

SHP-3-1663

SHP-3-1667

SHP-3-1671

SHP-3-1675

SHP-3-1677

SHP-3-1681

SHP-3-1686

SHP-3-1839

SHP-3-1842

SHP-3-1848

SHP-3-1852

SHP-3-1855

SHP-3-1862

SHP-3-1864

SHP-3-1865

SHP-3-1867

SHP-3-1877

SHP-3-1896



- 1 1/4" Projection
- 2 Raised Panels

SHA 1890L SHA 1890R



Photo shows use of Spectis custom shutters in pecky cypress texture





SHUTTERS

NOTICE :

SPECTIS ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

CUSTOM BOARD & BATTEN SHUTTERS

RECTANGULAR

2 Battens

3 Battens



ARCHED TOP

2 Battens

3 Battens



ELLIPTICAL TOP

2 Battens

3 Battens



• 1 1/2" Overall Projection

- All styles available with 2 or 3 Battens
- Available in heights between 24" and 120"
- Custom sizes available
- See chart on page 286 for ordering

GENERAL NOTES:

- CBBS Shutters will have a weathered cedar texture
- Boards and battens 4" wide with a 1/4" W x 1/8" D V-Groove
- Middle batten equally spaced between top and bottom batten
- Radius of arched top is equal to the width

1 • 8 0 0 • 6 8 5 • 9 9 8 1





SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

TEXTURES





TEXTURES

CUSTOM FINISHING

Spectis' finishing department can colour match, prepare, and paint all of our catalogue items, in house! We have partnered with the Sherwin Williams line of finishing products to offer a rainbow of colours for both interior and exterior applications.

In addition to solid colours, Spectis can also produce faux finishes of granite, limestone, rough sawn lumber, hewn beams, stucco, and countless others. If you have a project, which requires pre-finishing, contact your Spectis Customer Service Representative for more information and pricing.






Photo above illustrates the following Spectis products: blocks BL 2470 & BL 2471, baluster BAL 2041-29FS, and rail RAL 2108T-FS top fossil stone texture.

1 • 8 0 0 • 6 8 5 • 9 9 8 1





FOSSIL STONE

BAL 2012-25FS
BAL 2027-20FS
BAL 2027-22FS
BAL 2027-29EXT30FS
BAL2027-29EXT32FS
BAL 2031-25FS
BAL 2031-28FS
BAL 2031-30FS
BAL 2032-31FS
BAL 2041-29FS
BAL 2046-25FS
BL 2447FS
BL 2470FS
NC 2315FS
NC 2316FS
NC 2334FS
NC 2337FS
NC 2349FS
NP 2208FS
NP 2209FS
NP 2211FS
MD 1011-5FS
MD 1011-12FS
MD 1011-25FS
MD 1161FS
MD 1172FS
MD1223FS
MD 1284FS
MD 1533FS
MD 1621FS
MD 1622FS
RAL 2100T-FS
RAL 2100B-FS
RAL 2101T-FS
RAL 2101B-FS
RAL 2108T-FS

CONCRETE FINISH

BAL 2027-22EXT24CF
BAL 2027-26CF
BL 2816CF
BL 2817CF
CR 107CF
CR 108CF
MD 1011-24
MD 1034CF
MD 1442CF
MD 1443CF
MD 1642CF
MD 1643CF
MD 1644CF
MD 1645CF
MD 1647CF
MD 1650CF
MD 1651CF
MD 1776CF
MD 1777CF
MD 1778CF
NC 2349CF
NP 2208CF
RAL 2100T-CF
RAL 2100B-CF

STUCCO STONE

BAL 2054-24SS
RAL 2113T-SS
RAL 2113B-SS

WEATHERED CEDAR

BL 3091WC
CBBS SERIES
MD1011-6
MD1011-7.25
MD1011-7.5
MD1011-8
MD1011-9.125
MD1011-14

ROUGH SAWN


BL 2720RS
BL 2770RS
BL 2771RS
BL 2814RS
BL 2815RS
BL 2820RS
BL 3012RS
BL 3102RS
BL 3112RS
BL 3122RS
MD 1011-6RS
MD 1011-8RS
MD 1108-6RS
MD 1108-8RS
MD 1114-6RS
MD 1114-8RS
MD 1509RS
MD 1582RS

WOOD GRAIN

BL 2680WG
BL 3081WG
BL 3082WG
BL 3163WG
BL 3164WG
MD 1011-25-WG
MD 1201WG
MD 1380WG
MD 1536WG
MD 1689WG
MR 3255WG
SMN 2500S-WG
SMN 2500FW-WG
SMN 2501S-WG
SMN 2501FW-WG
SMN 2502S-WG
SMN 2502FW-WG

PECKY CYPRESS

BL 2642PC
BL 2889PC
BL 2897PC
BL 2898PC
BL 3150PC
BL 3151PC
BL 3152PC
BL 3153PC
MD 1011-6PC
MD 1011-10PC



FOSSIL STONE - FS



CONCRETE FINISH - CF



STUCCO STONE - SS



PECKY CYPRESS - PC



WEATHERED CEDAR - WC



WOOD GRAIN - WG



ROUGH SAWN - RS



Bridge railing made with baluster BAL 2031FS, rail RAL 2100T-FS & B & newel post NP 2211FS.



BEFORE



A Spectis custom entrance, medallion CM 4671 and finial FIN 32 were added to this building to complete its transformation.



BEFORE



Added to the exterior of this house were Spectis products porch posts PP 3200, balusters BAL 2019-20, BAL 2028-9, rails RAL 2104T & B and newel posts NP 2206



BEFORE



This heritage building gets a completed restoration with Spectis custom cresting.



1 • 8 0 0 • 6 8 5 • 9 9 8 1





SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

**MASONIC
TEMPLE**
Portsmouth,
New Hampshire,
U.S.A.



BEFORE



AFTER

BEFORE



AFTER

www.spectis.com






CUSTOM PRODUCTS



Gingerbread Accents



This church steeple was manufactured using polyurethane and PVC board over an aluminum truss structure.



Not only does Spectis have a wide variety of stock products, but we are also a **CUSTOM MOULDER OF POLYURETHANE PRODUCTS.**

Gable End Decoration
• 124 1/4" wide x 77 3/4" height



Moulding with brackets, pre-finished in the factory



Panel Cresting on Casino
• 51 1/2" Height • 68" Length of Panels

1 • 8 0 0 • 6 8 5 • 9 9 8 1





Columns
• 5' x 5' x 24'

Large Golf Ball
• 11 7/8" Diameter



Interior or exterior, small or large, clean and simple or full of complexity, send us something to talk about.

The possibilities are literally endless . . .



Balusters, Railings, Newel Posts & Columns


Utilizing our quoting department, **SPECTIS** can provide pricing, shop drawings and specifications for approval prior to turning your custom design over to **SPECTIS'** Master Pattern Shop.



72 1/2" Custom Medallion with Venting made for Casino



26' Tall Exterior Pilasters



Decorative Window Treatment

www.spectis.com



SPECTIS GFRG, GFRC AND POLYURETHANE PRODUCTS

(GFRG-Glass Fibre Reinforced Gypsum / GFRC-Glass Fibre Reinforced Concrete)

Spectis Moulders Inc. manufactures architectural detailing from high density polyurethane, GFRG, and GFRC. Whether major restoration or new construction, with these materials it is possible to create timeless beauty of the past and present, for individual homes, offices and custom projects. Having supplied materials for construction sites such as Yale University, Disney World in Orlando, Wisconsin Electric Building in Milwaukee, Caesar's Casinos, and McPhillips Street Station Casino in Winnipeg, we can assure you Spectis will provide all your architectural detailing needs. For more information, please contact your Spectis Customer Service Representative.



Some examples of GFRG mouldings, medallions, brackets & decorative accents located in McPhillips Street Station Casino, Winnipeg, Manitoba, Canada. Center right medallion is 26 feet in diameter.

1 • 8 0 0 • 6 8 5 • 9 9 8 1



PHYSICAL PROPERTIES

DENSITY

SPECTIS products are made with high density polyurethane with an overall density similar to white pine at 14 to 18 pounds per cubic foot. The Spectis process provides a greater skin density than core density for increased durability.

SURFACE PROPERTIES AND FINISHES

All products are manufactured with a white or beige colour coating. Further, these products receive a primer finish coat before they are shipped to customers. The combination of the integral shell-like skin, the barrier coat, and the primer top coat provide an excellent substrate for durable finishes.

ULTRAVIOLET

Ultra violet rays do not affect properly coated products.

COMPRESSIVE STRENGTH

The compressive strength of polyurethane products falls within the 800-950 P.S.I. Range. *(The parts are not intended for structural use.)*

TENSILE STRENGTH

The tensile strength of polyurethane products falls within the 550-650 P.S.I. range. *(The parts are not intended for structural use.)*

FLEXURAL STRENGTH

The degree of flexibility of any given polyurethane product is determined by the size and shape of its cross section. However, due to the inherent flex characteristics of polyurethane products, they will follow some curvatures and uneven surfaces.

MOISTURE RESISTANCE

Spectis polyurethane has a closed cell structure which provides protection from most solvents and renders it almost completely hydrophobic. It will not rot!

MILDEW RESISTANCE

All Spectis polyurethane products resist the growth of mildew and fungus and provides no nutritional value for other organisms such as small rodents.

INSTALLATION

SPECTIS polyurethane products are handled in the same manner as wood millwork.

SPECTIS adhesives refer to Spectis Adhesive.

Fasteners refer to nails, screws, bolts etc.

SPECTIS adhesives and fasteners must be used for installing all SPECTIS products on concrete, metal, vinyl or wood. SPECTIS adhesive must be used on all bedding/butt joints to ensure the beauty of your installation for years to come.

FINISHING

Spectis products are supplied with a white or beige primer base coat, ready for finishing top coat. A good quality exterior latex or oil base paint may be used on rigid Spectis product. On Spectis flexible product use HQ Alkyd Enamel such as Sherwin Williams SuperPaint. The surface must be clean, dry, and free from all greases or waxes before all finish work is begun. See "Finishing" section (on page 267) for more information.

WARRANTY

SPECTIS MOULDERS INC. herein referred to as the "seller", warrants its products against defects in materials and workmanship for a period of five years from date of purchase, to the original end user, when used and installed under recommended conditions. If the product is not painted immediately following installation, the warranty will be for a period of 1 year from date of purchase.

Failure to follow the seller's storage and recommended installation instructions will void this warranty.

Purchaser and installer must inspect each piece prior to installation. Both parties waive all defects which could have been discovered by reasonable inspection prior to installation.

In the event claim is made under this warranty, the Seller reserves the right to inspect products claimed defective under warranty either at the Purchaser's location or at the Seller's plant, if returned, freight prepaid. Any product(s) proving defective due to faulty manufacturing within (5) years from date of shipment will be replaced or repaired free of charge or, at Seller's option, the purchase price will be refunded upon return of the product(s). The seller assumes no liability for labor charges incidental to the adjustment service, repairing, removal or replacement of the product, product(s) damaged by freight carriers, freight charges, installation, lost profits, lost sales, or other costs, or for the expense of repairs made outside of its factory except when made pursuant to the Seller's prior written consent. The Seller, at its option may ship a replacement or replacements immediately under standard billing and make warranty adjustment after inspection of the defective product by means of a credit memorandum.

No purchaser may take any deduction or credit against any amount owed to SPECTIS or make any charge back without the expressed written consent of SPECTIS.



SPECTIS ADHESIVE

PREMIUM CONSTRUCTION ADHESIVE

Spectis Adhesive is a revolutionary new construction adhesive that provides superior results and is safe to use. It may be used inside or outside and will last as long as the surface joins together. Because the bonding strength of Spectis Adhesive is so strong, much less adhesive is required to complete your projects. Spectis Adhesive is very easy to use, is waterproof, paintable, and exhibits low odour.

APPLICATION:

- Surface temperatures above 5°C (40°F) are recommended.
- Surface must be completely dry, free of moisture, and clean.
- Spectis Adhesive comes ready to use. Do not open cartridges until preparatory work has been completed. Cut nozzle to desired size opening.
- Place the cartridge in caulking gun and puncture the seal inside the nozzle.
- Apply the adhesive with a steady pressure.
- Bond and support the assembly until the adhesive has set. (12 hours)
- Spray a mist of water in joints where thick cross sections are present to aide in cure.
- Spectis Adhesive has low toxicity, non flammable/non combustible - very low odour, it is environmentally safer than any other conventional adhesive.
- Spectis Adhesive works fast - up to three times faster than anything else on the market today and that means more productivity on the job.
- Spectis Adhesive is so strong that it offers twice the coverage of conventional adhesives. It is also waterproof and useable in all climate extremes. Bonds can be made in temperatures ranging from - 18°C (0°F) to 204°C (400°F).



SUPPORT IS REQUIRED UNTIL THE ADHESIVE HAS SET. SETTING TIME MAY VARY DEPENDING ON THE % OF HUMIDITY DURING THE CURING PERIOD AND THE TEMPERATURE.

"For best results use Spectis Adhesive on all joints."

WORKING TIME

You can work with the adhesives up to 45 minutes.

STORAGE

After completion of your work, seal all openings tightly with aluminum foil. Wrap the foil tightly around nozzle and seal it with a piece of scotch tape or in the case of squeeze tubes, apply Vaseline around the cap area prior to replacing the cap.

COVERAGE

A 300 ml. cartridge seals 24 lineal feet in a 1/4" X 1/4" joint.

CURES BY

Reacting with moisture. At higher levels of moisture, the cure rate will be faster. At lower moisture levels the cure rate will be slower.

CURING RATE

A 1/4 inch bead cures in approximately 16-24 hours at 25°C (78°F) and 50% relative humidity.

CLEAN UP

Immediately after use, clean equipment with Acetone or Mineral spirits. Cured sealant can be removed by cutting with a sharp edged tool, thin films by abrading.

ADDITIONAL FEATURES

Can be painted, sanded. Spectis Adhesive cures even in cold temperatures.

SHELF LIFE

1 year in unopened tubes at 24°C (75°F), 50% relative humidity.

FOR THE BEST PERFORMANCE:

- Wear disposable gloves while using Spectis Adhesive or staining of the hands will occur because of moisture in the skin. Staining will disappear in about 3 days.
- Be very careful not to allow Spectis Adhesive to cure on a finished surface. It is next to impossible to remove without sanding. Solvents have little effect on Spectis Adhesive once cured.
- Spectis Adhesive does not bond well to certain Plastics. Test a piece for adhesion.

The information given and recommendations made herein are based on our research and are believed to be accurate but no guarantee of their accuracy is made. In every case we urge and recommended that purchasers before using any product in full scale production make their own test to determine to their satisfaction whether the product is of acceptable quality and is suitable for their particular purpose under their own operating conditions. The products discussed herein are sold without any warranty as to merchantability or fitness for a particular purpose or any other warranty, express or implied. No representative of ours has any authority to waive of change the foregoing provisions. Nothing contained herein shall be construed to imply the non-existence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

1 • 8 0 0 • 6 8 5 • 9 9 8 1



1.01 SUMMARY

- A. Section Includes: Simulated wood trim, including entrance systems, large entrance features, specialty entrance features, mouldings, door and window trim, wall niches, window features, balustrades, columns, ornamentation and decorations, medallions, louvers and domes. Refer to the Drawings for details and locations.
- B. Relations Sections: Sections related to this section include:
 - 1. Section 06100, Rough Carpentry.
 - 2. Section 06200, Finish Carpentry.
 - 3. Section 06400, Architectural Woodwork.
 - 4. Section 09900, Paints and Coatings.

1.02 REFERENCES

- A. American Society for Testing and Materials (ASTM):
 - 1. ASTM E84 Standard Test Method for Surface Burning Characteristics of Building Materials.

1.03 SUBMITTALS

- A. Product Data: Submit manufacturer's descriptive literature, specifications, installation instructions and limited warranty.
- B. Shop Drawings: Submit shop drawings showing layout, profiles and product components, including anchorage, accessories, finish colors and textures.
- C. Samples: Submit selection and verification samples for finishes, colors and textures.
- D. Quality Assurance Submittals: Submit the following:
 - 1. Test Reports: Certified test reports showing compliance with specified performance characteristics and physical properties.
 - 2. Manufacturer's Instructions: Manufacturer's installation instructions.
 - 3. Manufacturer's Field Reports: Manufacturer's field reports specified herein.
- E. Closeout Submittals: Submit manufacturer's standard warranty documents.

1.04 QUALITY ASSURANCE

- A. Manufacturer Qualifications: Manufacturer experienced in producing moulded decorative millwork of the types required for this Project. Obtain all moulded decorative millwork from a single manufacturer.
- B. Installer Qualifications: Installer experienced in performing work of this section who has specialized in installation of work similar to that required for this project.
- C. Mock-Ups: Install at project site a job mock-up using specified products and installation methods acceptable to the manufacturer and the Architect. Obtain Owner's and Architect's acceptance of finish color, texture and pattern, and workmanship.
 - 1. Mock-Up Size (Specify mock up size).
 - 2. Maintenance: Maintain mock-up during construction for workmanship comparison. Remove and legally dispose of mock-up when no longer required if not incorporated in the final work.

- 3. Incorporation: Mock-up may be incorporated into final work upon Owner's approval.

- D. Performance Requirements: Provide simulated wood trim units which have been manufactured, fabricated and installed to maintain performance criteria stated by manufacturer without defects, damage or failure.
- E. Fire Test Characteristics: Provide moulded units which pass ASTM E84 for Class A requirement by UL or other testing and inspecting agency acceptable to authorities having jurisdiction.
- F. Preinstallation Meetings: Conduct a preinstallation meeting to verify project requirements, substrate conditions, manufacturer's installation instructions and manufacturer's warranty requirements.

1.05 DELIVERY, STORAGE & HANDLING

- A. Ordering: Comply with manufacturer's ordering instructions and lead time requirements to avoid construction delays.
- B. Delivery: Deliver materials in manufacturer's original, unopened, undamaged containers with identification labels intact.
- C. Storage and Protection: Store materials protected from exposure to harmful weather conditions and at temperature and humidity conditions acceptable to manufacturer.

1.06 PROJECT CONDITIONS

- A. Temperature Requirements: Maintain air temperature in spaces where products will be installed for time period before, during and after installation within limits recommended by manufacturer.
- B. Field Measurements: Verify actual measurements and openings by field measurements before fabrication. Show recorded measurements on shop drawings. Coordinate field measurements and fabrication schedule with construction progress to avoid construction delays.

1.07 WARRANTY

- A. Manufacturer's Warranty: Submit, for Owner's acceptance, manufacturer's standard warranty document executed by authorized company official. Manufacturer's warranty is in addition to, and not a limitation of, other rights Owner may have under the Contract Documents.
 - 1. Warranty Period: Manufacturer's 5 years limited warranty against defects in materials and workmanship. Warranty shall commence on Date of Substantial Completion.

1.08 MAINTENANCE

- A. Extra Materials: Deliver to Owner extra materials from same production run as products installed. Package products with protective covering and identify with descriptive labels.
 - 1. Quantity: Furnish quantity of (identify items) units equal to (Specify %) of amount installed.



SIMULATED WOOD TRIM - PART 2 - PRODUCTS

2. Delivery, Storage and Protection: Comply with Owner's requirements for delivery, storage and protection of extra materials.

2.01 SIMULATED WOOD TRIM

- A. Manufacturer: Spectis Moulders Inc., Box 970, Niverville, Canada, MB. R0A 1E0, Telephone (204) 388-6700 and (800) 685-9981, Fax. (204) 388-6710. Substitutions not permitted.
- B. Standard SPECTIS:
 1. Material: High-density polymer comparable to kiln-dried white pine millwork, with higher skin density.
 2. Moisture Resistance: Non-water absorbing.
 3. Fire Rating: Optional ASTM E 84 Class A.
- C. SPECTIS Balustrade Systems:
 1. Material: High-density polymer cast around PVC pipe in baluster and around vinyl, aluminum or steel pipe in top and bottom rails and posts.
 2. Moisture Resistance: Durable and weather resistant.
 3. Fire Rating: Optional ASTM E 84 Class A.
- D. SPECTIS Poly/Steel/Aluminum Columns and Posts:
 1. Material: High-density polymer cast around steel or aluminum pipe.
 2. Moisture Resistance: Durable and weather resistant.
 3. Fire Rating: Optional ASTM E 84 Class A.
- E. Shop Finish: Provide units with manufacturer's standard barrier coat and shop-applied primer to receive field applied coating.
- F. Accessory Materials:
 1. Fasteners: As recommended by manufacturer, provide trim screws, drywall screws or finishing nails. Application using a pneumatic nail gun is acceptable. Application using a staple gun is not acceptable.
 2. Joint Compound: As recommended by manufacturer, provide spackle joint compound, ready-mixed, vinyl type, or two-component auto body type filler.
 3. Adhesive: Use manufacturer recommended adhesive for product installation.

SIMULATED WOOD TRIM - PART 3 - EXECUTION

3.01 INSTALLATION

- A. Site Verification of Conditions: Verify substrate conditions are acceptable for product installation in accordance with manufacturer's instructions. Do not proceed until unsatisfactory conditions are removed.
- B. Installation: Comply with requirements of manufacturer's product data and approved submittals, including product technical bulletins, product catalog installation instructions and product carton instructions for installation. Fill holes using compound recommended by the manufacturer and sand to prepare surface for field painting.
- C. Manufacturer's Field Services: Upon Owner's request, provide manufacturer's field service consisting of product use recommendations and periodic site visits for inspection of product installation in accordance with manufacturer's instructions.

3.02 CLEANING AND PROTECTION

- A. Cleaning: Remove temporary coverings. Repair or replace damaged installed products. Clean installed products in accordance with manufacturer's instructions. Remove construction debris from project site and dispose of legally.
- B. Protection: Protect installed product and finished surfaces from damage from construction operations.

END OF SECTION

Spectis Moulders products may be painted with either a latex or oil based paint. The following guidelines should be used when choosing and applying paint to Spectis Moulders products.

1. Surface Preparation: All Spectis Moulders products are shipped from the factory with two coats of paint applied, a barrier coat bonded directly to the polyurethane foam and a flat white primer coat.
Before applying any paint to the product, the surface must be free of any contaminants, especially any dirt, grease or oils that may have been transferred to the product surface during installation or in transit from the factory. Spectis Moulders recommends that all surfaces be wiped down with a mild water and ammonia solution (or equivalent) prior to painting to remove contaminants. See "Finishing" section on page 267.
2. Paint Selection: Most quality paints, either latex or oil based can be applied to the product. Latex is recommended since topcoat applied at the factory is a latex-based paint.
3. Color Selection: All Spectis Moulders products are subject to expansion and contraction. Darker colors specifically black, dark greens and dark blues absorb more of the sun's radiation than do lighter paints and cause substantially greater than normal expansion and contraction in materials, therefore, these finished colors are not recommended for rigid foam polyurethane products. These colors, if used on Spectis Moulders products, invalidate the Spectis Moulders' limited warranty.

Technical Support:

Specific concerns or questions regarding painting and installation of Spectis Moulders products should be directed to our technical support department at 800-685-9981.

1 • 8 0 0 • 6 8 5 • 9 9 8 1



INSTALLATION OF BALUSTRADE SYSTEMS

IMPORTANT: Be sure to mark the center point of each newel post's location prior to installation to insure proper spacing. All product interfaces must use Spectis Adhesive (read directions before use) for warranty purposes and ensure lasting installation.

Spectis makes no guarantee as to the suitability of our rail systems, or any other product we sell, on any specific project or application. Before any balustrade, or any other product, is ordered and installed, Spectis recommends checking with local building code authorities to ensure relevant building code requirements are met. Most building codes dictate that the balustrade must be installed in accordance with the "4" ball rule". Further, most building codes specify top railing height be no lower than 36" on decks lower than 3' from grade, and 42" where the railing is to act as a guard rail. Usually, where the railing is to be purely decorative, there are no limitations.

All Spectis' railing systems are designed for termination at newel posts, walls, or some other load-supporting member. They cannot be joined to each other. Any installation where a railing section is not installed as recommended will void Spectis' warranty.

The following steps outline the procedure for installing Spectis' balustrade system. It may be necessary to modify this procedure for circumstances relevant to an individual installation.



2a



2b



3a




3b



3c

1. Determine location of newels:

- Before any work can begin, it is necessary to determine the exact layout of railing.
- When determining layout, use 12' as a maximum railing length and keep all railing lengths on a run equal. (See Diagram 1)
- Mark the center locations of all newel posts.



2. Install top angle brackets to newels

- Before installing the newels, it is necessary to install the top angle brackets to each newel post. (The bottom brackets are fastened to the bottom rails)
- Measure the combined heights of the bottom rail and baluster; this is the distance between angle brackets used to fasten railings to newels. Call this total measurement "X" inches.
- Determine and mark on the newel post the height, which the bottom rail will be located off the deck. This will be the location of the bottom rail bracket.
- Offset the top rail bracket "X" inches from the bottom bracket (See Photo 2a), mark and pre-drill a hole in the newel post for the center bracket hole.
- Install the top bracket at the location determined above using a bolt through the center hole of the angle bracket. (Use adhesive between bracket and newel)
- Install wood screws through the 2 outboard holes in the bracket. (If present)
- Note the top railing bracket can be mortised into the newel post for a cleaner installation. (See Photo 2b)

3. Installing Newel posts To Wood Decking

- Install blocking if required beneath the center of each newel post, fastening with screws or nails to deck joists. (Minimum requirement: 2" X 6" CCA treated Southern Pine)
- Center floor flange on top of center-mark of post location found in Step 1 and secure to decking and blocking with 3" lag screws. (See Photo 3a)
- Thread 1/2" rod into welded nut on floor flange and tighten with vise grips. (See Photo 3b)

4. Installing Newel posts To Concrete

- Drill 5/8" hole to minimum depth of 2 1/4" at center positions of newels determined in Step 1.
- Clear and insert anchors into holes, tapping the anchor in until flush with surface of concrete. Using a setting pin (metal pin or punch) strike with sharp blows until anchors are set. (See Photo 3c)
- Thread rod into anchor and tighten with vise grips.

www.spectis.com



INSTALLATION OF BALUSTRADE SYSTEMS



5. Securing Newel Post

- Place newel post over threaded rod and insert "C" channel (open side up) into mortised slot in the top of the newel post. (Be sure to use Spectis Adhesive between base of newel and deck material)
- Install lock washer and nut on to threaded rod.
- Orient newel post to final position and tighten up nut. (See Photo 3d)
- Cut excess threaded rod using reciprocating saw or cut off disk. (Rod can be no higher than top of newel)



6. Determine and cut railing lengths

- With the newel post installed, measure the spans between each set of newel posts and cut top/bottom rail sections to suit.
- Label each set of rails to their corresponding location.



7. Determine balustrade spacing and drill holes

- Prior to drilling holes, check with local building code authorities for minimum spacing of balusters. Most building codes dictate that the balustrade must be installed in accordance of the "4" ball rule." (See Photo 4a)
- The maximum spacing of balusters which comply with the 4" ball rule can be found in the Spectis catalogue or website.
- With the maximum spacing as a guideline, determine the best configuration of balusters, which provides for both consistent end and balustrade spacing. Note: It will likely be necessary to vary spacing slightly between sections to achieve good results.
- Drill holes in centerline of railings at locations determined above. Drill holes 1/4" larger than the pipe in balusters. Holes need to be 1" deep to accommodate pipe. (See Photo 4b)




8. Pre-assemble railing sections

- Place bottom rail on flat surface and apply adhesive around each hole drilled above. (See Photo 5)
- Insert balusters in holes, twisting slightly to set the adhesive.
- Apply adhesive around the tops of each baluster.
- Place top rail over ends of balusters, indexing each into the corresponding holes in top rail. Assistance will be needed to do this. (See Photo 6a)
- With all the balusters installed, loosely clamp the assembly together using load binding straps. (See Photo 6b)
- Once the assembly is loosely clamped, orient each baluster so it is sitting squarely and the spaces between each are consistent. (Using a spacer block as a guide is helpful)
- To ensure the balusters do not move while the adhesive cures, toe nail each into the bottom and/or top rail with brad nails. Tighten up clamps. (See Photo 6c)
- Set the entire assembly aside for 24 hours while the adhesive cures.
- Complete this procedure for the rest of the railing sections.



9. Install support blocks to bottom rails if necessary. (On spans over 8')

- Cut support blocks to the same height the bottom rail is to be located off the deck.
- Apply adhesive to the topside of support block and screw from the bottom side into the bottom rail. (See Photo 7)



10. Install bottom rail support bracket.

- The bottom rail brackets are installed on the end of the bottom rail prior to setting the railing assembly into place due to space limitations.
- Locate the bracket on the end of the underside of the bottom rail.
- Mark and pre-drill a 5/16" hole in the end of the rail.
- Install the bottom bracket (using adhesive) using the 5/16" bolts supplied in the hardware kit. (See Photo 8a and b)



1 • 8 0 0 • 6 8 5 • 9 9 8 1



INSTALLATION OF BALUSTRADE SYSTEMS



- e) Notch the underside of top rail to accommodate the fastening bracket hardware. (See Photo 8c)

11. Install railing sections



- Apply adhesive to the ends of the railings. (See Photo 9a)
- With assistance, place each entire railing assembly between the corresponding newel posts and rest on the top rail brackets installed in Step 2 above. (Use adhesive between brackets, railing, and newels)
- Center the railing section in place and use 2" wood screws to secure the top rail by screwing from beneath and into the bottom of the top rail. (See Photo 9b)
- Secure the bottom rail by screwing from the side into the newel post using 2" wood screws. (See Photo 9c)

Note: Make sure the ends of the rail are tight to the newels before fastening.

12. Install newel caps

- Apply adhesive to the tops of newels posts.
- Center newel caps on posts and secure using brad nails. (See Photo 10)

13. Finish the completed railing as per the "Finishing" section on page 267.




STRUCTURAL COLUMNS & PORCH POST INSTALLATION

Spectis' structural columns and porch posts can be used for load bearing and non-load bearing conditions and are installed by the same method. They can be installed by several different techniques depending on the circumstances. The following represent an acceptable method:

- Measure the total length necessary to fill the opening where the column is to be located.
- Cut the column shafts 1/4" shorter than the overall opening. This will accommodate the clearance necessary for the mounting hardware. Since the column has either an aluminum or steel internal shaft, it will be necessary to use a metal cutting saw.
- Slip the cap and base on the appropriate ends of the column and slide up/down the shaft.
- Locate the hardware into the ends of the columns.
- Slip the complete assembly into the opening. Make sure someone can assist to hold the column while fastening the hardware.
- Rotate the column 45 degrees from square and position the hardware.
- Secure the hardware to the deck and beam (making sure the column is plumb and level) by screwing directly through each corner of the hardware and into the deck and beam beyond using the appropriate fastener. Deck screw or masonry anchor. (Provided) Rotate column back into final position.

continued on page 266



STRUCTURAL COLUMNS & PORCH POST INSTALLATION^(continued)

- H. Secure the column from uplift by cross screwing (pre-drill first) through both ends of the column shaft (see diagram on page 231) and into the hardware using the 4" self-tapping metal screws provided. (Select a location which will be covered by the cap/base)
- I. Apply Spectis Adhesive to the underside of the cap/base and slide into final position at the ends of the column shaft.
- J. Secure the cap/base in place by using brad nails or screws into the side of the column shaft.
- K. Finish the installation by filling the screw holes, caulking (see "Finishing" section on page 267) around the cap/base interface with the column shaft and if necessary, where the cap and base meet the floor/ceiling. You are now ready to paint the columns as per the "Finishing" section on page 267.

DECORATIVE COLUMN INSTALLATION

Spectis offers decorative columns, which can be either be ordered with a one-piece shaft that can be used alone as a non-load bearing member, or with the shaft split vertically to wrap around existing load bearing members. In addition, some column designs have the cap and base telescoping around the column shaft, while other designs have the cap and base attaching directly to the ends of the column shaft. (Non-telescoping) They can be installed using several different techniques depending on the circumstances. The following represent acceptable methods:

1. One Piece Shaft/telescoping cap and base:

- a. Measure the total length necessary to fill the opening where the column is to be located.
- b. Cut the column shaft approximately 1" shorter than the overall opening.
- c. Slip the cap and base on the appropriate ends of the column shaft and locate the assembly into the opening. Make sure someone can assist to hold the column while fastening the cap and base.
- d. Apply Spectis Adhesive to the underside of the base and secure to the floor by screwing directly through each corner of the base into the substrate beyond with the appropriate fastener. i.e. Plated deck or masonry screw.
- e. Apply adhesive to the underside of the cap and secure to the ceiling or beam by screwing directly through each corner of the cap into the substrate beyond with the appropriate fastener. i.e. Plated deck or masonry screw.
- f. Secure the column shaft from rotating in the cap and base by cross screwing through the base and into the column shaft. (Select a location which will be easily repaired).
- g. Finish the installation by filling the screw holes, caulking (see "Finishing" section on page 267) around the cap/base interface with the column shaft and if necessary, where the cap and base meet the floor/ceiling. You are now ready to paint the columns as per the "Finishing" section on page 267.

2. One Piece Shaft/Non-telescoping cap and base: (Column shaft rests on cap/base)

- a. Measure the total length necessary to fill the opening where the column is to be located. (Include caps and bases.)
- b. Cut the column shaft so that when the cap and base are installed onto each end of the shaft, the complete assembly measures the same as the opening.
- c. With the shaft cut, apply Spectis Adhesive to the ends of the column shaft and screw both the cap and base to each end of the shaft from the underside of each using plated deck screws.
- d. Slip the completed assembly into the opening.

Secure the column in place (making sure it's plumb and level) by screwing directly through each corner of the cap/base and into the floor, deck, beam or ceiling beyond with the appropriate fastener. i.e. Deck or masonry screw

- e. Finish the installation by filling the screw holes, caulking (see "Finishing" section on page 267) around the cap/base interface with the column shaft and if necessary, where the cap and base meet the floor/ceiling. You are now ready to paint the columns as per the "Finishing" section on page 267.

3. Split Shaft Columns

- a. When installing a split column over an existing load bearing member, cut the cap and base in half, and cope them out, if necessary, to fit around the structural member.
- b. Reassemble the cap and base around the supporting member, using Spectis Adhesive between both halves of the cap/base and plated deck screws.
- c. Identify which type of cap/base configuration you are working with and cut the column shaft and fasten cap and base as per #1 or #2 above.
- d. Apply Spectis Adhesive to the aligning splines and dadoes in each column halve. Reassemble the column shaft around the supporting member by aligning the two halves and clamping together. (Make sure adhesive is oozing from the seams when assembled.) Both plated deck screws and air nails can be used to hold the two halves together while the adhesive cures.
- e. Secure the cap, base, and column shaft as described in #1 or #2 above.
- f. Allowing 24-48 hrs for the adhesive to cure, the vertical seams in the column can be "seamed". (See "Finishing" section on page 267)
- g. After the shaft is completely seamed, finish the installation by filling the screw holes, caulking (See "Finishing" section on page 267) around the cap/base interface with the column shaft and if necessary, where the cap and base meet the floor/ceiling. You are now ready to paint the columns as per the "Finishing" section on page 267.



FINISHING

All of Spectis' products are shipped with 2 coats of paint. The second coat is an exterior product that acts as a primer for field finishing. Spectis' products require finishing to complete the installation procedure and to be fully covered under warranty. This procedure includes all steps necessary to repair any seams/joints in moulding installation as well as filling the screw/nail holes made during the installation.

The steps to be followed are the same for all of Spectis' products and are as follows:

1. Allow adhesive to dry 24-48 hours before beginning the finishing procedure.
2. Cut off any excess adhesive using a utility knife.
3. Clean and remove all dirt, oil and greases from the surface of the product using a wax and grease remover product such as Sherwin-Williams Pro-Clean Professional.
4. With 80 grit sandpaper, "rough up" the surface surrounding screw/nail holes made during installation. This will ensure good filler adhesion.
5. Sand all joint areas with 80 grit sandpaper to "rough up" and "blend in" any misalignment of the product during installation.
6. Once all the areas needing repair are "roughed up" and "blended in", remove all dust from the surface of the product, again using the wax and grease remover. Compressed air can be used to remove the excess sanding dust.
7. Apply filler to the areas needing repair. (Use a 2-component, light weight automotive filler, such as "Car Systems AutoFit, Eurosoft # CARS134458.") Apply the filler using thin coats, sanding between each coat with 120 or 180 grit sandpaper. Doing so will reduce the amount of material which will have to be sanded away. Generally it will be necessary to apply 2 or more coats of filler to get the desired results.
8. Prime all areas which have had filler applied. (Use an interior/exterior latex primer such as Sherwin-Williams A100)
9. Caulk seams along bedding edges of moulding, around ceiling medallions, around column shafts, around caps/bases, around the end of railings, around balusters, and in any other area necessary to provide a clean installation. (Use an exterior, paintable exterior Latex caulking such as Sherwin-Williams ProSelect 1100A)
10. Paint the product as desired. Do not use dark or glossy colors as they will accentuate any flaws left during the installation. (Use a product such as Sherwin Williams Interior/Exterior A100 or SuperPaint, flat or satin)

Primer: Sherwin Williams A100 or
PrepRite Classic Interior Latex Primer
Paint: Sherwin Williams A100 or SuperPaint
PreCleaner: Sherwin Williams Pro Clean Professional
Caulking: Sherwin Williams ProSelect 1100A
Deco Flex: Sherwin Williams SuperPaint



Spectis Adhesive
ADH 100

S U P P L I E S



Auto-Fit Soft Fine Finishing Putty
AF 100



Sherwin Williams Premium
Siliconized Acrylic Latex Caulk
for interior and exterior use
SW 1100

www.spectis.com



TRELLIS / ARBOR / PERGOLA INSTALLATION

Spectis' two standard trellis kits both measure 12' x 12' and incorporate pre-notched beams and crosses and columns with hardware for easy on-site assembly. Before beginning, make sure you have all the necessary components as listed below:

TR1212A Trellis Contains:

- 2 - 12' Upper Main Beams, 3" x 9"
- 2 - 12' Lower Main Beams, 3" x 9"
- 9 - 12' Cross Beams, 3" x 6"
- 4 - Columns
- 4 - Caps and Bases
- 4 - Column installation kits

TR1212B Trellis Contains:

- 2 - 12' Upper Main Beams, 4" x 10"
- 2 - 12' Lower Main Beams, 4" x 10"
- 9 - 12' Cross Beams, 3" x 9"
- 4 - Columns
- 4 - Caps and Bases
- 4 - Column installation kits

1. Start the installation by setting the columns on a 10' x 10' square area, ensuring that they are set plumb and at the same elevation.
2. Set the lower main beams on top of two sets of columns and fasten to the columns using the supplied hardware.
3. Apply Spectis Adhesive to the notched areas of the lower main beams and set the upper main beams into the notches. Fasten using supplied screws through the lower beam into the upper.
4. Square the entire main beam assembly and secure to the supporting columns.
(Use plated fasteners and brackets if necessary)
5. Measure and mark the location of the cross beams.
6. Apply Spectis Adhesive to the notches on the Cross Beams.
7. Install cross beams on marks made in step #5.
8. Secure Cross beams to main beams using 4" plated deck screws.
9. Complete the installation by caulking all notch areas and screw holes and painting as outlined in the "Finishing" section.

SHUTTER / LOUVER / LOAD FRAME INSTALLATION

Spectis offers many styles of shutters, louvers, and wall panels. All of these elements are designed for installation flat onto a wall surface. Because of this, they are all installed using similar techniques.

The following represent acceptable methods:

1. Venting Louvers

- A. Position and mark product on wall in the final location.
- B. Cut the opening into the wall 2" smaller than the mark made above.
- C. Apply Spectis Adhesive to perimeter of the louver.
- D. Position the louver back on the wall and screw through the face of the brick mould and into the wall behind. Use the appropriate plated screw for the wall material. i.e. Wood or masonry.
- E. Finish the installation by filling the screw holes, caulking (see "Finishing" section on page 267) around the perimeter if necessary, and prime and paint as desired.

- D. Position the LOAD frame into the opening and screw through the face of the brick mould and into the wall behind. Use the appropriate plated screw for the wall material. i.e. Wood or masonry.
- E. Finish the installation by filling the screw holes, caulking (see "Finishing" section on page 267) around the perimeter if necessary, and prime and paint as desired.

2. LOAD Frames

- A. Position the product on the wall in the final location. Mark location of the jamb on the wall.
- B. Cut an opening into the wall 1/4" larger than the mark made above.
- C. Apply Spectis Adhesive to back side of the brick mould of the LOAD frame.

3. Closed Louvers, Window Panels, and Shutters

- A. Position the product on the wall in the final location to test for fit.
- B. Apply Spectis Adhesive to perimeter and center areas of the product.
- C. Position the product back on the wall and screw through the face of the product and into the wall behind. Use the appropriate plated screws for the wall material. i.e. Wood or masonry. Note: It may be necessary to install fasteners in the center area of the product to properly secure.
- D. Finish the installation by filling the screw holes, caulking (see "Finishing" section on page 267) around the perimeter if necessary, and prime and paint as desired.



DECO FLEX MOULDING INSTALLATION (INDOORS USE ONLY!)

Spectis Moulders' Deco flex is installed by using a combination of solvent based contact cement and Spectis Adhesive, applying the contact cement near the outer edges of the ceiling / wall interfaces, and the Spectis Adhesive in the interior contact areas. The use of the contact cement allows sufficient time to pass for the Spectis Adhesive to cure and take over bonding control.

Deco Flex can be installed using the following procedure:

Note: Deco Flex is best installed with assistance.

1. Pre-fit each section of product before application of adhesive. Apply contact cement to the contact areas of the moulding and wall/ceiling areas. Once the contact cement has been allowed to dry, apply the Spectis Adhesive to the interior contact edges of the moulding. Install beginning from one end of the moulding and working towards the other. Be sure to have some assistance while doing this. It may be necessary to use nails / screws to aide in supporting the moulding while the Spectis Adhesive cures. Make sure the contact cement is used on all running and butt joints.
2. Once the adhesive is cured, (approx. 2 days) the product can be filled, primed, and painted as per standard quality painting procedures. High quality oil base products only are recommended for good results. Be sure to use a matching primer and top-coat. Note that the oil base product requires more time than usual to become tack free due to the characteristics of the flexible product, but this is not a concern. Be sure not to put any weight on the moulding after it is patched and painted as it may crack the finish.

IRON FLEX MOULDING INSTALLATION (INTERIOR/EXTERIOR USE)

Spectis Moulders' Iron Flex is installed using similar methods used to install Spectis' Standard product. Iron Flex can be installed using the following procedure:

1. Spectis' Iron Flex can be installed over almost any clean interior or exterior surface. It should not be installed over wallpaper as the paper may separate or the adhesive may stain the wallpaper.
 2. Moulding which has been stored in "hot" areas must be allowed to "acclimatize" to the location of installation for at least 48 hours prior to installation. (Just as wood requires) Do not install product that has been sitting in a hot trailer or the sun without allowing for this acclimation. Doing so may result in excessive shrinkage which could manifest itself as joint cracks. Moulding stored in cool areas can be installed without product acclimation.
 3. To begin, screw a support border on the wall for the moulding to sit on. (An experienced installer can use a chalk line as a reference) Apply copious amounts of adhesive (Spectis Adhesive) to all bedding edges of the moulding and all butt joints. Once the moulding is installed, remove the support border and fill the holes.
 4. Place the moulding on top of the support border and fasten the moulding to the wall and ceiling using #8 low root style wood deck screws, plated for exterior use, and long enough to penetrate well into the substrate. Continue installing lengths of crown using the same method, also applying copious amounts of adhesive on all butt joints and toe screwing the joints together, ensuring the moulding profiles are in alignment.
 5. On smaller mouldings, screw spacing can be as little as 24", but on mouldings over 8" face dimension, screw spacing should be approximately 12" on both the ceiling and wall interfaces. Make sure the screws are sunk in the surface of the moulding, as it is necessary to fill in the screw holes with exterior grade, non-shrinking, sandable, and paintable filling products such as automotive grade "bondo". (See "Finishing" Section on page 267)
- Recommendations
1. Before any adhesive is applied, cut and fit each piece of moulding. Use standard woodworking tools when working with Spectis' Iron Flex. The use of a miter box will ensure that the cuts are made with the correct angles and remove any guesswork trying to figure out table and blade angles on a miter saw. (See page 271 for How to Construct a Miter Box)
 2. It is possible to install moulding by two separate methods. The first is to begin installing moulding in the most inconspicuous corner, and work around the room in sequence until all the moulding is installed. (Keep in mind that the it may not be possible to have the pattern match at the last joint or corner) The second method is to install short, prefabricated corner elements and run straight moulding between them, which can reduce the difficulty in making good miter joints on long moulding sections. However, the latter procedure does not work well with mouldings which have repeating profiles.
 3. It may be necessary to install extra blocking behind the moulding for additional support, especially on large crowns, where it is not possible to screw directly to the wall.
 4. Although every attempt is made at the factory to ensure all mouldings match end to end, it is necessary to check all mouldings for thickness variations. It may be necessary to remove material on some edges or add wedges on other sections for good face alignment. Tighten screws in a sequence, which allows for good alignment.
 5. It may be necessary to "toe screw" moulding joints together for good alignment.
 6. Excess adhesive should be removed immediately. Once cured, it will be necessary to use a knife to remove the adhesive. Wedges can be trimmed or removed once the adhesive has stiffened.
 7. The product comes from the factory ready to accept primer and paint. (See "Finishing" section page 267) Once the adhesive is cured, (approximately 24-48 hours), finish the installation by filling all screw holes, caulking, priming and painting the product as per the "Finishing" section on page 267. Be sure to select the proper grade for the installation, exterior or interior. High gloss and dark colored products are not recommended since any imperfection in the installation or product will be easily visible.
 8. ***It is necessary to use copious amounts of Spectis Adhesive on all bedding edges and joints for warranty to be valid.***



INSTALLING SPECTIS POLYURETHANE CORNICE

Spectis' polyurethane cornice installation method can be easily applied by most skilled craftsmen. A quick, clean and very secure installation is achieved using Spectis Adhesive and low root style wood deck screws.

Spectis polyurethane cornice can be installed over almost any clean interior or exterior surface. It should not be installed over wallpaper as the paper may separate or the adhesive may stain the wallpaper.

Moulding which has been stored in "hot" areas must be allowed to "acclimatize" to the location of installation for at least 48 hours prior to installation. (Just as wood requires) Do not install product that has been sitting in a hot trailer or the sun without allowing for this acclimation. Doing so may result in excessive shrinkage which may manifest itself as joint cracks. Moulding stored in cool areas can be installed without product acclimation.

To begin, screw a support border on the wall for the moulding to sit on. (An experienced installer can use a chalk line as a reference) Apply copious amounts of adhesive (Spectis Adhesive) to all bedding edges of the moulding and all butt joints. Once the moulding is installed, remove the support border and fill the holes.

Place the moulding on top of the support border and fasten the moulding to the wall and ceiling using #8 low root style wood deck screws, plated for exterior use, and long enough to penetrate well into the substrate. Continue installing lengths of crown using the same method, also applying copious amounts of adhesive on all butt joints and toe screwing the joints together, ensuring the moulding profiles are in alignment.

On smaller crowns, screw spacing can be as little as 2', but on crowns over 12" X 12", screw spacing should be approximately 16" on both the ceiling and wall interfaces. Make sure the screws are sunk in the surface of the moulding, as it is necessary to fill in the screw holes with exterior grade, non-shrinking, sandable, and paintable filling products such as automotive grade "bondo". See "Finishing" section on page 267.


RECOMMENDATIONS

1. Before any adhesive is applied, cut and fit each piece of moulding. Use standard woodworking tools when working with Spectis High Density Polyurethane product. Although most of our smaller mouldings can be miter cut on a compound miter saw, it is recommended (on larger crowns it will be necessary) to construct a miter box and use a hand saw to make the cuts. (See page 271) This will ensure that the cuts are made with the correct angles and remove any guesswork trying to figure out table and blade angles on a miter saw. (See www.spectis.com for plans to construct miter box)
2. It is possible to install moulding by two separate methods. The first is to begin installing moulding in the most inconspicuous corner, and work around the room in sequence until all the moulding is installed. (Keep in mind that the it may not be possible to have the pattern match at the last joint or corner) The second method is to install short, prefabricated corner elements and run straight moulding between them, which can reduce the difficulty in making good miter joints on long moulding sections. However, the latter procedure does not work well with mouldings which have repeating profiles.
3. It may be necessary to install extra blocking behind the moulding for additional support, especially on large crowns, where it is not possible to screw directly to the wall.
4. Although every attempt is made at the factory to ensure all moulding match end to end, it is necessary to check all moulding for thickness variations. It may be necessary to remove material on some edges or add wedges on other sections for good face alignment. Tighten screws in a sequence, which allows for good alignment.
5. It may be necessary to "toe screw" moulding joints together for good alignment.
6. When installing the last piece of moulding on a run, cut the section long by 1/4" and "snap" it into place, to ensure a snug fit.
7. Excess adhesive should be removed immediately. Once cured, it will be necessary to use a knife to remove the adhesive. Wedges can be trimmed or removed once the adhesive has stiffened.
8. Screw holes, wedge gaps and joints can be filled only after the adhesive is cured, approximately 24-48 hours. Use exterior grade, non-shrinking, sandable, and paintable filling products for both interior and exterior applications, as they tend to be of higher quality. Be sure to apply the filler in a fashion, which make for easy sanding. i.e. do not apply more than is necessary. More than one coat may be needed to get satisfactory results.
9. The product comes from the factory with two coats of paint. The final coat is a UV stable primer, which is ready to receive a site applied finish. (See "Finishing" section page 267) Spot prime areas where necessary and paint the prepared product using high quality products, which are compatible with each other. Be sure to select the proper grade for the installation, exterior or interior. High gloss and dark colored products are not recommended since any imperfection in the installation or product will be easily visible.
10. *It is necessary to use copious amounts of Spectis Adhesive on all bedding edges and joints for warranty to be valid.*


1 • 8 0 0 • 6 8 5 • 9 9 8 1




HOW TO CONSTRUCT A MITRE BOX




1. From the moulding, measure both projection (P) and height (H).




4. Pre-cut slots in board before assembling as shown in number 5. Place board ① lying flat, then fasten board ② and ③ vertically to the edge of board ①. Make sure all boards are cut and assembled "Square". Accuracy is important.




2. Cut one board out of plywood, measured by the projection x 48". Mark the board as ①.



5. Cut two 45° (Clockwise) and -45° (Counter Clockwise) for the 90° corners. A 90° cut will allow you to do perpendicular cuts if needed.



3. Cut two boards out of plywood, measured by the height + the thickness of the plywood x 48". Mark the boards as ② and ③.



6. Attach straps as needed to keep the mitre box, square and stable.



ALTERNATE MOULDING INSTALLATION

Using Backer Rod Method

Spectis' polyurethane cornice installation method can be easily applied by most skilled craftsmen. A quick, clean and very secure installation is achieved using Spectis Adhesive and low root style wood screws.

Spectis polyurethane cornice can be installed over most any clean interior or exterior surface. It should not be installed over wallpaper as the paper may separate or the adhesive may stain the wallpaper.


Moulding which has been stored in "hot" areas must be allowed to "acclimatize" to the location of installation for at least 48 hours prior to installation. (Just as wood requires) Do not install product that has been sitting in a hot trailer or the sun without allowing for this acclimation. Doing so, may result in excessive shrinkage could manifest itself as joint cracks. Moulding stored in cool areas can be installed without product acclimation.

To begin, screw a support border on the wall for the moulding to sit on. (An experienced installer can use a chalk line as a reference) Apply copious amounts of adhesive (Spectis Adhesive) to all bedding edges of the moulding. Once the moulding is installed, remove the support border and fill the holes.

Place the moulding on top of the support border and fasten the moulding to the wall and ceiling using #8 low root style wood screws, plated for exterior use, and long enough to penetrate well into the substrate. Continue installing lengths of crown using the same method, leave a gap (gap size varies based on size of Open Cell Backer Rod being used, it should be 25% of the width of the Closed Cell Backer Rod to allow for proper joint movement, the gap size should be no less than $\frac{1}{4}$ ") at the joint of two crown lengths, ensuring the moulding profiles are in alignment. Once the mouldings are installed, clean the joints and insert the backer rod a suggested maximum depth of $\frac{3}{8}$ " (C Dimension) from the highest point of the backer rod to the moulding face.

FIGURE 1


1. Ratio of A:B should be 2:1 minimum
2. Dimension A must be at least $\frac{3}{16}$ "
3. Dimension B suggested maximum is $\frac{3}{8}$ "



On smaller crowns, screw spacing can be as little as 2', but on crowns over 12" X 12", screw spacing should be approximately 12" on both the ceiling and wall interfaces. Make sure the screws are sunk in the surface of the moulding, as it is necessary to fill in the screw holes with exterior grade, non-shrinking, sandable, and paintable filling products such as automotive grade "bondo".

Recommendations

1. Before any adhesive is applied, cut and fit each piece of moulding. Use standard woodworking tools when working with Spectis High Density Polyurethane product. Although most of our smaller mouldings can be miter cut on a compound miter saw, it is recommended (on larger crowns, it will be necessary) to construct a miter box and use a hand saw to make the cuts. (see diagram 2) This will ensure that the cuts are made with the correct angles and remove any guesswork trying to figure out table and blade angles on a miter saw. (see www.spectis.com for plans to construct miter box)
2. It is possible to install moulding by two separate methods, but remember to leave a gap of no less than $\frac{1}{4}$ " at the joints to insert the backer rod into. It is recommended to use a jig for equal spacing at every joint.
 - The first is to begin installing moulding in the most inconspicuous corner, and work around the room in sequence until all the moulding is installed. (Keep in mind that it may not be possible to have the pattern match at the last joint or corner)
 - The second method is to install short, prefabricated corner elements and run straight moulding between them, which can reduce the difficulty in making good miter joints on long moulding sections. However, the latter procedure does not work well with mouldings which have repeating profiles.
3. It may be necessary to install extra blocking behind the moulding for additional support, especially on large crowns, where it is not possible to screw directly to the wall.
4. Although every attempt is made at the factory to ensure all moulding match end to end, it is necessary to check all moulding for thickness variations. It may be necessary to remove material on some edges or add wedges on other sections for good face alignment. Tighten screws in a sequence, which allows for good alignment.
5. Excess adhesive should be removed immediately. Once cured, it will be necessary to use a knife to remove the adhesive. Wedges can be trimmed or removed once the adhesive has stiffened.
6. Screw holes, wedge gaps and joints can be filled only after the adhesive is cured, approximately 24-48 hours.
7. To fill joint gaps between two mouldings, you will need some closed cell backer rod that is approximately 25% larger than the joint gap (width). Proper size selection is important, as it controls the depth of the sealant bead. It must be oversized to fit tightly into the joint, and prevent bottom-side adhesion of the sealant. Just prior to inserting the backer rod, clean all the joints as per the sealant manufacturer's recommendations.
8. Once the backer rod has been inserted into the joint gap (according to Figure 1), it is recommended to fill the joint with Silicone Building Sealant "DOW CORNING 795" making sure that the sealant bead is at a minimum 2:1 ratio (width vs depth). *see Figure 1
9. Do not apply more sealant than is necessary. More than one coat may be needed to get satisfactory results.
10. The product comes from the factory with two coats of paint. The final coat is a UV stable primer, which is ready to receive a site applied finish. (see finishing section) Spot prime areas where necessary and paint the prepared product using high quality products, which are compatible with each other. Be sure to select the proper grade for the installation, exterior or interior. High gloss and dark colored products are not recommended since any imperfection in the installation or product will be easily visible.



Please note that the DOW CORNING 795 silicone building sealant can be tinted to match any color.

Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
AC 1416.....	144	AT 1071-20.....	122	BAL 2010-31.....	6	BAL 2027-20FS.....	9	BAL 2049-26.....	14
AC 49F.....	36	AT 1144-20.5.....	122, 123	BAL 2011-20.....	6	BAL 2027-21.....	9	BAL 2050-32.....	14
AC 49H.....	36	AT 1144-21.....	122, 123	BAL 2012-25.....	6	BAL 2027-22.....	9	BAL 2051-24.....	14
AC 611F.....	36	AT 1144-24.....	122, 123	BAL 2012-25FS.....	6	BAL 2027-22EXT24.....	9	BAL 2052-18.....	14
AC 611H.....	36	AT 1144-28.....	122, 123	BAL 2013-29.....	6	BAL 2027-22EXT24CF.....	9	BAL 2053-28.....	14
AC100.....	36	AT 1144-30.....	122, 123	BAL 2013-29H.....	6	BAL 2027-22EXT30.....	9	BAL 2053-36.....	14
ACORN 29.....	144	AT 1144-32.....	122, 123	BAL 2014-24.....	7	BAL 2027-22EXT32.....	9	BAL 2054-24SS.....	14
ADH 100.....	260	AT 1144-36.....	122, 123	BAL 2015-14.....	7	BAL 2027-22FS.....	9	BAL 2055-32.....	14
AP 5315.....	114, 115	AT 1144-40.....	122, 123	BAL 2015-14.5.....	7	BAL 2027-26.....	9	BAL 2056-19.....	14
AP 5716.....	114, 115	AT 1144-48.....	122, 123	BAL 2015-14.75.....	7	BAL 2027-26CF.....	9	BAL 2057-33.....	15
AP 7018.....	114, 115	AT 1144-60.....	122, 123	BAL 2015-18.5.....	7	BAL 2027-26EXT34.....	9	BAL 2058-24.....	15
AP 8421.....	114, 115	AT 1144-68.....	122, 123	BAL 2015-20.....	7	BAL 2027-26EXT36.....	9	BAL 2059-18.....	15
AP 9023.....	114, 115	AT 1144-72.....	122, 123	BAL 2015-21.....	7	BAL 2027-27.....	9	BAL 2059-24.....	15
AP 9823.....	114, 115	AT 1144-76.....	122, 123	BAL 2015-24.....	7	BAL 2027-27EXT35.....	9	BAL 2059-27.....	15
ARB 3232.....	149	AT 1365-21.....	122, 123	BAL 2015-28.....	7	BAL 2027-28.....	9	BAL 2060-12.....	15
ARCH 2031 QG.....	149	AT 1365-24.....	122, 123	BAL 2015-32.....	7	BAL 2027-29.....	9	BAL 2061-40.....	16
AT 1011-3.5-21.....	122, 123	AT 1365-28.....	122, 123	BAL 2015-34.....	7	BAL 2027-29EXT30.....	9	BAL 2062-20.....	16
AT 1011-3.5-24.....	122, 123	AT 1365-30.....	122, 123	BAL 2015-36.....	7	BAL 2027-29EXT30FS.....	9	BAL 2063-27.....	16
AT 1011-3.5-28.....	122, 123	AT 1365-32.....	122, 123	BAL 2015-37.25.....	7	BAL 2027-29EXT32.....	9	BAL 2064-35.....	16
AT 1011-3.5-30.....	122, 123	AT 1365-36.....	122, 123	BAL 2015-37.75.....	7	BAL 2027-29EXT32FS.....	9	BAL 2065-24.....	16
AT 1011-3.5-32.....	122, 123	AT 1365-40.....	122, 123	BAL 2015-48.....	7	BAL 2027-29EXT35.....	9	BAL 2066-22.....	16
AT 1011-3.5-36.....	122, 123	AT 1365-48.....	122, 123	BAL 2015-58.....	7	BAL 2027-29EXT38.....	9	BAL 2067-24.....	16
AT 1011-3.5-40.....	122, 123	AT 1365-60.....	122, 123	BAL 2015-63.....	7	BAL 2028-12.....	10	BAL 2068-20.....	16
AT 1011-3.5-48.....	122, 123	AT 1365-68.....	122, 123	BAL 2016-27.....	7	BAL 2028-9.....	10	BAL 2069-28.....	16
AT 1011-3.5-60.....	122, 123	AT 1365-72.....	122, 123	BAL 2017-22.....	7	BAL 2029-30.....	10	BAL 2070-29.....	16
AT 1011-3.5-68.....	122, 123	AT 1365-76.....	122, 123	BAL 2018-12.....	7	BAL 2030-18.....	10	BAL 2071-30.....	17
AT 1011-3.5-72.....	122, 123	AT 1458-48.5.....	122	BAL 2018-12.25.....	7	BAL 2031-25FS.....	10	BAL 2072-27.....	17
AT 1011-3.5-76.....	122, 123	AT 1471-R180.....	123	BAL 2018-14.....	7	BAL 2031-28FS.....	10	BAL 2073-38.....	17
AT 1011-5.5-21.....	122, 123	AT 1471-R55.....	123	BAL 2018-20.....	7	BAL 2031-30FS.....	10	BAL 2074-20.....	17
AT 1011-5.5-24.....	122, 123	AT 1610-71.5.....	123	BAL 2018-25.....	7	BAL 2032-29.....	10	BAL 2076-24.....	17
AT 1011-5.5-28.....	122, 123	BA 10.....	36	BAL 2018-25P.....	7	BAL 2032-31.....	10	BAL 2077-31.....	17
AT 1011-5.5-30.....	122, 123	BA 12.....	36	BAL 2018-27.....	7	BAL 2032-31FS.....	10	BAL 2078-10.....	17
AT 1011-5.5-32.....	122, 123	BA 12GB.....	144	BAL 2018-28.....	7	BAL 2033-10.....	11	BAL 2079-20.....	17
AT 1011-5.5-36.....	122, 123	BA 18/BB10.....	36	BAL 2018-30.....	7	BAL 2033-16.....	11	BAL 2080-18.....	17
AT 1011-5.5-40.....	122, 123	BA 18NB.....	36	BAL 2018-31.....	7	BAL 2033-20.....	11	BAL 2082-28.....	17
AT 1011-5.5-48.....	122, 123	BA 24/BB20.....	36	BAL 2018-32.....	7	BAL 2033-20EXT32.....	11	BAL 2083-22.....	18
AT 1011-5.5-60.....	122, 123	BA 3.....	36	BAL 2019-15.....	7	BAL 2033-26.....	11	BAL 2084-24.....	18
AT 1011-5.5-68.....	122, 123	BA 4KN.....	36	BAL 2019-16.....	7	BAL 2034-28.....	11	BAL 2085-22.....	18
AT 1011-5.5-72.....	122, 123	BA 5.....	36	BAL 2019-18.....	7	BAL 2034-28EXT35.....	11	BAL 2086-28.....	18
AT 1011-5.5-76.....	122, 123	BA 6.....	36	BAL 2019-20.....	7	BAL 2035-28.....	11	BAL 2087-23.....	18
AT 1011-7.5-21.....	122, 123	BA 7.....	36	BAL 2019-20EXT22.....	7	BAL 2036-21.....	11	BAL 2088-12.....	18
AT 1011-7.5-24.....	122, 123	BA 7KN.....	36	BAL 2019-20EXT27.....	7	BAL 2036-22.....	11	BAL 2088-15.....	18
AT 1011-7.5-28.....	122, 123	BA 8L.....	36	BAL 2019-24.....	7	BAL 2036-29.....	11	BAL 2088-17.....	18
AT 1011-7.5-30.....	122, 123	BA 8NB.....	36	BAL 2019-26.....	7	BAL 2037-26.....	11	BAL 2088-20.....	18
AT 1011-7.5-32.....	122, 123	BA 8WB.....	36	BAL 2019-28.....	7	BAL 2038-36.....	11	BAL 2088-25.....	18
AT 1011-7.5-36.....	122, 123	BA 9.....	36	BAL 2019-28EXT32.....	7	BAL 2039-18.....	12	BAL 2088-30.....	18
AT 1011-7.5-40.....	122, 123	BA12.5.....	36	BAL 2019-28EXT36.....	7	BAL 2039-18EXT21.....	12	BAL 2089-23.....	19
AT 1011-7.5-48.....	122, 123	BAL 2000-16.....	4	BAL 2019-30.....	7	BAL 2040-23.....	12	BAL 2090-15.....	19
AT 1011-7.5-60.....	122, 123	BAL 2000-20.....	4	BAL 2019-30EXT.....	7	BAL 2041-29.....	12	BAL 2091-24.....	19
AT 1011-7.5-68.....	122, 123	BAL 2000-22.....	4	BAL 2019-30EXT40.....	7	BAL 2041-29FS.....	12	BAL 2092-17.....	19
AT 1011-7.5-72.....	122, 123	BAL 2000-22EXT30.....	4	BAL 2019-32.....	7	BAL 2042-27.....	12	BAL 2093-25.....	19
AT 1011-7.5-76.....	122, 123	BAL 2000-25.....	4	BAL 2019-34.....	7	BAL 2042-30.....	12	BAL 2094-21.....	19
AT 1025-21.....	122, 123	BAL 2000-25EXT33.....	4	BAL 2019-34EXT36.....	7	BAL 2042-30EXT36.....	12	BAL 2095-23.....	19
AT 1025-24.....	122, 123	BAL 2000-25EXT35.....	4	BAL 2020-31.....	8	BAL 2043-19.....	12	BAL 2096-24EXT30.....	19
AT 1025-28.....	122, 123	BAL 2000-28.....	4	BAL 2020-36.....	8	BAL 2044-20.....	13	BAL 2097-33.....	20
AT 1025-30.....	122, 123	BAL 2000-30.....	4	BAL 2021-28.....	8	BAL 2044-27.....	13	BAL 2097-33P.....	20
AT 1025-32.....	122, 123	BAL 2000-30EXT36.....	4	BAL 2021-38.....	8	BAL 2045-12H.....	13	BAL 2098-26.....	20
AT 1025-36.....	122, 123	BAL 2001-25.....	4	BAL 2022-21.....	8	BAL 2046-14.....	13	BAL 2099-24.....	20
AT 1025-40.....	122, 123	BAL 2002-20.....	4	BAL 2022-21EXT23.....	8	BAL 2046-25.....	13	BAL 2200-24.5.....	21
AT 1025-48.....	122, 123	BAL 2005-20.....	5	BAL 2022-24.....	8	BAL 2046-25FS.....	13	BAL 2200-28.....	21
AT 1025-60.....	122, 123	BAL 2005-20EXT23.....	5	BAL 2023-18.....	9	BAL 2046-26.....	13	BAL 2201-24.....	21
AT 1025-68.....	122, 123	BAL 2005-20EXT26.....	5	BAL 2024-26.....	9	BAL 2046-32.....	13	BAL 2202-19.....	21
AT 1025-72.....	122, 123	BAL 2005-20EXT32.....	5	BAL 2024-26EXT36.....	9	BAL 2046-36.....	13	BAL 2203-30.....	21
AT 1025-76.....	122, 123	BAL 2006-32.....	5	BAL 2025-23.....	9	BAL 2046-38.....	13	BAL 2204-24.....	21
AT 1068-37.....	122	BAL 2007-30.....	5	BAL 2025-25.....	9	BAL 2046-42.....	13	BAL 2205-28.....	21
AT 1068-48.....	122	BAL 2008-18.....	5	BAL 2026-16.....	9	BAL 2047-31.....	13	BAL 2206-10.....	22
AT 1069-36.....	122	BAL 2009-24.....	6	BAL 2027-19.....	9	BAL 2047-31EXT34.....	13	BAL 2207-17.....	22
AT 1069-72.....	122	BAL 2009-26.....	6	BAL 2027-20.....	9	BAL 2048-25.....	14	BAL 2208-25.....	22



Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
BAL 2209-21.....	22	BL 2405L-6/12.....	73	BL 2447FS.....	70	BL 2495.....	75	BL 2551.....	51
BAL 2210-22.....	22	BL 2405R-6/12.....	73	BL 2448.....	50	BL 2496.....	45	BL 2552.....	52
BAL 2211-20.....	22	BL 2407.....	45	BL 2449.....	50	BL 2498.....	64	BL 2553.....	77
BAL 2211-24.....	22	BL 2408.....	64	BL 2451.....	94	BL 2498L-6/12.....	64	BL 2554.....	73
BAL 2211-24EXT27.....	22	BL 2408L-10/12.....	64	BL 2452.....	94	BL 2498R-6/12.....	64	BL 2555.....	88
BAL 2212-35.....	22	BL 2408R-10/12.....	64	BL 2453.....	95	BL 2499.....	88	BL 2556.....	61
BAL 2213-19.....	22	BL 2411-16.....	51	BL 2454.....	73	BL 2500.....	70	BL 2557.....	43
BAL 2214-26.....	22	BL 2411-18.....	51	BL 2455.....	76	BL 2500L-10/12.....	70	BL 2558.....	90
BAL 2215-29.75.....	23	BL 2412.....	46	BL 2456.....	49	BL 2500L-6/12.....	70	BL 2559.....	90
BAL 2216-20.....	23	BL 2412L-8/12.....	46	BL 2457.....	47	BL 2500L-7/12.....	70	BL 2560.....	63
BAL 2217-28.....	23	BL 2412R-8/12.....	46	BL 2458.....	47	BL 2500R-10/12.....	70	BL 2561.....	98
BAL 2218-25.....	23	BL 2413.....	69	BL 2459.....	63	BL 2500R-6/12.....	70	BL 2562.....	54
BAL 2219-17.....	23	BL 2414.....	61	BL 2460.....	48	BL 2500R-7/12.....	70	BL 2563.....	40
BAL 2220-28.....	23	BL 2415.....	58	BL 2461.....	69	BL 2501.....	74	BL 2564.....	51
BAL 2221-19.....	23	BL 2416.....	73	BL 2462.....	63	BL 2502.....	45	BL 2565.....	89
BAL 2222-30.....	23	BL 2416L-12/12.....	73	BL 2463.....	42	BL 2503.....	83	BL 2566.....	48
BAL 2223-25.....	23	BL 2416L-7.5/12.....	73	BL 2464.....	44	BL 2504.....	80	BL 2567.....	86
BAL 2224-22.....	24	BL 2416L-9/12.....	73	BL 2465-15.....	86	BL 2505.....	96	BL 2568.....	98
BAL 2224-25.....	24	BL 2416R-12/12.....	73	BL 2465-28.....	86	BL 2506.....	98	BL 2569.....	74
BAL 2225-24.....	24	BL 2416R-7.5/12.....	73	BL 2466.....	72	BL 2507.....	96	BL 2570.....	66
BAL 2225-27.....	24	BL 2416R-9/12.....	73	BL 2467.....	67	BL 2508.....	49	BL 2570L-9/12.....	66
BAL 2225-28.....	24	BL 2419.....	47	BL 2468.....	88	BL 2509.....	61	BL 2570R-9/12.....	66
BAL 2225-36.....	24	BL 2420.....	40	BL 2469.....	61	BL 2510A.....	96	BL 2571.....	61
BAL 2226-19.....	24	BL 2421-26.....	64	BL 2469L-12/12.....	61	BL 2510B.....	96	BL 2571L-6.5/12.....	61
BAL 2227-36.....	24	BL 2421-32.....	64	BL 2469L-5/12.....	61	BL 2510C.....	96	BL 2571R-6.5/12.....	61
BAL 2228-11.....	24	BL 2422.....	41	BL 2469L-7/12.....	61	BL 2511A.....	96	BL 2572.....	65
BAL 2229-13.....	24	BL 2423.....	40	BL 2469L-9/12.....	61	BL 2511B.....	96	BL 2573.....	73
BAL 2230-32.....	25	BL 2424.....	69	BL 2469R-12/12.....	61	BL 2511C.....	96	BL 2573L-10/12.....	73
BAL 2231-23.....	25	BL 2424L-10/12.....	69	BL 2469R-5/12.....	61	BL 2513.....	77	BL 2573L-6/12.....	73
BAL 2232-33.....	25	BL 2424L-5/12.....	69	BL 2469R-7/12.....	61	BL 2514.....	54	BL 2573R-10/12.....	73
BAL 2233-24.....	25	BL 2424L-7/12.....	69	BL 2469R-9/12.....	61	BL 2515.....	69	BL 2573R-6/12.....	73
BAL 2234-18.....	25	BL 2424R-10/12.....	69	BL 2470FS.....	75	BL 2516.....	42	BL 2574.....	41
BAL 2235-16.....	25	BL 2424R-5/12.....	69	BL 2471FS.....	75	BL 2517.....	40	BL 2575.....	63
BAL 2236-26.....	25	BL 2424R-7/12.....	69	BL 2472.....	46	BL 2518.....	59	BL 2576.....	88
BAL 2237-34.....	25	BL 2425.....	48	BL 2473.....	47	BL 2519.....	61	BL 2577.....	82
BAL 2238-19H.....	25	BL 2426.....	46	BL 2474.....	73	BL 2520.....	83	BL 2578.....	63
BAL 2239-45.....	25	BL 2427.....	42	BL 2475.....	67	BL 2521.....	81	BL 2579.....	97
BAL 2240-28.....	27	BL 2428.....	44	BL 2476A.....	44	BL 2522.....	40	BL 2580.....	63
BAL 2241-31.....	26	BL 2429.....	48	BL 2476B.....	44	BL 2523.....	73	BL 2581.....	42
BAL 2241-31EXT39.....	26	BL 2430.....	96	BL 2476C.....	44	BL 2524.....	73	BL 2582.....	80
BAL 2242-23.....	27	BL 2431.....	81	BL 2476COMBINED.....	44	BL 2525.....	61	BL 2583.....	65
BAL 2243-21.....	26	BL 2432.....	70	BL 2476L-8/12.....	44	BL 2526.....	61	BL 2584.....	74
BAL 2244-21.....	26	BL 2433.....	72	BL 2476R-8/12.....	44	BL 2527.....	49	BL 2585.....	78
BAL 2245-29.....	26	BL 2434.....	98	BL 2477.....	47	BL 2528.....	75	BL 2586.....	71
BAL 2246-21.....	26	BL 2435.....	76	BL 2478.....	98	BL 2529.....	98	BL 2587.....	72
BAL 2247-22.....	26	BL 2436.....	43	BL 2479.....	69	BL 2530.....	40	BL 2588.....	66
BAM 153.....	144	BL 2437.....	97	BL 2480.....	81	BL 2531.....	48	BL 2589.....	82
BAM 203.....	144	BL 2438.....	78	BL 2481.....	46	BL 2532.....	81	BL 2590.....	49
BAM 205.....	144	BL 2439.....	62	BL 2482.....	96	BL 2533.....	81	BL 2591.....	87
BAM 255.....	144	BL 2440.....	40	BL 2483A.....	42	BL 2534.....	48	BL 2592-3.5.....	67
BAM 3636.....	144	BL 2441.....	69	BL 2483B.....	42	BL 2535.....	45	BL 2592-4.5.....	67
BAM 972.....	144	BL 2441L-10/12.....	69	BL 2483C.....	42	BL 2535L-9/12.....	45	BL 2592-5.5.....	67
BD 100.....	4	BL 2441R-10/12.....	69	BL 2483COMBINED.....	42	BL 2535R-9/12.....	45	BL 2593.....	80
BD 101.....	4	BL 2442.....	75	BL 2483L-5/12.....	42	BL 2536.....	72	BL 2594.....	84
BL 2400.....	40	BL 2443.....	74	BL 2483R-5/12.....	42	BL 2537.....	67	BL 2595.....	74
BL 2401.....	73	BL 2444.....	61	BL 2484.....	66	BL 2538.....	42	BL 2596.....	98
BL 2402.....	73	BL 2444L-5/12.....	61	BL 2485.....	66	BL 2539.....	73	BL 2597.....	43
BL 2403.....	75	BL 2444L-6/12.....	61	BL 2486.....	62	BL 2540.....	73	BL 2598.....	93
BL 2404.....	61	BL 2444L-7/12.....	61	BL 2487.....	47	BL 2541.....	88	BL 2599.....	94
BL 2404L-10/12.....	61	BL 2444L-8/12.....	61	BL 2488.....	63	BL 2542.....	64	BL 2600.....	94
BL 2404L-12/12.....	61	BL 2444L-9/12.....	61	BL 2489.....	80	BL 2543.....	84	BL 2601.....	83
BL 2404L-5/12.....	61	BL 2444R-5/12.....	61	BL 2490.....	70	BL 2544.....	51	BL 2602.....	83
BL 2404L-7/12.....	61	BL 2444R-6/12.....	61	BL 2491.....	75	BL 2545.....	76	BL 2603.....	98
BL 2404R-10/12.....	61	BL 2444R-7/12.....	61	BL 2491L-8/12.....	75	BL 2546.....	74	BL 2604A.....	43
BL 2404R-12/12.....	61	BL 2444R-8/12.....	61	BL 2491R-8/12.....	75	BL 2547.....	54	BL 2604B.....	43
BL 2404R-5/12.....	61	BL 2444R-9/12.....	61	BL 2492.....	43	BL 2548.....	78	BL 2604COMBINED.....	43
BL 2404R-7/12.....	61	BL 2445.....	42	BL 2493.....	78	BL 2549.....	51	BL 2604V.....	43
BL 2405.....	73	BL 2446.....	83	BL 2494.....	63	BL 2550.....	51	BL 2605.....	49



Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
BL 2606.....	91	BL 2663.....	65	BL 2731.....	78	BL 2796L-10/12.....	64	BL 2852.....	92
BL 2607.....	91	BL 2664.....	64	BL 2732-24.....	72	BL 2796R-10/12.....	64	BL 2853.....	79
BL 2608.....	91	BL 2665.....	86	BL 2732-48.....	72	BL 2797.....	45	BL 2854.....	43
BL 2609L-5/12.....	58	BL 2666.....	41	BL 2733.....	49	BL 2798.....	53	BL 2855.....	49
BL 2609R-5/12.....	58	BL 2667.....	66	BL 2734.....	41	BL 2799.....	76	BL 2856.....	85
BL 2610.....	42	BL 2668.....	52	BL 2735.....	86	BL 2800.....	41	BL 2857.....	81
BL 2611.....	58	BL 2670.....	71	BL 2736.....	73	BL 2801.....	65	BL 2858.....	66
BL 2612.....	80	BL 2671.....	88	BL 2737.....	55	BL 2802.....	59	BL 2859.....	83
BL 2613.....	75	BL 2672.....	88	BL 2738.....	72	BL 2803.....	44	BL 2860.....	66
BL 2614.....	89	BL 2673.....	96	BL 2739.....	50	BL 2804.....	44	BL 2861.....	76
BL 2615.....	92	BL 2674.....	69	BL 2740.....	46	BL 2805.....	59	BL 2862.....	58
BL 2616.....	78	BL 2675.....	94	BL 2741.....	62	BL 2806.....	69	BL 2863.....	91
BL 2617.....	46	BL 2676.....	72	BL 2742.....	52	BL 2807.....	55	BL 2864.....	44
BL 2618.....	81	BL 2677.....	63	BL 2743.....	52	BL 2808L.....	74	BL 2865.....	44
BL 2619.....	77	BL 2678.....	54	BL 2744.....	58	BL 2808R.....	74	BL 2866.....	51
BL 2620.....	48	BL 2679.....	67	BL 2745.....	84	BL 2809.....	66	BL 2867.....	55
BL 2621.....	43	BL 2680.....	51	BL 2746.....	84	BL 2810.....	81	BL 2868.....	90
BL 2622.....	62	BL 2681.....	92	BL 2747.....	84	BL 2811.....	92	BL 2869.....	87
BL 2623.....	71	BL 2682.....	54	BL 2748.....	65	BL 2812.....	63	BL 2870.....	58
BL 2624.....	71	BL 2683.....	54	BL 2749.....	77	BL 2812L-8/12.....	63	BL 2871.....	61
BL 2625.....	60	BL 2684.....	75	BL 2750.....	78	BL 2812R-8/12.....	63	BL 2872.....	56
BL 2626.....	49	BL 2685.....	52	BL 2751.....	78	BL 2813.....	63	BL 2873.....	62
BL 2627.....	49	BL 2686.....	95	BL 2752.....	60	BL 2814RS.....	79	BL 2874.....	41
BL 2628.....	62	BL 2687.....	46	BL 2753.....	60	BL 2815RS.....	72	BL 2875.....	64
BL 2629.....	62	BL 2688.....	84	BL 2754.....	55	BL 2816CF.....	50	BL 2877.....	76
BL 2629L-5/12.....	62	BL 2689.....	86	BL 2755.....	41	BL 2817.....	50	BL 2878.....	69
BL 2629R-5/12.....	62	BL 2690.....	53	BL 2756.....	57	BL 2817CF.....	50	BL 2879.....	86
BL 2630.....	62	BL 2691.....	48	BL 2757.....	45	BL 2818.....	74	BL 2880.....	50
BL 2631.....	71	BL 2692.....	57	BL 2758.....	67	BL 2819.....	74	BL 2881.....	71
BL 2632.....	45	BL 2693.....	57	BL 2759-10/12.....	75	BL 2820RS.....	59	BL 2882.....	42
BL 2633.....	77	BL 2694.....	57	BL 2759-6/12.....	75	BL 2821.....	89	BL 2883.....	60
BL 2634.....	69	BL 2695.....	57	BL 2760.....	75	BL 2822.....	55	BL 2884.....	81
BL 2635L.....	42	BL 2696.....	57	BL 2761.....	63	BL 2823.....	66	BL 2885.....	81
BL 2635R.....	42	BL 2697.....	57	BL 2762.....	43	BL 2824.....	77	BL 2886.....	75
BL 2636.....	96	BL 2698.....	85	BL 2763.....	78	BL 2825.....	78	BL 2886L-12/12.....	75
BL 2637.....	70	BL 2699.....	76	BL 2764.....	54	BL 2826.....	80	BL 2886R-12/12.....	75
BL 2638.....	70	BL 2700.....	83	BL 2765.....	54	BL 2827.....	55	BL 2887.....	57
BL 2639.....	81	BL 2701.....	90	BL 2766.....	54	BL 2827L-10/12.....	55	BL 2888.....	58
BL 2640.....	75	BL 2702.....	78	BL 2767.....	67	BL 2827R-10/12.....	55	BL 2889PC.....	68
BL 2641.....	62	BL 2703.....	86	BL 2768.....	72	BL 2828.....	87	BL 2890.....	80
BL 2641L-10/12.....	62	BL 2704.....	67	BL 2769.....	60	BL 2829.....	40	BL 2891.....	94
BL 2641L-5/12.....	62	BL 2705.....	67	BL 2770RS.....	56	BL 2830.....	44	BL 2892.....	89
BL 2641L-6/12.....	62	BL 2706.....	55	BL 2771RS.....	56	BL 2831.....	87	BL 2893.....	82
BL 2641R-10/12.....	62	BL 2707.....	49	BL 2772.....	51	BL 2832.....	93	BL 2894.....	85
BL 2641R-5/12.....	62	BL 2708.....	60	BL 2773.....	51	BL 2833.....	72	BL 2895.....	43
BL 2641R-6/12.....	62	BL 2709.....	60	BL 2774.....	53	BL 2834.....	63	BL 2896.....	46
BL 2642PC.....	95	BL 2710.....	51	BL 2775.....	89	BL 2835.....	42	BL 2897PC.....	68
BL 2643.....	61	BL 2711.....	69	BL 2776.....	53	BL 2836.....	42	BL 2898PC.....	68
BL 2644.....	45	BL 2712.....	91	BL 2777.....	89	BL 2837.....	40	BL 2899PC.....	68
BL 2645.....	93	BL 2713.....	91	BL 2778.....	57	BL 2838.....	50	BL 2900.....	95
BL 2646.....	53	BL 2714.....	76	BL 2779.....	57	BL 2839.....	72	BL 2901.....	52
BL 2647.....	52	BL 2715.....	86	BL 2780.....	77	BL 2840.....	66	BL 2902.....	49
BL 2648.....	53	BL 2716.....	86	BL 2781.....	58	BL 2841.....	65	BL 2903.....	55
BL 2649.....	92	BL 2717.....	81	BL 2782.....	40	BL 2842.....	73	BL 2904.....	56
BL 2650.....	86	BL 2718.....	58	BL 2783.....	40	BL 2843.....	50	BL 2905.....	61
BL 2651.....	78	BL 2719.....	80	BL 2784.....	40	BL 2844.....	88	BL 2905L-6/12.....	61
BL 2652.....	62	BL 2720RS.....	94	BL 2785.....	77	BL 2845.....	40	BL 2905R-6/12.....	61
BL 2653.....	64	BL 2721.....	84	BL 2786.....	84	BL 2846.....	63	BL 2906.....	72
BL 2654.....	70	BL 2722.....	75	BL 2787.....	97	BL 2846L-10/12.....	63	BL 2907.....	73
BL 2655.....	70	BL 2723.....	84	BL 2788.....	97	BL 2846L-15/12.....	63	BL 2908.....	59
BL 2656.....	71	BL 2724.....	50	BL 2789.....	55	BL 2846R-10/12.....	63	BL 2909L-6/12.....	62
BL 2657.....	69	BL 2725.....	47	BL 2790.....	65	BL 2846R-15/12.....	63	BL 2909L-7/12.....	62
BL 2658L-8/12.....	62	BL 2726.....	78	BL 2791.....	71	BL 2847L-15/12.....	63	BL 2909R-6/12.....	62
BL 2658R-8/12.....	62	BL 2727.....	92	BL 2792.....	81	BL 2847R-15/12.....	63	BL 2909R-7/12.....	62
BL 2659.....	51	BL 2728.....	71	BL 2793.....	93	BL 2848.....	63	BL 2910.....	60
BL 2660.....	74	BL 2729.....	50	BL 2794.....	77	BL 2849.....	79	BL 2911.....	62
BL 2661.....	87	BL 2730-10.....	97	BL 2795.....	69	BL 2850.....	98	BL 2912.....	52
BL 2662.....	65	BL 2730-12.....	97	BL 2796.....	64	BL 2851.....	66	BL 2913.....	56



Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
BL 2914.....	62	BL 2976.....	78	BL 3047.....	83	BL 3116.....	92	BL 3188.....	89
BL 2915.....	58	BL 2977.....	56	BL 3048.....	40	BL 3117.....	57	BL 3189.....	79
BL 2916.....	63	BL 2978.....	59	BL 3050.....	89	BL 3118.....	57	BL 3191.....	87
BL 2917.....	87	BL 2979.....	65	BL 3051.....	90	BL 3120.....	74	BL 3192.....	87
BL 2918.....	41	BL 2980.....	55	BL 3052.....	48	BL 3121.....	64	BSE 100-10.....	106, 107
BL 2919.....	76	BL 2981.....	66	BL 3053.....	93	BL 3122RS.....	53	BSE 100-12.....	106, 107
BL 2920.....	54	BL 2982.....	42	BL 3054.....	60	BL 3123.....	92	BSE 100-14.....	106, 107
BL 2921.....	54	BL 2983.....	45	BL 3055.....	60	BL 3124.....	49	BSE 100-16.....	106, 107
BL 2922.....	48	BL 2984.....	75	BL 3056.....	60	BL 3125.....	82	BSE 100-6.....	106, 107
BL 2923.....	60	BL 2985.....	78	BL 3057.....	63	BL 3126.....	61	BSE 100-8.....	106, 107
BL 2924.....	59	BL 2986.....	71	BL 3058.....	95	BL 3127.....	76	BSE 600-10.....	106, 107
BL 2925.....	52	BL 2989.....	48	BL 3059.....	78	BL 3128.....	82	BSE 600-12.....	106, 107
BL 2926.....	52	BL 2990.....	97	BL 3060.....	91	BL 3129.....	76	BSE 600-14.....	106, 107
BL 2927.....	50	BL 2991.....	58	BL 3061.....	42	BL 3130.....	49	BSE 600-16.....	106, 107
BL 2928.....	90	BL 2992.....	59	BL 3062.....	74	BL 3131.....	61	BSE 600-6.....	106, 107
BL 2929.....	63	BL 2993.....	43	BL 3062L-7/12.....	74	BL 3132.....	90	BSE 600-8.....	106, 107
BL 2929L-6/12.....	63	BL 2994.....	91	BL 3062R-7/12.....	74	BL 3134.....	79	BSE 900-10.....	106, 107
BL 2929R-6/12.....	63	BL 2995.....	93	BL 3063.....	64	BL 3135.....	58	BSE 900-12.....	106, 107
BL 2930.....	46	BL 2996.....	94	BL 3064.....	90	BL 3136.....	79	BSE 900-8.....	106, 107
BL 2931.....	51	BL 2997.....	74	BL 3065.....	87	BL 3137.....	79	CAP 100-10.....	106, 107
BL 2932.....	50	BL 2998.....	46	BL 3066.....	57	BL 3138.....	92	CAP 100-12.....	106, 107
BL 2933.....	76	BL 2999.....	61	BL 3067.....	46	BL 3139.....	58	CAP 100-14.....	106, 107
BL 2934.....	82	BL 3000.....	96	BL 3068.....	65	BL 3140.....	81	CAP 100-16.....	106, 107
BL 2935.....	46	BL 3001.....	96	BL 3069.....	65	BL 3141.....	83	CAP 100-6.....	106, 107
BL 2936.....	66	BL 3002.....	70	BL 3070.....	76	BL 3142.....	53	CAP 100-8.....	106, 107
BL 2936L-6/12.....	66	BL 3003.....	70	BL 3071.....	89	BL 3143.....	53	CB 400-10.....	106, 107
BL 2936R-6/12.....	66	BL 3004.....	97	BL 3072.....	95	BL 3144.....	88	CB 400-12.....	106, 107
BL 2937.....	74	BL 3005.....	51	BL 3073.....	86	BL 3145.....	80	CB 400-14.....	106, 107
BL 2938.....	94	BL 3006.....	58	BL 3074.....	95	BL 3146.....	61	CB 400-16.....	106, 107
BL 2939.....	52	BL 3007.....	53	BL 3075.....	95	BL 3146L-6/12.....	61	CB 400-6.....	106, 107
BL 2940.....	76	BL 3008.....	85	BL 3076.....	85	BL 3146R-6/12.....	61	CB 400-8.....	106, 107
BL 2941.....	76	BL 3009.....	85	BL 3077.....	69	BL 3147.....	73	CAP 500-10.....	106, 107
BL 2942.....	91	BL 3010.....	82	BL 3078.....	95	BL 3149.....	77	CAP 500-12.....	106, 107
BL 2943.....	91	BL 3011.....	84	BL 3079.....	95	BL 3150PC.....	70	CAP 500-14.....	106, 107
BL 2944.....	65	BL 3012RS.....	68	BL 3080.....	74	BL 3151PC.....	70	CAP 500-16.....	106, 107
BL 2945.....	91	BL 3013.....	88	BL 3081WG.....	87	BL 3152PC.....	70	CAP 500-6.....	106, 107
BL 2946.....	50	BL 3014.....	81	BL 3082WG.....	87	BL 3153PC.....	70	CAP 500-8.....	106, 107
BL 2947.....	69	BL 3015.....	56	BL 3083.....	77	BL 3157.....	73	CAP 700-10.....	106, 107
BL 2948.....	71	BL 3016.....	46	BL 3084.....	84	BL 3158.....	50	CAP 700-12.....	106, 107
BL 2949.....	71	BL 3017.....	90	BL 3085.....	83	BL 3159.....	66	CAP 700-14.....	106, 107
BL 2950.....	79	BL 3018.....	78	BL 3086.....	90	BL 3160.....	88	CAP 700-16.....	106, 107
BL 2951.....	45	BL 3019.....	97	BL 3087.....	55	BL 3161.....	50	CAP 700-6.....	106, 107
BL 2952.....	71	BL 3020.....	90	BL 3088.....	55	BL 3162.....	93	CAP 700-8.....	106, 107
BL 2953.....	51	BL 3021.....	78	BL 3089.....	80	BL 3163WG.....	84	CAP 900-10.....	106, 107
BL 2954.....	80	BL 3022.....	94	BL 3090.....	50	BL 3164WG.....	72	CAP 900-12.....	106, 107
BL 2955.....	96	BL 3023.....	60	BL 3091WC.....	82	BL 3165.....	56	CAP 900-8.....	106, 107
BL 2956.....	43	BL 3024.....	57	BL 3092.....	77	BL 3166.....	65	CBBS SERIES.....	250
BL 2957.....	84	BL 3025.....	57	BL 3093.....	65	BL 3167.....	69	CHD 5009.....	114, 115
BL 2958.....	72	BL 3026.....	56	BL 3094.....	53	BL 3168.....	82	CHD 5409.....	114, 115
BL 2959.....	72	BL 3027.....	77	BL 3095.....	76	BL 3169.....	56	CHD 6609.....	114, 115
BL 2960.....	44	BL 3028.....	52	BL 3096.....	80	BL 3170.....	81	CHD 8109.....	114, 115
BL 2961.....	44	BL 3029.....	52	BL 3097.....	82	BL 3171.....	80	CHD 8609.....	114, 115
BL 2962.....	92	BL 3030.....	85	BL 3098.....	82	BL 3172.....	77	CHD 9409.....	114, 115
BL 2963-14.....	69	BL 3031.....	85	BL 3099.....	69	BL 3173.....	56	CHT 5009.....	114, 115
BL 2963-18.....	69	BL 3032.....	77	BL 3100.....	69	BL 3174.....	56	CHT 5011.....	114, 115
BL 2963-7.75.....	69	BL 3033.....	64	BL 3102RS.....	71	BL 3175.....	89	CHT 5409.....	114, 115
BL 2964.....	80	BL 3034.....	90	BL 3103.....	94	BL 3176.....	58	CHT 5411.....	114, 115
BL 2965.....	77	BL 3035.....	87	BL 3104.....	87	BL 3177.....	77	CHT 6609.....	114, 115
BL 2966.....	95	BL 3036.....	87	BL 3105.....	75	BL 3178.....	83	CHT 6611.....	114, 115
BL 2967.....	73	BL 3037.....	83	BL 3106.....	69	BL 3179.....	49	CHT 8109.....	114, 115
BL 2968.....	62	BL 3038.....	46	BL 3107.....	97	BL 3180.....	81	CHT 8111.....	114, 115
BL 2969.....	51	BL 3039.....	46	BL 3109.....	47	BL 3181.....	79	CHT 8609.....	114, 115
BL 2970.....	82	BL 3040.....	62	BL 3110.....	50	BL 3182.....	55	CHT 8611.....	114, 115
BL 2971.....	80	BL 3042.....	83	BL 3111.....	86	BL 3183.....	56	CHT 9409.....	114, 115
BL 2972.....	80	BL 3043.....	66	BL 3112RS.....	71	BL 3184.....	80	CHT 9411.....	114, 115
BL 2973.....	71	BL 3044.....	47	BL 3113.....	46	BL 3185.....	55	CLM 100-10.....	104, 105
BL 2974.....	45	BL 3045.....	89	BL 3114.....	79	BL 3186.....	97	CLM 100-12.....	104, 105
BL 2975.....	82	BL 3046.....	88	BL 3115.....	53	BL 3187.....	89	CLM 100-14.....	104, 105



Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
CLM 100-16.....	104, 105	CM 3333-27.....	137	CSH 1038.....	112	FT 3400.....	145	GB 3323-5/12.....	102
CLM 100-8.....	104, 105	CM 3333-32.....	137	CSH 1052.....	112	FT 3401.....	145	GB 3323-6/12.....	102
CLM 200-10.....	104, 105	CM 3434.....	137	CSH 1142.....	112	FT 3402.....	145	GB 3323-7/12.....	102
CLM 200-12.....	104, 105	CM 3535.....	137	CSH 1158.....	112	FT 3403.....	145	GB 3323-8/12.....	102
CLM 200-14.....	104, 105	CM 3636.....	137	CSH 1252.....	112	FT 3404.....	145	GB 3323-9/12.....	102
CLM 200-16.....	104, 105	CM 4040.....	137	CSH 1267.....	113	FT 3405.....	145	GB 3324.....	101
CLM 200-8.....	104, 105	CM 4471.....	137	CSH 1316.....	113	FT 3406.....	145	GB 3325-10/12.....	102
CLM 230-10.....	104, 105	CM 4671.....	137	CSH 1335.....	113	FT 3407.....	145	GB 3325-11/12.....	102
CLM 230-12.....	104, 105	CM 4747.....	137	CSH 1336.....	113	FT 3408.....	145	GB 3325-12/12-68.....	102
CLM 230-14.....	104, 105	CM 99BF.....	134	CSH 1354.....	113	FT 3409.....	145	GB 3325-12/12-81.....	102
CLM 230-16.....	104, 105	CM 99L.....	134	CSH 1403.....	113	FT 3410.....	145	GB 3325-13/12.....	102
CLM 230-8.....	104, 105	CP 100.....	140	CUPOLA 2125.....	148	FT 3411.....	145	GB 3325-14/12.....	102
CLM 300-10.....	104, 105	CP 2900.....	138	DECO FLEX.....	158	FT 3412.....	145	GB 3325-15/12.....	102
CLM 300-12.....	104, 105	CP 2901.....	138	DM 1000.....	144	FT 3413.....	145	GB 3325-16/12.....	102
CLM 300-14.....	104, 105	CP 2902.....	138	FBC 10108.....	108	FT 3414.....	145	GB 3325-18/12.....	102
CLM 300-16.....	104, 105	CP 2903.....	138	FBC 10116.....	108	FTA 4 2852.....	129	GB 3325-4/12.....	102
CLM 300-6.....	104, 105	CP 2904.....	138	FBC 10120.....	108	FTHR 3-27.....	130	GB 3325-5/12.....	102
CLM 300-8.....	104, 105	CP 2905.....	138	FBC 1060.....	108	FTHR 3-41.....	130	GB 3325-6/12.....	102
CLM 400-10.....	104, 105	CP 2907.....	138	FBC 1096.....	108	FTHR 5-36.....	130	GB 3325-7/12.....	102
CLM 400-12.....	104, 105	CP 2908.....	138	FBC 8120.....	108	FTHR 5-48.....	130	GB 3325-8/12.....	102
CLM 400-8.....	104, 105	CP 2909.....	138	FBC 860.....	108	FTO 2234.....	130	GB 3325-9/12.....	102
CM 1221.....	134	CP 2910.....	138	FBC 896.....	108	FTR 19.....	128	GB 3326-10/12.....	102
CM 1313R.....	134	CR 1.....	139	FBCS 10108.....	108	FTR 22.....	128	GB 3326-11/12.....	102
CM 1515.....	134	CR 2.....	139	FBCS 10116.....	108	FTR 24.....	128	GB 3326-12/12-48.....	102
CM 1717.....	134	CR 5.....	139	FBCS 10120.....	108	FTR 28.....	128	GB 3326-12/12-74.....	102
CM 1717SM.....	134	CR 7.....	139	FBCS 1060.....	108	FTR 30.....	128	GB 3326-13/12.....	102
CM 1818.....	134	CR 9.....	139	FBCS 1096.....	108	FTR 36.....	128	GB 3326-14/12.....	102
CM 1818-32.....	134	CR 10.....	139	FBCS 8120.....	108	FTR 48.....	128	GB 3326-15/12.....	102
CM 1818C.....	134	CR 11.....	139	FBCS 860.....	108	FTR 6-31.....	128	GB 3326-16/12.....	102
CM 1818R.....	134	CR 12.....	139	FBCS 896.....	108	FTR 6-78.....	128	GB 3326-18/12.....	102
CM 1818S.....	134	CR 33.....	140	FD 100.....	159	FTT 4114.....	128	GB 3326-4/12.....	102
CM 1818S-24.....	134	CR 55.....	140	FIN 102.....	146	FTT 8021.....	128	GB 3326-5/12.....	102
CM 1818SB.....	134	CR 66.....	139	FIN 103.....	147	GB 3300.....	99	GB 3326-6/12.....	102
CM 2020.....	134	CR 74.....	139	FIN 104.....	147	GB 3301.....	99	GB 3326-7/12.....	102
CM 2121.....	134	CR 77.....	139	FIN 105.....	146	GB 3302.....	99	GB 3326-8/12.....	102
CM 2121FL-21.....	135	CR 83.....	139	FIN 106.....	146	GB 3303.....	99	GB 3326-9/12.....	102
CM 2121FL-27.....	135	CR 84.....	139	FIN 107.....	147	GB 3304.....	99	GB 3327-10/12.....	102
CM 2121FL-33.....	135	CR 85.....	139	FIN 108.....	147	GB 3305.....	99	GB 3327-12/12-132.....	102
CM 2222.....	135	CR 86.....	139	FIN 109.....	147	GB 3306.....	99	GB 3327-12/12-36.....	102
CM 2424.....	135	CR 87.....	140	FIN 110.....	146	GB 3307A.....	99	GB 3327-12/12-68.....	102
CM 2424-18.....	135	CR 88.....	140	FIN 111.....	147	GB 3307B.....	99	GB 3327-14/12.....	102
CM 2424-30.....	135	CR 100.....	140	FIN 112.....	147	GB 3308A.....	99	GB 3327-16/12.....	102
CM 2424R.....	134	CR 101.....	140	FIN 113.....	147	GB 3308B.....	99	GB 3327-5/12-148.....	102
CM 2424S.....	135	CR 102.....	140	FIN 114.....	147	GB 3309.....	100	GB 3327-5/12-98.....	102
CM 2424S-18.....	135	CR 103.....	140	FIN 115.....	147	GB 3310.....	100	GB 3327-6/12.....	102
CM 2424S-33.....	135	CR 104.....	140	FIN 116.....	147	GB 3311.....	100	GB 3327-7/12.....	102
CM 2424S-45.....	135	CR 105.....	140	FIN 117.....	147	GB 3312.....	100	GB 3327-8/12.....	102
CM 2424S-60.....	135	CR 106.....	140	FIN 118.....	147	GB 3313-5/12.....	100	GB 3327-9/12.....	102
CM 2424SB.....	134	CR 107.....	140	FIN 119.....	146	GB 3313-6/12.....	100	GB 3330.....	101
CM 2626.....	135	CR 107CF.....	140	FIN 120.....	146	GB 3314.....	100	GB 3331.....	101
CM 2626-33.....	135	CR 108.....	140	FIN 13.....	147	GB 3315.....	100	GB 3332.....	101
CM 2626L.....	135	CR 108CF.....	140	FIN 21.....	146	GB 3316.....	100	GB 3333.....	101
CM 2717.....	135	CR 109.....	139	FIN 23.....	147	GB 3317-3/12.....	100	GB 3334.....	101
CM 2828.....	135	CR 133.....	139	FIN 24.....	146	GB 3317-6/12.....	100	HCS 10052.....	120
CM 2828S.....	135	CR 177.....	140	FIN 3110.....	147	GB 3318.....	100	HCS 10454.....	120
CM 2929.....	135	CR 331.....	140	FIN 32.....	147	GB 3319.....	100	HCS 10856.....	120
CM 3030.....	136	CR 441.....	140	FIN 34.....	146	GB 3320.....	101	HCS 2413.....	120
CM 3042.....	136	CR 550.....	141	FIN 48.....	146	GB 3321.....	101	HCS 2513.....	120
CM 3131R.....	134	CR 551.....	141	FIN 60.....	146	GB 3322.....	101	HCS 2815.....	120
CM 3131SB.....	134	CR 661.....	141	FIN 7.....	146	GB 3323-10/12.....	102	HCS 2915.....	120
CM 3137.....	136	CR 1183-18.....	142	FIN 8.....	146	GB 3323-11/12.....	102	HCS 3016.....	120
CM 3232.....	136	CR 1183-4.....	142	FLEXIBLE MOULDING.....	158	GB 3323-12/12.....	102	HCS 3217.....	120
CM 3232AL-24.....	136	CSH 1004.....	112	FP 7200 HEWN.....	152	GB 3323-13/12.....	102	HCS 3318.....	120
CM 3232AL-32.....	136	CSH 1006.....	112	FP 7201 HEWN.....	152	GB 3323-14/12.....	102	HCS 3619.....	120
CM 3232AL-45.....	136	CSH 1015.....	112	FP 7248C.....	152	GB 3323-15/12.....	102	HCS 3720.....	120
CM 3232AL-60.....	136	CSH 1018.....	112	FP 7248M.....	152	GB 3323-16/12.....	102	HCS 4021.....	120
CM 3232L.....	136	CSH 1025.....	112	FP 7248P.....	152	GB 3323-18/12.....	102	HCS 4121.....	120
CM 3232SR.....	136	CSH 1035.....	112	FP 7254.....	152	GB 3323-4/12.....	102	HCS 4222.....	120



Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
HCS 4423.....	120	K 2712	125	LCA 2079	129	LCRK 16	130	LCVO 2836.....	130
HCS 4825.....	120	K 2713	125	LCA 2231	129	LCRK 20	130	LCVO K 2127.....	131
HCS 5227.....	120	K 2714	126	LCA 2232	129	LCRK 24	130	LCVO K 2234.....	131
HCS 5629.....	120	K 2715	125	LCA 2234	129	LCRK 30	130	LCVO K 2430.....	131
HCS 6031.....	120	K 2716	126	LCA 2430	129	LCRT 1030.....	129	LCVO K 2835.....	131
HCS 6433.....	120	K 2717	126	LCA 2436	129	LCRT 1212.....	129	LOA 1014	129
HCS 6835.....	120	K 2718	126	LCA 2843	129	LCRT 1218.....	129	LOA 1218.....	129
HCS 7237.....	120	K 2719	126	LCA 2852	129	LCRT 1224.....	129	LOA 1224.....	129
HCS 7639.....	120	K 2720	126	LCA 3024	129	LCRT 1226.....	129	LOA 1818.....	129
HCS 8041.....	120	K 2721	126	LCA 3042	129	LCRT 1236.....	129	LOA 1824.....	129
HCS 8443.....	120	K 2722	125	LCA 3648	129	LCRT 1390.....	129	LOA 1826.....	129
HCS 8845.....	120	K 2723	125	LCA 4284	129	LCRT 1424.....	129	LOA 1828.....	129
HCS 9247.....	120	K 2724	126	LCA 824	129	LCRT 1530.....	129	LOA 1830.....	129
HCS 9649.....	120	K 2725	125	LCA 836	129	LCRT 1624.....	129	LOA 1836.....	129
HD 102.....	159	K 2726	126	LCARB 30	129	LCRT 1632.....	129	LOA 1855.....	129
HD 103.....	159	K 2727	126	LCD 1414.....	132	LCRT 1636.....	129	LOA 1928.....	129
HD103A	159	K 2728	125	LCD 2424.....	132	LCRT 1818.....	129	LOA 2079.....	129
HSS 10017	120	K 2729	125	LCD 3434.....	132	LCRT 1824.....	129	LOA 2231	129
HSS 10210	120	K 2730	125	LCE 1830	129	LCRT 1830.....	129	LOA 2232.....	129
HSS 10417	120	K 2731	125	LCE 2234.....	129	LCRT 1860.....	129	LOA 2234.....	129
HSS 10818	120	K 2732	126	LCE 3024.....	129	LCRT 1866.....	129	LOA 2430.....	129
HSS 11218	120	K 2733	125	LCHO 1812	131	LCRT 1872.....	129	LOA 2436.....	129
HSS 11412	120	K 2734	126	LCHO 2923	131	LCRT 1890.....	129	LOA 2843.....	129
HSS 12221	120	K 2735	126	LCHO 3018	131	LCRT 1928.....	129	LOA 2852.....	129
HSS 12622	120	K 2736	126	LCHO 3422	131	LCRT 1943.....	129	LOA 3024.....	129
HSS 13222	120	K 2737	125	LCHO 4021	131	LCRT 2260.....	129	LOA 3042.....	129
HSS 14414	120	K 2738	126	LCHO 4836	131	LCRT 2424.....	129	LOA 3648.....	129
HSS 19915	120	K 2739	126	LCHO K 2923.....	131	LCRT 2428.....	129	LOA 4284.....	129
HSS 2409	120	K 2740	125	LCHO K 3018.....	131	LCRT 2430.....	129	LOA 824	129
HSS 2508	120	K 2741	125	LCHO K 3422.....	131	LCRT 2436.....	129	LOA 836	129
HSS 2809	120	K 2742	125	LCHO K 3424.....	131	LCRT 2448.....	129	LOAD 2231	129
HSS 2908	120	K 2743	126	LCHO K 3724.....	131	LCRT 3272.....	129	LOARB 30	129
HSS 3009	120	K 2744	126	LCHR 2412	130	LCRT 3624.....	129	LOD 1414.....	132
HSS 3209	120	K 2745	126	LCHR 2416	130	LCRT 912.....	129	LOD 2424.....	132
HSS 3309	120	K 2746	126	LCHR 3019	130	LCT 10829.....	128	LOD 3434.....	132
HSS 3609	120	K 2747	125	LCHR 3216	130	LCT 12045.....	128	LOE 1830	129
HSS 3612	120	K 2748	125	LCHR 3220	130	LCT 13227.....	128	LOE 2234	129
HSS 3709	120	KIN 01-C	35	LCHR 3618	130	LCT 13248.....	128	LOE 3024	129
HSS 4010	120	KIN 01-W	35	LCHR 3622	130	LCT 13652.....	128	LOHO 1812.....	131
HSS 4110	120	KIN 02-C	35	LCHR 4021	130	LCT 2412.....	128	LOHO 2923.....	131
HSS 4210	120	KIN 02-W	35	LCHR 4225	130	LCT 3205.....	128	LOHO 3018.....	131
HSS 4412	120	KIN 03-C	35	LCHR 4828	130	LCT 3210.....	128	LOHO 3422.....	131
HSS 4812	120	KIN 03-W	35	LCHR 6034	130	LCT 3916.....	128	LOHO 4021.....	131
HSS 5212	120	KIN 04-C	35	LCHR 7236	130	LCT 4114.....	128	LOHO 4836.....	131
HSS 5612	120	KIN 04-W	35	LCO 12.....	128	LCT 4228.....	128	LOHO K 2923.....	131
HSS 6013	120	KIN 06-C	35	LCO 18.....	128	LCT 4611.....	128	LOHO K 3018.....	131
HSS 6413	120	KIN 06-W	35	LCO 19.....	128	LCT 4812.....	128	LOHO K 3422.....	131
HSS 6814	120	KIR 01.....	35	LCO 22.....	128	LCT 5418.....	128	LOHO K 3424.....	131
HSS 7214	120	KIR 02.....	35	LCO 28.....	128	LCT 5523.....	128	LOHO K 3724.....	131
HSS 7615	120	KIR 03.....	35	LCO 30.....	128	LCT 5727.....	128	LOHR 2412.....	130
HSS 8015	120	KIR 04.....	35	LCOE 1934.....	128	LCT 6025.....	128	LOHR 2416.....	130
HSS 8415	120	KIR 05.....	35	LCOE 2438.....	128	LCT 6416.....	128	LOHR 3019.....	130
HSS 8816	120	KIT 100.....	154	LCP 1024.....	132	LCT 6526.....	128	LOHR 3216.....	130
HSS 9216	120	KIT 101.....	154	LCP 1030.....	132	LCT 7218.....	128	LOHR 3220.....	130
HSS 9617	120	LB 1414.....	149	LCR 12.....	128	LCT 7619.....	128	LOHR 3618.....	130
IRON FLEX.....	158	LB 68.....	149	LCR 15.....	128	LCT 8021.....	128	LOHR 3622.....	130
K 2700	126	LB 88.....	149	LCR 16.....	128	LCT 8414.....	128	LOHR 4021.....	130
K 2701	126	LCA 1014	129	LCR 18.....	128	LCT 8725.....	128	LOHR 4225.....	130
K 2702	126	LCA 1218	129	LCR 19.....	128	LCT 9026.....	128	LOHR 4828.....	130
K 2703	126	LCA 1224	129	LCR 22.....	128	LCT 9640.....	128	LOHR 6034.....	130
K 2704	125	LCA 1818	129	LCR 24.....	128	LCTFT 24040L/R.....	132	LOHR 7236.....	130
K 2705	125	LCA 1824	129	LCR 28.....	128	LCTFT 12030L/R.....	132	LOO 12	128
K 2706	125	LCA 1826	129	LCR 30.....	128	LCTFT 19232L/R.....	132	LOO 18	128
K 2707	125	LCA 1828	129	LCR 36.....	128	LCVO 1015.....	130	LOO 19	128
K 2708	126	LCA 1830	129	LCR 39.....	128	LCVO 1830.....	130	LOO 22	128
K 2709	125	LCA 1836	129	LCR 48.....	128	LCVO 2127.....	130	LOO 28	128
K 2710	125	LCA 1855	129	LCRFT 24	132	LCVO 2234.....	130	LOO 30	128
K 2711	125	LCA 1928	129	LCRFT 32	132	LCVO 2835.....	130	LOOE 1934.....	128



Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
LOOE 2438.....	128	LOT 6416.....	128	MD 1017.....	207	MD 1085.....	223	MD 1124.....	232
LOP 1024.....	132	LOT 6526.....	128	MD 1018.....	227	MD 1086.....	163	MD 1124SPLIT.....	232
LOP 1030.....	132	LOT 7218.....	128	MD 1019.....	177	MD 1087.....	181	MD 1125.....	173
LOR 12.....	128	LOT 7619.....	128	MD 1020.....	177	MD 1088.....	238	MD 1126.....	184
LOR 15.....	128	LOT 8021.....	128	MD 1021.....	185	MD 1089.....	174	MD 1127.....	234
LOR 16.....	128	LOT 8414.....	128	MD 1022.....	173	MD 1091.....	183	MD 1127SPLIT.....	234
LOR 18.....	128	LOT 8725.....	128	MD 1023.....	225	MD 1092.....	179	MD 1128.....	237
LOR 19.....	128	LOT 9026.....	128	MD 1024.....	164	MD 1093.....	239	MD 1129.....	238
LOR 22.....	128	LOT 9640.....	128	MD 1025.....	210	MD 1094.....	219	MD 1130.....	237
LOR 24.....	128	LOTFT 24040L/R.....	132	MD 1026.....	174	MD 1095.....	213	MD 1131.....	233
LOR 28.....	128	LOTFT 12030L/R.....	132	MD 1027.....	215	MD 1096.....	168	MD 1131SPLIT.....	233
LOR 30.....	128	LOTFT 19232L/R.....	132	MD 1028.....	185	MD 1097.....	204	MD 1132.....	163
LOR 36.....	128	LOVO 1015.....	130	MD 1029.....	172	MD 1098.....	204	MD 1133.....	231
LOR 39.....	128	LOVO 1830.....	130	MD 1030.....	226	MD 1099.....	213	MD 1134.....	233
LOR 48.....	128	LOVO 2127.....	130	MD 1031.....	167	MD 1099D.....	175	MD 1135.....	224
LORFT 24.....	132	LOVO 2234.....	130	MD 1032.....	166	MD 1100.....	238	MD 1136.....	233
LORFT 32.....	132	LOVO 2835.....	130	MD 1033.....	225	MD 1101.....	206	MD 1136SPLIT.....	233
LORK 16.....	130	LOVO 2836.....	130	MD 1034.....	219	MD 1102.....	194	MD 1137.....	236
LORK 20.....	130	LOVO K 2127.....	131	MD 1034CF.....	219	MD 1103.....	229	MD 1138.....	228
LORK 24.....	130	LOVO K 2234.....	131	MD 1035.....	198	MD 1104.....	187	MD 1139.....	185
LORK 30.....	130	LOVO K 2430.....	131	MD 1036.....	162	MD 1105.....	178	MD 1140.....	165
LORT 1030.....	129	LOVO K 2835.....	131	MD 1037.....	233	MD 1106.....	179	MD 1141.....	173
LORT 1212.....	129	LP 3700.....	110	MD 1038.....	175	MD 1107.....	237	MD 1142.....	200
LORT 1218.....	129	MB 100.....	159	MD 1039.....	163	MD 1108-12.....	221	MD 1143.....	229
LORT 1224.....	129	MD 1000.....	160	MD 1040.....	194	MD 1108-13.5.....	221	MD 1144.....	209
LORT 1226.....	129	MD 1001.....	160	MD 1041.....	202	MD 1108-16.....	221	MD 1145.....	242
LORT 1236.....	129	MD 1002.....	215	MD 1042.....	203	MD 1108-3.....	221	MD 1146.....	237
LORT 1390.....	129	MD 1003.....	176	MD 1043.....	227	MD 1108-3.5.....	221	MD 1147.....	192
LORT 1424.....	129	MD 1004.....	212	MD 1044.....	193	MD 1108-5.....	221	MD 1148.....	228
LORT 1530.....	129	MD 1005.....	205	MD 1045.....	164	MD 1108-5.5.....	221	MD 1149.....	185
LORT 1624.....	129	MD 1006.....	200	MD 1046.....	213	MD 1108-6.....	221	MD 1150.....	192
LORT 1632.....	129	MD 1007.....	180	MD 1047.....	174	MD 1108-6RS.....	221	MD 1151.....	228
LORT 1636.....	129	MD 1008.....	192	MD 1048.....	222	MD 1108-7.5.....	221	MD 1151SPLIT.....	228
LORT 1818.....	129	MD 1009.....	203	MD 1049.....	223	MD 1108-8RS.....	221	MD 1152.....	174
LORT 1824.....	129	MD 1010.....	166	MD 1050.....	232	MD 1108-9.5.....	221	MD 1153.....	231
LORT 1830.....	129	MD 1011-1.....	220	MD 1051.....	221	MD 1109.....	178	MD 1154.....	162
LORT 1860.....	129	MD 1011-10.....	220	MD 1052.....	197	MD 1110.....	166	MD 1155.....	176
LORT 1866.....	129	MD 1011-11.5.....	220	MD 1053.....	189	MD 1111.....	165	MD 1156.....	228
LORT 1872.....	129	MD 1011-12.....	220	MD 1054.....	204	MD 1112.....	192	MD 1157.....	190
LORT 1890.....	129	MD 1011-13.5.....	220	MD 1055.....	237	MD 1113.....	203	MD 1158A.....	195
LORT 1928.....	129	MD 1011-14.....	220	MD 1056.....	160	MD 1114-10.....	220	MD 1158B.....	195
LORT 1943.....	129	MD 1011-16.....	220	MD 1057.....	163	MD 1114-11.....	220	MD 1159.....	216
LORT 2260.....	129	MD 1011-18.....	220	MD 1058.....	179	MD 1114-12.....	220	MD 1160.....	181
LORT 2424.....	129	MD 1011-2.....	220	MD 1059.....	227	MD 1114-14.....	220	MD 1161.....	201
LORT 2428.....	129	MD 1011-2.125.....	220	MD 1060.....	164	MD 1114-15.5.....	220	MD 1161FS.....	201
LORT 2430.....	129	MD 1011-2.25.....	220	MD 1061.....	168	MD 1114-3.....	220	MD 1162.....	201
LORT 2436.....	129	MD 1011-2.5.....	220	MD 1062.....	198	MD 1114-3.5.....	220	MD 1163.....	201
LORT 2448.....	129	MD 1011-21.....	220	MD 1063.....	172	MD 1114-4.....	220	MD 1164.....	202
LORT 3272.....	129	MD 1011-25.....	220	MD 1064.....	172	MD 1114-4.75.....	220	MD 1165-11.25.....	222
LORT 3624.....	129	MD 1011-3.....	220	MD 1065.....	177	MD 1114-5.....	220	MD 1165-12.....	222
LORT 912.....	129	MD 1011-3.5.....	220	MD 1066.....	204	MD 1114-5.25.....	220	MD 1165-2.5.....	222
LOT 10829.....	128	MD 1011-36.....	220	MD 1067.....	183	MD 1114-5.5.....	220	MD 1165-4.....	222
LOT 12045.....	128	MD 1011-4.....	220	MD 1068.....	210	MD 1114-6.....	220	MD 1165-4.5.....	222
LOT 13227.....	128	MD 1011-5.....	220	MD 1069.....	231	MD 1114-7.....	220	MD 1165-6.....	222
LOT 13248.....	128	MD 1011-5.5.....	220	MD 1070.....	179	MD 1114-7.25.....	220	MD 1165-8.....	222
LOT 13652.....	128	MD 1011-6.....	220	MD 1071.....	209	MD 1114-7.5.....	220	MD 1166.....	222
LOT 2412.....	128	MD 1011-7.....	220	MD 1072.....	161	MD 1114-8.....	220	MD 1167.....	222
LOT 3205.....	128	MD 1011-7.25.....	220	MD 1073.....	229	MD 1115.....	165	MD 1168.....	179
LOT 3210.....	128	MD 1011-7.5.....	220	MD 1074.....	169	MD 1116.....	229	MD 1169.....	217
LOT 3916.....	128	MD 1011-8.....	220	MD 1075.....	187	MD 1117.....	165	MD 1170.....	224
LOT 4114.....	128	MD 1011-9.....	220	MD 1076.....	187	MD 1118.....	227	MD 1171.....	203
LOT 4228.....	128	MD 1011-9.125.....	220	MD 1077.....	229	MD 1119.....	232	MD 1172.....	223
LOT 4611.....	128	MD 1011-9.5.....	220	MD 1078.....	209	MD 1120.....	194	MD 1172FS.....	223
LOT 4812.....	128	MD 1012.....	160	MD 1079.....	216	MD 1121.....	233	MD 1173.....	224
LOT 5418.....	128	MD 1013.....	217	MD 1080.....	177	MD 1121SPLIT.....	233	MD 1174.....	178
LOT 5523.....	128	MD 1014.....	172	MD 1081.....	192	MD 1122.....	242	MD 1175A.....	174
LOT 5727.....	128	MD 1015.....	199	MD 1082.....	191	MD 1122SPLIT.....	242	MD 1175B.....	218
LOT 6025.....	128	MD 1016.....	225	MD 1083.....	210	MD 1123.....	166	MD 1176.....	242



Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
MD 1177.....	239	MD 1243.....	178	MD 1310.....	161	MD 1374.....	160	MD 1442CF.....	234
MD 1178.....	205	MD 1244.....	222	MD 1311.....	164	MD 1375.....	164	MD 1443-4.5CF.....	221
MD 1179.....	173	MD 1245.....	172	MD 1312.....	162	MD 1376.....	229	MD 1443-5.5CF.....	221
MD 1180.....	202	MD 1246.....	176	MD 1313.....	164	MD 1377.....	237	MD 1443-7.5CF.....	221
MD 1181.....	202	MD 1247.....	165	MD 1314.....	178	MD 1378.....	230	MD 1444.....	234
MD 1182.....	191	MD 1248.....	227	MD 1314L-8/12.....	178	MD 1379.....	209	MD 1445.....	229
MD 1183.....	162	MD 1249.....	242	MD 1314R-8/12.....	178	MD 1380WG.....	225	MD 1446L-10/12.....	178
MD 1184.....	220	MD 1250.....	183	MD 1315.....	239	MD 1381.....	238	MD 1446L-17/12.....	178
MD 1185.....	163	MD 1251.....	213	MD 1316.....	175	MD 1383.....	231	MD 1446R-10/12.....	178
MD 1186.....	165	MD 1252.....	199	MD 1317.....	236	MD 1384.....	180	MD 1446R-17/12.....	178
MD 1187.....	242	MD 1254.....	221	MD 1318.....	222	MD 1385.....	236	MD 1447.....	188
MD 1188.....	221	MD 1255.....	187	MD 1319.....	194	MD 1386.....	215	MD 1448.....	214
MD 1189.....	178	MD 1256.....	223	MD 1320.....	169	MD 1387.....	215	MD 1449.....	236
MD 1190.....	222	MD 1257.....	224	MD 1321.....	169	MD 1388.....	218	MD 1450.....	233
MD 1191.....	242	MD 1258.....	177	MD 1322.....	208	MD 1389.....	214	MD 1451.....	189
MD 1192.....	214	MD 1259.....	170	MD 1323.....	227	MD 1390.....	180	MD 1452.....	212
MD 1193.....	161	MD 1260.....	162	MD 1324.....	192	MD 1391.....	180	MD 1453.....	235
MD 1194.....	161	MD 1261.....	180	MD 1325.....	224	MD 1392.....	174	MD 1454.....	167
MD 1195.....	163	MD 1262.....	200	MD 1326.....	208	MD 1393.....	242	MD 1455.....	236
MD 1196.....	166	MD 1263.....	214	MD 1327A.....	161	MD 1394.....	210	MD 1456.....	237
MD 1197.....	161	MD 1264.....	180	MD 1327B.....	161	MD 1395.....	187	MD 1457.....	228
MD 1198.....	209	MD 1265.....	189	MD 1328.....	165	MD 1396.....	189	MD 1458.....	235
MD 1199.....	181	MD 1266.....	176	MD 1329-6.....	165	MD 1397.....	160	MD 1459.....	236
MD 1200.....	192	MD 1267.....	196	MD 1329-8.....	165	MD 1398.....	163	MD 1460.....	168
MD 1201SB.....	234	MD 1268.....	217	MD 1330.....	208	MD 1399.....	161	MD 1461.....	161
MD 1201WG.....	234	MD 1269.....	174	MD 1331.....	190	MD 1400.....	184	MD 1462.....	216
MD 1202.....	220	MD 1270.....	233	MD 1332.....	236	MD 1401.....	160	MD 1463.....	202
MD 1203.....	232	MD 1271.....	194	MD 1333.....	173	MD 1402.....	186	MD 1464.....	202
MD 1204.....	197	MD 1272.....	209	MD 1334.....	160	MD 1403.....	198	MD 1465.....	193
MD 1205.....	195	MD 1273.....	234	MD 1335.....	199	MD 1404.....	165	MD 1466.....	190
MD 1206.....	161	MD 1274.....	180	MD 1336.....	199	MD 1405.....	217	MD 1467.....	161
MD 1207.....	192	MD 1275.....	164	MD 1337.....	234	MD 1406.....	226	MD 1468.....	212
MD 1208.....	187	MD 1276.....	185	MD 1338.....	216	MD 1407.....	215	MD 1469.....	240
MD 1209.....	186	MD 1277.....	198	MD 1339.....	239	MD 1408.....	175	MD 1470.....	240
MD 1210.....	185	MD 1278.....	241	MD 1340.....	167	MD 1409.....	190	MD 1471.....	198
MD 1211.....	217	MD 1279.....	241	MD 1341.....	190	MD 1410.....	204	MD 1472.....	229
MD 1212.....	229	MD 1280.....	205	MD 1342.....	206	MD 1411.....	214	MD 1473.....	238
MD 1213.....	193	MD 1281.....	200	MD 1343.....	208	MD 1412A.....	175	MD 1474.....	218
MD 1214.....	227	MD 1282.....	241	MD 1344.....	164	MD 1412B.....	175	MD 1475.....	226
MD 1215.....	186	MD 1283.....	238	MD 1345.....	214	MD 1413.....	206	MD 1476.....	226
MD 1216.....	227	MD 1284.....	208	MD 1346.....	160	MD 1414.....	179	MD 1477.....	240
MD 1217.....	191	MD 1284FS.....	208	MD 1347.....	183	MD 1415.....	182	MD 1478.....	197
MD 1218.....	172	MD 1285.....	177	MD 1348.....	167	MD 1416.....	168	MD 1479.....	210
MD 1219.....	215	MD 1286.....	219	MD 1349.....	167	MD 1417.....	168	MD 1480.....	242
MD 1220.....	242	MD 1287.....	177	MD 1350.....	195	MD 1418.....	241	MD 1481.....	221
MD 1221.....	197	MD 1287L-10/12.....	177	MD 1351.....	198	MD 1419.....	203	MD 1482.....	229
MD 1222QUOIN.....	242	MD 1287R-10/12.....	177	MD 1352.....	217	MD 1420.....	212	MD 1483.....	231
MD 1223.....	188	MD 1288.....	177	MD 1353.....	242	MD 1421.....	173	MD 1484.....	171
MD 1223FS.....	188	MD 1289.....	178	MD 1354.....	196	MD 1422.....	210	MD 1485.....	235
MD 1224.....	234	MD 1290.....	238	MD 1355.....	183	MD 1423.....	163	MD 1486.....	224
MD 1225.....	186	MD 1291.....	166	MD 1356.....	174	MD 1424.....	223	MD 1487.....	182
MD 1226.....	182	MD 1292.....	168	MD 1357.....	181	MD 1425.....	231	MD 1488.....	164
MD 1227.....	190	MD 1293.....	177	MD 1358.....	189	MD 1426.....	173	MD 1489.....	193
MD 1228.....	238	MD 1294.....	177	MD 1359.....	164	MD 1427.....	228	MD 1490.....	167
MD 1229.....	192	MD 1296.....	166	MD 1360.....	164	MD 1428.....	168	MD 1491.....	163
MD 1230.....	191	MD 1297.....	195	MD 1361.....	185	MD 1429.....	195	MD 1492.....	209
MD 1231.....	203	MD 1298.....	242	MD 1362.....	162	MD 1430.....	200	MD 1493.....	166
MD 1232.....	220	MD 1299.....	169	MD 1363.....	226	MD 1431.....	241	MD 1494.....	228
MD 1233.....	160	MD 1300.....	211	MD 1364.....	227	MD 1432.....	197	MD 1495.....	224
MD 1234.....	206	MD 1301.....	225	MD 1365.....	225	MD 1433.....	188	MD 1496.....	163
MD 1235.....	175	MD 1302.....	211	MD 1366.....	201	MD 1434.....	189	MD 1497.....	179
MD 1236.....	203	MD 1303.....	230	MD 1367.....	160	MD 1435.....	223	MD 1498.....	233
MD 1237.....	161	MD 1304.....	239	MD 1368.....	167	MD 1436.....	184	MD 1499.....	212
MD 1238.....	234	MD 1305.....	189	MD 1369.....	208	MD 1437.....	207	MD 1500.....	207
MD 1239.....	165	MD 1306.....	232	MD 1370.....	238	MD 1438.....	185	MD 1501.....	196
MD 1240.....	162	MD 1307.....	192	MD 1371.....	191	MD 1439.....	223	MD 1502.....	169
MD 1241.....	162	MD 1308.....	166	MD 1372.....	227	MD 1440.....	239	MD 1503.....	223
MD 1242.....	170	MD 1309.....	166	MD 1373.....	179	MD 1441.....	164	MD 1504.....	167



Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
MD 1505.....	225	MD 1575.....	208	MD 1642CF.....	181	MD 1705.....	167	MD 1771.....	187
MD 1506.....	226	MD 1576.....	200	MD 1643CF.....	196	MD 1706.....	179	MD 1772.....	212
MD 1509RS.....	217	MD 1577.....	195	MD 1644CF.....	234	MD 1707.....	176	MD 1773.....	203
MD 1510.....	221	MD 1578.....	183	MD 1645CF.....	224	MD 1707L-12/12.....	176	MD 1774.....	176
MD 1511.....	220	MD 1579.....	201	MD 1646.....	187	MD 1707R-12/12.....	176	MD 1775.....	196
MD 1512.....	219	MD 1580.....	175	MD 1647CF.....	208	MD 1708.....	201	MD 1776CF.....	216
MD 1513.....	230	MD 1581.....	209	MD 1648.....	216	MD 1709.....	221	MD 1777CF.....	216
MD 1514.....	218	MD 1582RS.....	187	MD 1649.....	216	MD 1710.....	241	MD 1778CF.....	240
MD 1515.....	172	MD 1583.....	180	MD 1650.....	218	MD 1711.....	219	MD 1779.....	241
MD 1516.....	233	MD 1584.....	196	MD 1650CF.....	218	MD 1712.....	188	MD 1780.....	191
MD 1517.....	176	MD 1585.....	218	MD 1651CF.....	184	MD 1713.....	189	MD 1781.....	230
MD 1518.....	218	MD 1586.....	230	MD 1652.....	239	MD 1714.....	201	MD 1782.....	178
MD 1519.....	183	MD 1587.....	225	MD 1653.....	186	MD 1715.....	218	MD 1783.....	225
MD 1520.....	176	MD 1588.....	193	MD 1654.....	210	MD 1716.....	179	MD 1784.....	180
MD 1521.....	195	MD 1589.....	230	MD 1655.....	211	MD 1717.....	186	MD 1785.....	231
MD 1522.....	227	MD 1590.....	234	MD 1656.....	211	MD 1718.....	210	MD 1786.....	168
MD 1523.....	237	MD 1591.....	226	MD 1657.....	240	MD 1719.....	211	MD 1787.....	228
MD 1524.....	226	MD 1592.....	230	MD 1658.....	240	MD 1720.....	211	MD 1788.....	199
MD 1525.....	189	MD 1593.....	201	MD 1659.....	235	MD 1721.....	211	MD 1789.....	176
MD 1526.....	184	MD 1594.....	229	MD 1660.....	218	MD 1722.....	206	MD 1790.....	182
MD 1527.....	227	MD 1595.....	235	MD 1661.....	198	MD 1723.....	211	MD 1791.....	212
MD 1528.....	242	MD 1596.....	235	MD 1662.....	240	MD 1724.....	169	MD 1792.....	200
MD 1529.....	233	MD 1597A.....	235	MD 1663.....	204	MD 1725.....	202	MD 1793.....	240
MD 1530.....	234	MD 1597B.....	235	MD 1664.....	205	MD 1726.....	188	MD 1794.....	176
MD 1531.....	191	MD 1598.....	196	MD 1665.....	203	MD 1727.....	190	MD 1795.....	207
MD 1532.....	227	MD 1599.....	186	MD 1666.....	160	MD 1728.....	228	MD 1796.....	165
MD 1533FS.....	189	MD 1600.....	184	MD 1667.....	235	MD 1729.....	161	MD 1797.....	162
MD 1534.....	197	MD 1601.....	191	MD 1668.....	175	MD 1730.....	212	MD 1798.....	221
MD 1535.....	228	MD 1602.....	179	MD 1669.....	236	MD 1731.....	213	MD 1799.....	204
MD 1536WG.....	160	MD 1603.....	162	MD 1670.....	169	MD 1732.....	212	MD 1800.....	200
MD 1537.....	169	MD 1604.....	209	MD 1671.....	167	MD 1733.....	190	MD 1801.....	217
MD 1538.....	238	MD 1605.....	184	MD 1672.....	188	MD 1734.....	211	MD 1802.....	217
MD 1539.....	197	MD 1606.....	235	MD 1673.....	228	MD 1735.....	185	MD 1803.....	162
MD 1540.....	224	MD 1607.....	217	MD 1674.....	208	MD 1736.....	190	MD 1805.....	162
MD 1541.....	194	MD 1608.....	241	MD 1675.....	185	MD 1737.....	186	MD 1806.....	239
MD 1542.....	194	MD 1609.....	241	MD 1676.....	229	MD 1738.....	215	MD 1807.....	194
MD 1543.....	179	MD 1610.....	197	MD 1677.....	225	MD 1739.....	193	MD 1808.....	192
MD 1544.....	208	MD 1611.....	207	MD 1678.....	209	MD 1740.....	181	MD 1809.....	208
MD 1545.....	240	MD 1612.....	183	MD 1679.....	239	MD 1741.....	184	MD 1810.....	191
MD 1546.....	188	MD 1613.....	183	MD 1680.....	223	MD 1742.....	236	MD 1811.....	233
MD 1547.....	186	MD 1614.....	183	MD 1681.....	204	MD 1743.....	213	MD 1812.....	186
MD 1548.....	208	MD 1615.....	162	MD 1682.....	238	MD 1744.....	224	MD 1813.....	187
MD 1549.....	208	MD 1616.....	227	MD 1683.....	222	MD 1745.....	228	MD 1814.....	166
MD 1550.....	195	MD 1617.....	193	MD 1684.....	230	MD 1746.....	230	MD 1815.....	228
MD 1551.....	203	MD 1618.....	195	MD 1685.....	187	MD 1747.....	229	MD 1816.....	235
MD 1552.....	203	MD 1619.....	232	MD 1686.....	197	MD 1748.....	231	MD 1817.....	195
MD 1553.....	218	MD 1620.....	233	MD 1687.....	234	MD 1749.....	190	MD 1818.....	213
MD 1554.....	222	MD 1621FS.....	230	MD 1688.....	178	MD 1750.....	201	MD 1819.....	213
MD 1555.....	214	MD 1622FS.....	209	MD 1689RS.....	241	MD 1751.....	242	MD 1820.....	226
MD 1556.....	165	MD 1623.....	209	MD 1690.....	163	MD 1752.....	226	MD 1821.....	230
MD 1557.....	181	MD 1624.....	192	MD 1691.....	163	MD 1753.....	199	MD 1822.....	231
MD 1558.....	190	MD 1625.....	226	MD 1692.....	187	MD 1754.....	186	MD 1823.....	239
MD 1559.....	221	MD 1626.....	191	MD 1693.....	197	MD 1755.....	213	MD 1824.....	163
MD 1560.....	235	MD 1627.....	178	MD 1694.....	197	MD 1756.....	174	MD 1825.....	191
MD 1561.....	231	MD 1628.....	218	MD 1695.....	232	MD 1757.....	210	MD 1826.....	182
MD 1562.....	207	MD 1629.....	217	MD 1695SPLIT.....	232	MD 1758.....	218	MD 1827.....	216
MD 1563.....	206	MD 1630.....	215	MD 1696.....	190	MD 1759.....	219	MD 1828.....	185
MD 1564.....	167	MD 1631.....	220	MD 1697.....	198	MD 1760.....	175	MD 1829.....	185
MD 1565.....	226	MD 1632.....	215	MD 1698.....	222	MD 1761.....	200	MD 1830.....	230
MD 1566.....	201	MD 1633.....	197	MD 1699.....	218	MD 1762.....	175	MD 1831.....	224
MD 1567.....	202	MD 1634.....	221	MD 1700.....	210	MD 1763.....	200	MD 1832.....	191
MD 1568.....	231	MD 1635.....	210	MD 1701.....	174	MD 1764.....	199	MD 1833.....	183
MD 1569.....	205	MD 1636.....	166	MD 1701L-6.5/12.....	174	MD 1765.....	232	MD 1834.....	207
MD 1570.....	205	MD 1637.....	222	MD 1701R-6.5/12.....	174	MD 1766.....	232	MD 1835.....	228
MD 1571.....	201	MD 1638.....	180	MD 1702.....	188	MD 1767.....	168	MD 1836.....	191
MD 1572.....	201	MD 1639.....	180	MD 1703.....	232	MD 1768.....	182	MD 1837.....	212
MD 1573.....	168	MD 1640.....	223	MD 1703SPLIT.....	232	MD 1769.....	182	MD 1838.....	214
MD 1574.....	208	MD 1641.....	223	MD 1704.....	202	MD 1770.....	237	MD 1839.....	215



Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
MD 1840.....	215	MD 1919.....	174	NC 2313	33	OVAL 2032 DG.....	149	PP 7018.....	114, 115
MD 1841.....	176	MD 1920.....	194	NC 2314	33	OVAL 2032 SG.....	149	PP 8421.....	114, 115
MD 1842.....	199	MD 1921.....	213	NC 2315	33	PAADS 2231	129	PP 9023.....	114, 115
MD 1843.....	229	MD 1922.....	196	NC 2315FS.....	33	PD 25102.....	121	PP 9825.....	114, 115
MD 1844.....	231	MD 1924.....	193	NC 2316	33	PD 3643	121	PQ 3500.....	150
MD 1845.....	182	MD 1925.....	195	NC 2316FS.....	33	PF 103F.....	36	PQ 3501.....	150
MD 1849.....	223	MD 1926.....	213	NC 2317	33	PF 103H.....	36	PQ 3502.....	150
MD 1850.....	209	MD 1927.....	206	NC 2319	33	PF 11F.....	36	PQ 3503.....	150
MD 1851.....	239	MD 1928.....	204	NC 2320	33	PF 11H.....	36	PQ 3504.....	150
MD 1852.....	237	MD 1929.....	178	NC 2325	33	PF 14F.....	36	PT 01.....	36
MD 1853.....	214	MD 1930.....	172	NC 2325A.....	33	PF 14H.....	36	PWH 4421	121
MD 1854.....	238	MD 1931.....	169	NC 2332	33	PL 11108F.....	116	QN 102.....	148
MD 1855.....	228	MD 1933.....	235	NC 2332A.....	33	PL 1144L.....	117	QN 103.....	148
MD 1856.....	199	MD 1934.....	210	NC 2333	33	PL 1144R.....	117	QN 104.....	148
MD 1857.....	236	MD 1935.....	196	NC 2334	33	PL 1190P.....	116	QN 105.....	148
MD 1858.....	193	MD 1936.....	192	NC 2334FS.....	33	PL 1296F.....	116	QN 106.....	148
MD 1859.....	193	MD 1937.....	181	NC 2337	33	PL 18120F.....	116	R 1322-37	142
MD 1860.....	237	MD 1938.....	194	NC 2337FS.....	33	PL 284F.....	118	R 2424-37	142
MD 1861.....	207	MD 1939.....	182	NC 2341	33	PL 284P.....	118	R 3535-35	142
MD 1862.....	184	MD 1940.....	161	NC 2342	33	PL 3100LF.....	117	R 5858-58	142
MD 1869.....	202	MD 1941.....	199	NC 2344	33	PL 452F.....	116	RAL 2100B.....	28
MD 1870.....	178	MD 1942.....	229	NC 2345	33	PL 490F.....	117	RAL 2100B-CF.....	28
MD 1871.....	184	MD 1943.....	216	NC 2348	33	PL 490LF.....	117	RAL 2100B-FS.....	28
MD 1872.....	236	MD 1944.....	224	NC 2349CF.....	33	PL 5108.....	117	RAL 2100T.....	28
MD 1873.....	189	MD 1945.....	198	NC 2349FS.....	33	PL 590DP.....	116	RAL 2100T-CF.....	28
MD 1874.....	182	MD 1946.....	242	NC 2350	33	PL 590ED.....	117	RAL 2100T-FS.....	28
MD 1875.....	181	MD 1947.....	188	NC 2351	33	PL 590F.....	116	RAL 2101B.....	28
MD 1876.....	181	MD 1948.....	198	NC 2356	33	PL 590P.....	116	RAL 2101B-FS.....	28
MD 1877.....	223	MD 1949.....	217	NCOP2100-13.....	37	PL 6108.....	117	RAL 2101T.....	28
MD 1878.....	194	MD 1950.....	196	NCOP2110-12.....	37	PL 6108F.....	116	RAL 2101T-FS.....	28
MD 1879.....	230	MD 1951.....	228	NP 2200.....	31	PL 690DP.....	116	RAL 2101B.....	28
MD 1880.....	216	MD 1952.....	216	NP 2200A.....	31	PL 690F.....	116	RAL 2101T.....	28
MD 1881.....	212	MD 1953.....	193	NP 2201.....	31	PL 690LF.....	117	RAL 2103B.....	28
MD 1882.....	220	MD 1954.....	193	NP 2201A.....	31	PL 690P.....	116	RAL 2104B.....	28
MD 1883.....	232	MD 1955.....	196	NP 2206.....	31	PL 696F.....	116	RAL 2104T.....	28
MD 1884.....	232	MD 1956.....	219	NP 2206A.....	31	PL 7102F.....	116	RAL 2105B.....	28
MD 1885.....	175	MD 1957.....	226	NP 2207.....	31	PL 755F.....	116	RAL 2105T.....	28
MD 1886.....	173	MD 1958.....	237	NP 2207A.....	31	PL 769F.....	116	RAL 2106T.....	30
MD 1887.....	204	MD 1959.....	188	NP 2208CF.....	31	PL 790DP.....	116	RAL 2107T.....	30
MD 1888.....	181	MD 1962.....	219	NP 2208FS.....	31	PL 790F.....	116	RAL 2108T-FS.....	30
MD 1889.....	160	MD 1963.....	222	NP 2209FS.....	31	PL 790P.....	116	RAL 2110B.....	29
MD 1890.....	202	MD 1964.....	181	NP 2210.....	32	PL 793SM.....	116	RAL 2110T.....	29
MD 1891.....	183	MD 1966.....	213	NP 2211.....	32	PL 890DP.....	116	RAL 2111B.....	29
MD 1892.....	190	MD 1967.....	198	NP 2211FS.....	32	PL 890F.....	116	RAL 2111T.....	29
MD 1893.....	184	MD 1968.....	205	NP 2212.....	32	PL 890P.....	116	RAL 2112T.....	29
MD 1894.....	165	MD 1969.....	184	NP 2218.....	32	PL 9102DP.....	116	RAL 2113B-SS.....	29
MD 1895.....	183	MR 3250.....	141	NP 2220.....	31	PL 9102P.....	116	RAL 2113T-SS.....	29
MD 1897.....	211	MR 3251.....	141	NP 2220A.....	31	PL 960F.....	116	RAL 2114B.....	29
MD 1898.....	200	MR 3252.....	141	NP 2228.....	32	PL 990DP.....	116	RAL 2114T.....	29
MD 1899.....	216	MR 3253.....	141	NP 2233-42.....	32	PL 990F.....	116	RAL 2115T.....	30
MD 1900.....	217	MR 3254.....	141	NP 2233-50.....	32	PL 990P.....	116	RAL 2116T.....	30
MD 1901.....	164	MR 3255WG.....	141	NR 10.....	106, 107	PL 999F.....	116	RAL 2117T.....	30
MD 1902.....	164	MR 3256.....	141	NR 12.....	106, 107	PN 3600.....	150	RAL 2119B.....	29
MD 1903.....	194	MR 3257.....	141	NR 14.....	106, 107	PP 3200.....	109	RAL 2119T.....	29
MD 1904.....	184	MR 3258.....	141	NR 16.....	106, 107	PP 3201.....	109	RAL 2120B.....	30
MD 1905.....	211	NC 2300.....	33	NR 6.....	106, 107	PP 3202.....	109	RAL 2121B.....	29
MD 1906.....	211	NC 2300A.....	33	NR 8.....	106, 107	PP 3203.....	109	RAL 2121T.....	29
MD 1907.....	216	NC 2301.....	33	OT 3800-1824.....	153	PP 3204.....	110	RAL 2122T.....	30
MD 1908.....	216	NC 2301A.....	33	OT 3800-2030.....	153	PP 3205.....	110	RAL 2124B.....	30
MD 1909.....	186	NC 2304.....	33	OT 3800-2335.....	153	PP 3206.....	110	RAL 2125B.....	29
MD 1910.....	225	NC 2305.....	33	OT 3800-3346.....	153	PP 3207.....	110	RAL 2125T.....	29
MD 1911.....	227	NC 2306.....	33	OT 3800-4052.....	153	PP 3208.....	110	RAL 2126T.....	30
MD 1912.....	238	NC 2307.....	33	OTK 3800-1928.....	153	PP 3209.....	109	RBC 10108.....	108
MD 1913.....	236	NC 2307A.....	33	OTK 3800-2436.....	153	PP 3210.....	109	RBC 1096.....	108
MD 1915.....	236	NC 2308.....	33	OTK 3801-1624.....	153	PP 3211.....	109	RBC 860.....	108
MD 1916.....	206	NC 2310.....	33	OTK 3801-2948.....	153	PP 3212.....	109	RBC 896.....	108
MD 1917.....	206	NC 2311.....	33	OTK 3801-3046.....	153	PP 5314.....	114, 115	RBCS 10108.....	108
MD 1918.....	189	NC 2312.....	33	OTK 3801-3656.....	153	PP 5715.....	114, 115	RBCS 1096.....	108



Product	Page	Product	Page	Product	Page	Product	Page	Product	Page
RBCS 860	108	SHL-2 1672	248	SHP-3 1865	249	WP 2730	151		
RBCS 896	108	SHL-2 1696	248	SHP-3 1867	249	WP 2832S	151		
RH 5319	114, 115	SHL-2 1769	248	SHP-3 1877	249	WP 3229S	151		
RH 5718	114, 115	SHL-2 1830	248	SHP-3 1896	249	WP 3729S	151		
RH 7022	114, 115	SHL-2 1836	248	SHR 2613	119	WP 3732S	151		
RH 8424	114, 115	SHL-2 1837	248	SHR 3819	119	WP 4432S	151		
RH 9024	114, 115	SHL-2 1840	248	SHR 5025	119	WP 4630	151		
RH 9826	114, 115	SHL-2 1842	248	SHR 6030	119	WP 6024	151		
RP 2418	27	SHL-2 1848	248	SMN 2500FW	244				
RP 3900	27, 151	SHL-2 1855	248	SMN 2500S	244				
RP 3901	27	SHL-2 1860	248	SMN 2501FW	244				
RP 3902	27	SHL-2 1864	248	SMN 2501S	244				
RP 3903	151	SHL-2 1867	248	SMN 2502FW	244				
RP 3904	151	SHL-2 1872	248	SMN 2502S	244				
RP 3905	151	SHL-2 1876	248	SMN 2503	244				
RP 3906	151	SHL-2 1878	248	SP 5315	114, 115				
RP 3907	27, 151	SHL-2 1881	248	SP 5716	114, 115				
RP 3908	27	SHL-2 1896	248	SP 7018	114, 115				
RP 3909	27, 151	SHL-2 2062	248	SP 8423	114, 115				
RP 3910	151	SHL-2 2448	248	SP 9021	114, 115				
RP 3911	27	SHL-2 2460	248	SP 9825	114, 115				
RP 1536	150	SHP-1 1624	249	SPM 5119	144				
RP 1612	150	SHP-2 1371	249	ST 12	141				
RW 24 DG	149	SHP-2 1457	249	ST 18	141				
RW 24 LG	149	SHP-2 1460	249	ST 3	141				
SB 3100L	148	SHP-2 1472	249	ST 6	141				
SB 3100R	148	SHP-2 1635	249	SUP 01	35				
SBC 10120	108	SHP-2 1639	249	SUP 02	35				
SBC 10144	108	SHP-2 1647	249	SUP 03	35				
SBC 1060	108	SHP-2 1647.5	249	SUP 04	35				
SBC 1096	108	SHP-2 1651	249	SUP 05	35				
SBC 8120	108	SHP-2 1655	249	SUP 06	35				
SBC 8144	108	SHP-2 1659	249	SUP 07	35				
SBC 860	108	SHP-2 1663	249	SUP 08	35				
SBC 896	108	SHP-2 1667	249	TR 1212A	154				
SBCS 10120	108	SHP-2 1671	249	TR 1212B	154				
SBCS 10144	108	SHP-2 1675	249	TRB 100A	154				
SBCS 1060	108	SHP-2 1677	249	TRB 100B	154				
SBCS 1096	108	SHP-2 1681	249	TRB 100C	154				
SBCS 8120	108	SHP-2 1686	249	TRB 101A	154				
SBCS 8144	108	SHP-2 1863	249	TRB 101B	154				
SBCS 860	108	SHP-2 1872	249	TRB 101C	154				
SBCS 896	108	SHP-2 2056	249	TRB 103A	154				
SHA 1890L	249	SHP-2 2454	249	TRB 103B	154				
SHA 1890R	249	SHP-2 2472	249	TRB 103C	154				
SHC 4424	119	SHP-2 2492	249	VG 100	148				
SHC 4824	119	SHP-2 928	249	VG 101	148				
SHC 5025	119	SHP-3 1472	249	VG 102	148				
SHC 5828	119	SHP-3 1635	249	VG 103	148				
SHC 6630	119	SHP-3 1639	249	VG 104	148				
SHL-1 1872	248	SHP-3 1647	249	VG 105	148				
SHL-1 2064	248	SHP-3 1651	249	VG 106	148				
SHL-1 2460	248	SHP-3 1655	249	VG 109	148				
SHL-1 3696	248	SHP-3 1659	249	WH 33-100	121				
SHL-2 1230	248	SHP-3 1663	249	WH 33-101	121				
SHL-2 1236	248	SHP-3 1667	249	WH 34-100	121				
SHL-2 1240	248	SHP-3 1671	249	WN 2550	245				
SHL-2 1248	248	SHP-3 1675	249	WN 2550SH	245				
SHL-2 1260	248	SHP-3 1677	249	WN 2551	245				
SHL-2 1272	248	SHP-3 1681	249	WN 2552	245				
SHL-2 1449	248	SHP-3 1686	249	WN 2552SH	245				
SHL-2 1459	248	SHP-3 1839	249	WN 2553	245				
SHL-2 1472	248	SHP-3 1842	249	WN 2554SH	245				
SHL-2 1640	248	SHP-3 1848	249	WN 2555SH	245				
SHL-2 1645.5	248	SHP-3 1852	249	WN 2556	245				
SHL-2 1647.5	248	SHP-3 1855	249	WN 2557SH	245				
SHL-2 1648	248	SHP-3 1862	249	WP 1825	151				
SHL-2 1671	248	SHP-3 1864	249	WP 2432S	151				





Spectis Moulders Inc. is a full service moulded millwork company. We offer an extensive line of over 5,500 catalogue items and pride ourselves on being able to custom mould any “new” item that may be needed. With in-house engineering, design, drafting, CNC machining, and hand carving capabilities, Spectis Moulders has tools in place to quickly create the most intricate of designs.

“ We have dealt with many manufacturers of polyurethane moulded products and Spectis is far and away the most reliable in terms of service, quality and price. Their willingness and ability to do custom profiles and complex projects makes them unique among their competition. Our customers demand only the best products and service in the marketplace and Spectis always delivers. ”

Mark R. White
Architectural Elements

“ Our customers get the best price, product and results. That’s why they are OUR customers!
Thanks Spectis! ”

James M. Evans, Pres.
Wood-N-Wings, Inc.



SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

BOARD AND BATTEN SHUTTER ORDER FORM

COMPANY

ADDRESS

ZIP CODE/POSTAL CODE

CONTACT NAME

PHONE

FAX

SHIP TO

ADDRESS

PURCHASE ORDER #

ATTN

QUANTITY	WIDTH	HEIGHT	NO. OF BATTENS	RECTANGULAR STYLE	ARCHED* STYLE	ELLIPTICAL* STYLE	PRICE

1. PHOTOCOPY ORDER FORM
2. KEEP A COPY ON FILE

3. FILL OUT AND PLACE ORDER
4. FAX DIRECT 204-388-6710

FREIGHT

TAXES

TOTAL

All board and batten will have weathered cedar texture.

*Arched & Elliptical style shutters will ship as 1 left and 1 right, unless otherwise requested.

TERMS & CONDITIONS

TERMS:

- Pricing is subject to change without notice.

CUSTOM ORDERS:

- No returns or cancellations of custom order product.

RETURNS OF CATALOGUE PRODUCTS:

- Customer must get a return number from a Spectis Sales Representative before returning any catalogued product.
- A 30% restocking charge will be charged to the customer's account.
- Any returns must be sent pre-paid freight by the customer.
- No product can be returned after 180 days from the date of original invoice.

SHIPPING TIME:

- On standard product orders, Spectis will ship within 10 working days from date of order.
- On larger orders, a delivery time will be given by your Spectis Sales Representative.
- On custom product orders, a delivery time will be given by your Spectis Sales Representative.

FREIGHT:

- All freight is F.O.B. factory. If the order is over \$2,500.00 net on standard products, Spectis will prepay the freight. This freight policy is for the mainland of North America only.

PACKAGING:

- We pack your orders very carefully so your order will arrive in good condition. If damage occurs in transit, notify Spectis within 48 hrs. so the claim can be placed with the freight carrier.



COMPANY

ADDRESS**ZIP CODE/POSTAL CODE**

CONTACT NAME

PHONE

FAX

SHIP TO

ADDRESS

PURCHASE ORDER #

ATTN

1. PHOTOCOPY ORDER FORM
2. KEEP A COPY ON FILE

3. **FILL OUT AND PLACE ORDER**
4. **FAX DIRECT 204.388.6710**

FREIGHT

TAXES

TOTAL

TERMS:

- Pricing is subject to change without notice.

CUSTOM ORDERS:

- No returns or cancellations of custom order product.

RETURNS OF CATALOGUE PRODUCTS:

- Customer must get a return number from a Spectis Sales Representative before returning any catalogued product.
- A 30% restocking charge will be charged to the customer's account.
- Any returns must be sent pre-paid freight by the customer.
- No product can be returned after 180 days from the date of original invoice.

SHIPPING TIME:

- On standard product orders, Spectis will ship within 10 working days from date of order.
- On larger orders, a delivery time will be given by your Spectis Sales Representative.
- On custom product orders, a delivery time will be given by your Spectis Sales Representative.

FREIGHT:

- All freight is F.O.B. factory. If the order is over \$2,500.00 net on standard products, Spectis will prepay the freight. This freight policy is for the mainland of North America only.

PACKAGING:

- We pack your orders very carefully so your order will arrive in good condition. If damage occurs in transit, notify Spectis within 48 hrs. so the claim can be placed with the freight carrier.



We will build anything



JUST SOME OF OUR FINE CUSTOMERS

BEAU RIVAGE CASINO
CHRISTMAS TREE SHOPS
CHURCHILL DOWNS
CLUB MED
CORONADO BAY CLUB APTS.
DOLE PLANTATION
DOLLYWOOD THEME PARK
ENGLISH ROWES CONDOS
FAIRFAX CITY HALL
THE FAIRWAYS AT MAUNA LANI
FLORIDA SCHOOL FOR THE DEAF & BLIND
GRAND FLORIDIAN HOTEL

HARVARD UNIVERSITY
HILTON HAWAIIAN WEDDING CHAPEL
HUTTON BUSINESS BUILDING
ILSE OF CAPRI CASINO
INDIAN POND COUNTRY CLUB
JACKSONVILLE PUBLIC LIBRARY
KAPOLEI PUBLIC LIBRARY
THE MANOR AT GARRISON WOODS

MARINA SAN PABLO RESORT
MASONIC TEMPLE
MILWAUKEE ELECTRIC BUILDING
OUR LADY OF HOPE CHURCH
PINE BROOK COUNTRY CLUB
RENAISSANCE CONDO PROJECT
RIDGE MANSION
RITZ CARLTON HOTEL
RUTH CHRIS STEAK HOUSE
SEATTLE SCHOOL DISTRICT

STAMFORD YACHT CLUB
UNIVERSITY OF FLORIDA @

UNIVERSITY OF MAINE
WALGREENS PHARMACY
THE WAUREGAN HOTEL
WEDGEWOODS VILLAS

Bilioxi, MS
 North Syracuse, NY
 Louisville, KY
 Bahamas
 Las Vegas, NV
 Wahiawa, HI
 Pigeon Forge, TN
 Chicago, IL
 Fairfax, VA
 Mauna Lani, HI
 St. Augustine, FL
 Disney World, FL

Cambridge, MA
 Honolulu, HI
 Williamsburg, KY
 Kansas City, KS
 Kingston, MA
 Jacksonville, FL
 Kapolei, HI
 Calgary, AB, Canada

Jacksonville, FL
 Portsmouth, NH
 Milwaukee, MS
 Potomac Falls, VA
 Weston, MA
 Long Beach, NJ
 Baltimore, MA
 Kissimmee, FL
 King of Prussia, PA
 Seattle, WA

Stamford, CT
 Gainesville, FL

Orano, ME
 Vancouver, WA
 Norwich, CT
 Calgary, AB Canada

Large Bracket & Acoms
 Louvers, Railing System, Mouldings & Shutters
 Railing System
 Door & Window Casings & Custom Gingerbread
 Railing System
 Railing System
 Columns & Blocks
 Railing System & Columns
 Large Cornice, Rooftop Railing System
 Cast Coral Stone Grilles, Crown Mldg
 Mouldings, Custom Brackets
 Exterior Trim & Moulding, Window Headers, Gingerbread
 Dana Palmer House – Railing System
 Blocks, Railing System & Mouldings
 Cumberland College – Railing System
 Custom Bamboo Canopies
 Railing System
 Custom Columns & Capitals
 Exterior Mouldings
 Columns, Sunburst, Louvers, Railing System, Window Surrounds
 Columns & Brackets
 Reproduction of Historic Railing System
 Custom Cresting
 Radius Beams & Stars
 Custom Cornice & Railing System
 Railing System
 Custom Railing System
 Custom Crown Moulding
 Railing System, Medallions, Mouldings
 COE Elementary Restoration – Custom Pilasters, Cornice, Cornice Moulding, Custom Window Headers, Corner Boards
 Custom Crown
 Oak Hammock Alumni Residence – Panels & Headers, Railing System, Custom Window
 Custom Cornice
 Custom Square Fluted Columns & Brackets
 Historical Restoration of Headers & Trim
 Box Columns in Rough Sawn Cedar



SPECTIS™
MOULDERS INC.
Custom Polyurethane Products

P.O. BOX 970
100 CEDAR DRIVE
NIVERVILLE, MANITOBA
CANADA R0A 1E0

BOX 479
PEMBINA,
NORTH DAKOTA
58271-0479
U.S.A.

204 • 388 • 6700
800 • 685 • 9981
FAX : 204 • 388 • 6710
www.spectis.com

