

Harness pleasant natural light

**and make those special places even more so.**


Designer Awnings for Conservatories, Glass Canopies and Windows

markilux

The best under the sun



**Full details**
can be found at markilux.com



# The sun smiles down on an awning.
# **Life smiles on you under a markilux.**

**Set the temperature to your comfort level**

Natural light and sunshine enhance the quality of life – indoors and outdoors – like few other things. No artificial light source comes close. Depending on the sun's position and the time of year, sunlight can also be too much of a good thing. To ensure you can enjoy precious moments to the full, markilux designer awnings protect your conservatories, glass canopies and living spaces from excessive sunlight. They ensure a more comfortable room temperature and reliable anti-glare protection.

markilux's high-quality, fabric shading systems are as elegant as they are robust. Across the board. Outstanding. Excellent.

**markilux** designer awnings have received a multitude of awards:

german brand award 24 winner

The Major Brands in Germany 2024

PLUS X AWARD markilux MOST INNOVATIVE BRAND 2017

GERMAN DESIGN AWARD WINNER 2018


reddot design award winner 2017

| Brand

| e.g. markilux 779/879

# Reduced to the essence: Free. Time.
## Premium quality made in Germany.

For over 50 years, markilux has been developing and manufacturing top-quality solar protection solutions. markilux designer awnings are characterised by their first-rate, multi-award-winning design and innovative technology. The production of awning and cover under one roof is the essence of what markilux “Made in Germany” represents, with the aim of making an al fresco lifestyle comfortable, convenient and enjoyable. With markilux, you can turn your favourite spot outdoors into something extra special. **The best under the sun. Create the most alluring shade in the world.**



**markilux quality**
High-quality materials and a comprehensive quality management system ensure that every markilux designer awning has a long operating life. As a company, markilux is certified to DIN EN ISO 9001.



**markilux functionality**
markilux combines innovative technologies and smart solutions to create high-end products. A multitude of accessories and operating options make it possible to individualise your markilux designer awning in line with your own personal wishes.



markilux



**markilux service**
The combination of a brand product with competent advice and professional installation on site makes your solution perfect. Qualified markilux specialist dealers offer a comprehensive service and are the personal contact in your vicinity.

Member of **Rat für Formgebung**
German Design Council



**markilux design**
It is the perfect combination of form and function that turns an awning into a markilux designer awning. In this respect, markilux relies on its long-standing experience in R&D and design.




**markilux above glass and underglass awnings**
A full exposé can be found at markilux.com

markilux





**Textile ambience**
markilux offers more than 200 timelessly beautiful patterns in the highest quality – the decision is yours.



**Excellent design**
markilux has the awning that matches your home perfectly, both outside and inside.



**Comfort whatever the weather**
Infrared heaters as well as smart operation technology for all markilux glass canopy awnings make the comfort unique and perfect.



# Make the most of the weather **however it turns out.**

**Your home. Your markilux.**
Would you like to shade your conservatory in a stylish manner? Are you looking for an awning for your glass canopy which unites impressive functionality and attractive design?

**Above glass awnings** from markilux provide effective heat protection: the sun's rays are caught by the cover before they enter the conservatory. The full room height remains available. If you opt for an **underglass awning**, the cover is perfectly protected from the wind and weather and lighting options cleverly highlight your favourite spot.



**Perfect solutions**
Not possible? Of course they are. Together with your markilux specialist dealer you will find the perfect solution for every situation.

# This is what we mean by **a successful up-grade.**

**A magnificent design that casts its shade wide**

The perfect solar shading solution for glass canopies and conservatories. The high-grade above glass awning markilux 7800 with classic, angular cassette design integrates itself perfectly into the minimalist, modern architectural building style of today. The sophisticated, long-proven tensioning system and optional markilux tracfix system provide excellent cover tension – even at larger widths and extensions.

**Above glass awning**
maximum 700 × 450 cm
maximum 500 × 700 cm

**Cassette**
200 × 160 mm

**Wind resistance class 3**
wind speed, Beaufort force 6
→ 38 – 48 km/h; 24 – 30 mph


**Options**
tracfix,
coupled awning



mx_7800
Show the sun its limits. The above glass awning markilux 7800 protects your favourite sitting area from direct sunlight and reduces the build up of heat.







**In perfect harmony with one another**
The classic, angular cassette design harmoniously matches the modern shape of your conservatory.



**On the outside square and chunky. On the inside nicely rounded off.**
The design: fantastic. The technology: reliable. Shade your conservatory of up to 700 × 450 cm or 500 × 700 cm with a single awning cover of your choice – or much larger areas using a coupled awning.

**Reliable cover guidance**
The markilux tracfix system closes the gap between the guide track and the cover and maintains optimum cover tension.

**Above glass awning mx 8800**
maximum 700 × 450 cm
maximum 500 × 700 cm

**Cassette**
Ø 187 mm

**Wind resistance class 3**
wind speed, Beaufort force 6
→ 38 – 48 km/h; 24 – 30 mph

**Options**
tracfix,
coupled awning

**Above glass awning mx 8850**
maximal 650 × 400 cm
maximal 500 × 500 cm

**Cassette**
Ø 187 mm


**Wind resistance class 2**
wind speed, Beaufort force 5
→ 28 – 37 km/h; 17 – 23 mph

DESIGN AWARD 2012

German Design Award
SPECIAL MENTION 2014



mx_8800
Excellent solar protection for up to 36 m² with a single cover.
Even larger glass surfaces can easily be shaded with a coupled awning.



# Once on top. **Always on top.**

**Enjoy life in your conservatory even on the hottest of days**
Your markilux above glass awning reflects glaring sunlight, UV light as well as a considerable proportion of heat radiation and at the same time immerses your conservatory in pleasant natural daylight. Heat remains outside while you can properly enjoy being inside. For large areas of glass – whether classic or hipped roofs – enjoy pleasant temperatures and create your very own dream conservatory with this round cassette awning.



mx_8850
Perfect for hipped roof conservatories: the lateral guide tracks can be indented by up to 100 cm.



**Excellent design**
Elegant and functional. The full cassette protects the cover in all weathers.



mx_770

Exceptionally compact at only 125 × 125 mm, the square full cassette completely protects the awning cover.



mx_870

With a diameter of just 130 mm, the round cassette harmoniously nestles against the conservatory and provides all-round protection to the retracted cover.



**A well-rounded affair. Even when square.**

With the small above glass awnings markilux 770 and 870, shade areas of up to 450 × 400 cm in style and enjoy the convenience and quality of markilux for many years to come.



# **Big impact.** Small format.



**Above glass awning**
maximum 450 × 400 cm

**Cassette**
mx 770: 125 × 125 mm
mx 870: Ø 130 mm

**Wind resistance class 3**
wind speed, Beaufort force 6
→ 38 – 48 km/h; 24 – 30 mph

GERMAN DESIGN AWARD WINNER 2018

reddot design award winner 2017

**Quiet. Practical. Unobtrusive.**
Both the square above glass markilux 770 awning and its round counterpart are quiet. Noise-reducing closing guides ensure the awning retracts with the minimum of noise.

# Shade at its core.
# **Illumination on the patio.**



### Design in the best light

The clean lines of the markilux 679 team up elegantly with those of your patio canopy, creating a harmonious unit. Acting as genuine solar protection during the day, this underglass awning shows its dazzling apperance in the evening. The LED-Line with warm white and coloured lighting is perfectly integrated into the cassette or guide tracks and can be controlled intuitively by app. markilux 679 – the ideal way to illuminate any and every patio.

**Underglass awning**
maximum 650 × 500 cm
maximum 500 × 600 cm

**Cassette**
205 × 160 mm

**Wind resistance class 3**
wind speed, Beaufort force 6
→ 38 – 48 km/h; 24 – 30 mph

**Options**
coloured lighting (RGB-WW),
LED-Line cassette,
LED-Line guide tracks,
shadeplus (manual)



**markilux shadeplus**
The optional awning cover offers protection from the sun when it is low in the sky as well as prying eyes. It is perfectly integrated into the front profile.

# mx_679



mx_679

The markilux closed tensioning system with integrated gas pistons and tracfix cover guidance ensures optimum awning cover stability, whatever the stage of extension.



**Clean lines. Clear function.**
The robust full cassette attractively, elegantly and simply protects the awning cover.



**Illuminates your favourite places in the garden**
During the course of the evening, the markilux 679 shimmers and creates a wide variety of colour moods on the patio.



mx_779
Compact square full cassette for those who prefer clean lines in their design.



mx_879
Attractive round full cassette for those who love flowing lines.



**Lovingly shaded. Perfect staging.**
Protecting your favourite spot from the sun and showcasing it perfectly with atmospheric lighting options in the evening: no problem with an underglass awning from markilux.



# Cosy and intimate. Under glass.
# **A brilliant solution.**

**In people's minds and above their heads**
Spend the day outside in your own garden below a protective canopy. markilux designer awnings promise the best protection from too much sun and help create your very own cosy outdoor area. The compact underglass awnings markilux 779 and 879 blend in harmoniously with the patio roof. In turn, robust gas pressure springs keep the awning cover under tension. Numerous lighting options – also with smart control – will provide the perfect ambience in the evening.



**Underglass awning**
maximum 600 × 450 cm
maximum 400 × 600 cm

**Cassette**
mx 779: 125 × 125 mm
mx 879: Ø 130 mm

**Wind resistance class 2 – 3**
wind speed, Beaufort force 5 – 6
28 – 48 km/h; 17 – 30 mph,
depending on size

**Options**
tracfix,
coloured lighting (RGB-WW),
LED-Line cassette (mx 779),
LED-Line guide tracks,
shadeplus (manual)

GERMAN DESIGN AWARD WINNER 2018

reddot design award winner 2017

**markilux shadeplus complements your underglass awning**
The perfect shading add-on for patio roofs – in keeping with clear design
"made in Germany" – integrated in the front profile of the underglass awning.



LED-Line cassette (RGB-WW)
More than a highlight: the LED-Line in the square full cassettes beautifully illuminates your patio.



LED strip on the guide tracks (RGB-WW)
Stylish and, like all lighting modules, easily dimmable by remote control.




# Lighting options





**Evening is the time for those little highlights**
Discover the possibilities at your local markilux specialist dealer's,
with the free markilux AR App and at markilux.com


**Where there is shade, there is now light.**
The coloured LED-lighting options illuminate the outdoor area in your very own feel-good atmosphere. Every lighting scenario can be configured easily and individually with the app.




**Make your house stand out**

Find the options available to you at markilux.com

markilux





**Diversity in textiles**

Whether opaque or transparent, discreetly patterned or with bright colours: in our markilux collection one, you will find just the right awning cover to create your own personal sunshine.



# Your very own ray of sunshine. Good reasons. Countless possibilities.

**Fabric awnings for greater comfort at home**
markilux designer awnings for windows offer a wealth of advantages over conventional shading systems. They provide effective protection against glaring sunlight and reduce the build-up of heat in your rooms, which can make artificial cooling unnecessary. At the same time, markilux designer awnings bathe your rooms in gently filtered daylight without completely blocking out the sun. Translucent awning covers allow you to see outside whilst protecting you from prying eyes from the outside. It almost goes without saying that markilux awnings can be operated with child's play ease or integrated into your home automation system.



**Effective solar protection**
markilux vertical roller blinds provide optimum UV protection and transform the sun's sometimes blinding rays into soft ambient lighting.



**Optimum protection from prying eyes**
markilux awning covers protect you from prying eyes without spoiling the view.



**Models and options**
As individual as your desires: choose the markilux with the style and accessories that match your home.



**markilux 620 sundrive**
No power supply available or desired at the window? The integrated solar module with powerful accumulator which drives the radio-controlled motor is available as an optional extra.

GERMAN DESIGN AWARD WINNER 2018

reddot design award winner 2017

| markilux 776 / 876



**Large formats. No problem.**
markilux vertical cassette blinds are available in widths or extensions of up to 600 cm, depending on the model. The robust full cassettes are made to measure, dimensionally stable and, as experience shows, durable.



# markilux vertical cassette blinds.
## My house. My style. My markilux.

**As individual as your home**

Those who value stylish furnishings will definitely not enter into any compromise as far as their view outside is concerned. A markilux vertical cassette roller blind is the perfect symbiosis of functionality and design. When extended, the perfectly tensioned cover offers ideal protection from the sun, glare and inquisitive glances. When retracted, it is protected both from the weather and dirt in the fully enclosed cassette.



**Perfect cover tension**

markilux vertical cassette blinds are equipped with special gas piston technology, depending on the model. This gives the cover perfect tension even in larger units and under greater wind loads.

## Fixture



**Face fixture**
The frame shape that matches your windows.



**Stand-off fixture**
With brackets and decorative covers
for a perfect overall appearance.



**Reveal fixture**
Discreet and unobtrusive.



**markilux tracfix**
The lateral cover guidance without a gap between the awning / blind cover and the guide track: guarantees a more attractive overall appearance and better wind stability.
Wind resistance class 2 – 3 → wind speed, Beaufort force 5 – 6 → 28 – 48 km/h (17 – 30 mph), depending on size / model.

Availability depends on the model

## Models



### mx_620
Cassette 95 × 110 mm, cover guidance by way of guide tracks (tracfix), optionally with markilux sundrive, the integrated solar module for operating the remote-controlled motor.
Maximum dimensions 450 × 300 cm or 300 × 400 cm.



### mx_625
Cassette 125 × 135 mm, cover guidance by way of guide tracks (tracfix).
Maximum dimensions 600 × 350 cm or 550 × 400 cm.



### mx_710
Cassette 95 × 95 mm, cover guidance by way of stainless steel cables.
Maximum dimensions 500 × 350 cm.



### mx_776
Cassette 125 × 125 mm, cover guidance by way of guide tracks (optional: tracfix). Maximum dimensions 600 × 350 cm or 400 × 600 cm.



### mx_876
Cassette Ø 130 mm, cover guidance by way of guide tracks (optional: tracfix).
Maximum dimensions 600 × 350 cm or 400 × 600 cm.

**Drop-arm cassette awning**
maximum 700 × 250 cm

**Cassette**
95 × 95 mm

**Cover guidance**
drop arms (80 / 100 / 120 / 150 cm)

**Cover tension**
stainless steel gas pistons

**Fixture**
face / top / reveal
optional: wedge-in acrow posts

**Wind resistance class 2**
wind speed, Beaufort force 5
→ 28 – 37 km/h; 17 – 23 mph



**Classic awning. Compact cassette.**
A classic when extended, an eye-catcher and gem on a building. When retracted, the compact cassette protects the cover and the awning merges discreetly with the architecture.



# markilux drop-arm cassette awning.
## Exceptional. Eye-catching.

**Great solar protection and great visibility**
A cassette awning with classic appearance that protects against the sun and still permits a clear view outside. The drop arms with gas pistons tension the cover in an angle of up to 140° to the window. The front profile with spring-loaded closing mechanism ensures the profile finishes tight against the underside of the cassette. Telescopic wedge-in acrow posts are optionally available for installation on a balcony.




mx_730
Angular cassette suitable for face / top / reveal installation or fixed with wedge-in acrow posts.



**Good prospects for the best shade**
Protection from the sun with a view outside at the same time: with the markilux 730 you will enjoy both.

mx_ 740

# markilux marquisolette.
## The successful combination of light and shade.

**The ideal combination of vertical blind and drop-arm cassette awning**
In the upper section, the solar and visual protection runs vertically, in the lower section the amount of incoming light can be determined in a flexible manner depending on the position of the drop arms. The height of the area to be shaded vertically can be set to fulfil your individual requirements in terms of maximum shade and a perfect view outside.




mx_ 740
Square cassette as standard with a protection profile:
looks tidy and protects the cover when retracted.





**Looks and technology elegantly combined**
Angled guide rails with high-grade slide mechanism. Drop arms with stainless steel gas piston technology and markilux windlock mechanism.

**Marquisolette**
maximum 300 × 300 cm

**Cassette**
95 × 95 mm
plus protection profile

**Cover guidance**
guide tracks
incl. drop arms (60 cm)

**Cover tension**
stainless steel gas pistons

**Fixture**
face / reveal

**Wind resistance class 2**
wind speed, Beaufort force 5
→ 28 – 37 km/h; 17 – 23 mph

**Triangular blind**
maximum 400 × 500 cm

**Cassette**
Ø 115 mm

**Cover guidance**
guide tracks
incl. tensioning cables

**Cover tension**
gas pistons in the track

**Fixture**
stand-off

**Wind resistance class 2**
wind speed, Beaufort force 5
→ 28 – 37 km/h; 17 – 23 mph




**You know what you want**
We bring your vision to life. Talk to your markilux specialist dealer and allow yourself to be inspired at markilux.com



# markilux triangular blind.
## The pinnacle of efficiency.

**The solar protection and privacy solution for unconventional windows**
Triangular windows or skylights are fitted with made-to-measure solar protection from markilux. The sturdy full cassette protects the cover from soiling. The tensioning system which uses highly tear-resistant tensioning cords and integrated gas pistons ensures optimum cover stability at every stage of extension.






mx_893
Round cassette with brush seal at cover exit point for better cover protection.

**The clever system offering bespoke solutions**
Patented clip-on fixture of the guide tracks to the brackets and the wide range of fixture options permit interior, exterior, vertical, horizontal and diagonal installation.



**Vertical protection for glass roofs**
The vertical cassette roller blinds from markilux provide protection from the sun when it is low in the sky as well as from prying eyes.



**Vertical protection on pergolas**
The extra feature for more protection from the sun, wind and prying eyes offers more comfort and well-being late into the night.



**All-round protection with the markilux markant**
With vertical cassette blinds on the markilux markant, you can create your very own private space outdoors.



# The best prospects.
## For all balcony fans.

**markilux designer roller blinds for windows. Even without windows.**
So that you can enjoy those precious moments outdoors without restriction, you should be able to sit protected from strong sunlight, wind and unwanted glances. The top-quality vertical blinds from markilux are as robust as they are attractive – and also perfectly suited for balconies, glass roofs and awning systems. Right down the line. Award-winning. Good.



**markilux drop-arm cassette awnings**
The freely elective angle and positioning of the drop arms allows you to decide exactly how much sun is good for you and how much of a view you wish to retain.



**markilux vertical cassette blinds**
The cover is completely protected inside the cassette when the awning is retracted. When vertically extended, it protects your favourite spot on the balcony perfectly.




**markilux marquisolette**
In the upper section, the sun and privacy protection runs vertically; in the lower section, the amount of light and the view can be determined by how far the arms are allowed to drop.




**The most beautiful fabric between heaven and earth**
Discover yours with the markilux awning fabric finder.

markilux





**markilux collection one – One collection, endless ideas.**
Choose your own favourite pattern from a number of different colour families. When making your selection allow yourself to be inspired, enthused and advised by a markilux specialist dealer near you …



# The most beautiful fabric
between heaven and earth.

**Our unique covers help to create a special ambience**

The colour and quality of the awning fabric are what help make the ambience on your patio something special. Colour nuances, patterns and textures succeed in creating that uniquely special effect by virtue of their brightness and hue. As a leading manufacturer of high-grade awning fabrics with 50 years of experience in the manufacture of textiles, markilux offers an unparalleled variety. The markilux textile design team is constantly developing new patterns in line with the latest trends, which are nevertheless characterised by their timeless appeal. Among the more than 200 patterns in thematically coordinated colour families, you are bound to find your very own and most beautiful fabric between heaven and earth.


**markilux Awning Cover Finder**

markilux awning fabrics are designed, manufactured and tested in the markilux facility in Germany. Find your own personal favourite amongst the more than 200 cover patterns in the showroom of your markilux specialist dealer or with the Awning Cover Finder at markilux.com

**Self-cleaning effect**
Water droplets pick up dirt particles and run off the awning cover taking dirt with them (the awning must be set at a pitch of at least 14°), ensuring you can enjoy your beautiful fabric for a long time to come.



**Bonded awning covers**
Panel joints bonded together ultrasonically ensure a consistent, unobtrusive appearance. Their excellent resistance to water, light and fluctuations in temperature ensures that the service life of the cover is extended substantially.



**Light and weather resistance and resistance to fading**
High-tech yarns dyed right to the core and the high-grade snc finish developed in house guarantee the most stunning shade in which to relax.






Detailed information about the typical properties of awning fabrics is available from your markilux specialist dealer and in the current markilux awning fabric brochure.

collection **one**

markilux specials




transolair
This sunvas fabric with special perforation technique stands for impressive transparency as well as good light and air permeability. It guarantees an exchange of air between the cover and the glass, thus effectively reducing the build-up of a heat cushion.



perfotex
Ideal for conservatories. Gaps in the warp make this perfotex material permeable to both water and air.



perla FR
This highly flame-retardant and waterproof (for purpose) sunvas material meets extremely exacting fire safety regulations.



vuscreen ALU
Solar protection that improves indoor thermal conditions. Good views of the outside combined with a better indoor climate, thanks to the aluminium particles on the high-tech yarns.


# markilux awning covers.
# Quality – Made in Germany.

**Functionality can be so beautiful**
When it comes to manufacturing awning covers, markilux leaves nothing to chance. The sunvas and specials fabric ranges are given the finishing touches using equipment developed in-house. This gives these awning covers a particularly long operating life and the necessary resistance to dirt and the elements.

markilux awning covers made from sunvas and sunbow generally offer the highest possible UV protection for textiles, with a UPF rating of 50+. This boosts the skin's natural protection factor by more than 50 times. You can enjoy sunny days for longer without a care in the world.


Beauty lies not in size,
but in attention to detail.

markilux




# Awning colours, Operation and Options

Traffic white RAL 9016



Off-white textured finish 5233



Metallic aluminium RAL 9006



Stone grey metallic 5215



Grey aluminium RAL 9007



Matt iron mica DB 703



Anthracite metallic 5204



Anthracite grey textured finish RAL 7016



Grey brown similar to RAL 8019



Havana brown textured finish 5229



Jet black textured finish RAL 9005



RAL colour of your own choice

© RAL Bonn 2026



# Sounds perfect.
# **Tone in tone.**

**markilux awning colours**
The awning frame colour complements and enhances the colour of the fabric and creates a perfect link to the architectural surroundings. From a variety of shades of white through to the timelessly elegant anthracite, a broad range of colours is available to you. And if you want to create your own particular colour scheme? No problem! We will gladly manufacture your dream awning in your own personal shade.

Our high-grade powder coating finish is guaranteed for any awning colour you choose.

**Matching every architectural style and customer demand**
All markilux awning colours are available without surcharge.
We would be happy to produce non-standard RAL colours on request.

markilux

# Make it easy on yourself.
# **And comfortable.**

**markilux ease of operation**
Fulfils the highest expectations and can be used in any weather conditions. The choice is yours: manual operation, hard-wired motor or radio-controlled motor with remote control are all possible on most models. And if you wish, light, wind and rain sensors will control your markilux designer awning according to the prevailing weather conditions. Alternatively, you simply operate it at home yourself and this can even be done when you're out and about via your smartphone or tablet.

Your markilux specialist dealer is at your disposal should you have any queries and will provide you with details on how you can connect several individual units together and operate them with the touch of a button.







**Smart Home**
Easily control your designer blind by smartphone or tablet – even when on the move. The smart control function via the app makes it possible.



**Automatic weather controls**
With light, wind and rain sensors, your markilux system will react to any change in the weather. In sunny conditions your blinds will extend automatically, and in wind and rain they will retract.



**markilux remote control**
Perfect protection from the sun, inquisitive glances and glare comfortably at the touch of a button.

**You too will be impressed**
markilux offers a broad range of stylish and smart solutions that show your house in the best of lights.
Get detailed information and competent advice from your markilux specialist dealer or go to markilux.com

Availability depends on the model

# **More markilux.** Fewer compromises.

markilux options and accessories



**markilux shadeplus**
The ideal addition to the shading options for glass canopies, integrated into the front profile of the markilux 779 / 879.



**Vertical roller blinds**
Simply shield yourself from inquisitive glances and low-lying sun. Sit protected from the wind and rain. Enjoy the warmth of the day for longer. Adding vertical designer roller blinds from markilux makes your outdoor room perfect – and more private.



**Coupled awnings**
An extensive range of brackets allows several units to be installed next to one another – creating XXL shading solutions.



**markilux infrared heater**
Feel the warmth in an instant and enjoy the evening outside for even longer. Either as stand-alone unit (1400 Watt) or installed under your awning (2500 Watt, the latter optionally dimmable in three stages).



**markilux LED-Spotline**
The elegant light bar in a powder-coated aluminium housing, that can be fitted almost anywhere. The LED-Spots can be swivelled and dimmed, warm white (WW). Available in two lengths: 180 cm with 3 spotlights and 300 cm with 5 spotlights.



**Side screen markilux 790**
Protects against low-lying sun and wind from the side, as well as stopping prying eyes. Maximum height 250 cm. Maximum extension 450 cm.



**Flush front profile**
Completely extended it finishes flush with the guide tracks.



**Decorative covers for guide track brackets**
Bolt and nut heads disappear. Achieve a perfect overall appearance.

Availability depends on the model

markilux

# **More freedom.** More free space.

markilux options and accessories




**Perfect cover fit**
High cover tension is achieved by virtue of two concealed special gas pistons operating independently of one another in the front profile.



Availability depends on the model





**markilux tracfix**
One of the many sophisticated features offered by markilux: the lateral cover guidance without a gap between the awning / blind cover and the guide track. Gives an overall better appearance and improves wind stability.

**markilux panorama window**
Wouldn't you like to be able to sit outside below your patio roof, protected from wind and weather, and still be able to enjoy an unobstructed view? For the markilux 776 / 876 with tracfix, we offer you the markilux panorama window.
Maximum dimensions 600 × 300 cm.
Maximum height of the panorama window approx. 135 cm.


A clear overview.
Opening up exciting prospects.

markilux



# Technical Specification

**Above Glass Awnings** – More effective protection from a build up of heat for conservatories and glass canopies.

| | markilux 7800<br>Page 10 | markilux 8800<br>Page 12 | markilux 8850<br>Page 12 | markilux 770<br>Page 14 | markilux 870<br>Page 14 |
|---|---|---|---|---|---|
| |  |  |  |  |  |
| Max. width × extension | 700 × 450 cm / 500 × 700 cm | 700 × 450 cm / 500 × 700 cm | 650 × 400 cm / 500 × 500 cm | 450 × 400 cm | 450 × 400 cm |
| with tracfix | 600 × 450 cm / 500 × 600 cm | 600 × 450 cm / 500 × 600 cm | | | |
| Cassette | 200 × 160 mm | Ø 187 mm | Ø 187 mm | 125 × 125 mm | Ø 130 mm |
| Operation | hard-wired motor | hard-wired motor | hard-wired motor | hard-wired motor | hard-wired motor |
| optional | ➤ radio-controlled motor<br>➤ smart home | ➤ radio-controlled motor<br>➤ smart home | ➤ radio-controlled motor<br>➤ smart home | ➤ radio-controlled motor<br>➤ smart home | ➤ radio-controlled motor<br>➤ smart home |
| Cover guidance | guide tracks | guide tracks | guide tracks | guide tracks (tracfix) | guide tracks (tracfix) |
| optional | ➤ tracfix | ➤ tracfix | | | |
| Cover tension | gas pistons | gas pistons | gas pistons | gas pistons | gas pistons |
| Fixture | above glass | above glass | above glass / hipped roof conservatory | above glass | above glass |
| Wind resistance class | 3 | 3 | 2 | 3 | 3 |
| Beaufort force → wind speed | 6 → 38 – 48 km/h; 24 – 30 mph | 6 → 38 – 48 km/h; 24 – 30 mph | 5 → 28 – 37 km/h; 17 – 23 mph | 6 → 38 – 48 km/h; 24 – 30 mph | 6 → 38 – 48 km/h; 24 – 30 mph |
| Options | | | | | |
| | ➤ coupled awning | ➤ coupled awning | | | |

Some options cannot be combined

## **Underglass Awnings** – Awning cover protected under the glass.

| markilux 679 | markilux 779 | markilux 879 |
|---|---|---|
| Page 16 | Page 18 | Page 18 |
|  |  |  |
| 650 × 500 cm / 500 × 600 cm | 600 × 450 cm / 400 × 600 cm | 600 × 450 cm / 400 × 600 cm |
| | 600 × 450 cm | 600 × 400 cm |
| 205 × 160 mm | 125 × 125 mm | Ø 130 mm |
| radio-controlled motor | manual operation | manual operation |
| ➤ hard-wired motor | ➤ hard-wired motor | ➤ hard-wired motor |
| ➤ smart home | ➤ radio-controlled motor | ➤ radio-controlled motor |
| | ➤ smart home | ➤ smart home |
| guide tracks (tracfix) | guide tracks | guide tracks |
| | ➤ tracfix | ➤ tracfix |
| gas pistons | gas pistons | gas pistons |
| underglass | underglass | underglass |
| 3 | 2 – 3 depending on size | 2 – 3 depending on size |
| 6 → 38 – 48 km/h; 24 – 30 mph | 5 – 6 → 28 – 48 km/h; 17 – 30 mph | 5 – 6 → 28 – 48 km/h; 17 – 30 mph |
| ➤ coloured lighting (RGB-WW) | ➤ coloured lighting (RGB-WW) | ➤ coloured lighting (RGB-WW) |
| ➤ LED-Line cassette / guide tracks | ➤ LED-Line cassette / guide tracks | ➤ LED-Line guide tracks |
| ➤ shadeplus (manual) | ➤ shadeplus (manual) | ➤ shadeplus (manual) |

markilux



**Magical worlds full of atmosphere**
Outdoor living in a new light. And colour.
Explore your options now at markilux.com

# Vertical Cassette Blinds

| | markilux 620<br>Page 26 | markilux 625<br>Page 26 | markilux 710<br>Page 26 | markilux 776<br>Page 26 | markilux 876<br>Page 26 |
|---|---|---|---|---|---|
| |  |  |  |  |  |
| **Max. width × extension** | **450 × 300 cm** | **600 × 350 cm** | **500 × 350 cm** | **600 × 350 cm** | **600 × 350 cm** |
| optional | 300 × 400 cm | 550 × 400 cm | | 400 × 600 cm | 400 × 600 cm |
| **Cassette** | **95 × 110 mm** | **125 × 135 mm** | **95 × 95 mm** | **125 × 125 mm** | **Ø 130 mm** |
| **Operation** | **hard-wired motor** | **hard-wired motor** | **manual operation** | **manual operation** | **manual operation** |
| optional | ➤ radio-controlled motor<br>➤ smart home | ➤ radio-controlled motor<br>➤ smart home | ➤ hard-wired motor<br>➤ radio-controlled motor<br>➤ smart home | ➤ hard-wired motor<br>➤ radio-controlled motor<br>➤ smart home | ➤ hard-wired motor<br>➤ radio-controlled motor<br>➤ smart home |
| **Cover guidance** | **guide tracks (tracfix)** | **guide tracks (tracfix)** | **stainless steel cables** | **guide tracks** | **guide tracks** |
| optional | | | | ➤ tracfix | ➤ tracfix |
| **Cover tension** | **gravity** | **gravity** | **gravity** | **gas pistons** | **gas pistons** |
| **Fixture** | **face / reveal** | **face / reveal** | **face / top / reveal** | **face / reveal / stand-off** | **face / reveal / stand-off** |
| | | | | ➤ post fixture | ➤ post fixture |
| **Wind resistance class** | **3** | **2 – 3 depending on size** | **2** | **2 – 3 depending on size** | **2 – 3 depending on size** |
| Beaufort force → wind speed | 6 → 38 – 48 km/h; 24 – 30 mph | 5 – 6 → 28 – 48 km/h; 17 – 30 mph | 5 → 28 – 37 km/h; 17 – 23 mph | 5 – 6 → 28 – 48 km/h; 17 – 30 mph | 5 – 6 → 28 – 48 km/h; 17 – 30 mph |
| **Options** | | | | | |
| | ➤ sundrive<br>up to max. 250 × 300 cm | | | ➤ panorama window<br>(only possible with tracfix) | ➤ panorama window<br>(only possible with tracfix) |

Some options cannot be combined

| Drop-arm Cassette Awning | Marquisolette | Triangular Blind |
|---|---|---|
| **markilux 730** | **markilux 740** | **markilux 893** |
| Page 30 | Page 32 | Page 34 |
|  |  |  |
| 700 × 250 cm | 300 × 300 cm | 400 × 500 cm |
| 95 × 95 mm | 95 × 95 mm<br>plus protection profile | Ø 115 mm |
| manual operation<br>➤ hard-wired motor<br>➤ radio-controlled motor<br>➤ smart home | manual operation<br>➤ hard-wired motor<br>➤ radio-controlled motor<br>➤ smart home | hard-wired motor<br>➤ radio-controlled motor<br>➤ smart home |
| drop arms<br>80 / 100 / 120 / 150 cm | guide tracks<br>incl. drop arm 60 cm | guide tracks<br>incl. tensioning cables |
| gas pistons | gas pistons | gas pistons |
| face / top / reveal<br>➤ wedge-in accro posts | face / reveal | stand-off |
| 2<br>5 → 28 – 37 km/h; 17 – 23 mph | 2<br>5 → 28 – 37 km/h; 17 – 23 mph | 2<br>5 → 28 – 37 km/h; 17 – 23 mph |

# Awning **Configurator**




**Create the most alluring shade in the world**
Configure your markilux designer awning including cover and optional extras at markilux.com

Your markilux specialist dealer will advise you personally on site, will draw up an offer tailored to your requirements and install the product professionally.

**The best under the sun. Create the most alluring shade in the world.**

Innovative technology and the pinnacle of quality: markilux solar protection solutions have received both acclaim and multiple awards. Made in Germany. Ideas, detailed information, professional advice and all the exquisite markilux awning fabric patterns can be found in your specialist dealer's showroom and at markilux.com



Folding-arm awnings



Pergola awnings



Awning systems



Glass canopy awnings



Blinds and awnings for windows



Wind protection / extra privacy

markilux.com

markilux

The best under the sun

7555132 · 202601 · · WEEE DE 11340537 · We reserve the right to make technical modifications without giving prior notice. Colours may differ slightly from those depicted in both hue and finish.