

Screen for Child Anxiety Related Disorders (SCARED)

CHILD Version—Page 1 of 2 (to be filled out by the CHILD)

Name: _____

Date: _____

Directions:

Below is a list of sentences that describe how people feel. Read each phrase and decide if it is “Not True or Hardly Ever True” or “Somewhat True or Sometimes True” or “Very True or Often True” for you. Then, for each sentence, check the box that corresponds to the response that seems to describe you *for the last 3 months*.

	0 Not True or Hardly Ever True	1 Somewhat True or Sometimes True	2 Very True or Often True	
1. When I feel frightened, it is hard to breathe.				PA/SO
2. I get headaches when I am at school.				SCH
3. I don't like to be with people I don't know well.				SOC
4. I get scared if I sleep away from home.				SEP
5. I worry about other people liking me.				GA
6. When I get frightened, I feel like passing out.				PA/SO
7. I am nervous.				GA
8. I follow my mother or father wherever they go.				SEP
9. People tell me that I look nervous.				PA/SO
10. I feel nervous with people I don't know well.				SOC
11. I get stomachaches at school.				SCH
12. When I get frightened, I feel like I am going crazy.				PA/SO
13. I worry about sleeping alone.				SEP
14. I worry about being as good as other kids.				GA
15. When I get frightened, I feel like things are not real.				PA/SO
16. I have nightmares about something bad happening to my parents.				SEP
17. I worry about going to school.				SCH
18. When I get frightened, my heart beats fast.				PA/SO
19. I get shaky.				PA/SO
20. I have nightmares about something bad happening to me.				SEP

Screen for Child Anxiety Related Disorders (SCARED)

CHILD Version—Page 2 of 2 (to be filled out by the CHILD)

	0 Not True or Hardly Ever True	1 Somewhat True or Sometimes True	2 Very True or Often True	
21. I worry about things working out for me.				GA
22. When I get frightened, I sweat a lot.				PA/SO
23. I am a worrier.				GA
24. I get really frightened for no reason at all.				PA/SO
25. I am afraid to be alone in the house.				SEP
26. It is hard for me to talk with people I don't know well.				SOC
27. When I get frightened, I feel like I am choking.				PA/SO
28. People tell me that I worry too much.				GA
29. I don't like to be away from my family.				SEP
30. I am afraid of having anxiety (or panic) attacks.				PA/SO
31. I worry that something bad might happen to my parents.				SEP
32. I feel shy with people I don't know well.				SOC
33. I worry about what is going to happen in the future.				GA
34. When I get frightened, I feel like throwing up.				PA/SO
35. I worry about how well I do things.				GA
36. I am scared to go to school.				SCH
37. I worry about things that have already happened.				GA
38. When I get frightened, I feel dizzy.				PA/SO
39. I feel nervous when I am with other children or adults and I have to do something while they watch me (for example: read aloud, speak, play a game, play a sport).				SOC
40. I feel nervous when I am going to parties, dances, or any place where there will be people that I don't know well.				SOC
41. I am shy.				SOC

For children ages 8 to 11, it is recommended that the clinician explain all questions, or have the child answer the questionnaire sitting with an adult in case they have any questions.

See: Birmaher, B., Brent, D. A., Chiappetta, L., Bridge, J., Monga, S., & Baugher, M. (1999). Psychometric properties of the Screen for Child Anxiety Related Emotional Disorders (SCARED): a replication study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 38(10), 1230–6.

The SCARED is available at no cost at www.pediatricbipolar.pitt.edu under resources/instruments.

January 19, 2018

Screen for Child Anxiety Related Disorders (SCARED) CHILD Version

TO BE COMPLETED BY CLINICIAN

Name: _____ Date: _____

SCORING:

A total score of **≥ 25** may indicate the presence of an **Anxiety Disorder**. Scores higher than 30 are more specific. **TOTAL=** _____

A score of **7** for items 1, 6, 9, 12, 15, 18, 19, 22, 24, 27, 30, 34, 38 may indicate **Panic Disorder** or **Significant Somatic Symptoms**. **PA/SO =** _____

A score of **9** for items 5, 7, 14, 21, 23, 28, 33, 35, 37 may indicate **Generalized Anxiety Disorder**. **GA=** _____

A score of **5** for items 4, 8, 13, 16, 20, 25, 29, 31 may indicate **Separation Anxiety Disorder**. **SEP=** _____

A score of **8** for items 3, 10, 26, 32, 39, 40, 41 may indicate **Social Phobic Disorder**. **SOC =** _____

A score of **3** for items 2, 11, 17, 36 may indicate **Significant School Avoidance Symptoms**. **SCH=** _____

Developed by Boris Birmaher, M.D., Suneeta Khetarpal, M.D., Marlane Cully, M.Ed., David Brent, M.D., and Sandra McKenzie, Ph.D., Western Psychiatric Institute and Clinic, University of Pittsburgh (October, 1995). E-mail: birmaherb@upmc.edu

See: Birmaher, B., Brent, D. A., Chiappetta, L., Bridge, J., Monga, S., & Baugher, M. (1999). Psychometric properties of the Screen for Child Anxiety Related Emotional Disorders (SCARED): a replication study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 38(10), 1230–6.

The SCARED is available at no cost at www.pediatricbipolar.pitt.edu under resources/instruments.

January 19, 2018