



pilotair
The Compressed Air Experts



COMPRESSED AIR PRODUCTS

PRODUCT CATALOGUE



www.pilotair.com.au

Pilot Air Compressors, family owned and proudly Australian.



NAVIGATION:

- ï From the Index Page, click on the Product Type to navigate to the relevant section in the catalogue
- ï Use the 'Home' symbol -  - on the page footer to return to the Index Page
- ï On a web enabled device, click on www.pilotair.com.au for full product details
- ï On a web enabled device, click on the relevant Product Category to find out more about those specific products

CONTACTS:

At Pilot Air we're here to help. For your full 'Expertise, Support and value' feel free to call us or drop us a line.

PHONE:

- ï NSW 02 9648 3099
- ï QLD 07 3279 1213
- ï VIC/TAS/NT 1300 667 579
- ï SA 1300 667 579 (Statewide Agencies)
- ï WA 08 9424 2800 (Air & Power)

EMAIL:

- ï sales@pilotair.com.au
- ï service@pilotair.com.au
- ï accounts@pilotair.com.au

POST:

- ï 115 Beaconsfield St Silverwater NSW 2128



INDEX

SECTION 1: COMPRESSED AIR GENERATION PRODUCTS

PRODUCT TYPE	PAGE
Reciprocating Air Compressors – 240V	4
Reciprocating Air Compressors – 415V	6
Reciprocating Air Compressors – Petrol Engine Driven	9
Reciprocating Air Compressors – Diesel Engine Driven	10
Rotary Screw Air Compressors – 415V	10
OIL FREE Air Compressors	14

SECTION 2: COMPRESSED AIR STORAGE AND CONDENSATE DRAINAGE PRODUCTS

PRODUCT TYPE	PAGE
Air Receivers – Vertical	15
Air Receivers – Horizontal	15
Automatic Condensate Drains	16

SECTION 3: COMPRESSED AIR TREATMENT PRODUCTS

PRODUCT TYPE	PAGE
Compressed Air Dryers	17
Basic Compressed Air Filtration and Pressure Regulation Products	18
Industrial Compressed Air Filtration	19

SECTION 4: COMPRESSED AIR DISTRIBUTION SYSTEM (PIPING) PRODUCTS

PRODUCT TYPE	PAGE
Compressed Air Distribution Products	23



Product Category:

Specialist Series Oil Free

Small, quiet and oil-free specialist air compressors

Product Code	Description
LEO	Compressor- 240V/0.75KW/5 L Rec./37.5 L/min FAD
AIRBAG	Compressor- 240V/1.1 KW/5 L Rec./74.1 L/min FAD



Product Category:

TM+ Series

Built tough for Trade and DIY use

Product Code	Description
TM325+	Compressor- 240V/1.8 KW/50 L Rec./196 L/min FAD
TM420SD+ (*)	Compressor- 240V/2.2 KW/50 L Rec./256 L/min FAD
TM420SDL+ (*)	Compressor - 240V/2.2 KW/100 L Rec./256L/min FAD

(*) Requires 240V 15 AMP



Product Category:
240V Professional K Series

The Professionals Choice

Product Code	Description
K11-50	Compressor- 240V/1.5 KW/50 L Rec./191 L/min FAD
K17-50 (*)	Compressor- 240V/2.2 KW/50 L Rec./257 L/min FAD
K17-90 (*)	Compressor - 240V/2.2 KW/90 L Rec./257 L/min FAD

(*) Requires 240V 15 AMP



Product Category:
240V Professional K Series

The Professionals Choice – complete with Filter Regulator

Product Code	Description
K11-50FR	Compressor- 240V/1.5 KW/50 L Rec./191 L/min FAD
K17-50FR (*)	Compressor- 240V/2.2 KW/50 L Rec./257 L/min FAD
K17-90FR (*)	Compressor- 240V/2.2 KW/90 L Rec./257 L/min FAD

(*) Requires 240V 15 AMP



Product Category:
Classic K Series

Setting the industry standard for over 40 years.

Product Code	Description
K17SD	Compressor SUPER DUTY - 240V/1.65 KW/100 L Rec./205 L/min FAD
K25SDL (*)	Compressor SUPER DUTY - 240V/2.2 KW/100 L Rec./289 L/min FAD
K17/DUPLEX/ 2.2KW (**)	Compressor DUPLEX- 240V / 2.2KW X 2/ 147 L Rec / 557.4 L/min FAD

(*) Requires 240V 15 AMP

(**) Requires 2 x 240V 15 AMP



Product Category:
Three Phase Industrial Series

Setting the standard for long life and reliability for over 40 years

Product Code	Description
K17T	Compressor- 415V/2.2 KW/100 L Rec./292.6 L/min FAD
K25L18	Compressor- 415V/3 KW/100 L Rec./365 L/min FAD
K25/21	Compressor- 415V/4 KW/150 L Rec./454 L/min FAD
K30	Compressor- 415V/5.5 KW/200 L Rec./681 L/min FAD
K50	Compressor- 415V/7.5 KW/268 L Rec./888 L/min FAD
K60	Compressor- 415V/11 KW/500 L Rec./1353 L/min FAD
K100	Compressor- 415V/15 KW/500 L Rec./1913 L/min FAD



Product Category:

Three Phase Vertical Professional Industrial Series

Minimal footprint. The Professional's choice

Product Code	Description
K25-Vi	Compressor- 415V/4 KW/270 L Rec./454 L/min FAD
K30-Vi	Compressor- 415V/5.5 KW/270 L Rec./681 L/min FAD



Product Category:

K-Pack Series

Pilot Air's packages make getting it right easy

Includes Compressor, Refrigerated Air Dryer, Pre and Post Filters and interconnecting hoses and fittings

Product Code	Description
K25/21 - PACK	Compressor- c/w TFD6 Dryer, FTP012 + FTX012 Filters and 1.5m hoses and fittings
K30 - PACK	Compressor- c/w TFD10 Dryer, FTP012 + FTX012 Filters and 1.5m hoses and fittings
K50 - PACK	Compressor- c/w TFD10 Dryer, FTP012 + FTX012 Filters and 1.5m hoses and fittings



Product Category:

Three Phase (and 240V) SILENCED Industrial Series

Renowned longevity and reliability in a super quiet configuration.

Product Code	Description
K17SI/1.65KW/240V	Compressor- 240V/1.65 KW/ 205.1 L/min FAD
K17SI/2.2KW/240V (*)	Compressor- 240V/2.2 KW/ 278.7 L/min FAD
K17SI	Compressor- 415V/2.2 KW/ 292.6 L/min FAD
K30SI	Compressor- 415V/5.5 KW/ 681 L/min FAD
K50SI	Compressor- 415V/7.5 KW/ 888 L/min FAD

(*) Requires 240V 15 AMP



Product Category:

SILENCED Industrial Series with Receiver Packages

Pilot Air's packages make getting it right easy

Includes Silenced Compressor, Vertical Air Receiver and 1.5m interconnecting hose and fittings

Product Code	Description
K17SI/1.65KW-150L	Compressor- c/w 150L Vertical receiver and 1.5m hose and fittings 240V/10 AMP
K17SI/2.2KW-150L (*)	Compressor- c/w 150L Vertical receiver and 1.5m hose and fittings 240V/15AMP
K17SI-150L	Compressor- c/w 150L Vertical receiver and 1.5m hose and fittings 415V
K30SI-150L	Compressor- c/w 150L Vertical receiver and 1.5m hose and fittings 415V
K50SI-300L	Compressor- c/w 300L Vertical receiver and 1.5m hose and fittings 415V

(*) Requires 240V 15 AMP



Product Category:

SILENCED Industrial Series Complete Packages

Pilot Air's packages make getting it right easy

Comes standard with Silenced Compressor, Vertical Air Receiver, Refrigerated Air Dryer, Pre-Filter and interconnecting hoses and fittings

Product Code	Description
K17SI/1.65KW-PACK	Compressor- 240V/10 AMP c/w 150L Vertical receiver, TFD6 Dryer, FTP012 Pre-filter and 1.5m hoses and fittings
K17SI/2.2KW-PACK (*)	Compressor- 240V/15 AMP c/w 150L Vertical receiver, TFD6 Dryer, FTP012 Pre-filter and 1.5m hoses and fittings
K17SI-PACK	Compressor- 415V c/w 150L Vertical receiver, TFD6 Dryer, FTP012 Pre-filter and 1.5m hoses and fittings
K30SI-PACK	Compressor- 415V c/w 150L Vertical receiver, TFD10 Dryer, FTP012 Pre-filter and 1.5m hoses and fittings
K50SI-PACK	Compressor- 415V c/w 300L Vertical receiver, TFD10 Dryer, FTP012 Pre-filter and 1.5m hoses and fittings

(*) Requires 240V 15 AMP



Product Category:

Petrol Series

Powered by Honda's legendary GX Series engines.

Product Code	Description
K17P	Compressor- HONDA Petrol/GX160 /100 L Rec./308 L/min FAD
K17PS	Compressor- HONDA Petrol/GX160 /100 L Rec./308 L/min FAD
K17PUTE	Compressor UTE - HONDA Petrol/GX160 / 45L Rec /308L/min FAD
K17PS TALLBOY	Compressor- HONDA PETROL GX160/10L Rec/308 L/min FAD
K25PR	Compressor- HONDA Petrol/GX270 /150 L Rec./457 L/min FAD
K25P	Compressor- HONDA Petrol/GX270 (ES) /150 L Rec./457 L/min FAD
K30P	Compressor- HONDA Petrol/GX390 (ES) /200 L Rec./812.2 L/min FAD
K50P	Compressor - KOHLER PETROL 14HP (ES)/268L Rec/ 888 L/min FAD

- K17P Models – Electric Start upgrade available from \$ 824.80 excluding GST
- All Petrol models supplied in Static configuration except model K17P (Portable)
- Models K25P & K30P Standard Electric Start – Battery and leads not supplied



Product Category:
Diesel Series

On-site compressed air where you need it.

Product Code	Description
K17D	Compressor- KOHLER diesel/KD225 (ES) /100 L Rec./308 L/min FAD
K25D	Compressor- KOHLER diesel/KD350 (ES) /150 L Rec./457 L/min FAD
K30D	Compressor- KOHLER diesel/KD440 (ES) /200 L Rec./812.2 L/min FAD

- All Models Standard Electric Start – Battery and leads not supplied



Product Category:
PAC Series

The Choice for your workshop or industrial requirements.

Product Code	Description
PAC 4	Compressor- 415V/4 KW/10 BAR/ 8.1 L/Sec FAD
PAC 5.5	Compressor- 415V/5.5 KW/10 BAR/ 10.8 L/Sec FAD
PAC 7.5	Compressor- 415V/7.5 KW/10 BAR/ 16.7 L/Sec FAD
PAC 11	Compressor- 415V/11 KW/10 BAR/ 25 L/Sec FAD
PAC 15	Compressor- 415V/15 KW/10 BAR/ 30.8 L/Sec FAD
PAC 18.5	Compressor- 415V/18.5 KW/8 BAR/46.7 L/Sec FAD
PAC 22	Compressor- 415V/22 KW/8 BAR/55.8 L/Sec FAD
PAC 30	Compressor- 415V/30 KW/8 BAR/78.3 L/Sec FAD
PAC 37	Compressor- 415V/37 KW/8 BAR/100.0 L/Sec FAD
PAC 45	Compressor- 415V/45 KW/8 BAR/120.0 L/Sec FAD
PAC 55	Compressor- 415V/55 KW/8 BAR/143.3 L/Sec FAD
PAC 75	Compressor- 415V/75 KW/8 BAR/203.3 L/Sec FAD

- Alternate Pressures available on request – Call Pilot Air for available specifications



Product Category:

PAC Series RECEIVER MOUNTED

The Choice for your workshop or industrial requirements.

Product Code	Description
PAC 4-RM	Compressor- 415V/4 KW/150 L Rec./ 10 BAR/ 8.1 L/Sec FAD
PAC 5.5-RM	Compressor- 415V/5.5 KW/150 L Rec./ 10 BAR/ 10.8 L/Sec FAD
PAC 7.5-RM	Compressor- 415V/7.5 KW/268 L Rec./ 10 BAR/ 16.7 L/Sec FAD
PAC 11-RM	Compressor- 415V/11 KW/268 L Rec./ 10 BAR/ 25 L/Sec FAD
PAC 15-RM	Compressor- 415V/15 KW/268 L Rec./ 10 BAR/ 30.8 L/Sec FAD

• Alternate Pressures available on request – Call Pilot Air for available specifications



Product Category:

PAC RM-D Series - Receiver Mounted with Dryer and Pre Filter

The Choice for your workshop or industrial requirements in a “Ready to Go” package.

Product Code	Description
PAC 4-RM-D	Compressor – 415V/4 KW/10 BAR/268 L Rec./8.1 L/sec FAD
PAC 5.5-RM-D	Compressor – 415V/5.5 KW/10 BAR/268 L Rec./ 10.8 L/sec FAD
PAC 7.5-RM-D	Compressor- 415V/7.5 KW/10 BAR/ 268 L Rec./ 16.7 L/sec FAD
PAC 7.5-RM-D-500	Compressor – 415V/7.5 KW/10 BAR/500 L Rec./16.7 L/sec FAD
PAC 11-RM-D	Compressor- 415V/11 KW/10 BAR/ 500 L Rec./25 L/sec FAD
PAC 15-RM-D	Compressor- 415V/ 15 KW / 10 BAR/ 500 L Rec./ 30.8 L/sec FAD

• Alternate Pressures available on request – Call Pilot Air for available specifications



Product Category:

ALTA-TEC Series

Variable Speed technology – Maximum energy efficiency and savings.

Product Code	Description
AT 7.5VS	Compressor - 415V/7.5 KW/10 BAR/ 18.3-8.3 L/Sec FAD
AT 11VS	Compressor - 415V/11 KW/10 BAR/ 26.3-10.3 L/Sec FAD
AT 15VS	Compressor - 415V/15 KW/10 BAR/ 35-14 L/Sec FAD
AT 18.5VS	Compressor - 415V/18.5 KW/8 BAR/ 51.6-17.8 L/Sec FAD
AT 22VS	Compressor - 415V/22 KW/8 BAR/ 63-9.5 L/Sec FAD
AT 30VS	Compressor - 415V/30 KW/8 BAR/ 91.6-14 L/Sec FAD
AT 37VS	Compressor - 415V/37 KW/8 BAR/ 115-22.5 L/Sec FAD
AT 45VS	Compressor - 415V/45 KW/8 BAR/ 146-26 L/Sec FAD
AT 55VS	Compressor- 415V/55 KW/ 8 BAR/168-30 L/Sec FAD
AT 75VS	Compressor- 415V/75 KW/ 8 BAR/228-46 L/Sec FAD
AT 90VS	Compressor- 415V/90 KW/8 BAR/265-46 L/Sec FAD

- Alternate Pressures available on request – Call Pilot Air for available specifications



Product Category:

ALTA-TEC Series Receiver Mounted with Dryer and Pre Filter

Variable Speed technology – Maximum energy efficiency and savings.
All in a “Ready to Go” package.

Product Code	Description
AT 7.5VS-RM-D	Compressor - 415V/7.5 KW/10 BAR/268 L Rec/ 18.3-8.3 L/Sec FAD
AT 11VS-RM-D	Compressor - 415V/11 KW/10 BAR/ 500 L Rec/26.3-10.3 L/Sec FAD
AT 15VS-RM-D	Compressor - 415V/15 KW/10 BAR/ 500 L Rec/35-14 L/Sec FAD

• Alternate Pressures available on request – Call Pilot Air for available specifications

Product Category:

ALTA-TEC Two Stage Variable Speed

Two Stage Variable Speed technology – Maximum energy efficiency and savings.



Product Code	Description
AT 110VS	Compressor- 415V/110 KW/ 8 BAR/375-150 L/Sec FAD
AT 132VS	Compressor- 415V/132 KW/ 8 BAR/450-180 L/Sec FAD
AT 160VS	Compressor- 415V/150 KW/ 8 BAR/550-219 L/Sec FAD
AT 200VS	Compressor- 415V/200 KW/ 8 BAR/678-271 L/Sec FAD
AT 250VS	Compressor- 415V/250 KW/ 8 BAR/851-340 L/Sec FAD
AT 315VS	Compressor- 415V/315 KW/ 8 BAR/1025-410 L/Sec FAD

• Specify 8 or 10 BAR operation on ordering



Product Category:

Oil-Free Reciprocating Air Compressors

100% Oil-Free air with the economy and durability of reciprocating type technology.

Product Code	Description
OFP2.2	Compressor Oil-Free - 415V/2.2 KW/100 L Rec./285 L/min FAD
OFP4	Compressor Oil-Free - 415V/4 KW/150 L Rec./485 L/min FAD
OFP5.5	Compressor Oil-Free - 415V/5.5 KW/200 L Rec./730 L/min FAD
OFP7.5	Compressor Oil-Free - 415V/7.5 KW/268 L Rec./885 L/min FAD
OFP11	Compressor Oil-Free - 415V/11 KW/500 L Rec./1320 L/min FAD



Product Category:

SILENT Oil-Free Reciprocating Air Compressors

100% Oil-Free air with the economy and durability of reciprocating type technology in a silenced package.

Product Code	Description
OFP2.2SI	Compressor Oil-Free - 415V/ 2.2 KW / 285 L/min FAD
OFP4SI	Compressor Oil-Free - 415V/ 4 KW / 485 L/min FAD
OFP5.5SI	Compressor Oil-Free - 415V/ 5.5 KW / 730 L/min FAD
OFP7.5SI	Compressor Oil-Free - 415V/7.5 KW / 885 L/min FAD
OFP11SI	Compressor Oil-Free - 415V/ 11 KW / 1320 L/min FAD



Product Category:

Vertical

Manufactured to AS1210-3. Suits all workplace environments.

Product Code	Description
3100150	Air Receiver – Vertical/ 150 L /1100 kPa
3100300	Air Receiver – Vertical/ 300 L /1100 kPa
3100600	Air Receiver – Vertical/ 600 L /1100 kPa
3101000	Air Receiver – Vertical/ 1000 L /1100 kPa

- All Air Receivers supplied standard with: Safety Valve, Pressure Gauge, Manual Condensate Drain



Product Category:

Horizontal

Manufactured to AS1210-3. Suits all workplace environments.

Product Code	Description
45BR-HS	Air Receiver – Horizontal/ 45 L /1100 kPa
3000100	Air Receiver – Horizontal/ 100 L /1100 kPa
3000150	Air Receiver – Horizontal/ 150 L /1100 kPa
3000200	Air Receiver – Horizontal/ 200 L /1100 kPa
3000268	Air Receiver – Horizontal/ 268 L /1100 kPa
3000500	Air Receiver – Horizontal/ 500 L /1100 kPa

- All Air Receivers supplied standard with: Safety Valve, Pressure Gauge, Manual Condensate Drain



Product Category:

Automatic Condensate Drains

Condensate drains to suit all applications.

Product Code	Description
AD-14CONR	Condensate Drain-Automatic/ Pneumatic reciprocating compressor mount / Suit up to 4 KW
AD-14STEM	Condensate Drain-Automatic/ Pneumatic reciprocating compressor mount / Suit up to 7.5 KW
045-D031	Condensate Drain-Automatic/ Mechanical / Suit Vertical air receivers/ 1/2" BSP
SCE-4	Condensate Drain-Automatic/ Electric timed 240V / 1/8" BSP
SCE-8	Condensate Drain-Automatic/ Electric timed 240V / 1/2" BSP
SG-3003	Condensate Drain-Automatic/ Electric / ZERO LOSS / 1/2" BSP
PA-68	Auto Drain, Pneumatically activated
QS-01	Cyclone Separator 1/2" 22-74 cfm/ Cyclonic action moisture removal filter
QS-02	Cyclone Separator 1" 112-186 cfm/ Cyclonic action moisture removal filter



Product Category:

TFD Refrigerated Type Dryer Series

Rated for Australian conditions.

Product Code	Description
TFD6	Dryer – 9.9 L/S Capacity / 240V / 1/2" BSP F
TFD10	Dryer – 16.5 L/S Capacity / 240V / 1/2" BSP F
TFD15	Dryer – 25 L/S Capacity / 240V / 3/4" BSP F
TFD22	Dryer – 36.8 L/S Capacity / 240V / 3/4" BSP F
TFD30	Dryer – 50 L/S Capacity / 240V / 1" BSP F
TFD45	Dryer – 75 L/S Capacity / 240V / 1 1/4" BSP F
TFD60	Dryer – 100 L/S Capacity / 240V / 1 1/4" BSP F
TFD72	Dryer – 119.9 L/S Capacity / 240V / 1 1/2" BSP F
TFD85	Dryer – 141.6 L/S Capacity / 240V / 1 1/2" BSP F
TFD100	Dryer – 166.6 L/S Capacity / 240V / 2" BSP F
TFD120	Dryer – 200 L/S Capacity / 415V / 2" BSP F
TFD150	Dryer – 258 L/S Capacity / 415V / 2" BSP F
TFD180	Dryer – 308.2 L/S Capacity / 415V / 2 1/2" BSP F
TFD220	Dryer – 366.7 L/S Capacity / 415V / 2 1/2" BSP F

• NOTE: A 3 Micron Pre-Filter is required prior to the TFD Dryer or warranty may be void



Product Category:

Compressed Air Filter Only

Compressed air treatment to suit workshop conditions.

Product Code	Description
8510014	Filter Only – 1/4" BSP
8510012	Filter Only – 1/2" BSP



Product Category:

Compressed Air Filter Regulator Combinations

Compressed air treatment to suit workshop conditions.

Product Code	Description
8541014	Filter Regulator Combination – 1/4" BSP c/w Gauge and Bracket
8541012	Filter Regulator Combination – 1/2" BSP c/w Gauge and Bracket
8590000	Mounting Kit – suit 1/4" Filter Regulator
8590001	Mounting Kit – suit 1/2" Filter Regulator



Product Category:
FTP Series 3 Micron
 Industrial grade filtration.

Product Code	Description
FTP008	Compressed Air filter- 3 Micron/ 14.1 L/S / 3/8" BSP F Ports
FTP012	Compressed Air filter- 3 Micron/ 19.8 L/S / 1/2" BSP F Ports
FTP018	Compressed Air filter- 3 Micron/ 30.6 L/S / 3/4" BSP F Ports
FTP030	Compressed Air filter- 3 Micron/ 54.7 L/S / 1" BSP F Ports
FTP055	Compressed Air filter- 3 Micron/ 91.5 L/S / 1 1/2" BSP F Ports
FTP080	Compressed Air filter- 3 Micron/ 134.9 L/S / 1 1/2" BSP F Ports
FTP120	Compressed Air filter- 3 Micron/ 208.1 L/S / 1 1/2" BSP F Ports
FTP160	Compressed Air filter- 3 Micron/ 279.8 L/S / 2" BSP F Ports
FTP250	Compressed Air filter- 3 Micron/ 433.2 L/S / 2 1/2" BSP F Ports
FTP400	Compressed Air filter- 3 Micron/ 699.8 L/S / 3" BSP F Ports



Product Category:
FTS Series 1 Micron
Industrial grade filtration.

Product Code	Description
FTS008	Compressed Air filter- 1 Micron/ 14.1 L/S / 3/8" BSP F Ports
FTS012	Compressed Air filter- 1 Micron/ 19.8 L/S / 1/2" BSP F Ports
FTS018	Compressed Air filter- 1 Micron/ 30.6 L/S / 3/4" BSP F Ports
FTS030	Compressed Air filter- 1 Micron/ 54.7 L/S / 1" BSP F Ports
FTS055	Compressed Air filter- 1 Micron/ 91.5 L/S / 1 1/2" BSP F Ports
FTS080	Compressed Air filter- 1 Micron/ 134.9 L/S / 1 1/2" BSP F Ports
FTS120	Compressed Air filter- 1 Micron/ 208.1 L/S / 1 1/2" BSP F Ports
FTS160	Compressed Air filter- 1 Micron/ 279.8 L/S / 2" BSP F Ports
FTS250	Compressed Air filter- 1 Micron/ 433.2 L/S / 2 1/2" BSP F Ports
FTS400	Compressed Air filter- 1 Micron/ 699.8 L/S / 3" BSP F Ports



Product Category:
FTX Series 0.01 Micron
 Industrial grade filtration.

Product Code	Description
FTX008	Compressed Air filter- 0.01 Micron/ 14.1 L/S / 3/8" BSP F Ports
FTX012	Compressed Air filter- 0.01 Micron/ 19.8 L/S / 1/2" BSP F Ports
FTX018	Compressed Air filter- 0.01 Micron/ 30.6 L/S / 3/4" BSP F Ports
FTX030	Compressed Air filter- 0.01 Micron/ 54.7 L/S / 1" BSP F Ports
FTX055	Compressed Air filter- 0.01 Micron/ 91.5 L/S / 1 1/2" BSP F Ports
FTX080	Compressed Air filter- 0.01 Micron/ 134.9 L/S / 1 1/2" BSP F Ports
FTX120	Compressed Air filter- 0.01 Micron/ 208.1 L/S / 1 1/2" BSP F Ports
FTX160	Compressed Air filter- 0.01 Micron/ 279.8 L/S / 2" BSP F Ports
FTX250	Compressed Air filter- 0.01 Micron/ 433.2 L/S / 2 1/2" BSP F Ports
FTX400	Compressed Air filter- 0.01 Micron/ 699.8 L/S / 3" BSP F Ports



Product Category:

FTZ Series ACTIVATED CARBON

Industrial grade filtration.

Product Code	Description
FTZ008	Compressed Air filter- CARBON/ 14.1 L/S / 3/8" BSP F Ports
FTZ012	Compressed Air filter- CARBON / 19.8 L/S / 1/2" BSP F Ports
FTZ018	Compressed Air filter- CARBON / 30.6 L/S / 3/4" BSP F Ports
FTZ030	Compressed Air filter- CARBON / 54.7 L/S / 1" BSP F Ports
FTZ055	Compressed Air filter- CARBON / 91.5 L/S / 1 1/2" BSP F Ports
FTZ080	Compressed Air filter CARBON / 134.9 L/S / 1 1/2" BSP F Ports
FTZ120	Compressed Air filter- CARBON / 208.1 L/S / 1 1/2" BSP F Ports
FTZ160	Compressed Air filter- CARBON / 279.8 L/S / 2" BSP F Ports
FTZ250	Compressed Air filter- CARBON / 433.2 L/S / 2 1/2" BSP F Ports
FTZ400	Compressed Air filter- CARBON / 699.8 L/S / 3" BSP F Ports



Product Category:

Optional Differential Gauges to suit

Industrial grade filtration.

Product Code	Description
DIG04	Differential gauge to suit "FT" Series filters
DIG05	Differential gauge to suit "FT" Series filters with Alarm LED
CLI02	Differential Pop Up Indicator to suit "FT" Series filters



Product Category:

Aluminium Pipe

Highly efficient, easy to install and cost effective. The right choice for cost minimisation and maximum flexibility.


Product Code	Description
AC-PIPE-20	Blue Aluminium Pipe D 20 X 1,3 x 5800
AC-PIPE-25	Blue Aluminium Pipe D 25 X 1,4 x 5800
AC-PIPE-32	Blue Aluminium Pipe D 32 X 1,5 x 5800
AC-PIPE-40	Blue Aluminium Pipe D 40 X 1,8 x 5800
AC-PIPE-50	Blue Aluminium Pipe D 50 X 2 x 6000
AC-PIPE-63	Blue Aluminium Pipe D 63 X 2 x 6000
AC-PIPE-80	Blue Aluminium Pipe D 80 X 2,5 x 6000
AC-PIPE-110	Blue Aluminium Pipe D 110 X 2,6 x 6000



Product Category:

Bracket with M8 Thread

Product Code	Description
AC-BRACKETS-16	Brackets, with M8 thread insert piece 16mm (Pack of 10)
AC-BRACKETS-20	Brackets, with M8 thread insert piece 20mm (Pack of 10)
AC-BRACKETS-25	Brackets, with M8 thread insert piece 25mm (Pack of 10)
AC-BRACKETS-32	Brackets, with M8 thread insert piece 32mm (Pack of 10)
AC-BRACKETS-40	Brackets, with M8 thread insert piece 40mm (Pack of 10)
AC-BRACKETS-50	Brackets, with M8 thread insert piece 50mm (Pack of 10)
AC-BRACKETS-63	Brackets, with M8 thread insert piece 63mm (Pack of 10)
AC-BRACKETS-80	Brackets, with M8 thread insert piece 80mm (Pack of 10)
AC-BRACKETS-110	Brackets, with M8 thread insert piece 110mm (Pack of 10)


 Product Category:
Spacers

Product Code	Description
AC-SPACERS-20-32	Spacers 20 – 32mm (Pack of 10)
AC-SPACERS-40-63	Spacers 40 – 63mm (Pack of 10)


 Product Category:
Coupling (Technopolymer)

Product Code	Description
AC-COUP-16	Coupling 16mm
AC-COUP-20	Coupling 20mm
AC-COUP-25	Coupling 25mm
AC-COUP-32	Coupling 32mm
AC-COUP-40	Coupling 40mm
AC-COUP-50	Coupling 50mm
AC-COUP-63	Coupling 63mm



Product Category:
45° Elbow (Technopolymer)

Product Code	Description
AC-45ELB-20	45° Elbow 20mm
AC-45ELB-25	45° Elbow 25mm
AC-45ELB-32	45° Elbow 32mm
AC-45ELB-40	45° Elbow 40mm
AC-45ELB-50	45° Elbow 50mm
AC-45ELB-63	45° Elbow 63mm



Product Category:
90° Elbow (Technopolymer)

Product Code	Description
AC-90ELB-16	90° Elbow 16mm
AC-90ELB-20	90° Elbow 20mm
AC-90ELB-25	90° Elbow 25mm
AC-90ELB-32	90° Elbow 32mm
AC-90ELB-40	90° Elbow 40mm
AC-90ELB-50	90° Elbow 50mm
AC-90ELB-63	90° Elbow 63mm



Product Category:
Tee (Technopolymer)

Product Code	Description
AC-TEE-16	Tee 16mm
AC-TEE-20	Tee 20mm
AC-TEE-25	Tee 25mm
AC-TEE-32	Tee 32mm
AC-TEE-40	Tee 40mm
AC-TEE-50	Tee 50mm
AC-TEE-63	Tee 63mm



Product Category:
Threaded Tee (Technopolymer)

Product Code	Description
AC-TTF-20	Threaded tee, female thread 20mm
AC-TTF-25	Threaded tee, female thread 25mm



Product Category:
Reducing Tee (Technopolymer)

Product Code	Description
AC-RED TEE-20X16	Reducing Tee 20 x 16mm
AC-RED TEE-25X16	Reducing Tee 25 x 16mm
AC-RED TEE-25X20	Reducing Tee 25 x 20mm
AC-RED TEE-32X20	Reducing Tee 32 x 20mm
AC-RED TEE-32X25	Reducing Tee 32 x 25mm
AC-RED TEE-40X25	Reducing Tee 40 x 25mm
AC-RED TEE-40X32	Reducing Tee 40 x 32mm
AC-RED TEE-50X32	Reducing Tee 50 x 32mm
AC-RED TEE-50X40	Reducing Tee 50 x 40mm
AC-RED TEE-63X40	Reducing Tee 63 x 40mm
AC-RED TEE-63X50	Reducing Tee 63 x 50mm



Product Category:
End Cap (Technopolymer)

Product Code	Description
AC-END CUP-16	End Cap 16mm
AC-END CUP-20	End Cap 20mm
AC-END CUP-25	End Cap 25mm
AC-END CUP-32	End Cap 32mm
AC-END CUP-40	End Cap 40mm
AC-END CUP-50	End Cap 50mm
AC-END CUP-63	End Cap 63mm



Product Category:
Reducers (Technopolymer)

Product Code	Description
AC-REDUCTION-25X20	Reducers 25 x 20mm
AC-REDUCTION-32X25	Reducers 32 x 25mm
AC-REDUCTION-40X25	Reducers 40 x 25mm
AC-REDUCTION-40X32	Reducers 40 x 32mm
AC-REDUCTION-50X40	Reducers 50 x 40mm



Product Category:
90° Elbow Male Thread (Technopolymer)

Product Code	Description
AC-90ELB.MLE-20x1/2"	90° Elbow, male thread 20 x 1/2"
AC-90ELB.MLE-25x1/2"	90° Elbow, male thread 25 x 1/2"
AC-90ELB.MLE-25x3/4"	90° Elbow, male thread 25 x 3/4"



Product Category:
Union (Technopolymer)

Product Code	Description
AC-UNI-16X1/2"	Union, male threaded 16 x 1/2"
AC-UNI-20X1/2"	Union, male threaded 20 x 1/2"
AC-UNI-20X3/4"	Union, male threaded 20 x 3/4"
AC-UNI-25X1/2"	Union, male threaded 25 x 1/2"
AC-UNI-25X3/4"	Union, male threaded 25 x 3/4"
AC-UNI-25X1"	Union, male threaded 25 x 1"
AC-UNI-32X1"	Union, male threaded 32 x 1"
AC-UNI-32X1.1/4"	Union, male threaded 32 x 1 1/4"
AC-UNI-40X1"	Union, male threaded 40 x 1"
AC-UNI-40X1.1/4"	Union, male threaded 40 x 1 1/4"
AC-UNI-40X1.1/2"	Union, male threaded 40 x 1 1/2"
AC-UNI-50X1.1/2"	Union, male threaded 50 x 1 1/2"
AC-UNI-50X2"	Union, male threaded 50 x 2"
AC-UNI-63X2"	Union, male threaded 63 x 2"



Product Category:
Flanged Tip

Product Code	Description
AC-FLA.DIN-110x4"	Flanged Tip 110 x 4" DIN



Product Category:
Nipple Socket – Male Thread (Aluminium)

Product Code	Description
AC-NIP.M-20X1/2"	Nipple socket, male threaded 20 x 1/2"
AC-NIP.M-20X3/4"	Nipple socket, male threaded 20 x 3/4"
AC-NIP.M-25X3/4"	Nipple socket, male threaded 25 x 3/4"
AC-NIP.M-25X1"	Nipple socket, male threaded 25 x 1"
AC-NIP.M-32X1.1/4"	Nipple socket, male threaded 32 x 1 1/4"
AC-NIP.M-40X1.1/2"	Nipple socket, male threaded 40 x 1 1/2"
AC-NIP.M-50X2"	Nipple socket, male threaded 50 x 2"
AC-NIP.M-63X2"	Nipple socket, male threaded 63 x 2"
AC-NIP.M-63X2.1/2"	Nipple socket, male threaded 63 x 2 1/2"
AC-NIP.M-80X2.1/2"	Nipple socket, male threaded 80 x 2 1/2"
AC-NIP.M-80X3"	Nipple socket, male threaded 80 x 3"



Product Category:

Nipple Socket – Female Thread (Aluminium)

Product Code	Description
AC-NIP.F-20X1/2"	Nipple socket, female threaded 20 x 1/2"
AC-NIP.F-20X3/4"	Nipple socket, female threaded 20 x 3/4"
AC-NIP.F-25X3/4"	Nipple socket, female threaded 25 x 3/4"
AC-NIP.F-25X1"	Nipple socket, female threaded 25 x 1"
AC-NIP.F-32X1.1/4"	Nipple socket, female threaded 32 x 1 1/4"
AC-NIP.F-40X1.1/2"	Nipple socket, female threaded 40 x 1 1/2"
AC-NIP.F-50X2"	Nipple socket, female threaded 50 x 2"
AC-NIP.F-63X2.1/2"	Nipple socket, female threaded 63 x 2 1/2"



Product Category:

Single Port Pipe Manifolds

Product Code	Description
ACM1P-20x1/2"	20 x 1/2" Female Thread + Mounting Bracket
ACM1P-25x1/2"	25 x 1/2" Female Thread + Mounting Bracket
ACM1P-25x3/4"	25 x 3/4" Female Thread + Mounting Bracket



Product Category:
Port Manifolds Female Thread (Aluminium)

Product Code	Description
ACM1P-1/2"x1/2"	Single port manifold, female threads
ACM2P-1/2"x1/2"x1/2"	Two port manifold, female threads + drain 1/4" (blind)
ACM2P-3/4"x1/2"x1/2"	Two port manifold, female threads + drain 1/4" (blind)
ACM3P-1/2"x1/2"x1/2"	Three port manifold, female threads + drain 1/4" (blind)
ACM4P-1/2"x1/2"x1/2"	Four port manifold, female threads + drain 1/4" (blind)
ACM4P-3/4"x3/4"x1/2"	Four port manifold, female threads + drain 1/4" (blind)
ACM5P-3/4"x3/4"x1/2"	Five port manifold, female threads + drain 1/4" (blind)
ACM7P-3/4"x3/4"x1/2"	Seven port manifold, female threads + drain 1/4" (blind)



Product Category:

Quick Branch Plugs (Aluminium-BSP outlet)

The fastest and easiest way to add and airline drops – unique to Pilot Air's Quickline system

Product Code	Description
AC-PLUGS.ALU-25x1/2"	Quick branch plugs, female threaded outlet (aluminium)
AC-PLUGS.ALU-32x1/2"	Quick branch plugs, female threaded outlet (aluminium)
AC-PLUGS.ALU-40x1/2"	Quick branch plugs, female threaded outlet (aluminium)
AC-PLUGS.ALU-40x3/4"	Quick branch plugs, female threaded outlet (aluminium)
AC-PLUGS.ALU-50x1/2"	Quick branch plugs, female threaded outlet (aluminium)
AC-PLUGS.ALU-50x3/4"	Quick branch plugs, female threaded outlet (aluminium)
AC-PLUGS.ALU-63x1/2"	Quick branch plugs, female threaded outlet (aluminium)
AC-PLUGS.ALU-63x3/4"	Quick branch plugs, female threaded outlet (aluminium)
AC-PLUGS.ALU-63x1"	Quick branch plugs, female threaded outlet (aluminium)
AC-PLUGS.ALU-80x1/2"	Quick branch plugs, female threaded outlet (aluminium)
AC-PLUGS.ALU-80x3/4"	Quick branch plugs, female threaded outlet (aluminium)
AC-PLUGS.ALU-80x1"	Quick branch plugs, female threaded outlet (aluminium)
AC-PLUGS.ALU-110X3/4	Quick branch plugs, female threaded outlet (aluminium)
AC-PLUGS.ALU-110X1"	Quick branch plugs, female threaded outlet (aluminium)



Product Category:

Quick Branch Plugs (Aluminium-Metric outlet)

The fastest and easiest way to add and airline drops – unique to Pilot Air.

Product Code	Description
AC-PLUG-25X16	Quick branch plug 25 x 16mm
AC-PLUG-25X20	Quick branch plug 25 x 20mm
AC-PLUG-32X16	Quick branch plug 31 x 16mm
AC-PLUG-32X20	Quick branch plug 32 x 20mm
AC-PLUG-40X16	Quick branch plug 40 x 16mm
AC-PLUG-40X20	Quick branch plug 40 x 20mm
AC-PLUG-40X25	Quick branch plug 40 x 25mm
AC-PLUG-50X16	Quick branch plug 50 x 16mm
AC-PLUG-50X20	Quick branch plug 50 x 20mm
AC-PLUG-50X25	Quick branch plug 50 x 25mm
AC-PLUG-63X20	Quick branch plug 63 x 20mm
AC-PLUG-63X25	Quick branch plug 63 x 25mm
AC-PLUG-63X32	Quick branch plug 63 x 32mm
AC-PLUG-80X20	Quick branch plug 80 x 20mm
AC-PLUG-80X25	Quick branch plug 80 x 25mm
AC-PLUG-80X32	Quick branch plug 80 x 32mm
AC-PLUG-110x25	Quick branch plug 110 x 25mm
AC-PLUG-110x32	Quick branch plug 110 x 32mm



Product Category:

Bush with O-Ring Seals

Product Code	Description
AC-BOR-20	Bush with O-Ring seal 20mm

**PILOT AIR ARE THE
EXPERTS IN
COMPRESSED AIR
SOLUTIONS. WE PRIDE
OURSELVES IN
PROVIDING EXPERTISE,
SUPPORT AND VALUE.**



Contact Pilot Air for a complete range of compressed air solution products:

1300 667 579 | sales@pilotair.com.au | service@pilotair.com.au | spares@pilotair.com.au

www.pilotair.com.au