




— FAST INSTALLATION —

GREAT WALLS MOTIVATES GREAT LIFE



Grow your home's story

ZBM WALL from Italy – brought to you by ZBM® – is your 100% waterproof wall cladding solution. Featuring an innovative tongue-and-groove installation, these stone-based and UV-resistant panels deliver both style and durable finish. Available in versatile sizes (compact tiles and XL panels) and modern finishes such as concrete, wood, stone or marble, it adapts to any interior. Manufactured by its own factory, ZBM WALL guarantees both quality and durability. It is a perfect choice for bathrooms, kitchens, and areas where Italian design enhances functionality.



CONTENT

PRODUCT FEATURES	02
PRODUCT STRUCTURE	04
PRODUCT DIMENSIONS	06
INSTALLATION METHODS	08
ABSTRACT ART	10
RUST IMPRESSION	12
CONCRETE TEXTURE	14
MARBLE VEINING	16
STONE ESSENCE	18
LIMESTONE TEXTURE	20
TRAVERTINE TEXTURE	22
WOOD GRAIN	24
IRREGULAR GRATING	26

UNMATCHED INDOOR AIR QUALITY

Rigorously laboratory-tested to be free from harmful substances like lead, cadmium, phthalates and other heavy metals. Safe for residential, commercial, and sensitive environments.

WATERPROOF PERFORMANCE

The inherited exceptional waterproof properties makes it impervious to moisture and spills. The feature starves mold and mildew at their source, promoting a healthier indoor environment and eliminating odors.

EFFORTLESS INSTALLATION

Designed for convenience, it features a user-friendly installation system. With options for click or non click installation, it can be quickly and easily laid over most existing walls, saving time and reducing installation costs.

DURABLE AND LOW-MAINTENANCE

Engineered for longevity, it resists scratches, stains and wear, maintaining its pristine appearance for years. Furthermore, this robust nature requires minimal cleaning. A damp mop is all it needs to stay looking new, eliminating the need for special treatments or refinishing.

TECHNICAL SPECIFICATION

Test	Standard	Result
Formaldehyde Content Test	EN717-1	E1
Heavy Metal Content	ASTM F963	ND
Phthalates Content	EN14372	ND
Flame Retardant Grade	EN13501-1	Bfl-s1



Environment
Friendly



High
Dimensional
Stability



Fire
Retardant



Water And
Moisture Proof



Installation
On Any Flat
Surface



Reduce
Noise



Quick
Installation



Durable And
Low-Maintenance

COMMITMENT TO RESPONSIBLE BUILDING

This wallboard represents our dedication to develop high-performance building materials that prioritize planetary health and human wellbeing. By choosing a product with a predominantly natural base, minimal synthetic content, and verified environmental credentials, you contribute to a more sustainable construction future.

Dominantly Natural

Over 70% of our wallboard's composition is derived from natural mineral materials. It significantly reduces reliance on synthetic polymers and harnesses the inherent stability and performance of nature's resources.




Minimal & Responsible Polymer Use

Synthetic polymer content (PVC) is carefully limited to less than 30%, demonstrating our commitment to material efficiency and resource optimization.




Wall Panel Structure



3.7-4mm thickness

Dense



6mm thickness

Lightweight



9mm thickness


Ultra-lightweight



Product Dimensions

We believe that dimensions define space, and our wall panels are crafted to bring architectural harmony to any interior. The design philosophy behind our size range—from an expansive 2800x1200mm to a delicate 620x310mm—is rooted in classical principles of proportion and scale.

From creating feature walls in residential living rooms and bedrooms to delivering durable, elegant solutions for commercial lobbies, offices, and hospitality venues, our panels are the perfect fusion of intelligent design and aesthetic versatility.



Installation Methods

Quick-installation is not merely about economy and efficiency

— it's the realization of our design philosophy: to empower everyone to curate a space they truly love. Our innovative locking mechanisms integrate perfectly with the design lines, creating a seamless, elegant surface that elevates your entire aesthetic.

WPC Lock Installation



SPC Lock Installation




SPC Non-lock installation



Grating installation



Step 1



Step 2



EDGE AND CORNER TREATMENT



Quick Installation 5 times faster



GREAT WALLS MOTIVATES GREAT LIFE



ABSTRACT ART



Twilight



Aurora



Noctilucant

GREAT WALLS MOTIVATES GREAT LIFE



RUST IMPRESSION



Ferro Antico



Industrial Poet



Aged Terracotta





 Urbano Concrete



CONCRETE TEXTURE



Milano Grey



Roman Raw



Pompeii Ash

GREAT WALLS MOTIVATES GREAT LIFE



MARBLE VEINING



Carrara Bianco



Pandora



Carrara Noir



NO. 016

Calacatta Gold

GREAT WALLS MOTIVATES GREAT LIFE



STONE ESSENCE



Garda Lake



Dolomite Mist



Etna Ash

GREAT WALLS MOTIVATES GREAT LIFE



LIMESTON TEXTURE



Umbrian Dove



Amalfi Sunlight



Florentine Slate



Tuscan Terra

GREAT WALLS MOTIVATES GREAT LIFE



TRAVERTINE TEXTURE



Roman Stone



Apulia Sand



Colosseum Wall


GREAT WALLS MOTIVATES GREAT LIFE



WOOD GRAIN



Tuscan Sun



Sicilian Amber



Terra di Siena



Alpine Walnut


GREAT WALLS MOTIVATES GREAT LIFE



IRREGULAR GRATING



Cinnamon



Pinecone



Chocolate



— FAST INSTALLATION —

