

RUOTE POLIURETANO CON ANELLI LATERALI

POLYURETHANE WHEELS WITH LATERALS RINGS



Art. RPT

Ø mm.	Spessore / Thickness	Foro / Hole		
65	70	19		1
65	100	19		1

STRISCE VELCRATE

VELCRO STRIPES



Art. TC - Striscia tela corindone

Art. TC - Corundum cloth stripe

Misure / Size mm.	Grana / Grit		
600 x 40	60		10
600 x 40	120		10

Confezioni da 10 pezzi, inclusa striscia velcro maschio
10 pieces packaging, male velcro stripe included



Art. PA - Striscia panno abrasivo

Art. PA - Non-woven abrasive stripe

Misure / Size mm.	Grana / Grit		
600 x 40	AM		10
600 x 40	AVF		10

Confezioni da 10 pezzi, inclusa striscia velcro maschio
10 pieces packaging, male velcro stripe included



Art. SVM - Striscia velcro maschio

Art. SVM - Male velcro stripe

Misure / Size mm.		
500 x 30		10

Confezioni da 5 pezzi
5 pieces packaging

RUOTE AD ESPANSIONE CENTRIFUGA - CENTRIFUGAL EXPANDING WHEELS

Art. RCS



Ø mm.	Spessore / Thickness	Foro / Hole			📦
		SM	CM		
75	38	25	-		1
75	38	-	30		1
90	35	-	30		1
90	50	-	30		1
90	70	-	30		1
90	100	-	30		1
90	100	19	-		1
90	100	35	-		1
100	50	19	-		1
100	50	35	-		1
100	60	35	-		1
100	75	35	-		1
100	100	35	-		1
100	100	19	-		1
120	10	-	30		1
120	35	-	30		1
120	50	-	30		1
140	10	-	30		1
140	35	-	30		1
140	50	-	30		1
140	70	-	30		1
140	100	-	30		1
150	50	-	30		1
150	75	-	30		1
175	75	-	30		1
200	35	-	30		1
200	35	50	-		1
200	50	-	30		1
200	50	50	-		1
200	75	50	-		1
200	100	50	-		1
200	150	-	24		1


PLATORELLI IN GOMMA - RUBBER SUPPORTS FOR SELFADHESIVE ABRASIVE DISCS



Art. ACO

Ø mm.	Gambo / Shaft		📦
18	3/6		1
25	3/6		1
30	3/6		1
45	6		1
50	6		1
60	6		1
75	6		1

DISCHI ABRASIVI AUTOADESIVI IN TELA - SELFADHESIVE ABRASIVE CLOTH DISCS



ART. A Corindone / Corundum

ART. Z Zirconio / Zirconium

Misura Size	Grane / Grits			📦
	Corindone / Corundum	Zirconio / Zirconium	Ceramico / Ceramic	
10-12-15-18				100
20				100
25				100
30				100
40				100
45				100
50				100
60				100
75				100


Unità minima di vendita N. 500 pezzi per grana
Sale minimum quantity N. 500 pieces for each grit

RUOTE DI CONTATTO IN VULKOLLAN

VULKOLLAN CONTACT WHEELS



ART. VLS



ART. VSP



ART. VSL



Ø	Altezze / Heights									
	25-30	35-40	45-50	55-60	70-75	80	90-100	110-120	140-150	
70										1
80										1
100										1
120										1
150										1
200										1
250										1
300										1
350										1
500										1

Durezze / Densities

A	Shore 20/25
B	Shore 30/35
C	Shore 40/45

RUOTE DI CONTATTO IN GOMMA

GROOVED RUBBER CONTACT WHEELS



Art. **SCANALATA** / GROOVED FACE

Ø	Altezze / Heights										
	25	30	40	50	60	70	75	80	90-100	150	
100											1
120											1
150											1
200											1
250											1
300											1



Art. **LISCIA** / PLAIN FACE

Ø	Altezze / Heights										
	25	30	40	50	60	70	75	80	90-100	150	
100											1
120											1
150											1
200											1
250											1
300											1

Durezze / Densities

SHORE A 30-40-50-60-70-80-90

